

ALPHA ANALYTICAL LABORATORIES

Eight Walkup Drive  
Westborough, Massachusetts 01581-1019  
(508) 898-9220 www.alphalab.com

MA:M-MA086 NH:200301-A CT:PH-0574 ME:MA086 RI:65 NY:11148 NJ:MA935 Army:USACE

CERTIFICATE OF ANALYSIS

Client: ERM-New England Laboratory Job Number: L0413675  
Address: 399 Boylston Street  
6th Floor Date Received: 08-DEC-2004  
Boston, MA 02116 Date Reported: 15-DEC-2004  
Attn: Jeremy Picard Delivery Method: Alpha  
Project Number: 13606  
Site: RAYTHEON WAYLAND

The following questions pertain only to MCP Analytical Methods

An affirmative response to questions A,B,C & D is required for "Presumptive Certainty" status

- A. Were all samples received by the laboratory in a condition consistent with those described on their Chain-of-Custody documentation for the data set? YES
- B. Were all QA/QC procedures required for the specified analytical method(s) included in this report followed, including the requirement to note and discuss in a narrative QC data that did not meet appropriate performance standards or guidelines? YES
- C. Does the analytical data included in this report meet all the requirements for "Presumptive Certainty", as described in section 2.0 of the MADEP document CAM VII A, "Quality Assurance and Quality Control Guidelines for the Acquisition and Reporting of Analytical Data"? YES
- D. VPH and EPH methods only: Was the VPH or EPH method run without significant modifications, as specified in Section 11.3? NA

A response to questions E and F is required for "Presumptive Certainty" status

- E. Were all QC performance standards and recommendations for the specified method(s) achieved? YES
- F. Were results for all analyte-list compounds/elements for the specified method(s) reported? NO

Any answers of NO to the above questions are addressed in the case narrative.

I, the undersigned, attest under the pains and penalties of perjury that, based upon my personal inquiry of those responsible for obtaining the information, the material contained in this report is, to the best of my knowledge and belief, accurate and complete. This certificate of analysis is not complete unless this page accompanies any and all pages of this report.

Authorized by: James Todaro  
This document electronically signed

ALPHA ANALYTICAL LABORATORIES

Laboratory Job Number: L0413675  
Date Reported: 15-DEC-2004

---

ALPHA SAMPLE NUMBER	CLIENT IDENTIFICATION	SAMPLE LOCATION
L0413675-01	MW-203D	WAYLAND
L0413675-02	MW-202M	WAYLAND
L0413675-03	MW-202S	WAYLAND
L0413675-04	MW-203M	WAYLAND

ALPHA ANALYTICAL LABORATORIES  
NARRATIVE REPORT

Laboratory Job Number: L0413675

---

Report Submission

In reference to question F, at the client's request, the samples were analyzed only for the compounds specified on the chain of custody.

Volatile Organics

L0413675-01 has elevated limits of detection due to the 2x dilutions required by the elevated concentrations of target compounds in the sample.

ALPHA ANALYTICAL LABORATORIES  
 CERTIFICATE OF ANALYSIS

MA:M-MA086 NH:200301-A CT:PH-0574 ME:MA086 RI:65 NY:11148 NJ:MA935 Army:USACE

Laboratory Sample Number: L0413675-01  
 MW-203D  
 Sample Matrix: WATER

Date Collected: 07-DEC-2004 15:20  
 Date Received : 08-DEC-2004  
 Date Reported : 15-DEC-2004

Condition of Sample: Satisfactory

Field Prep: None

Number & Type of Containers: 2-Vial

PARAMETER	RESULT	UNITS	RDL	REF METHOD	DATE		ID
					PREP	ANAL	
Volatile Organics by MCP 8260B				60 8260B	1209 15:47 RY		
Methylene chloride	ND	ug/l	10.				
1,1-Dichloroethane	ND	ug/l	1.5				
Chloroform	ND	ug/l	1.5				
Carbon tetrachloride	ND	ug/l	1.0				
1,2-Dichloropropane	ND	ug/l	3.5				
Dibromochloromethane	ND	ug/l	1.0				
1,1,2-Trichloroethane	ND	ug/l	1.5				
Tetrachloroethene	2.6	ug/l	1.0				
Chlorobenzene	ND	ug/l	1.0				
1,2-Dichloroethane	ND	ug/l	1.0				
1,1,1-Trichloroethane	ND	ug/l	1.0				
Bromodichloromethane	ND	ug/l	1.0				
trans-1,3-Dichloropropene	ND	ug/l	1.0				
cis-1,3-Dichloropropene	ND	ug/l	1.0				
Bromoform	ND	ug/l	4.0				
1,1,2,2-Tetrachloroethane	ND	ug/l	1.0				
Benzene	ND	ug/l	1.0				
Chloromethane	ND	ug/l	5.0				
Vinyl chloride	ND	ug/l	2.0				
Chloroethane	ND	ug/l	2.0				
1,1-Dichloroethene	ND	ug/l	1.0				
trans-1,2-Dichloroethene	ND	ug/l	1.5				
Trichloroethene	80.	ug/l	1.0				
1,2-Dichlorobenzene	ND	ug/l	5.0				
1,3-Dichlorobenzene	ND	ug/l	5.0				
1,4-Dichlorobenzene	ND	ug/l	5.0				
Methyl tert butyl ether	ND	ug/l	2.0				
cis-1,2-Dichloroethene	6.0	ug/l	1.0				
Dichlorodifluoromethane	ND	ug/l	10.				
1,2-Dibromoethane	ND	ug/l	4.0				
1,3-Dichloropropane	ND	ug/l	5.0				
1,1,1,2-Tetrachloroethane	ND	ug/l	1.0				
o-Chlorotoluene	ND	ug/l	5.0				
p-Chlorotoluene	ND	ug/l	5.0				
Hexachlorobutadiene	ND	ug/l	2.0				
1,2,4-Trichlorobenzene	ND	ug/l	5.0				

Comments: Complete list of References and Glossary of Terms found in Addendum I

ALPHA ANALYTICAL LABORATORIES  
 CERTIFICATE OF ANALYSIS

Laboratory Sample Number: L0413675-01  
 MW-203D

PARAMETER	RESULT	UNITS	RDL	REF METHOD	DATE		ID
					PREP	ANAL	
Volatile Organics by MCP 8260B continued				60 8260B	1209 15:47		RY
Surrogate (s)	Recovery			QC Criteria			
1,2-Dichloroethane-d4	108.	%		70-130			
Toluene-d8	102.	%		70-130			
4-Bromofluorobenzene	102.	%		70-130			
Dibromofluoromethane	102.	%		70-130			

Comments: Complete list of References and Glossary of Terms found in Addendum I

ALPHA ANALYTICAL LABORATORIES  
CERTIFICATE OF ANALYSIS

MA:M-MA086 NH:200301-A CT:PH-0574 ME:MA086 RI:65 NY:11148 NJ:MA935 Army:USACE

Laboratory Sample Number: L0413675-02  
MW-202M

Date Collected: 07-DEC-2004 12:05

Sample Matrix: WATER

Date Received : 08-DEC-2004

Date Reported : 15-DEC-2004

Condition of Sample: Satisfactory

Field Prep: None

Number & Type of Containers: 2-Vial

---

PARAMETER	RESULT	UNITS	RDL	REF METHOD	DATE		ID
					PREP	ANAL	

---

\*\*\*\*\* THIS SAMPLE IS ON HOLD \*\*\*\*\*

---

Comments: Complete list of References and Glossary of Terms found in Addendum I

**ALPHA ANALYTICAL LABORATORIES  
CERTIFICATE OF ANALYSIS**

MA:M-MA086 NH:200301-A CT:PH-0574 ME:MA086 RI:65 NY:11148 NJ:MA935 Army:USACE

Laboratory Sample Number: L0413675-03

Date Collected: 07-DEC-2004 10:40

MW-202S

Date Received : 08-DEC-2004

Sample Matrix:

WATER

Date Reported : 15-DEC-2004

Condition of Sample: Satisfactory

Field Prep: None

Number & Type of Containers: 6-Vial

PARAMETER	RESULT	UNITS	RDL	REF METHOD	DATE		ID
					PREP	ANAL	
Volatile Organics by MCP 8260B				60 8260B	1209 16.23		RY
Methylene chloride	ND	ug/l	5.0				
1,1-Dichloroethane	ND	ug/l	0.75				
Chloroform	ND	ug/l	0.75				
Carbon tetrachloride	ND	ug/l	0.50				
1,2-Dichloropropane	ND	ug/l	1.8				
Dibromochloromethane	ND	ug/l	0.50				
1,1,2-Trichloroethane	ND	ug/l	0.75				
Tetrachloroethene	ND	ug/l	0.50				
Chlorobenzene	ND	ug/l	0.50				
1,2-Dichloroethane	ND	ug/l	0.50				
1,1,1-Trichloroethane	ND	ug/l	0.50				
Bromodichloromethane	ND	ug/l	0.50				
trans-1,3-Dichloropropene	ND	ug/l	0.50				
cis-1,3-Dichloropropene	ND	ug/l	0.50				
Bromoform	ND	ug/l	2.0				
1,1,2,2-Tetrachloroethane	ND	ug/l	0.50				
Benzene	ND	ug/l	0.50				
Chloromethane	ND	ug/l	2.5				
Vinyl chloride	ND	ug/l	1.0				
Chloroethane	ND	ug/l	1.0				
1,1-Dichloroethene	ND	ug/l	0.50				
trans-1,2-Dichloroethene	ND	ug/l	0.75				
Trichloroethene	ND	ug/l	0.50				
1,2-Dichlorobenzene	ND	ug/l	2.5				
1,3-Dichlorobenzene	ND	ug/l	2.5				
1,4-Dichlorobenzene	ND	ug/l	2.5				
Methyl tert butyl ether	ND	ug/l	1.0				
cis-1,2-Dichloroethene	ND	ug/l	0.50				
Dichlorodifluoromethane	ND	ug/l	5.0				
1,2-Dibromoethane	ND	ug/l	2.0				
1,3-Dichloropropane	ND	ug/l	2.5				
1,1,1,2-Tetrachloroethane	ND	ug/l	0.50				
o-Chlorotoluene	ND	ug/l	2.5				
p-Chlorotoluene	ND	ug/l	2.5				
Hexachlorobutadiene	ND	ug/l	1.0				
1,2,4-Trichlorobenzene	ND	ug/l	2.5				

Comments: Complete list of References and Glossary of Terms found in Addendum I

ALPHA ANALYTICAL LABORATORIES  
 CERTIFICATE OF ANALYSIS

Laboratory Sample Number: L0413675-03  
 MW-202S

PARAMETER	RESULT	UNITS	RDL	REF METHOD	DATE		ID
					PREP	ANAL	
Volatile Organics by MCP 8260B continued				60 8260B	1209 16.23		RY
Surrogate(s)	Recovery			QC Criteria			
1,2-Dichloroethane-d4	109.	%		70-130			
Toluene-d8	102.	%		70-130			
4-Bromofluorobenzene	102.	%		70-130			
Dibromofluoromethane	104.	%		70-130			

Comments: Complete list of References and Glossary of Terms found in Addendum I



ALPHA ANALYTICAL LABORATORIES  
CERTIFICATE OF ANALYSIS

MA:M-MA086 NH:200301-A CT:PH-0574 ME:MA086 RI:65 NY:11148 NJ:MA935 Army:USACE

Laboratory Sample Number: L0413675-04

Date Collected: 07-DEC-2004 16:35

MW-203M

Date Received : 08-DEC-2004

Sample Matrix:

WATER

Date Reported : 15-DEC-2004

Condition of Sample: Satisfactory

Field Prep: None

Number & Type of Containers: 2-Vial

PARAMETER	RESULT	UNITS	RDL	REF METHOD	DATE		ID
					PREP	ANAL	
Volatile Organics by MCP 8260B				60 8260B	1209 16:59		RY
Methylene chloride	ND	ug/l	5.0				
1,1-Dichloroethane	ND	ug/l	0.75				
Chloroform	ND	ug/l	0.75				
Carbon tetrachloride	ND	ug/l	0.50				
1,2-Dichloropropane	ND	ug/l	1.8				
Dibromochloromethane	ND	ug/l	0.50				
1,1,2-Trichloroethane	ND	ug/l	0.75				
Tetrachloroethene	2.4	ug/l	0.50				
Chlorobenzene	ND	ug/l	0.50				
1,2-Dichloroethane	ND	ug/l	0.50				
1,1,1-Trichloroethane	2.6	ug/l	0.50				
Bromodichloromethane	ND	ug/l	0.50				
trans-1,3-Dichloropropene	ND	ug/l	0.50				
cis-1,3-Dichloropropene	ND	ug/l	0.50				
Bromoform	ND	ug/l	2.0				
1,1,2,2-Tetrachloroethane	ND	ug/l	0.50				
Benzene	ND	ug/l	0.50				
Chloromethane	ND	ug/l	2.5				
Vinyl chloride	ND	ug/l	1.0				
Chloroethane	ND	ug/l	1.0				
1,1-Dichloroethene	ND	ug/l	0.50				
trans-1,2-Dichloroethene	ND	ug/l	0.75				
Trichloroethene	12.	ug/l	0.50				
1,2-Dichlorobenzene	ND	ug/l	2.5				
1,3-Dichlorobenzene	ND	ug/l	2.5				
1,4-Dichlorobenzene	ND	ug/l	2.5				
Methyl tert butyl ether	ND	ug/l	1.0				
cis-1,2-Dichloroethene	ND	ug/l	0.50				
Dichlorodifluoromethane	ND	ug/l	5.0				
1,2-Dibromoethane	ND	ug/l	2.0				
1,3-Dichloropropane	ND	ug/l	2.5				
1,1,1,2-Tetrachloroethane	ND	ug/l	0.50				
o-Chlorotoluene	ND	ug/l	2.5				
p-Chlorotoluene	ND	ug/l	2.5				
Hexachlorobutadiene	ND	ug/l	1.0				
1,2,4-Trichlorobenzene	ND	ug/l	2.5				

Comments: Complete list of References and Glossary of Terms found in Addendum I

ALPHA ANALYTICAL LABORATORIES  
 CERTIFICATE OF ANALYSIS

Laboratory Sample Number: L0413675-04  
 MW-203M

PARAMETER	RESULT	UNITS	RDL	REF METHOD	DATE		ID
					PREP	ANAL	
Volatile Organics by MCP 8260B continued				60-8260B	1209 16:59		RY
Surrogate(s)	Recovery			QC Criteria			
1,2-Dichloroethane-d4	110.	%		70-130			
Toluene-d8	102.	%		70-130			
4-Bromofluorobenzene	102.	%		70-130			
Dibromofluoromethane	102.	%		70-130			

Comments: Complete list of References and Glossary of Terms found in Addendum I

ALPHA ANALYTICAL LABORATORIES  
 QUALITY ASSURANCE BATCH LCS/LCSD ANALYSIS

Laboratory Job Number: L0413675

Parameter	LCS %	LCSD %	RPD	RPD Limit	QC Limits
Volatile Organics by MCP 8260B for sample(s) 01,03-04 (WG189082-3, WG189082)					
Methylene chloride	84	86	2	25	70-130
1,1-Dichloroethane	86	93	8	25	70-130
Chloroform	82	88	7	25	70-130
Carbon tetrachloride	88	96	9	25	70-130
1,2-Dichloropropane	87	92	6	25	70-130
Dibromochloromethane	90	93	3	25	70-130
1,1,2-Trichloroethane	84	92	9	25	70-130
Tetrachloroethene	88	94	7	25	70-130
Chlorobenzene	89	93	4	25	70-130
1,2-Dichloroethane	91	94	3	25	70-130
1,1,1-Trichloroethane	85	93	9	25	70-130
Bromodichloromethane	87	92	6	25	70-130
trans-1,3-Dichloropropene	87	95	9	25	70-130
cis-1,3-Dichloropropene	89	92	3	25	70-130
Bromoform	87	90	3	50	70-130
1,1,2,2-Tetrachloroethane	86	90	5	25	70-130
Benzene	86	92	7	25	70-130
Chloromethane	86	90	5	50	70-130
Vinyl chloride	88	95	8	25	70-130
Chloroethane	82	85	4	25	70-130
1,1-Dichloroethene	86	92	7	25	70-130
trans-1,2-Dichloroethene	91	91	0	25	70-130
Trichloroethene	84	90	7	25	70-130
1,2-Dichlorobenzene	86	91	6	25	70-130
1,3-Dichlorobenzene	86	91	6	25	70-130
1,4-Dichlorobenzene	89	94	5	25	70-130
Methyl tert butyl ether	85	92	8	25	70-130
cis-1,2-Dichloroethene	83	88	6	25	70-130
Dichlorodifluoromethane	80	88	10	50	70-130
1,2-Dibromoethane	90	92	2	25	70-130
1,3-Dichloropropane	88	94	7	25	70-130
1,1,1,2-Tetrachloroethane	93	97	4	25	70-130
o-Chlorotoluene	86	92	7	25	70-130
p-Chlorotoluene	86	92	7	25	70-130
Hexachlorobutadiene	84	92	9	25	70-130
1,2,4-Trichlorobenzene	90	93	3	25	70-130
Surrogate(s)					
1,2-Dichloroethane-d4	101	105	4		70-130
Toluene-d8	100	103	3		70-130
4-Bromofluorobenzene	101	101	0		70-130
Dibromofluoromethane	101	103	2		70-130

ALPHA ANALYTICAL LABORATORIES  
 QUALITY ASSURANCE BATCH MS/MSD ANALYSIS

Laboratory Job Number: L0413675

Parameter	MS %	MSD %	RPD	RPD Limit	MS/MSD Limits
Volatile Organics by MCP 8260B for sample(s) 01,03-04 (L0413675-03, WG189082)					
Methylene chloride	88	89	1	30	70-130
1,1-Dichloroethane	95	93	2	30	70-130
Chloroform	91	91	0	30	70-130
Carbon tetrachloride	97	95	2	30	70-130
1,2-Dichloropropane	96	95	1	30	70-130
Dibromochloromethane	96	92	4	30	70-130
1,1,2-Trichloroethane	91	92	1	30	70-130
Tetrachloroethene	94	87	8	30	70-130
Chlorobenzene	95	91	4	30	70-130
1,2-Dichloroethane	98	95	3	30	70-130
1,1,1-Trichloroethane	97	93	4	30	70-130
Bromodichloromethane	91	92	1	30	70-130
trans-1,3-Dichloropropene	94	93	1	30	70-130
cis-1,3-Dichloropropene	96	93	3	30	70-130
Bromoform	92	90	2	30	70-130
1,1,2,2-Tetrachloroethane	98	92	6	30	70-130
Benzene	92	92	0	30	70-130
Chloromethane	87	86	1	30	70-130
Vinyl chloride	91	88	3	30	70-130
Chloroethane	87	86	1	30	70-130
1,1-Dichloroethene	90	88	2	30	70-130
trans-1,2-Dichloroethene	91	91	0	30	70-130
Trichloroethene	96	91	5	30	70-130
1,2-Dichlorobenzene	94	90	4	30	70-130
1,3-Dichlorobenzene	92	89	3	30	70-130
1,4-Dichlorobenzene	93	91	2	30	70-130
Methyl tert butyl ether	96	97	1	30	70-130
cis-1,2-Dichloroethene	94	91	3	30	70-130
Dichlorodifluoromethane	77	74	4	30	70-130
1,2-Dibromoethane	93	92	1	30	70-130
1,3-Dichloropropane	93	92	1	30	70-130
1,1,1,2-Tetrachloroethane	97	96	1	30	70-130
o-Chlorotoluene	94	88	7	30	70-130
p-Chlorotoluene	96	90	6	30	70-130
Hexachlorobutadiene	86	85	1	30	70-130
1,2,4-Trichlorobenzene	92	90	2	30	70-130
Surrogate (s)					
1,2-Dichloroethane-d4	105	107	2		70-130
Toluene-d8	100	100	0		70-130
4-Bromofluorobenzene	101	97	4		70-130
Dibromofluoromethane	101	103	2		70-130

ALPHA ANALYTICAL LABORATORIES  
 QUALITY ASSURANCE BATCH BLANK ANALYSIS

Laboratory Job Number: L0413675

PARAMETER	RESULT	UNITS	RDL	REF METHOD	DATE		ID
					PREP	ANAL	
Blank Analysis for sample(s) 01,03-04 (WG189082-5)							
Volatile Organics by MCP 8260B				60 8260B		1209 12:48	RY
Methylene chloride	ND	ug/l	5.0				
1,1-Dichloroethane	ND	ug/l	0.75				
Chloroform	ND	ug/l	0.75				
Carbon tetrachloride	ND	ug/l	0.50				
1,2-Dichloropropane	ND	ug/l	1.8				
Dibromochloromethane	ND	ug/l	0.50				
1,1,2-Trichloroethane	ND	ug/l	0.75				
Tetrachloroethene	ND	ug/l	0.50				
Chlorobenzene	ND	ug/l	0.50				
1,2-Dichloroethane	ND	ug/l	0.50				
1,1,1-Trichloroethane	ND	ug/l	0.50				
Bromodichloromethane	ND	ug/l	0.50				
trans-1,3-Dichloropropene	ND	ug/l	0.50				
cis-1,3-Dichloropropene	ND	ug/l	0.50				
Bromoform	ND	ug/l	2.0				
1,1,2,2-Tetrachloroethane	ND	ug/l	0.50				
Benzene	ND	ug/l	0.50				
Chloromethane	ND	ug/l	2.5				
Vinyl chloride	ND	ug/l	1.0				
Chloroethane	ND	ug/l	1.0				
1,1-Dichloroethene	ND	ug/l	0.50				
trans-1,2-Dichloroethene	ND	ug/l	0.75				
Trichloroethene	ND	ug/l	0.50				
1,2-Dichlorobenzene	ND	ug/l	2.5				
1,3-Dichlorobenzene	ND	ug/l	2.5				
1,4-Dichlorobenzene	ND	ug/l	2.5				
Methyl tert butyl ether	ND	ug/l	1.0				
cis-1,2-Dichloroethene	ND	ug/l	0.50				
Dichlorodifluoromethane	ND	ug/l	5.0				
1,2-Dibromoethane	ND	ug/l	2.0				
1,3-Dichloropropane	ND	ug/l	2.5				
1,1,1,2-Tetrachloroethane	ND	ug/l	0.50				
o-Chlorotoluene	ND	ug/l	2.5				
p-Chlorotoluene	ND	ug/l	2.5				
Hexachlorobutadiene	ND	ug/l	1.0				
1,2,4-Trichlorobenzene	ND	ug/l	2.5				
Surrogate (s)	Recovery			QC Criteria			
1,2-Dichloroethane-d4	104.	%		70-130			
Toluene-d8	104.	%		70-130			
4-Bromofluorobenzene	102.	%		70-130			
Dibromofluoromethane	103.	%		70-130			

ALPHA ANALYTICAL LABORATORIES  
ADDENDUM I

---

REFERENCES

60. Quality Assurance and Quality Control Requirements and Performance Standards for SW-846 Methods. MADEP BWSC. WSC-CAM-IIA (Revision 4), WSC-CAM-V C (Revision 2), WSC-CAM-IIIA (Revision 5). May 2004.

GLOSSARY OF TERMS AND SYMBOLS

REF Reference number in which test method may be found.  
METHOD Method number by which analysis was performed.  
ID Initials of the analyst.  
ND Not detected in comparison to the reported detection limit.

ug/cart Micrograms per Cartridge.

LIMITATION OF LIABILITIES

Alpha Analytical, Inc. performs services with reasonable care and diligence normal to the analytical testing laboratory industry. In the event of an error, the sole and exclusive responsibility of Alpha Analytical, Inc., shall be to re-perform the work at it's own expense. In no event shall Alpha Analytical, Inc. be held liable for any incidental consequential or special damages, including but not limited to, damages in any way connected with the use of, interpretation of, information or analysis provided by Alpha Analytical, Inc.

We strongly urge our clients to comply with EPA protocol regarding sample volume, preservation, cooling, containers, sampling procedures, holding times and splitting of samples in the field.

ALPHA ANALYTICAL LABORATORIES  
LOGIN SPECIFIC INFORMATION

Laboratory Job Number: L0413675

---

Were project specific reporting limits specified? NO

Cooler Information

Cooler	Custody Seal
A	Absent


Container Information

Container ID	Container Type	Cooler	pH	Temp	Pres	Seal	Analysis
L0413675-01A	Vial HCl preserved	A	N/A	1.4 C	Y	Absent	MCP-8260-04
L0413675-01B	Vial HCl preserved	A	N/A	1.4 C	Y	Absent	MCP-8260-04
L0413675-02A	Vial HCl preserved	A	N/A	1.4 C	Y	Absent	HOLD
L0413675-02B	Vial HCl preserved	A	N/A	1.4 C	Y	Absent	HOLD
L0413675-03A	Vial HCl preserved	A	N/A	1.4 C	Y	Absent	MCP-8260-04
L0413675-03B	Vial HCl preserved	A	N/A	1.4 C	Y	Absent	MCP-8260-04
L0413675-03C	Vial HCl preserved	A	N/A	1.4 C	Y	Absent	MCP-8260-04
L0413675-03D	Vial HCl preserved	A	N/A	1.4 C	Y	Absent	MCP-8260-04
L0413675-03E	Vial HCl preserved	A	N/A	1.4 C	Y	Absent	MCP-8260-04
L0413675-03F	Vial HCl preserved	A	N/A	1.4 C	Y	Absent	MCP-8260-04
L0413675-04A	Vial HCl preserved	A	N/A	1.4 C	Y	Absent	MCP-8260-04
L0413675-04B	Vial HCl preserved	A	N/A	1.4 C	Y	Absent	MCP-8260-04

Container Comments

Container ID	Comments
--------------	----------

---



# CHAIN OF CUSTODY

PAGE \_\_\_\_ OF \_\_\_\_

Eight Walkup Drive Westborough, MA 01581  
TEL: 508-898-9220 FAX: 508-898-9193

### Client Information

Client: ERM

Address: 399 BOSTON ST  
BOSTON MA 02116

Phone: 617-646-7800

Fax:

Email:

These samples have been previously analyzed by Alpha

Other Project Specific Requirements/Comments/Detection Limits:

### Project Information

Project Name: Raytheon Wayland

Project Location: Wayland

Project #: 13000

Project Manager: J. Picard

Alpha Quote #: 13000

Turn-Around Time

Standard  RUSH (only confirmed if pre-approved)

Date Due: 12/15 Time:

Date Rec'd In Lab: 12/18

### Report Information - Data Deliverables

FAX  EMAIL

ADEX  Add'l Deliverables

### Regulatory Requirements/Report Limits

State / Fed Program

Criteria

Alpha Job #: 10113627

### Billing Information

Same as Client Info

PO #:

### MCP PRESUMPTIVE CERTAINTY - THESE QUESTIONS MUST BE ANSWERED

Yes  No Are MCP Analytical Methods Required?

Yes  No Are Drinking Water Samples Submitted?

Yes  No Have you met minimum field QC requirements?

**ANALYSIS**  
8001B, MTBE, Benzene

### SAMPLE HANDLING

Filtration  Done

Not needed

Lab to do  Lab to do

Preservation  Lab to do

(Please specify below)

ALPHA Lab ID (Lab Use Only)	Sample ID	Collection		Sample Matrix	Sampler's Initials
		Date	Time		
367F-1	MW-203 D	12/1/04	15:20	6W	EJM
2	MW-202M-	12/7/04	12:05	6W	EJM
3	MW-202S	12/7/04	10:40	6W	EJM
4	MW-203M	12/7/04	10:35	6W	EJM
5	MSMW-202S	12/7/04	10:40	6W	EJM
5	MSMW-202S	12/7/04	10:40	6W	EJM

Sample Specific Comments	TOTAL # BOTTLES
	2
	2
	2
	2
	2
	2
	2
	2
	2
	12

### QUESTIONS ABOVE MUST BE ANSWERED FOR PRESUMPTIVE CERTAINTY

Container Type	Date/Time	Relinquished By:	Received By:	Date/Time
<input checked="" type="checkbox"/> Preservative	<u>12/18/04</u>	<u>[Signature]</u>	<u>[Signature]</u>	<u>12/18/04</u>

## IS YOUR PROJECT MCP?

Please print clearly, legibly and completely. Samples can not be logged in and turnaround time clock will not start until any ambiguities are resolved. All samples submitted are subject to Alpha's Payment Terms. See reverse side.