

ALPHA ANALYTICAL LABORATORIES

Eight Walkup Drive  
Westborough, Massachusetts 01581-1019  
(508) 898-9220 www.alphalab.com

MA:M-MA086 NH:200301-A CT:PH-0574 ME:MA086 RI:65 NY:11148 NJ:MA935 Army:USACE

CERTIFICATE OF ANALYSIS

Client: ERM-New England Laboratory Job Number: L0413790  
Address: 399 Boylston Street  
6th Floor  
Boston, MA 02116 Date Received: 09-DEC-2004  
Attn: Jeremy Picard Date Reported: 14-DEC-2004  
Project Number: 13606 Delivery Method: Alpha  
Site: RAYTHEON WAYLAND

The following questions pertain only to MCP Analytical Methods

An affirmative response to questions A,B,C & D is required for "Presumptive Certainty" status

- A. Were all samples received by the laboratory in a condition consistent with those described on their Chain-of-Custody documentation for the data set? YES
- B. Were all QA/QC procedures required for the specified analytical method(s) included in this report followed, including the requirement to note and discuss in a narrative QC data that did not meet appropriate performance standards or guidelines? YES
- C. Does the analytical data included in this report meet all the requirements for "Presumptive Certainty", as described in section 2.0 of the MADEP document CAM VII A, "Quality Assurance and Quality Control Guidelines for the Acquisition and Reporting of Analytical Data"? YES
- D. VPH and EPH methods only: Was the VPH or EPH method run without significant modifications, as specified in Section 11.3? NA

A response to questions E and F is required for "Presumptive Certainty" status

- E. Were all QC performance standards and recommendations for the specified method(s) achieved? YES
- F. Were results for all analyte-list compounds/elements for the specified method(s) reported? NO

Any answers of NO to the above questions are addressed in the case narrative.

I, the undersigned, attest under the pains and penalties of perjury that, based upon my personal inquiry of those responsible for obtaining the information, the material contained in this report is, to the best of my knowledge and belief, accurate and complete. This certificate of analysis is not complete unless this page accompanies any and all pages of this report.

Authorized by: Ellen M. Collins  
This document electronically signed

ALPHA ANALYTICAL LABORATORIES

Laboratory Job Number: L0413790  
Date Reported: 14-DEC-2004

---

ALPHA SAMPLE NUMBER	CLIENT IDENTIFICATION	SAMPLE LOCATION
L0413790-01	MW-208D	WAYLAND, MA
L0413790-02	MW-208M	WAYLAND, MA
L0413790-03	FD-09	WAYLAND, MA

ALPHA ANALYTICAL LABORATORIES  
NARRATIVE REPORT

Laboratory Job Number: L0413790

---

MCP Related Narratives

Report Submission

In reference to question F, at the client's request, the samples were analyzed only for the compounds specified on the chain of custody.

ALPHA ANALYTICAL LABORATORIES  
 CERTIFICATE OF ANALYSIS

MA:M-MA086 NH:200301-A CT:PH-0574 ME:MA086 RI:65 NY:11148 NJ:MA935 Army:USACE

Laboratory Sample Number: L0413790-01      Date Collected: 08-DEC-2004 15:40  
 MW-208D      Date Received : 09-DEC-2004  
 Sample Matrix: WATER      Date Reported : 14-DEC-2004  
 Condition of Sample: Satisfactory      Field Prep: None  
 Number & Type of Containers: 2-Vial

PARAMETER	RESULT	UNITS	RDL	REF METHOD	DATE		ID
					PREP	ANAL	
Volatile Organics by MCP 8260B				60 8260B	1212 01:39 BT		
Methylene chloride	ND	ug/l	5.0				
1,1-Dichloroethane	ND	ug/l	0.75				
Chloroform	ND	ug/l	0.75				
Carbon tetrachloride	ND	ug/l	0.50				
1,2-Dichloropropane	ND	ug/l	1.8				
Dibromochloromethane	ND	ug/l	0.50				
1,1,2-Trichloroethane	ND	ug/l	0.75				
Tetrachloroethene	ND	ug/l	0.50				
Chlorobenzene	ND	ug/l	0.50				
1,2-Dichloroethane	ND	ug/l	0.50				
1,1,1-Trichloroethane	ND	ug/l	0.50				
Bromodichloromethane	ND	ug/l	0.50				
trans-1,3-Dichloropropene	ND	ug/l	0.50				
cis-1,3-Dichloropropene	ND	ug/l	0.50				
Bromoform	ND	ug/l	2.0				
1,1,2,2-Tetrachloroethane	ND	ug/l	0.50				
Benzene	ND	ug/l	0.50				
Chloromethane	ND	ug/l	2.5				
Vinyl chloride	ND	ug/l	1.0				
Chloroethane	ND	ug/l	1.0				
1,1-Dichloroethene	ND	ug/l	0.50				
trans-1,2-Dichloroethene	ND	ug/l	0.75				
Trichloroethene	1.3	ug/l	0.50				
1,2-Dichlorobenzene	ND	ug/l	2.5				
1,3-Dichlorobenzene	ND	ug/l	2.5				
1,4-Dichlorobenzene	ND	ug/l	2.5				
Methyl tert butyl ether	ND	ug/l	1.0				
cis-1,2-Dichloroethene	ND	ug/l	0.50				
Dichlorodifluoromethane	ND	ug/l	5.0				
1,2-Dibromoethane	ND	ug/l	2.0				
1,3-Dichloropropane	ND	ug/l	2.5				
1,1,1,2-Tetrachloroethane	ND	ug/l	0.50				
o-Chlorotoluene	ND	ug/l	2.5				
p-Chlorotoluene	ND	ug/l	2.5				
Hexachlorobutadiene	ND	ug/l	1.0				
1,2,4-Trichlorobenzene	ND	ug/l	2.5				

Comments: Complete list of References and Glossary of Terms found in Addendum I

ALPHA ANALYTICAL LABORATORIES  
 CERTIFICATE OF ANALYSIS

Laboratory Sample Number: L0413790-01  
 MW-208D

PARAMETER	RESULT	UNITS	RDL	REF METHOD	DATE		ID
					PREP	ANAL	
Volatile Organics by MCP 8260B continued				60 8260B	1212 01:39 BT		
Surrogate(s)	Recovery			QC Criteria			
1,2-Dichloroethane-d4	107.	%		70-130			
Toluene-d8	102.	%		70-130			
4-Bromofluorobenzene	101.	%		70-130			
Dibromofluoromethane	102.	%		70-130			

Comments: Complete list of References and Glossary of Terms found in Addendum I

ALPHA ANALYTICAL LABORATORIES  
 CERTIFICATE OF ANALYSIS

MA:M-MA086 NH:200301-A CT:PH-0574 ME:MA086 RI:65 NY:11148 NJ:MA935 Army:USACE

Laboratory Sample Number: L0413790-02

Date Collected: 08-DEC-2004 17:05

MW-208M

Date Received : 09-DEC-2004

Sample Matrix:

WATER

Date Reported : 14-DEC-2004

Condition of Sample: Satisfactory

Field Prep: None

Number & Type of Containers: 2-Vial

PARAMETER	RESULT	UNITS	RDL	REF METHOD	DATE		ID
					PREP	ANAL	
Volatile Organics by MCP 8260B					60 8260B	1212 02 15	BT
Methylene chloride	ND	ug/l	5.0				
1,1-Dichloroethane	1.6	ug/l	0.75				
Chloroform	ND	ug/l	0.75				
Carbon tetrachloride	ND	ug/l	0.50				
1,2-Dichloropropane	ND	ug/l	1.8				
Dibromochloromethane	ND	ug/l	0.50				
1,1,2-Trichloroethane	ND	ug/l	0.75				
Tetrachloroethene	ND	ug/l	0.50				
Chlorobenzene	ND	ug/l	0.50				
1,2-Dichloroethane	ND	ug/l	0.50				
1,1,1-Trichloroethane	ND	ug/l	0.50				
Bromodichloromethane	ND	ug/l	0.50				
trans-1,3-Dichloropropene	ND	ug/l	0.50				
cis-1,3-Dichloropropene	ND	ug/l	0.50				
Bromoform	ND	ug/l	2.0				
1,1,2,2-Tetrachloroethane	ND	ug/l	0.50				
Benzene	ND	ug/l	0.50				
Chloromethane	ND	ug/l	2.5				
Vinyl chloride	ND	ug/l	1.0				
Chloroethane	ND	ug/l	1.0				
1,1-Dichloroethene	0.62	ug/l	0.50				
trans-1,2-Dichloroethene	ND	ug/l	0.75				
Trichloroethene	7.5	ug/l	0.50				
1,2-Dichlorobenzene	ND	ug/l	2.5				
1,3-Dichlorobenzene	ND	ug/l	2.5				
1,4-Dichlorobenzene	ND	ug/l	2.5				
Methyl tert butyl ether	8.6	ug/l	1.0				
cis-1,2-Dichloroethene	0.84	ug/l	0.50				
Dichlorodifluoromethane	ND	ug/l	5.0				
1,2-Dibromoethane	ND	ug/l	2.0				
1,3-Dichloropropane	ND	ug/l	2.5				
1,1,1,2-Tetrachloroethane	ND	ug/l	0.50				
o-Chlorotoluene	ND	ug/l	2.5				
p-Chlorotoluene	ND	ug/l	2.5				
Hexachlorobutadiene	ND	ug/l	1.0				
1,2,4-Trichlorobenzene	ND	ug/l	2.5				

Comments: Complete list of References and Glossary of Terms found in Addendum I

ALPHA ANALYTICAL LABORATORIES  
 CERTIFICATE OF ANALYSIS

Laboratory Sample Number: L0413790-02  
 MW-208M

PARAMETER	RESULT	UNITS	RDL	REF METHOD	DATE		ID
					PREP	ANAL	
Volatile Organics by MCP 8260B continued				60 8260B	1212 02:15 BT		
Surrogate(s)	Recovery			QC Criteria			
1,2-Dichloroethane-d4	109.	%		70-130			
Toluene-d8	102.	%		70-130			
4-Bromofluorobenzene	105.	%		70-130			
Dibromofluoromethane	105.	%		70-130			

Comments: Complete list of References and Glossary of Terms found in Addendum I

ALPHA ANALYTICAL LABORATORIES  
 CERTIFICATE OF ANALYSIS

MA:M-MA086 NH:200301-A CT:PH-0574 ME:MA086 RI:65 NY:11148 NJ:MA935 Army:USACE

Laboratory Sample Number: L0413790-03 Date Collected: 08-DEC-2004 00:00  
 FD-09 Date Received : 09-DEC-2004  
 Sample Matrix: WATER Date Reported : 14-DEC-2004  
 Condition of Sample: Satisfactory Field Prep: None  
 Number & Type of Containers: 1-Plastic,2-Vial

PARAMETER	RESULT	UNITS	RDL	REF METHOD	DATE		ID
					PREP	ANAL	
Chloride	500	mg/l	10.	1 9251		1211 15:27	ED
Volatile Organics by MCP 8260B				60 8260B		1212 02:51	BT
Methylene chloride	ND	ug/l	5.0				
1,1-Dichloroethane	12.	ug/l	0.75				
Chloroform	ND	ug/l	0.75				
Carbon tetrachloride	ND	ug/l	0.50				
1,2-Dichloropropane	ND	ug/l	1.8				
Dibromochloromethane	ND	ug/l	0.50				
1,1,2-Trichloroethane	ND	ug/l	0.75				
Tetrachloroethene	ND	ug/l	0.50				
Chlorobenzene	ND	ug/l	0.50				
1,2-Dichloroethane	1.5	ug/l	0.50				
1,1,1-Trichloroethane	ND	ug/l	0.50				
Bromodichloromethane	ND	ug/l	0.50				
trans-1,3-Dichloropropene	ND	ug/l	0.50				
cis-1,3-Dichloropropene	ND	ug/l	0.50				
Bromoform	ND	ug/l	2.0				
1,1,2,2-Tetrachloroethane	ND	ug/l	0.50				
Benzene	1.4	ug/l	0.50				
Chloromethane	ND	ug/l	2.5				
Vinyl chloride	ND	ug/l	1.0				
Chloroethane	ND	ug/l	1.0				
1,1-Dichloroethene	0.77	ug/l	0.50				
trans-1,2-Dichloroethene	ND	ug/l	0.75				
Trichloroethene	2.4	ug/l	0.50				
1,2-Dichlorobenzene	ND	ug/l	2.5				
1,3-Dichlorobenzene	ND	ug/l	2.5				
1,4-Dichlorobenzene	ND	ug/l	2.5				
Methyl tert butyl ether	160	ug/l	1.0				
cis-1,2-Dichloroethene	2.1	ug/l	0.50				
Dichlorodifluoromethane	ND	ug/l	5.0				
1,2-Dibromoethane	ND	ug/l	2.0				
1,3-Dichloropropane	ND	ug/l	2.5				
1,1,1,2-Tetrachloroethane	ND	ug/l	0.50				
o-Chlorotoluene	ND	ug/l	2.5				
p-Chlorotoluene	ND	ug/l	2.5				
Hexachlorobutadiene	ND	ug/l	1.0				
1,2,4-Trichlorobenzene	ND	ug/l	2.5				

Comments: Complete list of References and Glossary of Terms found in Addendum I



ALPHA ANALYTICAL LABORATORIES  
 CERTIFICATE OF ANALYSIS

Laboratory Sample Number: L0413790-03  
 FD-09

PARAMETER	RESULT	UNITS	RDL	REF METHOD	DATE		ID
					PREP	ANAL	
Volatile Organics by MCP 8260B continued				60 8260B	1212 02:51		BT
Surrogate(s)	Recovery			QC Criteria			
1,2-Dichloroethane-d4	112.	%		70-130			
Toluene-d8	101.	%		70-130			
4-Bromofluorobenzene	100.	%		70-130			
Dibromofluoromethane	102.	%		70-130			

Comments: Complete list of References and Glossary of Terms found in Addendum I

ALPHA ANALYTICAL LABORATORIES  
QUALITY ASSURANCE BATCH DUPLICATE ANALYSIS

Laboratory Job Number: L0413790

Parameter	Value 1	Value 2	Units	RPD	RPD Limits
Chloride for sample(s) 03 (L0413679-02, WG189152)					
Chloride	77.	75.	mg/l	3	7

ALPHA ANALYTICAL LABORATORIES  
QUALITY ASSURANCE BATCH SPIKE ANALYSES

Laboratory Job Number: L0413790

Parameter	% Recovery	QC Criteria
Chloride LCS for sample(s) 03 (WG189152)		
Chloride	93	84-110
Chloride SPIKE for sample(s) 03 (L0413679-03, WG189152)		
Chloride	85	58-140

ALPHA ANALYTICAL LABORATORIES  
 QUALITY ASSURANCE BATCH LCS/LCSD ANALYSIS

Laboratory Job Number: L0413790

Parameter	LCS %	LCSD %	RPD	RPD Limit	QC Limits
Volatile Organics by MCP 8260B for sample(s) 01-03 (WG189174-1, WG189174)					
Methylene chloride	87	94	8	25	70-130
1,1-Dichloroethane	90	100	11	25	70-130
Chloroform	83	94	12	25	70-130
Carbon tetrachloride	91	100	9	25	70-130
1,2-Dichloropropane	88	99	12	25	70-130
Dibromochloromethane	89	100	12	25	70-130
1,1,2-Trichloroethane	88	96	9	25	70-130
Tetrachloroethene	85	100	16	25	70-130
Chlorobenzene	90	98	9	25	70-130
1,2-Dichloroethane	91	102	11	25	70-130
1,1,1-Trichloroethane	86	100	15	25	70-130
Bromodichloromethane	88	102	15	25	70-130
trans-1,3-Dichloropropene	82	90	9	25	70-130
cis-1,3-Dichloropropene	88	100	13	25	70-130
Bromoform	82	97	17	50	70-130
1,1,2,2-Tetrachloroethane	84	98	15	25	70-130
Benzene	89	98	10	25	70-130
Chloromethane	101	116	14	50	70-130
Vinyl chloride	90	100	11	25	70-130
Chloroethane	89	106	17	25	70-130
1,1-Dichloroethene	85	98	14	25	70-130
trans-1,2-Dichloroethene	89	97	9	25	70-130
Trichloroethene	86	97	12	25	70-130
1,2-Dichlorobenzene	84	94	11	25	70-130
1,3-Dichlorobenzene	85	94	10	25	70-130
1,4-Dichlorobenzene	85	97	13	25	70-130
Methyl tert butyl ether	95	102	7	25	70-130
cis-1,2-Dichloroethene	92	99	7	25	70-130
Dichlorodifluoromethane	103	115	11	50	70-130
1,2-Dibromoethane	88	98	11	25	70-130
1,3-Dichloropropane	90	100	11	25	70-130
1,1,1,2-Tetrachloroethane	90	99	10	25	70-130
o-Chlorotoluene	86	97	12	25	70-130
p-Chlorotoluene	84	94	11	25	70-130
Hexachlorobutadiene	78	92	16	25	70-130
1,2,4-Trichlorobenzene	88	95	8	25	70-130
Surrogate (s)					
1,2-Dichloroethane-d4	106	105	1		70-130
Toluene-d8	101	101	0		70-130
4-Bromofluorobenzene	99	100	1		70-130
Dibromofluoromethane	102	103	1		70-130

ALPHA ANALYTICAL LABORATORIES  
 QUALITY ASSURANCE BATCH BLANK ANALYSIS

Laboratory Job Number: L0413790

PARAMETER	RESULT	UNITS	RDL	REF METHOD	DATE		ID
					PREP	ANAL	
Blank Analysis for sample(s) 03 (WG189152-1)							
Chloride	ND	mg/l	1.0	1 9251		1211 14:54	ED
Blank Analysis for sample(s) 01-03 (WG189174-3)							
Volatile Organics by MCP 8260B				60 8260B		1211 16:40	BT
Methylene chloride	ND	ug/l	5.0				
1,1-Dichloroethane	ND	ug/l	0.75				
Chloroform	ND	ug/l	0.75				
Carbon tetrachloride	ND	ug/l	0.50				
1,2-Dichloropropane	ND	ug/l	1.8				
Dibromochloromethane	ND	ug/l	0.50				
1,1,2-Trichloroethane	ND	ug/l	0.75				
Tetrachloroethene	ND	ug/l	0.50				
Chlorobenzene	ND	ug/l	0.50				
1,2-Dichloroethane	ND	ug/l	0.50				
1,1,1-Trichloroethane	ND	ug/l	0.50				
Bromodichloromethane	ND	ug/l	0.50				
trans-1,3-Dichloropropene	ND	ug/l	0.50				
cis-1,3-Dichloropropene	ND	ug/l	0.50				
Bromoform	ND	ug/l	2.0				
1,1,2,2-Tetrachloroethane	ND	ug/l	0.50				
Benzene	ND	ug/l	0.50				
Chloromethane	ND	ug/l	2.5				
Vinyl chloride	ND	ug/l	1.0				
Chloroethane	ND	ug/l	1.0				
1,1-Dichloroethene	ND	ug/l	0.50				
trans-1,2-Dichloroethene	ND	ug/l	0.75				
Trichloroethene	ND	ug/l	0.50				
1,2-Dichlorobenzene	ND	ug/l	2.5				
1,3-Dichlorobenzene	ND	ug/l	2.5				
1,4-Dichlorobenzene	ND	ug/l	2.5				
Methyl tert butyl ether	ND	ug/l	1.0				
cis-1,2-Dichloroethene	ND	ug/l	0.50				
Dichlorodifluoromethane	ND	ug/l	5.0				
1,2-Dibromoethane	ND	ug/l	2.0				
1,3-Dichloropropane	ND	ug/l	2.5				
1,1,1,2-Tetrachloroethane	ND	ug/l	0.50				
o-Chlorotoluene	ND	ug/l	2.5				
p-Chlorotoluene	ND	ug/l	2.5				
Hexachlorobutadiene	ND	ug/l	1.0				
1,2,4-Trichlorobenzene	ND	ug/l	2.5				
Surrogate(s)	Recovery			QC Criteria			
1,2-Dichloroethane-d4	107.	%		70-130			
Toluene-d8	102.	%		70-130			
4-Bromofluorobenzene	103.	%		70-130			
Dibromofluoromethane	103.	%		70-130			

ALPHA ANALYTICAL LABORATORIES  
ADDENDUM I

---

REFERENCES

1. Test Methods for Evaluating Solid Waste: Physical/Chemical Methods. EPA SW-846. Third Edition. Updates I - IIIA, 1997.
60. Quality Assurance and Quality Control Requirements and Performance Standards for SW-846 Methods. MADEP BWSC. WSC-CAM-IIA (Revision 4), WSC-CAM-V C (Revision 2), WSC-CAM-IIIA (Revision 5). May 2004.

GLOSSARY OF TERMS AND SYMBOLS

REF Reference number in which test method may be found.  
METHOD Method number by which analysis was performed.  
ID Initials of the analyst.  
ND Not detected in comparison to the reported detection limit.

ug/cart Micrograms per Cartridge.

LIMITATION OF LIABILITIES

Alpha Analytical, Inc. performs services with reasonable care and diligence normal to the analytical testing laboratory industry. In the event of an error, the sole and exclusive responsibility of Alpha Analytical, Inc., shall be to re-perform the work at it's own expense. In no event shall Alpha Analytical, Inc. be held liable for any incidental consequential or special damages, including but not limited to, damages in any way connected with the use of, interpretation of, information or analysis provided by Alpha Analytical, Inc.

We strongly urge our clients to comply with EPA protocol regarding sample volume, preservation, cooling, containers, sampling procedures, holding times and splitting of samples in the field.

ALPHA ANALYTICAL LABORATORIES  
LOGIN SPECIFIC INFORMATION

Laboratory Job Number: L0413790

---

Were project specific reporting limits specified? YES

**Cooler Information**

Cooler	Custody Seal
A	Absent
B	Absent

**Container Information**

Container ID	Container Type	Cooler	pH	Temp	Pres	Seal	Analysis
L0413790-01A	Vial HCl preserved	A	N/A	2.0 C	Y	Absent	MCP-8260-04
L0413790-01B	Vial HCl preserved	A	N/A	2.0 C	Y	Absent	MCP-8260-04
L0413790-02A	Vial HCl preserved	A	N/A	2.0 C	Y	Absent	MCP-8260-04
L0413790-02B	Vial HCl preserved	A	N/A	2.0 C	Y	Absent	MCP-8260-04
L0413790-03A	Vial HCl preserved	A	N/A	2.0 C	Y	Absent	MCP-8260-04
L0413790-03B	Vial HCl preserved	A	N/A	2.0 C	Y	Absent	MCP-8260-04
L0413790-03C	Plastic 250ml unpreserved	A	=7	2.0 C	Y	Absent	CL-9251

**Container Comments**

Container ID	Comments
--------------	----------

---



# CHAIN OF CUSTODY

PAGE \_\_\_\_\_ OF \_\_\_\_\_

Eight Walkup Drive Westborough, MA 01581  
 TEL: 508-898-9220 FAX: 508-898-9193

**Client Information**

Client: ERW  
 Address: 399 Boylston St.  
Boston MA 02116  
 Phone: 617-646-7800  
 Fax:  
 Email:

These samples have been previously analyzed by Alpha

Other Project Specific Requirements/Comments/Detection Limits:

**Project Information**

Project Name: Rutherford Wayland  
 Project Location: Wayland, MA  
 Project #: 13000  
 Project Manager: J. Picard  
 ALPHA Quote #:

**Turn-Around Time**

Standard  RUSH (only confirmed if pre-approved)  
 Date Due: 12/16 Time:

Date Rec'd in Lab: 12/9

**Report Information - Data Deliverables**

FAX  EMAIL  
 ADEX  Add'l Deliverables

**Billing Information**

Same as Client Info PO #:

**Regulatory Requirements/Report Limits**

State /Fed Program

Criteria

**MCP PRESUMPTIVE CERTAINTY - THESE QUESTIONS MUST BE ANSWERED**

Yes  No Are MCP Analytical Methods Required?  
 Yes  No Are Drinking Water Samples Submitted?  
 Yes  No Have you met minimum field QC requirements?

**ANALYSIS**

502 B. Nitrite Chloride

**SAMPLE HANDLING**

Filtration  
 Done  
 Not needed  
 Lab to do  
 Preservation  
 Lab to do  
 (Please specify below)

**ALPHA Lab ID (Lab Use Only)**

**Sample ID**

**Collection**

**Sample Matrix**

**Sampler's Initials**

**Sample Specific Comments**

ALPHA Lab ID (Lab Use Only)	Sample ID	Collection Date	Collection Time	Sample Matrix	Sampler's Initials
3790/1	HW-205T	12/8/04	15:40	GW	LE
2	HW-208W	12/8/04	17:05	GW	AKH
3	FD-09	12/8/04	21:00	GW	MSH

ALPHA Lab ID (Lab Use Only)	Sample ID	Collection Date	Collection Time	Sample Matrix	Sampler's Initials	Comments

TOTAL # \_\_\_\_\_

**QUESTIONS ABOVE MUST BE ANSWERED FOR PRESUMPTIVE CERTAINTY**

**IS YOUR PROJECT MCP ?**

Container Type Preservative

V HA

Relinquished By: [Signature]

Date/Time

Received By: [Signature]

Date/Time

[Signature]

12/9 12:14

[Signature]

12/9 12:32

Please print clearly, legibly and completely. Samples can not be logged in and turnaround time clock will not start until any ambiguities are resolved. All samples submitted are subject to Alpha's Payment Terms. See reverse side.