

**Table 2A**  
**Summary of Groundwater Gauging Data**  
**Depth to Water**  
**Former Raytheon Facility**  
**Wayland, Massachusetts**

WELL ID	Measuring Pt. Elevation (ft. ASL)	Depth to Water (feet)				
		10-Oct-02	08-Jan-03	21-Apr-03	28-Jul-03	29-Sep-03
DEP-19S	120.79	6.81	-	2.78	3.52	3.46
DEP-19M	120.62	5.01	-	0.29	0.84	1.61
DEP-19D	120.78	5.12	-	0.45	1.04	1.95
DEP-20	119.98	4.38	-	-	0.93	1.01
DEP-21	119.18	4.13	-	-	0.52	0.68
MW-10	130.86	11.48	-	5.94	8.34	9.95
MW-1S	133.79	15.87	-	-	11.36	12.93
MW-1M	133.78	17	-	11.9	13.65	14.33
MW-1D	133.74	17.94	-	13.48	14.89	15.51
MW-32	124.41	7.37	-	1.13	4.76	6.04
MW-33S	133.58	19.71	-	14.59	16.9	18.05
MW-33M	133.77	19.89	-	15.84	18.04	18.36
MW-33D	133.57	19.87	-	15.84	18.06	18.37
MW-33B	133.67	19.95	-	15.92	18.16	18.45
MW-34	136.67	-999	-	8.43	11	13.42
MW-37	134.43	18.4	-	13.82	15.66	16.7
MW-37M	134.4	19.47	-	15.65	17.49	17.89
MW-38	134.42	17.49	-	13.84	15.22	15.84
MW-40	134.84	17.47	-	13.67	14.91	15.75
MW-40S	134.82	17.45	-	-	14.89	15.74
MW-41	127.46	15.92	-	11.18	13.82	14.03
MW-42S	134.44	16.99	-	12.3	13.38	-
MW-43S	133.8	16.95	-	12.11	14.23	14.62
MW-43D	134.31	18.6	-	14.64	16.36	16.79
MW-44S	134.73	18.46	-	14.02	15.51	16.21
MW-44M	134.57	18.15	-	14.16	15.73	16.24
MW-44D	134.66	18.32	-	14.39	15.93	16.39
MW-45S	132.07	19.67	-	14.6	17.42	18.1
MW-45M	132.28	19.86	-	14.82	17.66	18.25
MW-45D	131.88	18.36	-	13.93	16.17	16.91
MW-45B	131.59	18.37	-	14.3	16.66	16.91
MW-46S	131.44	17.05	-	12.27	14.03	14.74
MW-46M	131.52	18.35	-	13.79	16.06	16.56
MW-47S	132.3	18.59	-	14.23	16.99	17.85
MW-47M	131.99	18.45	-	13.98	16.36	16.85
MW-47D	132.29	19.47	-	14.46	16.63	17.02
MW-101	134.6	21.47	-	16.03	18.6	19.65
MW-102	134.5	20.98	-	15.91	18.52	19.5
MW-103	134.5	18.59	-	12.88	15.2	16.08
MW-104	134.22	17.63	-	12.3	14.57	14.95
MW-105	134.58	17.47	-	12.68	14.6	14.98
MW-105M	134.22	-	-	14.35	16.25	16.6
MW-106	134.63	17.96	-	12.66	15.67	16.03
MW-106M	134.63	-	-	14.7	17	17.96
MW-107	134.65	20.27	-	14.7	-	18.8
MW-108	134.69	20.66	-	15.54	-	19.01
MW-109	134.12	20.21	-	17.56	17.4	18.56
MW-110	134.04	20.06	-	14.95	16.9	18.38
MW-111	133.88	19.87	-	14.82	17.08	18.17
MW-112	133.68	19.67	-	14.5	16.49	17.98
MW-113	133.6	19.66	-	14.63	16.87	17.95
MW-114	133.48	19.6	-	14.43	16.75	17.95
MW-115	133.56	19.7	-	15.03	16.83	17.93
MW-116	133.72	19.82	-	14.63	16.8	18.16
MW-117	134.84	-	-	12.89	16.02	17.3
MW-118	134.88	-	-	14	16.27	16.95
MW-201S	132.38	19.47	-	14.15	16.38	16.71
MW-201M	132.19	18.27	-	14.08	16.44	17.45
MW-201D	132.1	19.04	-	14.21	16.86	17.85
MW-202S	132.74	18.99	-	14.93	16.64	17.45
MW-202M	132.98	19.52	-	14.59	17.14	17.85
MW-202D	132.72	19.74	-	14.89	17.11	18.09
MW-203S	132.5	19.98	-	14.85	17.72	18.36
MW-203M	132.39	19.82	-	14.71	17.51	18.23
MW-203D	132.14	18.52	-	14.33	16.6	16.94

Notes:

-- Not measured

**Table 2A**  
**Summary of Groundwater Gauging Data**  
**Depth to Water**  
**Former Raytheon Facility**  
**Wayland, Massachusetts**

	Measuring Pt.	Depth to Water (feet)				
MW-204S	132.98	19.63	-	14.21	17.27	18.07
MW-204M	132.02	19.31	-	14.42	16.99	17.62
MW-204D	132.3	18.67	-	14.44	16.71	16.71
MW-205S	131.98	19.31	-	14.04	16.93	17.71
MW-205M	132.12	19.45	-	14.39	17.14	17.89
MW-205D	131.98	18.38	-	14.24	14.83	16.87
MW-206S	130.82	18.49	-	14.5	16.35	16.89
MW-206M	130.75	18.4	-	14.43	16.28	16.84
MW-206D	130.66	17.43	-	13.33	14.65	15.95
MW-207S	129.16	16.9	-	11.94	14.78	15.32
MW-207M	129.29	17.08	-	12.27	15.1	15.51
MW-207D	129.1	16	-	11.43	14.07	14.59
MW-208S	132.14	19.31	-	14.83	16.72	17.68
MW-208M	132.38	19.54	-	14.41	17.11	17.92
MW-208D	132.38	18.71	-	14.6	16.85	17.15
MW-209	134.56	18.21	-	13.28	15.27	15.9
MW-210	134.48	-	-	14.4	16.4	16.83
MW-211	135.26	17.84	-	14.65	14.45	14.94
MW-212	134.39	17.73	-	12.85	14.55	14.94
MW-212M	133.84	-	-	14.5	15.39	16.85
MW-213	134.84	19.52	-	13.76	16.49	16.81
MW-214	134.6	21.55	-	16.09	18.62	19.68
MW-215S	133.42	16.31	-	12.69	14	14.64
MW-215M	133.48	16.37	-	12.81	14.14	14.71
MW-215D	133.44	16.6	-	13.39	14.8	15.1
MW-216S	134.54	17.18	-	13.49	14.66	15.51
MW-216M	134.59	17.23	-	13.39	14.75	15.55
MW-216D	134.59	18	-	14.38	15.9	16.29
MW-217S	130.06	16.05	-	10.66	13.33	14.4
MW-217M	130.44	16.62	-	11.7	14.32	14.99
MW-217D	130.2	15.71	-	11.76	14.05	14.35
MW-218S	130.24	16.65	-	11.65	14.41	15.11
MW-218M	130.16	16.74	-	11.88	14.73	15.25
MW-218D	130.02	14.77	-	11.78	14.12	14.34
MW-219S	118.12	5.58	-	2.81	3.68	4.19
MW-219M	118.09	5.01	-	0.67	3.59	3.67
MW-219D	117.95	4.67	-	0.21	3.3	3.49
MW-220S	117.09	5.42	-	1.18	4.02	4.09
MW-220M	117.29	5.27	-	0.83	3.4	3.75
MW-220D	116.99	5.19	-	-	2.49	2.82
MW-221M	120.07	5.41	-	1.81	3.38	3.87
MW-221D	120.22	5.68	-	0.78	3.95	4.22
MW-261S	131.28	-	10.87	9.54	11.6	12.36
MW-262S	129.6	-	8.19	7.25	9.43	10.23
MW-262M	130.52	-	12.89	11.88	13.6	14.12
MW-262D	129.73	-	11.35	10.33	12.02	12.53
MW-263S	127.96	-	8.49	6.97	8.59	9.12
MW-263M	127.77	-	8.91	7.62	9.03	9.65
MW-264S	126.32	-	5.51	5.15	7.6	8.46
MW-264M	126.28	-	6.8	6.82	7.63	8.22
MW-264D	126.63	-	8.96	8.06	9.79	10.31
MW-265S	130.06	-	7.49	6.97	10.62	12.06
MW-265M	129.89	-	10.82	9.5	11.26	11.88
MW-265D	130.07	-	14.2	11.28	13.09	13.59
MW-266S	126.79	-	6.92	6.48	9.32	10.08
MW-266Ma	127.72	-	9.46	8.28	9.99	10.55
MW-266Mb	126.88	-	8.71	7.49	9.2	11.63
MW-266D	127.7	-	10.03	9	10.86	11.39
MW-266B	128.14	-	11.7	9.25	11.1	9.72
MW-267S	125.3	-	8.31	6.95	8.72	9.19
MW-267M	125.4	-	8.18	7.12	8.97	9.43
MW-267D	125.88	-	8.46	7.45	9.37	9.83
MW-267B	124.02	-	7.46	5.95	7.8	8.33

Notes:

-- Not measured

**Table 2A**  
**Summary of Groundwater Gauging Data**  
**Depth to Water**  
**Former Raytheon Facility**  
**Wayland, Massachusetts**

	Measuring Pt.	Depth to Water (feet)				
MW-268S	123.66	-	6.66	5.6	7.5	7.92
MW-268M	123.41	-	6.48	5.58	7.48	7.9
MW-268D	124.86	-	7.73	6.88	8.88	9.33
MW-268B	122.34	-	24.35	4.7	6.62	7.04
MW-269S	125.54	-	7.06	6.83	9.77	10.61
MW-269Ma	124.96	-	7.3	6.8	9.92	10.41
MW-269Mb	125.42	-	9.43	7.74	9.84	10.23
MW-269D	125.34	-	9.62	8.95	11.12	11.34
MW-307	124.86	11.39	-	9.46	11.12	10.86
MW-313S	114.61	4.18	-	-	3.42	3.4
MW-313D	114.37	6.31	-	-	1.81	3.57
MW-314S	114.1	4.18	-	-	3.41	3.15
MW-314D	114.09	4.91	-	-	3.42	4.32
MW-315S	114.07	4.09	-	-	2.98	3.08
MW-315D	113.79	5.01	-	-	2.59	2.9
MW-TP-3	131.08	14.19	7.84	7.39	10.75	11.95
HA-101	127.27	9.75	-	4.36	7.15	8.18
HA-102	128.14	15.75	-	10.89	13.74	14.2
HA-103	131.54	17.16	-	12.39	14.01	14.84
HA-104	132.39	19.63	-	14.28	17.13	16.02

Notes:  
 -- Not measured

**Table 2B**  
**Summary of Groundwater Gauging Data**  
**Groundwater Elevation**  
**Former Raytheon Facility**  
**Wayland, Massachusetts**

WELL ID	Measuring Pt. Elevation (ft. ASL)	Groundwater Elevation (feet ASL)				
		10-Oct-02	08-Jan-03	21-Apr-03	28-Jul-03	29-Sep-03
DEP-19S	120.79	113.98	-	120.34	119.75	118.84
DEP-19M	120.62	115.61	-	-	119.69	119.61
DEP-19D	120.78	115.66	-	-	120.26	120.10
DEP-20	119.98	115.60	-	114.04	111.64	110.03
DEP-21	119.18	115.05	-	-	107.82	106.25
MW-10	130.86	119.38	-	118.96	117.21	116.53
MW-1S	133.79	117.92	-	120.31	118.90	118.28
MW-1M	133.78	116.78	-	132.65	129.02	127.74
MW-1D	133.74	115.80	-	119.15	116.84	115.69
MW-32	124.41	117.04	-	108.57	106.37	106.05
MW-33S	133.58	113.87	-	117.74	115.52	115.21
MW-33M	133.77	113.88	-	117.85	115.61	115.32
MW-33D	133.57	113.70	-	125.14	122.57	120.15
MW-33B	133.67	113.72	-	119.85	118.01	116.97
MW-34	136.67	1135.67	-	121.02	119.18	118.78
MW-37	134.43	116.03	-	120.59	119.21	118.59
MW-37M	134.4	114.93	-	120.73	119.49	118.65
MW-38	134.42	116.93	-	-	119.53	118.68
MW-40	134.84	117.37	-	123.66	121.02	120.81
MW-40S	134.82	117.37	-	122.52	121.44	-
MW-41	127.46	111.54	-	115.35	113.23	112.84
MW-42S	134.44	117.45	-	119.80	118.08	117.65
MW-43S	133.8	116.85	-	119.78	118.29	117.59
MW-43D	134.31	115.71	-	120.15	118.58	118.07
MW-44S	134.73	116.27	-	120.34	118.80	118.34
MW-44M	134.57	116.42	-	119.97	117.15	116.47
MW-44D	134.66	116.34	-	119.84	117.00	116.41
MW-45S	132.07	112.40	-	118.14	115.90	115.16
MW-45M	132.28	112.42	-	117.98	115.62	115.37
MW-45D	131.88	113.52	-	119.61	117.85	117.14
MW-45B	131.59	113.22	-	117.80	115.53	115.03
MW-46S	131.44	114.39	-	117.21	114.45	113.59
MW-46M	131.52	113.17	-	117.54	115.16	114.67
MW-47S	132.3	113.71	-	117.84	115.67	115.28
MW-47M	131.99	113.54	-	115.96	113.39	112.34
MW-47D	132.29	112.82	-	116.38	113.77	112.79
MW-101	134.6	113.13	-	121.72	119.40	118.52
MW-102	134.5	113.52	-	122.20	119.93	119.55
MW-103	134.5	115.91	-	121.82	119.90	119.52
MW-104	134.22	116.59	-	119.87	117.97	117.62
MW-105	134.58	117.11	-	121.92	118.91	118.55
MW-105M	134.22	-	-	119.52	117.22	116.26
MW-106	134.63	116.67	-	119.93	-	115.83
MW-106M	134.63	-	-	119.09	-	115.62
MW-107	134.65	114.38	-	117.09	117.25	116.09
MW-108	134.69	114.03	-	119.74	117.79	116.31
MW-109	134.12	113.91	-	119.30	117.04	115.95
MW-110	134.04	113.98	-	119.54	117.55	116.06
MW-111	133.88	114.01	-	119.25	117.01	115.93
MW-112	133.68	114.01	-	119.25	116.93	115.73
MW-113	133.6	113.94	-	118.57	116.77	115.67
MW-114	133.48	113.88	-	118.85	116.68	115.32
MW-115	133.56	113.86	-	120.67	117.54	116.26
MW-116	133.72	113.90	-	119.72	117.45	116.77
MW-117	134.84	-	-	120.69	118.46	118.13
MW-118	134.88	-	-	120.80	118.44	117.43
MW-201S	132.38	112.91	-	118.17	115.52	114.53
MW-201M	132.19	113.92	-	117.26	115.55	114.74
MW-201D	132.1	113.06	-	117.51	114.96	114.25
MW-202S	132.74	113.75	-	117.85	115.63	114.65
MW-202M	132.98	113.46	-	118.13	115.26	114.62
MW-202D	132.72	112.98	-	118.01	115.21	114.49
MW-203S	132.5	112.52	-	118.17	115.90	115.56
MW-203M	132.39	112.57	132.39	132.39	132.39	132.39
MW-203D	132.14	113.62	132.14	132.14	132.14	132.14

**Notes:**

-- Not measured

ASL = Above Sea Level

**Table 2B**  
**Summary of Groundwater Gauging Data**  
**Groundwater Elevation**  
**Former Raytheon Facility**  
**Wayland, Massachusetts**

WELL ID	Measuring Pt. Elevation (ft. ASL)	Groundwater Elevation (feet ASL)				
		10-Oct-02	08-Jan-03	21-Apr-03	28-Jul-03	29-Sep-03
MW-204S	132.98	113.35	-	118.54	116.27	116.27
MW-204M	132.02	112.71	-	117.98	115.09	114.31
MW-204D	132.3	113.63	-	117.91	115.16	114.41
MW-205S	131.98	112.67	-	117.74	117.15	115.11
MW-205M	132.12	112.67	-	117.62	115.77	115.23
MW-205D	131.98	113.60	-	117.55	115.70	115.14
MW-206S	130.82	112.33	-	117.49	116.17	114.87
MW-206M	130.75	112.35	-	118.81	115.97	115.43
MW-206D	130.66	113.23	-	118.39	115.56	115.15
MW-207S	129.16	112.26	-	117.73	115.09	114.57
MW-207M	129.29	112.21	-	114.46	112.57	111.61
MW-207D	129.1	113.10	-	114.69	111.99	111.18
MW-208S	132.14	112.83	-	117.54	115.29	114.99
MW-208M	132.38	112.84	-	119.10	117.11	116.48
MW-208D	132.38	113.67	-	117.98	115.98	115.55
MW-209	134.56	116.35	-	119.91	120.11	119.62
MW-210	134.48	-	-	121.63	119.93	119.54
MW-211	135.26	117.42	-	120.76	119.87	118.41
MW-212	134.39	116.66	-	120.63	117.90	117.58
MW-212M	133.84	-	-	117.75	115.22	114.16
MW-213	134.84	115.32	-	122.15	120.84	120.20
MW-214	134.6	113.05	-	121.79	120.46	119.89
MW-215S	133.42	117.11	-	120.03	118.62	118.32
MW-215M	133.48	117.11	-	119.99	118.82	117.97
MW-215D	133.44	116.84	-	120.05	118.69	117.89
MW-216S	134.54	117.36	-	120.16	118.64	118.25
MW-216M	134.59	117.36	-	123.93	121.26	120.19
MW-216D	134.59	116.59	-	122.89	120.27	119.60
MW-217S	130.06	114.01	-	118.30	116.01	115.71
MW-217M	130.44	113.82	-	118.79	116.03	115.33
MW-217D	130.2	114.49	-	118.32	115.47	114.95
MW-218S	130.24	113.59	-	118.46	116.12	115.90
MW-218M	130.16	113.42	-	127.35	126.48	125.97
MW-218D	130.02	115.25	-	129.35	126.43	126.35
MW-219S	118.12	112.54	-	117.91	114.82	114.63
MW-219M	118.09	113.08	-	116.91	114.07	114.00
MW-219D	117.95	113.28	-	117.12	114.55	114.20
MW-220S	117.09	111.67	-	-	114.60	114.27
MW-220M	117.29	112.02	-	115.48	113.91	113.42
MW-220D	116.99	111.80	-	116.21	113.04	112.77
MW-221M	120.07	114.66	109.20	110.53	108.47	107.71
MW-221D	120.22	114.54	112.03	112.97	110.79	109.99
MW-261S	131.28	-	118.39	119.40	117.68	117.16
MW-262S	129.6	-	118.25	119.27	117.58	117.07
MW-262M	130.52	-	122.03	123.55	121.93	121.40
MW-262D	129.73	-	120.82	122.11	120.70	120.08
MW-263S	127.96	-	122.45	122.81	120.36	119.50
MW-263M	127.77	-	120.97	120.95	120.14	119.55
MW-264S	126.32	-	117.36	118.26	116.53	116.01
MW-264M	126.28	-	118.79	119.31	115.66	114.22
MW-264D	126.63	-	115.81	117.13	115.37	114.75
MW-265S	130.06	-	115.86	118.78	116.97	116.47
MW-265M	129.89	-	122.97	123.41	120.57	119.81
MW-265D	130.07	-	120.61	121.79	120.08	119.52
MW-266S	126.79	-	118.08	119.30	117.59	115.16
MW-266Ma	127.72	-	117.69	118.72	116.86	116.33
MW-266Mb	126.88	-	115.18	117.63	115.78	117.16
MW-266D	127.7	-	119.39	120.75	118.98	118.51
MW-266B	128.14	-	119.96	121.02	119.17	118.71
MW-267S	125.3	-	116.84	117.85	115.93	115.47
MW-267M	125.4	-	117.94	119.45	117.60	117.07
MW-267D	125.88	-	125.88	125.88	125.88	125.88
MW-267B	124.02	-	124.02	124.02	124.02	124.02

**Notes:**

-- Not measured  
ASL = Above Sea Level

**Table 2B**  
**Summary of Groundwater Gauging Data**  
**Groundwater Elevation**  
**Former Raytheon Facility**  
**Wayland, Massachusetts**

WELL ID	Measuring Pt. Elevation (ft. ASL)	Groundwater Elevation (feet ASL)				
		10-Oct-02	08-Jan-03	21-Apr-03	28-Jul-03	29-Sep-03
MW-268S	123.66	-	115.93	116.78	114.78	114.33
MW-268M	123.41	-	99.06	118.71	116.79	116.37
MW-268D	124.86	-	117.80	118.03	115.09	114.25
MW-268B	122.34	-	115.04	115.54	112.42	111.93
MW-269S	125.54	-	116.11	117.80	115.70	115.31
MW-269Ma	124.96	-	115.34	116.01	113.84	113.62
MW-269Mb	125.42	-	-	115.96	114.30	114.56
MW-269D	125.34	-	-	-	121.92	121.94
MW-307	124.86	113.47	-	-	123.05	121.29
MW-313S	114.61	110.43	-	-	111.20	111.46
MW-313D	114.37	108.06	-	-	110.95	110.05
MW-314S	114.1	109.92	-	-	111.12	111.02
MW-314D	114.09	109.18	-	-	111.50	111.19
MW-315S	114.07	109.98	106.23	106.68	103.32	102.12
MW-315D	113.79	108.78	-	109.43	106.64	105.61
MW-TP-3	131.08	116.89	-	120.19	117.34	116.88
HA-101	127.27	117.52	-	114.88	113.26	112.43
HA-102	128.14	112.39	-	113.86	111.01	112.12
HA-103	131.54	114.38	131.54	131.54	131.54	131.54
HA-104	132.39	112.76	132.39	132.39	132.39	132.39

**Notes:**

- = Not measured

ASL = Above Sea Level