

Table 1a
Summary of 2004 Groundwater Gauging Data
Depth to Water (ft. below top of casing)
Former Raytheon Facility
430 Boston Post Road
Wayland, Massachusetts

Well ID	Measuring Pt. Elev. (ft. ASL)	5/3/2004	7/20/2004	12/6/2004
DEP-19S	120.79	3.00	3.94	3.03
DEP-19M	120.62	0.28	2.05	1.22
DEP-19D	120.78	0.43	2.27	1.67
DEP-20	119.98	-	1.46	1.25
DEP-21	119.18	-	1.23	0.51
HA-101	127.27	4.73	8.07	6.43
HA-102	128.14	11.10	14.41	12.80
HA-103	131.54	12.71	14.81	14.21
HA-104	132.39	14.56	18.02	17.06
IP-16D	134.74	-	17.23	-
IP-16S	134.77	-	16.84	-
IP-17D	134.83	-	18.33	-
IP-17S	134.80	-	17.98	-
MW-TP-3	131.08	7.48	11.57	8.67
MW-1S	133.79	8.43	12.78	8.89
MW-1M	133.78	12.05	14.27	13.29
MW-1D	133.74	13.55	15.44	14.90
MW-10	130.86	6.20	9.20	8.89
MW-32	124.41	1.31	5.64	3.39
MW-33S	133.58	14.91	17.89	17.26
MW-33M	133.77	16.05	18.54	17.13
MW-33D	133.57	16.04	18.54	17.08
MW-33B	133.67	16.12	18.65	17.18
MW-34	136.67	8.69	12.43	11.41
MW-37	134.43	14.20	16.97	15.92
MW-37M	134.40	15.86	18.01	16.80
MW-38	134.42	14.15	15.71	15.11
MW-40	134.84	13.99	15.43	15.35
MW-40S	134.82	13.69	15.39	15.31
MW-41	127.46	11.33	14.41	12.44
MW-42S	134.44	13.13	14.55	14.72
MW-43S	133.82	13.23	14.90	14.63
MW-43D	134.31	14.82	16.81	15.95
MW-44S	134.73	14.22	16.09	15.63
MW-44M	134.57	14.40	16.19	15.51
MW-44D	134.66	14.53	16.38	15.67
MW-45S	132.07	14.83	18.23	16.92
MW-45M	132.28	15.04	18.41	17.10
MW-45D	131.88	18.86	16.77	16.26
MW-45B	131.59	14.49	17.11	15.56
MW-46S	131.44	12.62	14.69	14.20
MW-46M	131.52	14.33	16.79	15.70
MW-47S	132.30	14.55	17.84	17.20
MW-47M	131.99	14.21	16.97	15.35
MW-47D	132.29	14.68	17.21	15.70
MW-101	134.60	16.35	19.55	18.90
MW-102	134.50	16.21	18.99	18.34
MW-103	134.50	15.08	16.55	16.58
MW-104	134.22	13.36	15.22	14.79
MW-105	134.58	13.64	15.10	14.93
MW-105M	134.22	14.73	16.78	15.81
MW-106	134.63	14.78	16.57	15.93
MW-106M	134.63	15.49	17.56	16.59
MW-107	134.65	16.00	18.58	18.05

Table 1a
Summary of 2004 Groundwater Gauging Data
Depth to Water (ft. below top of casing)
Former Raytheon Facility
430 Boston Post Road
Wayland, Massachusetts

Well ID	Measuring Pt. Elev. (ft. ASL)	5/3/2004	7/20/2004	12/6/2004
MW-108	134.69	15.95	18.71	18.30
MW-109	134.12	15.42	17.80	17.61
MW-110	134.04	15.10	17.42	17.36
MW-111	133.88	15.05	17.96	17.39
MW-112	133.68	14.72	17.71	17.21
MW-113	133.60	15.00	17.75	17.21
MW-114	133.48	14.72	17.67	17.15
MW-115	133.56	14.97	17.79	17.25
MW-116	133.72	14.84	17.89	17.39
MW-117	134.84	16.18	17.94	17.05
MW-118	134.88	16.14	17.09	17.21
MW-201S	132.38	14.23	18.81	17.07
MW-201M	132.19	14.46	17.45	16.65
MW-201D	132.10	14.34	16.87	15.52
MW-202S	132.74	14.38	17.75	17.11
MW-202M	132.98	14.93	18.01	17.24
MW-202D	132.72	15.12	17.63	16.23
MW-203S	132.50	15.11	18.49	17.35
MW-203M	132.39	14.96	18.31	17.20
MW-203D	132.14	14.54	17.13	15.75
MW-204S	132.98	14.65	18.09	17.04
MW-204M	132.02	14.47	17.80	16.74
MW-204D	132.30	14.97	16.83	15.80
MW-205S	131.98	14.31	17.79	16.73
MW-205M	132.12	14.62	17.93	16.83
MW-205D	131.98	13.51	16.22	15.72
MW-206S	130.82	13.72	17.09	15.70
MW-206M	130.75	13.67	17.01	15.61
MW-206D	130.66	13.48	16.15	14.64
MW-207S	129.16	12.18	15.51	14.00
MW-207M	129.29	12.48	15.71	14.23
MW-207D	129.10	10.76	14.75	13.33
MW-208S	132.14	14.14	17.45	16.76
MW-208M	132.38	14.67	17.64	16.98
MW-208D	132.38	14.79	17.35	15.93
MW-209	134.56	14.04	15.97	15.81
MW-210	134.48	14.79	16.92	-
MW-211	135.26	14.09	14.71	15.25
MW-212	134.39	13.57	15.38	14.89
MW-212M	133.84	14.77	16.95	-
MW-213	134.84	15.86	17.01	16.98
MW-214	134.60	16.41	19.56	18.93
MW-215S	133.42	12.99	14.51	13.99
MW-215M	133.48	13.07	14.56	14.06
MW-215D	133.44	13.45	15.07	14.29
MW-216S	134.54	13.68	15.19	15.04
MW-216M	134.59	13.78	16.30	15.09
MW-216D	134.59	14.49	15.29	15.49
MW-217S	130.06	10.97	14.39	13.43
MW-217M	130.44	11.94	15.13	13.89

Table 1a
Summary of 2004 Groundwater Gauging Data
Depth to Water (ft. below top of casing)
Former Raytheon Facility
430 Boston Post Road
Wayland, Massachusetts

Well ID	Measuring Pt. Elev. (ft. ASL)	5/3/2004	7/20/2004	12/6/2004
MW-217D	130.20	11.94	14.51	12.98
MW-218S	130.24	11.96	15.28	14.10
MW-218M	130.16	12.21	15.47	13.92
MW-218D	130.02	11.96	14.58	12.90
MW-219S	118.12	2.60	4.53	3.14
MW-219M	118.09	1.31	4.04	2.30
MW-219D	117.95	1.13	3.74	2.05
MW-220S	117.09	2.24	4.51	2.94
MW-220M	117.29	0.89	4.03	2.26
MW-220D	116.99	0.10	3.21	2.30
MW-221M	120.07	1.34	4.14	2.51
MW-221D	120.22	1.89	4.43	2.90
MW-261S	131.28	9.61	12.30	10.88
MW-262S	129.60	7.58	10.33	8.85
MW-262M	130.52	12.03	14.34	13.34
MW-262D	129.73	10.55	12.61	11.79
MW-263S	127.96	7.00	9.11	7.98
MW-263M	127.77	7.68	9.60	9.01
MW-264S	126.32	5.05	8.15	5.67
MW-264M	126.28	6.04	8.22	7.17
MW-264D	126.63	8.08	10.33	9.31
MW-265S	130.06	6.16	11.21	8.73
MW-265M	129.89	9.55	11.87	10.74
MW-265D	130.07	11.43	13.66	12.66
MW-266S	126.79	6.49	9.73	7.99
MW-266Ma	127.72	8.33	10.59	9.49
MW-266Mb	126.88	7.53	9.74	8.73
MW-266D	127.70	9.15	11.38	10.38
MW-266B	128.14	9.33	11.52	10.61
MW-267S	125.30	6.97	9.27	8.17
MW-267M	125.40	7.22	9.51	8.42
MW-267D	125.88	7.59	9.91	8.85
MW-267B	124.02	6.30	8.31	7.41
MW-268S	123.66	5.65	8.04	6.87
MW-268M	123.41	5.75	8.10	6.95
MW-268D	124.86	7.10	9.53	8.38
MW-268B	122.34	4.76	7.16	6.22
MW-269S	125.54	6.95	10.58	7.78
MW-269Ma	124.96	6.89	10.49	9.93
MW-269Mb	125.42	7.86	10.44	9.04
MW-269D	125.34	9.05	11.61	9.92
MW-307	124.86	9.32	-	9.56
MW-313S	114.61	-	2.58	-
MW-313D	114.37	-	4.40	-
MW-314S	114.10	-	3.60	-
MW-314D	114.09	-	3.11	-
MW-315S	114.07	-	3.24	-
MW-315D	113.79	-	2.52	-
MW-403	134.39	16.67	19.12	17.77
MW-404	134.94	16.57	19.15	18.37
MW-405S	134.90	16.30	17.81	17.80
MW-405D	134.92	16.73	-	-

Notes:

- = Not Measured due to well blockage, damage, or access issues

Table 1b
Summary of 2004 Groundwater Gauging Data
Groundwater Elevation (ft. ASL)
Former Raytheon Facility
430 Boston Post Road
Wayland, Massachusetts

Well ID	Measuring Pt. Elev. (ft. ASL)	5/3/2004	7/20/2004	12/6/2004
DEP-19S	120.79	117.79	116.85	117.76
DEP-19M	120.62	120.34	118.57	119.40
DEP-19D	120.78	120.35	118.51	119.11
DEP-20	119.98	-	118.52	118.73
DEP-21	119.18	-	117.95	118.67
HA-101	127.27	122.54	119.20	120.84
HA-102	128.14	117.04	113.73	115.34
HA-103	131.54	118.83	116.73	117.33
HA-104	132.39	117.83	114.37	115.33
IP-16D	134.74	-	117.51	-
IP-16S	134.77	-	117.93	-
IP-17D	134.83	-	116.50	-
IP-17S	134.80	-	116.82	-
MW-TP-3	131.08	123.60	119.51	122.41
MW-1S	133.79	125.36	121.01	124.90
MW-1M	133.78	121.73	119.51	120.49
MW-1D	133.74	120.19	118.30	118.84
MW-10	130.86	124.66	121.66	121.97
MW-32	124.41	123.10	118.77	121.02
MW-33S	133.58	118.67	115.69	116.32
MW-33M	133.77	117.72	115.23	116.64
MW-33D	133.57	117.53	115.03	116.49
MW-33B	133.67	117.55	115.02	116.49
MW-34	136.67	127.98	124.24	125.26
MW-37	134.43	120.23	117.46	118.51
MW-37M	134.40	118.54	116.39	117.60
MW-38	134.42	120.27	118.71	119.31
MW-40	134.84	120.85	119.41	119.49
MW-40S	134.82	121.13	119.43	119.51
MW-41	127.46	116.13	113.05	115.02
MW-42S	134.44	121.31	119.89	119.72
MW-43S	133.82	120.59	118.92	119.19
MW-43D	134.31	119.49	117.50	118.36
MW-44S	134.73	120.51	118.64	119.10
MW-44M	134.57	120.17	118.38	119.06
MW-44D	134.66	120.13	118.28	118.99
MW-45S	132.07	117.24	113.84	115.15
MW-45M	132.28	117.24	113.87	115.18
MW-45D	131.88	113.02	115.11	115.62
MW-45B	131.59	117.10	114.48	116.03
MW-46S	131.44	118.82	116.75	117.24
MW-46M	131.52	117.19	114.73	115.82
MW-47S	132.30	117.75	114.46	115.10
MW-47M	131.99	117.78	115.02	116.64
MW-47D	132.29	117.61	115.08	116.59
MW-101	134.60	118.25	115.05	115.70
MW-102	134.50	118.29	115.51	116.16
MW-103	134.50	119.42	117.95	117.92
MW-104	134.22	120.86	119.00	119.43
MW-105	134.58	120.94	119.48	119.65
MW-105M	134.22	119.49	117.44	118.41
MW-106	134.63	119.85	118.06	118.70
MW-106M	134.63	119.14	117.07	118.04
MW-107	134.65	118.65	116.07	116.60

Table 1b
Summary of 2004 Groundwater Gauging Data
Groundwater Elevation (ft. ASL)
Former Raytheon Facility
430 Boston Post Road
Wayland, Massachusetts

Well ID	Measuring Pt. Elev. (ft. ASL)	5/3/2004	7/20/2004	12/6/2004
MW-108	134.69	118.74	115.98	116.39
MW-109	134.12	118.70	116.32	116.51
MW-110	134.04	118.94	116.62	116.68
MW-111	133.88	118.83	115.92	116.49
MW-112	133.68	118.96	115.97	116.47
MW-113	133.60	118.60	115.85	116.39
MW-114	133.48	118.76	115.81	116.33
MW-115	133.56	118.59	115.77	116.31
MW-116	133.72	118.88	115.83	116.33
MW-117	134.84	118.66	116.90	117.79
MW-118	134.88	118.74	117.79	117.67
MW-201S	132.38	118.15	113.57	115.31
MW-201M	132.19	117.73	114.74	115.54
MW-201D	132.10	117.76	115.23	116.58
MW-202S	132.74	118.36	114.99	115.63
MW-202M	132.98	118.05	114.97	115.74
MW-202D	132.72	117.60	115.09	116.49
MW-203S	132.50	117.39	114.01	115.15
MW-203M	132.39	117.43	114.08	115.19
MW-203D	132.14	117.60	115.01	116.39
MW-204S	132.98	118.33	114.89	115.94
MW-204M	132.02	117.55	114.22	115.28
MW-204D	132.30	117.33	115.47	116.50
MW-205S	131.98	117.67	114.19	115.25
MW-205M	132.12	117.50	114.19	115.29
MW-205D	131.98	118.47	115.76	116.26
MW-206S	130.82	117.10	113.73	115.12
MW-206M	130.75	117.08	113.74	115.14
MW-206D	130.66	117.18	114.51	116.02
MW-207S	129.16	116.98	113.65	115.16
MW-207M	129.29	116.81	113.58	115.06
MW-207D	129.10	118.34	114.35	115.77
MW-208S	132.14	118.00	114.69	115.38
MW-208M	132.38	117.71	114.74	115.40
MW-208D	132.38	117.59	115.03	116.45
MW-209	134.56	120.52	118.59	118.75
MW-210	134.48	119.69	117.56	-
MW-211	135.26	121.17	120.55	120.01
MW-212	134.39	120.82	119.01	119.50
MW-212M	133.84	119.07	116.89	-
MW-213	134.84	118.98	117.83	117.86
MW-214	134.60	118.19	115.04	115.67
MW-215S	133.42	120.43	118.91	119.43
MW-215M	133.48	120.41	118.92	119.42
MW-215D	133.44	119.99	118.37	119.15
MW-216S	134.54	120.86	119.35	119.50
MW-216M	134.59	120.81	118.29	119.50
MW-216D	134.59	120.10	119.30	119.10
MW-217S	130.06	119.09	115.67	116.63
MW-217M	130.44	118.50	115.31	116.55

Table 1b
Summary of 2004 Groundwater Gauging Data
Groundwater Elevation (ft. ASL)
Former Raytheon Facility
430 Boston Post Road
Wayland, Massachusetts

Well ID	Measuring Pt. Elev. (ft. ASL)	5/3/2004	7/20/2004	12/6/2004
MW-217D	130.20	118.26	115.69	117.22
MW-218S	130.24	118.28	114.96	116.14
MW-218M	130.16	117.95	114.69	116.24
MW-218D	130.02	118.06	115.44	117.12
MW-219S	118.12	115.52	113.59	114.98
MW-219M	118.09	116.78	114.05	115.79
MW-219D	117.95	116.82	114.21	115.90
MW-220S	117.09	114.85	112.58	114.15
MW-220M	117.29	116.40	113.26	115.03
MW-220D	116.99	116.89	113.78	114.69
MW-221M	120.07	118.73	115.93	117.56
MW-221D	120.22	118.33	115.79	117.32
MW-261S	131.28	121.67	118.98	120.40
MW-262S	129.60	122.02	119.27	120.75
MW-262M	130.52	118.49	116.18	117.18
MW-262D	129.73	119.18	117.12	117.94
MW-263S	127.96	120.96	118.85	119.98
MW-263M	127.77	120.09	118.17	118.76
MW-264S	126.32	121.27	118.17	120.65
MW-264M	126.28	120.24	118.06	119.11
MW-264D	126.63	118.55	116.30	117.32
MW-265S	130.06	123.90	118.85	121.33
MW-265M	129.89	120.34	118.02	119.15
MW-265D	130.07	118.64	116.41	117.41
MW-266S	126.79	120.30	117.06	118.80
MW-266Ma	127.72	119.39	117.13	118.23
MW-266Mb	126.88	119.35	117.14	118.15
MW-266D	127.70	118.55	116.32	117.32
MW-266B	128.14	118.81	116.62	117.53
MW-267S	125.30	118.33	116.03	117.13
MW-267M	125.40	118.18	115.89	116.98
MW-267D	125.88	118.29	115.97	117.03
MW-267B	124.02	117.72	115.71	116.61
MW-268S	123.66	118.01	115.62	116.79
MW-268M	123.41	117.66	115.31	116.46
MW-268D	124.86	117.76	115.33	116.48
MW-268B	122.34	117.58	115.18	116.12
MW-269S	125.54	118.59	114.96	117.76
MW-269Ma	124.96	118.07	114.47	115.03
MW-269Mb	125.42	117.56	114.98	116.38
MW-269D	125.34	116.29	113.73	115.42
MW-307	124.86	115.54	-	115.30
MW-313S	114.61	-	112.03	-
MW-313D	114.37	-	109.97	-
MW-314S	114.10	-	110.50	-
MW-314D	114.09	-	110.98	-
MW-315S	114.07	-	110.83	-
MW-315D	113.79	-	111.27	-
MW-403	134.39	117.72	115.27	116.62
MW-404	134.94	118.37	115.79	116.57
MW-405S	134.90	118.60	117.09	117.10
MW-405D	134.92	118.19	-	-

Notes:

- = Not Measured due to well blockage, damage, or access issues