

ALPHA ANALYTICAL LABORATORIES

Eight Walkup Drive
Westborough, Massachusetts 01581-1019
(508) 898-9220 www.alphalab.com

MA:M-MA086 NH:200301-A CT:PH-0574 ME:MA086 RI:65 NY:11148 NJ:MA935 Army:USACE

CERTIFICATE OF ANALYSIS

Client: ERM-New England Laboratory Job Number: L0413787
Address: 399 Boylston Street
6th Floor
Boston, MA 02116 Date Received: 09-DEC-2004
Attn: Jeremy Picard Date Reported: 14-DEC-2004
Project Number: 13606 Delivery Method: Alpha
Site: RAYTHEON WAYLAND

The following questions pertain only to MCP Analytical Methods

An affirmative response to questions A,B,C & D is required for "Presumptive Certainty" status

- A. Were all samples received by the laboratory in a condition consistent with those described on their Chain-of-Custody documentation for the data set? YES
- B. Were all QA/QC procedures required for the specified analytical method(s) included in this report followed, including the requirement to note and discuss in a narrative QC data that did not meet appropriate performance standards or guidelines? YES
- C. Does the analytical data included in this report meet all the requirements for "Presumptive Certainty", as described in section 2.0 of the MADEP document CAM VII A, "Quality Assurance and Quality Control Guidelines for the Acquisition and Reporting of Analytical Data"? YES
- D. **VPH and EPH methods only:** Was the VPH or EPH method run without significant modifications, as specified in Section 11.3? NA

A response to questions E and F is required for "Presumptive Certainty" status

- E. Were all QC performance standards and recommendations for the specified method(s) achieved? NO
- F. Were results for all analyte-list compounds/elements for the specified method(s) reported? NO

Any answers of NO to the above questions are addressed in the case narrative.

I, the undersigned, attest under the pains and penalties of perjury that, based upon my personal inquiry of those responsible for obtaining the information, the material contained in this report is, to the best of my knowledge and belief, accurate and complete. This certificate of analysis is not complete unless this page accompanies any and all pages of this report.

Authorized by: Scott McLean
This document electronically signed



CHAIN OF CUSTODY

Eight Walkup Drive Westborough, MA 01581
 TEL: 508-898-9220 FAX: 508-898-9193

Client Information

Client: ERM

Address: 309 Boylston St

Boston, MA

Phone:

Fax:

Email:

These samples have been previously analyzed by Alpha

Other Project Specific Requirements/Comments/Detection Limits:

Project Information

Project Name: Raytheon-Weyland

Project Location: Weyland, MA

Project #: 136006

Project Manager: J. Z. Carr

ALPHA Quote #:

Turn-Around Time

Standard

RUSH (only confirmed if pre-approved!)

Date Due: 12/16

Time:

Date Rec'd In Lab: 12/19

Report Information - Data Deliverables

FAX EMAIL

PDEX Add'l Deliverables

Regulatory Requirements/Report Limits

State / Fed Program Criteria

MCP PRESUMPTIVE CERTAINTY - THESE QUESTIONS MUST BE ANSWERED

Yes No Are MCP Analytical Methods Required?
 Yes No Are Drinking Water Samples Submitted?
 Yes No Have you met minimum field QC requirements?

SAMPLE HANDLING

Filtration Done
 Not needed
 Lab to do
 Preservation Lab to do
 (Please specify below)

ANALYSIS

ROBIS Chloride

Arctic

ALPHA Lab ID (Lab Use Only)	Sample ID	Collection		Sample Matrix	Sampler's Initials	Z	Y	X	W	V	U	T	S
		Date	Time										
9887-1	MWS-2609D	12/04/11	10:05	GW	BT	2	1						
2	MWS-2609WB	12/04/11	11:20	GW	BT	2	1						
3	MWS-2609S	12/04/11	13:05	GW	BT	2	1						
4	FD-02	12/04/11	2:00	GW	BT	2	1						
5	MWS-2609MA	12/04/11	11:20	GW	BT	2	1						
6	MWS-2608D	12/04/11	16:00	GW	BT	2	1						

QUESTIONS ABOVE MUST BE ANSWERED FOR PRESUMPTIVE CERTAINTY

IS YOUR PROJECT

MCP ?

Relinquished By:

Maria T...

Date/Time

12/04/11 17:30

Container Type Preservative

N 2
B C

Received By:

Michael J. Clerning

Date/Time

12/19/11 18:40

Billing Information

PO #:

ALPHA Job #: 20113782

Please print clearly, legibly and completely. Samples can not be logged in and turnaround time clock will not start until any ambiguities are resolved. All samples submitted are subject to Alpha's Payment Terms. See reverse side.

ALPHA ANALYTICAL LABORATORIES

Laboratory Job Number: L0413787

Date Reported: 14-DEC-2004

ALPHA SAMPLE NUMBER	CLIENT IDENTIFICATION	SAMPLE LOCATION
L0413787-01	MW-269D	WAYLAND
L0413787-02	MW-269MB	WAYLAND
L0413787-03	MW-269S	WAYLAND
L0413787-04	FD-02	WAYLAND
L0413787-05	MW-269MA	WAYLAND
L0413787-06	MW-268D	WAYLAND

ALPHA ANALYTICAL LABORATORIES
NARRATIVE REPORT

Laboratory Job Number: L0413787

Report Submission

In reference to question F, at the client's request, the samples were analyzed only for the compounds specified on the chain of custody.

Volatile Organics

In reference to question E:

The WG189173-1,2 LCS,LCSD have low recoveries for acetone, 2-hexanone and dichlorodifluoromethane and high recoveries for Bromomethane, all difficult analytes.

**ALPHA ANALYTICAL LABORATORIES
CERTIFICATE OF ANALYSIS**

Laboratory Sample Number: L0413787-01
MW-269D

PARAMETER	RESULT	UNITS	RDL	REF METHOD	DATE		ID
					PREP	ANAL	
Volatile Organics by MCP 8260B continued				60 8260B	1211 16:36		BT
Surrogate(s)	Recovery			QC Criteria			
1,2-Dichloroethane-d4	111.	%		70-130			
Toluene-d8	98.0	%		70-130			
4-Bromofluorobenzene	100.	%		70-130			
Dibromofluoromethane	110.	%		70-130			

Comments: Complete list of References and Glossary of Terms found in Addendum I

ALPHA ANALYTICAL LABORATORIES
 CERTIFICATE OF ANALYSIS

Laboratory Sample Number: L0413787-02
 MW-269MB

PARAMETER	RESULT	UNITS	RDL	REF METHOD	DATE		ID
					PREP	ANAL	
Volatile Organics by MCP 8260B continued				60 8260B	1211 17:15		BT
Surrogate(s)	Recovery			QC Criteria			
1,2-Dichloroethane-d4	114.	%		70-130			
Toluene-d8	100.	%		70-130			
4-Bromofluorobenzene	102.	%		70-130			
Dibromofluoromethane	114.	%		70-130			

Comments: Complete list of References and Glossary of Terms found in Addendum I

ALPHA ANALYTICAL LABORATORIES
 CERTIFICATE OF ANALYSIS

Laboratory Sample Number: L0413787-03
 MW-269S

PARAMETER	RESULT	UNITS	RDL	REF METHOD	DATE		ID
					PREP	ANAL	
Volatile Organics by MCP 8260B continued				60 8260B	1211 17:55		BT
Surrogate(s)	Recovery			QC Criteria			
1,2-Dichloroethane-d4	119.	%		70-130			
Toluene-d8	100.	%		70-130			
4-Bromofluorobenzene	102.	%		70-130			
Dibromofluoromethane	115.	%		70-130			

Comments: Complete list of References and Glossary of Terms found in Addendum I

**ALPHA ANALYTICAL LABORATORIES
CERTIFICATE OF ANALYSIS**

MA:M-MA086 NH:200301-A CT:PH-0574 ME:MA086 RI:65 NY:11148 NJ:MA935 Army:USACE

Laboratory Sample Number: L0413787-04	Date Collected: 09-DEC-2004 00:00
FD-02	Date Received : 09-DEC-2004
Sample Matrix: WATER	Date Reported : 14-DEC-2004
Condition of Sample: Satisfactory	Field Prep: Field Filtered
Number & Type of Containers: 1-Plastic,2-Vial	

PARAMETER	RESULT	UNITS	RDL	REF METHOD	DATE PREP ANAL	ID
Dissolved Metals by MCP 6000/7000 series				60 6010B		
Arsenic, Dissolved	0.011	mg/l	0.005	60 6010B	1210 16:00 1213 16:25	RW
Volatile Organics by MCP 8260B				60 8260B	1211 18:34	BT
Methylene chloride	ND	ug/l	5.0			
1,1-Dichloroethane	1.4	ug/l	0.75			
Chloroform	ND	ug/l	0.75			
Carbon tetrachloride	ND	ug/l	0.50			
1,2-Dichloropropane	ND	ug/l	1.8			
Dibromochloromethane	ND	ug/l	0.50			
1,1,2-Trichloroethane	ND	ug/l	0.75			
Tetrachloroethene	ND	ug/l	0.50			
Chlorobenzene	ND	ug/l	0.50			
1,2-Dichloroethane	ND	ug/l	0.50			
1,1,1-Trichloroethane	ND	ug/l	0.50			
Bromodichloromethane	ND	ug/l	0.50			
trans-1,3-Dichloropropene	ND	ug/l	0.50			
cis-1,3-Dichloropropene	ND	ug/l	0.50			
Bromoform	ND	ug/l	2.0			
1,1,2,2-Tetrachloroethane	ND	ug/l	0.50			
Chloromethane	ND	ug/l	2.5			
Vinyl chloride	ND	ug/l	1.0			
Chloroethane	ND	ug/l	1.0			
1,1-Dichloroethene	ND	ug/l	0.50			
trans-1,2-Dichloroethene	ND	ug/l	0.75			
Trichloroethene	0.84	ug/l	0.50			
1,2-Dichlorobenzene	ND	ug/l	2.5			
1,3-Dichlorobenzene	ND	ug/l	2.5			
1,4-Dichlorobenzene	ND	ug/l	2.5			
cis-1,2-Dichloroethene	2.0	ug/l	0.50			
Dichlorodifluoromethane	ND	ug/l	5.0			
1,2-Dibromoethane	ND	ug/l	2.0			
1,3-Dichloropropane	ND	ug/l	2.5			
1,1,1,2-Tetrachloroethane	ND	ug/l	0.50			
o-Chlorotoluene	ND	ug/l	2.5			
p-Chlorotoluene	ND	ug/l	2.5			
Hexachlorobutadiene	ND	ug/l	1.0			
1,2,4-Trichlorobenzene	ND	ug/l	2.5			

Comments: Complete list of References and Glossary of Terms found in Addendum I

ALPHA ANALYTICAL LABORATORIES
 CERTIFICATE OF ANALYSIS

Laboratory Sample Number: L0413787-04
 FD-02

PARAMETER	RESULT	UNITS	RDL	REF METHOD	DATE		ID
					PREP	ANAL	
Volatile Organics by MCP 8260B continued				60 8260B	1211 18:34		BT
Surrogate(s)	Recovery			QC Criteria			
1,2-Dichloroethane-d4	118.	%		70-130			
Toluene-d8	100.	%		70-130			
4-Bromofluorobenzene	103.	%		70-130			
Dibromofluoromethane	121.	%		70-130			

Comments: Complete list of References and Glossary of Terms found in Addendum I

**ALPHA ANALYTICAL LABORATORIES
CERTIFICATE OF ANALYSIS**

Laboratory Sample Number: L0413787-05
MW-269MA

PARAMETER	RESULT	UNITS	RDL	REF METHOD	DATE		ID
					PREP	ANAL	
Volatile Organics by MCP 8260B continued				60 8260B	1211 19:14		BT
Surrogate(s)	Recovery			QC Criteria			
1,2-Dichloroethane-d4	118.	%		70-130			
Toluene-d8	101.	%		70-130			
4-Bromofluorobenzene	102.	%		70-130			
Dibromofluoromethane	116.	%		70-130			

Comments: Complete list of References and Glossary of Terms found in Addendum I

ALPHA ANALYTICAL LABORATORIES
 CERTIFICATE OF ANALYSIS

Laboratory Sample Number: L0413787-06
 MW-268D

PARAMETER	RESULT	UNITS	RDL	REF METHOD	DATE		ID
					PREP	ANAL	
Volatile Organics by MCP 8260B continued				60 8260B	1211 19:54		BT
Surrogate(s)	Recovery			QC Criteria			
1,2-Dichloroethane-d4	115.	%		70-130			
Toluene-d8	100.	%		70-130			
4-Bromofluorobenzene	104.	%		70-130			
Dibromofluoromethane	115.	%		70-130			

Comments: Complete list of References and Glossary of Terms found in Addendum I

ALPHA ANALYTICAL LABORATORIES
QUALITY ASSURANCE BATCH LCS/LCSD ANALYSIS

Laboratory Job Number: L0413787

Parameter	LCS %	LCSD %	RPD	RPD Limit	QC Limits
Dissolved Metals by MCP 6000/7000 series for sample(s) 01-06 (WG189105-2, WG189105)					
Arsenic, Dissolved	105	104	1	20	75-125
Volatile Organics by MCP 8260B for sample(s) 01-06 (WG189173-1, WG189173)					
Methylene chloride	115	109	5	25	70-130
1,1-Dichloroethane	119	111	7	25	70-130
Chloroform	103	98	5	25	70-130
Carbon tetrachloride	125	115	8	25	70-130
1,2-Dichloropropane	118	110	7	25	70-130
Dibromochloromethane	109	104	5	25	70-130
1,1,2-Trichloroethane	119	113	5	25	70-130
Tetrachloroethene	112	106	6	25	70-130
Chlorobenzene	116	108	7	25	70-130
Trichlorofluoromethane	124	110	12	25	70-130
1,2-Dichloroethane	122	116	5	25	70-130
1,1,1-Trichloroethane	117	109	7	25	70-130
Bromodichloromethane	112	106	6	25	70-130
trans-1,3-Dichloropropene	108	105	3	25	70-130
cis-1,3-Dichloropropene	112	108	4	25	70-130
1,1-Dichloropropene	117	111	5	25	70-130
Bromoform	101	105	4	50	70-130
1,1,2,2-Tetrachloroethane	104	109	5	25	70-130
Benzene	123	113	8	25	70-130
Toluene	118	111	6	25	70-130
Ethylbenzene	120	115	4	25	70-130
Chloromethane	95	88	8	50	70-130
Bromomethane	142	137	4	50	70-130
Vinyl chloride	104	99	5	25	70-130
Chloroethane	120	112	7	25	70-130
1,1-Dichloroethene	115	107	7	25	70-130
trans-1,2-Dichloroethene	116	109	6	25	70-130
Trichloroethene	114	106	7	25	70-130
1,2-Dichlorobenzene	107	106	1	25	70-130
1,3-Dichlorobenzene	110	108	2	25	70-130
1,4-Dichlorobenzene	108	107	1	25	70-130
Methyl tert butyl ether	112	112	0	25	70-130
p/m-Xylene	125	117	7	25	70-130
o-Xylene	120	114	5	25	70-130
cis-1,2-Dichloroethene	120	114	5	25	70-130
Dibromomethane	117	114	3	25	70-130
1,2,3-Trichloropropane	106	111	5	25	70-130
Styrene	120	114	5	25	70-130
Dichlorodifluoromethane	49	47	4	50	70-130
Acetone	64	59	8	50	70-130
Carbon disulfide	104	95	9	25	70-130
2-Butanone	72	73	1	50	70-130
4-Methyl-2-pentanone	93	92	1	50	70-130
2-Hexanone	57	56	2	50	70-130
Bromochloromethane	122	117	4	25	70-130

ALPHA ANALYTICAL LABORATORIES
 QUALITY ASSURANCE BATCH LCS/LCSD ANALYSIS

Laboratory Job Number: L0413787

Continued

Parameter	LCS %	LCSD %	RPD	RPD Limit	QC Limits
Volatile Organics by MCP 8260B for sample(s) 01-06 (WG189173-1, WG189173)					
Tetrahydrofuran	103	99	4	25	70-130
2,2-Dichloropropane	114	106	7	25	70-130
1,2-Dibromoethane	108	108	0	25	70-130
1,3-Dichloropropane	119	116	3	25	70-130
1,1,1,2-Tetrachloroethane	113	109	4	25	70-130
Bromobenzene	108	111	3	25	70-130
n-Butylbenzene	119	114	4	25	70-130
sec-Butylbenzene	121	118	3	25	70-130
tert-Butylbenzene	107	106	1	25	70-130
o-Chlorotoluene	117	115	2	25	70-130
p-Chlorotoluene	114	113	1	25	70-130
1,2-Dibromo-3-chloropropane	90	100	11	50	70-130
Hexachlorobutadiene	114	112	2	25	70-130
Isopropylbenzene	111	112	1	25	70-130
p-Isopropyltoluene	108	104	4	25	70-130
Naphthalene	96	104	8	25	70-130
n-Propylbenzene	119	117	2	25	70-130
1,2,3-Trichlorobenzene	103	106	3	25	70-130
1,2,4-Trichlorobenzene	98	99	1	25	70-130
1,3,5-Trimethylbenzene	120	118	2	25	70-130
1,2,4-Trimethylbenzene	119	116	3	25	70-130
Ethyl ether	105	104	1	25	70-130
Isopropyl Ether	98	96	2	25	70-130
Ethyl-Tert-Butyl-Ether	98	97	1	25	70-130
Tertiary-Amyl Methyl Ether	100	100	0	25	70-130
1,4-Dioxane	102	109	7	50	70-130
Surrogate(s)					
1,2-Dichloroethane-d4	108	103	5		70-130
Toluene-d8	104	101	3		70-130
4-Bromofluorobenzene	103	109	6		70-130
Dibromofluoromethane	106	101	5		70-130

ALPHA ANALYTICAL LABORATORIES
QUALITY ASSURANCE BATCH BLANK ANALYSIS

Laboratory Job Number: L0413787

PARAMETER	RESULT	UNITS	RDL	REF METHOD	DATE		ID
					PREP	ANAL	
Blank Analysis for sample(s) 01-06 (WG189105-1)							
Dissolved Metals by MCP 6000/7000 series				60 6010B			
Arsenic, Dissolved	ND	mg/l	0.005	60 6010B	1210 16:00	1213 15:36	RW
Blank Analysis for sample(s) 01-06 (WG189173-3)							
Volatile Organics by MCP 8260B				60 8260B		1211 12:38	BT
Methylene chloride	ND	ug/l	5.0				
1,1-Dichloroethane	ND	ug/l	0.75				
Chloroform	ND	ug/l	0.75				
Carbon tetrachloride	ND	ug/l	0.50				
1,2-Dichloropropane	ND	ug/l	1.8				
Dibromochloromethane	ND	ug/l	0.50				
1,1,2-Trichloroethane	ND	ug/l	0.75				
Tetrachloroethene	ND	ug/l	0.50				
Chlorobenzene	ND	ug/l	0.50				
Trichlorofluoromethane	ND	ug/l	2.5				
1,2-Dichloroethane	ND	ug/l	0.50				
1,1,1-Trichloroethane	ND	ug/l	0.50				
Bromodichloromethane	ND	ug/l	0.50				
trans-1,3-Dichloropropene	ND	ug/l	0.50				
cis-1,3-Dichloropropene	ND	ug/l	0.50				
1,1-Dichloropropene	ND	ug/l	2.5				
Bromoform	ND	ug/l	2.0				
1,1,2,2-Tetrachloroethane	ND	ug/l	0.50				
Benzene	ND	ug/l	0.50				
Toluene	ND	ug/l	0.75				
Ethylbenzene	ND	ug/l	0.50				
Chloromethane	ND	ug/l	2.5				
Bromomethane	ND	ug/l	1.0				
Vinyl chloride	ND	ug/l	1.0				
Chloroethane	ND	ug/l	1.0				
1,1-Dichloroethene	ND	ug/l	0.50				
trans-1,2-Dichloroethene	ND	ug/l	0.75				
Trichloroethene	ND	ug/l	0.50				
1,2-Dichlorobenzene	ND	ug/l	2.5				
1,3-Dichlorobenzene	ND	ug/l	2.5				
1,4-Dichlorobenzene	ND	ug/l	2.5				
Methyl tert butyl ether	ND	ug/l	1.0				
p/m-Xylene	ND	ug/l	0.50				
o-Xylene	ND	ug/l	0.50				
cis-1,2-Dichloroethene	ND	ug/l	0.50				
Dibromomethane	ND	ug/l	5.0				
1,2,3-Trichloropropane	ND	ug/l	5.0				
Styrene	ND	ug/l	0.50				
Dichlorodifluoromethane	ND	ug/l	5.0				
Acetone	ND	ug/l	5.0				
Carbon disulfide	ND	ug/l	5.0				
2-Butanone	ND	ug/l	5.0				

ALPHA ANALYTICAL LABORATORIES
QUALITY ASSURANCE BATCH BLANK ANALYSIS

Laboratory Job Number: L0413787

Continued

PARAMETER	RESULT	UNITS	RDL	REF METHOD	DATE		ID
					PREP	ANAL	
Blank Analysis for sample(s) 01-06 (WG189173-3)							
Volatile Organics by MCP 8260B continued				60 8260B		1211 12:38	BT
4-Methyl-2-pentanone	ND	ug/l	5.0				
2-Hexanone	ND	ug/l	5.0				
Bromochloromethane	ND	ug/l	2.5				
Tetrahydrofuran	ND	ug/l	10.				
2,2-Dichloropropane	ND	ug/l	2.5				
1,2-Dibromoethane	ND	ug/l	2.0				
1,3-Dichloropropane	ND	ug/l	2.5				
1,1,1,2-Tetrachloroethane	ND	ug/l	0.50				
Bromobenzene	ND	ug/l	2.5				
n-Butylbenzene	ND	ug/l	0.50				
sec-Butylbenzene	ND	ug/l	0.50				
tert-Butylbenzene	ND	ug/l	2.5				
o-Chlorotoluene	ND	ug/l	2.5				
p-Chlorotoluene	ND	ug/l	2.5				
1,2-Dibromo-3-chloropropane	ND	ug/l	2.5				
Hexachlorobutadiene	ND	ug/l	1.0				
Isopropylbenzene	ND	ug/l	0.50				
p-Isopropyltoluene	ND	ug/l	0.50				
Naphthalene	ND	ug/l	2.5				
n-Propylbenzene	ND	ug/l	0.50				
1,2,3-Trichlorobenzene	ND	ug/l	2.5				
1,2,4-Trichlorobenzene	ND	ug/l	2.5				
1,3,5-Trimethylbenzene	ND	ug/l	2.5				
1,2,4-Trimethylbenzene	ND	ug/l	2.5				
Ethyl ether	ND	ug/l	2.5				
Isopropyl Ether	ND	ug/l	2.0				
Ethyl-Tert-Butyl-Ether	ND	ug/l	2.0				
Tertiary-Amyl Methyl Ether	ND	ug/l	2.0				
1,4-Dioxane	ND	ug/l	250				
Surrogate(s)	Recovery			QC Criteria			
1,2-Dichloroethane-d4	109.	%		70-130			
Toluene-d8	101.	%		70-130			
4-Bromofluorobenzene	102.	%		70-130			
Dibromofluoromethane	108.	%		70-130			

**ALPHA ANALYTICAL LABORATORIES
ADDENDUM I**

REFERENCES

60. Quality Assurance and Quality Control Requirements and Performance Standards for SW-846 Methods. MADEP BWSC. WSC-CAM-IIA (Revision 4), WSC-CAM-V C (Revision 2), WSC-CAM-IIIA (Revision 5). May 2004.

GLOSSARY OF TERMS AND SYMBOLS

REF Reference number in which test method may be found.
METHOD Method number by which analysis was performed.
ID Initials of the analyst.
ND Not detected in comparison to the reported detection limit.

ug/cart Micrograms per Cartridge.

LIMITATION OF LIABILITIES

Alpha Analytical, Inc. performs services with reasonable care and diligence normal to the analytical testing laboratory industry. In the event of an error, the sole and exclusive responsibility of Alpha Analytical, Inc., shall be to re-perform the work at it's own expense. In no event shall Alpha Analytical, Inc. be held liable for any incidental consequential or special damages, including but not limited to, damages in any way connected with the use of, interpretation of, information or analysis provided by Alpha Analytical, Inc.

We strongly urge our clients to comply with EPA protocol regarding sample volume, preservation, cooling, containers, sampling procedures, holding times and splitting of samples in the field.

ALPHA ANALYTICAL LABORATORIES
LOGIN SPECIFIC INFORMATION

Laboratory Job Number: L0413787

Were project specific reporting limits specified? YES

Cooler Information

Cooler	Custody Seal
A	Absent
B	Absent

Container Information

Container ID	Container Type	Cooler	pH	Temp	Pres	Seal	Analysis
L0413787-01A	Vial HCl preserved	B	N/A	2.0 C	Y	Absent	MCP-8260-04
L0413787-01B	Vial HCl preserved	B	N/A	2.0 C	Y	Absent	MCP-8260-04
L0413787-01C	Plastic 250ml HNO3 preserved	B	<2	2.0 C	Y	Absent	MCP-AS-6010S
L0413787-02A	Vial HCl preserved	B	N/A	2.0 C	Y	Absent	MCP-8260-04
L0413787-02B	Vial HCl preserved	B	N/A	2.0 C	Y	Absent	MCP-8260-04
L0413787-02C	Plastic 250ml HNO3 preserved	B	<2	2.0 C	Y	Absent	MCP-AS-6010S
L0413787-03A	Vial HCl preserved	B	N/A	2.0 C	Y	Absent	MCP-8260-04
L0413787-03B	Vial HCl preserved	B	N/A	2.0 C	Y	Absent	MCP-8260-04
L0413787-03C	Plastic 250ml HNO3 preserved	B	<2	2.0 C	Y	Absent	MCP-AS-6010S
L0413787-04A	Vial HCl preserved	B	N/A	2.0 C	Y	Absent	MCP-8260-04
L0413787-04B	Vial HCl preserved	B	N/A	2.0 C	Y	Absent	MCP-8260-04
L0413787-04C	Plastic 250ml HNO3 preserved	B	<2	2.0 C	Y	Absent	MCP-AS-6010S
L0413787-05A	Vial HCl preserved	B	N/A	2.0 C	Y	Absent	MCP-8260-04
L0413787-05B	Vial HCl preserved	B	N/A	2.0 C	Y	Absent	MCP-8260-04
L0413787-05C	Plastic 250ml HNO3 preserved	B	<2	2.0 C	Y	Absent	MCP-AS-6010S
L0413787-06A	Vial HCl preserved	B	N/A	2.0 C	Y	Absent	MCP-8260-04
L0413787-06B	Vial HCl preserved	B	N/A	2.0 C	Y	Absent	MCP-8260-04
L0413787-06C	Plastic 250ml HNO3 preserved	B	<2	2.0 C	Y	Absent	MCP-AS-6010S

Container Comments

Container ID	Comments
--------------	----------