

ALPHA ANALYTICAL LABORATORIES

Eight Walkup Drive
Westborough, Massachusetts 01581-1019
(508) 898-9220 www.alphalab.com

MA:M-MA086 NH:200301-A CT:PH-0574 ME:MA086 RI:65 NY:11148 NJ:MA935 Army:USACE

CERTIFICATE OF ANALYSIS

Client: ERM-New England Laboratory Job Number: L0413852
Address: 399 Boylston Street
6th Floor
Boston, MA 02116 Date Received: 10-DEC-2004
Attn: Jeremy Picard Date Reported: 17-DEC-2004
Project Number: 13606 Delivery Method: Alpha
Site: RAYTHEON WAYLAND

The following questions pertain only to MCP Analytical Methods

An affirmative response to questions A,B,C & D is required for "Presumptive Certainty" status

- A. Were all samples received by the laboratory in a condition consistent with those described on their Chain-of-Custody documentation for the data set? YES
- B. Were all QA/QC procedures required for the specified analytical method(s) included in this report followed, including the requirement to note and discuss in a narrative QC data that did not meet appropriate performance standards or guidelines? YES
- C. Does the analytical data included in this report meet all the requirements for "Presumptive Certainty", as described in section 2.0 of the MADEP document CAM VII A, "Quality Assurance and Quality Control Guidelines for the Acquisition and Reporting of Analytical Data"? YES
- D. **VPH and EPH methods only:** Was the VPH or EPH method run without significant modifications, as specified in Section 11.3? NA

A response to questions E and F is required for "Presumptive Certainty" status

- E. Were all QC performance standards and recommendations for the specified method(s) achieved? YES
- F. Were results for all analyte-list compounds/elements for the specified method(s) reported? NO

Any answers of NO to the above questions are addressed in the case narrative.

I, the undersigned, attest under the pains and penalties of perjury that, based upon my personal inquiry of those responsible for obtaining the information, the material contained in this report is, to the best of my knowledge and belief, accurate and complete. This certificate of analysis is not complete unless this page accompanies any and all pages of this report.

Authorized by: Ellen M. Collins
This document electronically signed

ALPHA ANALYTICAL LABORATORIES

Laboratory Job Number: L0413852

Date Reported: 17-DEC-2004

ALPHA SAMPLE NUMBER	CLIENT IDENTIFICATION	SAMPLE LOCATION
L0413852-01	FD-06	WAYLAND, MA
L0413852-02	MW-268S	WAYLAND, MA

ALPHA ANALYTICAL LABORATORIES
NARRATIVE REPORT

Laboratory Job Number: L0413852

MCP Related Narratives

Report Submission

In reference to question F, at the client's request, the samples were analyzed only for the compounds specified on the chain of custody.

Volatile Organics

L0413852-01 has elevated limits of detection due to the 20x dilution required by the elevated concentrations of target compounds in the sample.

**ALPHA ANALYTICAL LABORATORIES
CERTIFICATE OF ANALYSIS**

MA:M-MA086 NH:200301-A CT:PH-0574 ME:MA086 RI:65 NY:11148 NJ:MA935 Army:USACE

Laboratory Sample Number: L0413852-01	Date Collected: 10-DEC-2004 00:00
FD-06	Date Received : 10-DEC-2004
Sample Matrix: WATER	Date Reported : 17-DEC-2004
Condition of Sample: Satisfactory	Field Prep: Field Filtered
Number & Type of Containers: 2-Plastic,2-Vial	

PARAMETER	RESULT	UNITS	RDL	REF METHOD	DATE PREP ANAL	ID
Chloride	11.	mg/l	1.0	1 9251		1211 15:56 ED
Dissolved Metals by MCP 6000/7000 series				60 6010B		
Sodium, Dissolved	8.8	mg/l	2.0	60 6010B	1213 18:00 1214 16:59	RW
Volatile Organics by MCP 8260B				60 8260B		1215 22:57 SE
Methylene chloride	ND	ug/l	100			
1,1-Dichloroethane	ND	ug/l	15.			
Chloroform	ND	ug/l	15.			
Carbon tetrachloride	ND	ug/l	10.			
1,2-Dichloropropane	ND	ug/l	35.			
Dibromochloromethane	ND	ug/l	10.			
1,1,2-Trichloroethane	ND	ug/l	15.			
Tetrachloroethene	ND	ug/l	10.			
Chlorobenzene	ND	ug/l	10.			
1,2-Dichloroethane	ND	ug/l	10.			
1,1,1-Trichloroethane	170	ug/l	10.			
Bromodichloromethane	ND	ug/l	10.			
trans-1,3-Dichloropropene	ND	ug/l	10.			
cis-1,3-Dichloropropene	ND	ug/l	10.			
Bromoform	ND	ug/l	40.			
1,1,2,2-Tetrachloroethane	ND	ug/l	10.			
Chloromethane	ND	ug/l	50.			
Vinyl chloride	ND	ug/l	20.			
Chloroethane	ND	ug/l	20.			
1,1-Dichloroethene	ND	ug/l	10.			
trans-1,2-Dichloroethene	ND	ug/l	15.			
Trichloroethene	590	ug/l	10.			
1,2-Dichlorobenzene	ND	ug/l	50.			
1,3-Dichlorobenzene	ND	ug/l	50.			
1,4-Dichlorobenzene	ND	ug/l	50.			
cis-1,2-Dichloroethene	ND	ug/l	10.			
Dichlorodifluoromethane	ND	ug/l	100			
1,2-Dibromoethane	ND	ug/l	40.			
1,3-Dichloropropane	ND	ug/l	50.			
1,1,1,2-Tetrachloroethane	ND	ug/l	10.			
o-Chlorotoluene	ND	ug/l	50.			
p-Chlorotoluene	ND	ug/l	50.			

Comments: Complete list of References and Glossary of Terms found in Addendum I

**ALPHA ANALYTICAL LABORATORIES
CERTIFICATE OF ANALYSIS**

Laboratory Sample Number: L0413852-01
FD-06

PARAMETER	RESULT	UNITS	RDL	REF METHOD	DATE		ID
					PREP	ANAL	
Volatile Organics by MCP 8260B continued				60 8260B	1215 22:57		SE
Hexachlorobutadiene	ND	ug/l	20.				
1,2,4-Trichlorobenzene	ND	ug/l	50.				
Surrogate(s)	Recovery			QC Criteria			
1,2-Dichloroethane-d4	106.	%		70-130			
Toluene-d8	104.	%		70-130			
4-Bromofluorobenzene	105.	%		70-130			
Dibromofluoromethane	102.	%		70-130			

Comments: Complete list of References and Glossary of Terms found in Addendum I

**ALPHA ANALYTICAL LABORATORIES
CERTIFICATE OF ANALYSIS**

MA:M-MA086 NH:200301-A CT:PH-0574 ME:MA086 RI:65 NY:11148 NJ:MA935 Army:USACE

Laboratory Sample Number:	L0413852-02	Date Collected:	10-DEC-2004 09:25
	MW-268S	Date Received :	10-DEC-2004
Sample Matrix:	WATER	Date Reported :	17-DEC-2004
Condition of Sample:	Satisfactory	Field Prep:	Field Filtered
Number & Type of Containers: 1-Plastic,2-Vial			

PARAMETER	RESULT	UNITS	RDL	REF METHOD	DATE PREP ANAL	ID
Dissolved Metals by MCP 6000/7000 series				60 6010B		
Arsenic, Dissolved	ND	mg/l	0.005	60 6010B	1213 18:00 1214 17:11	RW
Volatile Organics by MCP 8260B				60 8260B	1215 22:21	SE
Methylene chloride	ND	ug/l	5.0			
1,1-Dichloroethane	ND	ug/l	0.75			
Chloroform	ND	ug/l	0.75			
Carbon tetrachloride	ND	ug/l	0.50			
1,2-Dichloropropane	ND	ug/l	1.8			
Dibromochloromethane	ND	ug/l	0.50			
1,1,2-Trichloroethane	ND	ug/l	0.75			
Tetrachloroethene	ND	ug/l	0.50			
Chlorobenzene	ND	ug/l	0.50			
1,2-Dichloroethane	ND	ug/l	0.50			
1,1,1-Trichloroethane	ND	ug/l	0.50			
Bromodichloromethane	ND	ug/l	0.50			
trans-1,3-Dichloropropene	ND	ug/l	0.50			
cis-1,3-Dichloropropene	ND	ug/l	0.50			
Bromoform	ND	ug/l	2.0			
1,1,2,2-Tetrachloroethane	ND	ug/l	0.50			
Chloromethane	ND	ug/l	2.5			
Vinyl chloride	ND	ug/l	1.0			
Chloroethane	ND	ug/l	1.0			
1,1-Dichloroethene	ND	ug/l	0.50			
trans-1,2-Dichloroethene	ND	ug/l	0.75			
Trichloroethene	ND	ug/l	0.50			
1,2-Dichlorobenzene	ND	ug/l	2.5			
1,3-Dichlorobenzene	ND	ug/l	2.5			
1,4-Dichlorobenzene	ND	ug/l	2.5			
cis-1,2-Dichloroethene	ND	ug/l	0.50			
Dichlorodifluoromethane	ND	ug/l	5.0			
1,2-Dibromoethane	ND	ug/l	2.0			
1,3-Dichloropropane	ND	ug/l	2.5			
1,1,1,2-Tetrachloroethane	ND	ug/l	0.50			
o-Chlorotoluene	ND	ug/l	2.5			
p-Chlorotoluene	ND	ug/l	2.5			
Hexachlorobutadiene	ND	ug/l	1.0			
1,2,4-Trichlorobenzene	ND	ug/l	2.5			

Comments: Complete list of References and Glossary of Terms found in Addendum I

ALPHA ANALYTICAL LABORATORIES
 CERTIFICATE OF ANALYSIS

Laboratory Sample Number: L0413852-02
 MW-268S

PARAMETER	RESULT	UNITS	RDL	REF METHOD	DATE		ID
					PREP	ANAL	
Volatile Organics by MCP 8260B continued				60 8260B	1215 22:21		SE
Surrogate(s)	Recovery			QC Criteria			
1,2-Dichloroethane-d4	107.	%		70-130			
Toluene-d8	104.	%		70-130			
4-Bromofluorobenzene	105.	%		70-130			
Dibromofluoromethane	103.	%		70-130			

Comments: Complete list of References and Glossary of Terms found in Addendum I

ALPHA ANALYTICAL LABORATORIES
QUALITY ASSURANCE BATCH DUPLICATE ANALYSIS

Laboratory Job Number: L0413852

Parameter	Value 1	Value 2	Units	RPD	RPD Limits
Chloride for sample(s) 01 (L0413851-02, WG189153)					
Chloride	96.	95.	mg/l	1	7

ALPHA ANALYTICAL LABORATORIES
QUALITY ASSURANCE BATCH SPIKE ANALYSES

Laboratory Job Number: L0413852

Parameter	% Recovery	QC Criteria
Chloride LCS for sample(s) 01 (WG189153)		
Chloride	93	84-110
Chloride SPIKE for sample(s) 01 (L0413851-01, WG189153)		
Chloride	90	58-140

ALPHA ANALYTICAL LABORATORIES
QUALITY ASSURANCE BATCH LCS/LCSD ANALYSIS

Laboratory Job Number: L0413852

Parameter	LCS %	LCSD %	RPD	RPD Limit	QC Limits
Dissolved Metals by MCP 6000/7000 series for sample(s) 01-02 (WG189238-2, WG189238)					
Arsenic, Dissolved	102	103	1	20	75-125
Sodium, Dissolved	100	100	0	20	75-125
Volatile Organics by MCP 8260B for sample(s) 01-02 (WG189572-1, WG189572)					
Methylene chloride	87	88	1	25	70-130
1,1-Dichloroethane	92	93	1	25	70-130
Chloroform	88	89	1	25	70-130
Carbon tetrachloride	94	96	2	25	70-130
1,2-Dichloropropane	89	92	3	25	70-130
Dibromochloromethane	89	93	4	25	70-130
1,1,2-Trichloroethane	84	88	5	25	70-130
Tetrachloroethene	91	87	4	25	70-130
Chlorobenzene	91	91	0	25	70-130
Trichlorofluoromethane	92	95	3	25	70-130
1,2-Dichloroethane	94	94	0	25	70-130
1,1,1-Trichloroethane	91	89	2	25	70-130
Bromodichloromethane	88	88	0	25	70-130
trans-1,3-Dichloropropene	88	90	2	25	70-130
cis-1,3-Dichloropropene	90	88	2	25	70-130
1,1-Dichloropropene	92	91	1	25	70-130
Bromoform	82	90	9	50	70-130
1,1,2,2-Tetrachloroethane	85	89	5	25	70-130
Benzene	89	90	1	25	70-130
Toluene	89	89	0	25	70-130
Ethylbenzene	91	90	1	25	70-130
Chloromethane	81	81	0	50	70-130
Bromomethane	83	95	13	50	70-130
Vinyl chloride	87	82	6	25	70-130
Chloroethane	86	82	5	25	70-130
1,1-Dichloroethene	87	88	1	25	70-130
trans-1,2-Dichloroethene	89	90	1	25	70-130
Trichloroethene	92	89	3	25	70-130
1,2-Dichlorobenzene	87	88	1	25	70-130
1,3-Dichlorobenzene	89	90	1	25	70-130
1,4-Dichlorobenzene	88	90	2	25	70-130
Methyl tert butyl ether	88	89	1	25	70-130
p/m-Xylene	91	90	1	25	70-130
o-Xylene	90	90	0	25	70-130
cis-1,2-Dichloroethene	88	84	5	25	70-130
Dibromomethane	86	88	2	25	70-130
1,2,3-Trichloropropane	88	92	4	25	70-130
Styrene	94	93	1	25	70-130
Dichlorodifluoromethane	72	70	3	50	70-130
Acetone	78	85	9	50	70-130
Carbon disulfide	87	83	5	25	70-130
2-Butanone	88	90	2	50	70-130
4-Methyl-2-pentanone	88	90	2	50	70-130
2-Hexanone	103	103	0	50	70-130

ALPHA ANALYTICAL LABORATORIES
 QUALITY ASSURANCE BATCH LCS/LCSD ANALYSIS

Laboratory Job Number: L0413852

Continued

Parameter	LCS %	LCSD %	RPD	RPD Limit	QC Limits
Volatile Organics by MCP 8260B for sample(s) 01-02 (WG189572-1, WG189572)					
Bromochloromethane	85	86	1	25	70-130
Tetrahydrofuran	93	95	2	25	70-130
2,2-Dichloropropane	86	87	1	25	70-130
1,2-Dibromoethane	85	90	6	25	70-130
1,3-Dichloropropane	88	92	4	25	70-130
1,1,1,2-Tetrachloroethane	92	93	1	25	70-130
Bromobenzene	87	90	3	25	70-130
n-Butylbenzene	91	89	2	25	70-130
sec-Butylbenzene	88	88	0	25	70-130
tert-Butylbenzene	88	87	1	25	70-130
o-Chlorotoluene	90	90	0	25	70-130
p-Chlorotoluene	90	88	2	25	70-130
1,2-Dibromo-3-chloropropane	93	90	3	50	70-130
Hexachlorobutadiene	85	87	2	25	70-130
Isopropylbenzene	94	92	2	25	70-130
p-Isopropyltoluene	91	89	2	25	70-130
Naphthalene	88	89	1	25	70-130
n-Propylbenzene	90	90	0	25	70-130
1,2,3-Trichlorobenzene	89	89	0	25	70-130
1,2,4-Trichlorobenzene	85	89	5	25	70-130
1,3,5-Trimethylbenzene	91	91	0	25	70-130
1,2,4-Trimethylbenzene	90	92	2	25	70-130
Ethyl ether	92	89	3	25	70-130
Isopropyl Ether	88	92	4	25	70-130
Ethyl-Tert-Butyl-Ether	87	86	1	25	70-130
Tertiary-Amyl Methyl Ether	84	86	2	25	70-130
1,4-Dioxane	90	92	2	50	70-130
Surrogate(s)					
1,2-Dichloroethane-d4	103	105	2		70-130
Toluene-d8	101	100	1		70-130
4-Bromofluorobenzene	101	103	2		70-130
Dibromofluoromethane	103	104	1		70-130

ALPHA ANALYTICAL LABORATORIES
QUALITY ASSURANCE BATCH BLANK ANALYSIS

Laboratory Job Number: L0413852

PARAMETER	RESULT	UNITS	RDL	REF METHOD	DATE		ID
					PREP	ANAL	
Blank Analysis for sample(s) 01 (WG189153-1)							
Chloride	ND	mg/l	1.0	1 9251		1211 16:01	ED
Blank Analysis for sample(s) 01-02 (WG189238-1)							
Dissolved Metals by MCP 6000/7000 series				60 6010B			
Arsenic, Dissolved	ND	mg/l	0.005	60 6010B	1213 18:00	1214 16:08	RW
Sodium, Dissolved	ND	mg/l	2.0	60 6010B	1213 18:00	1214 16:08	RW
Blank Analysis for sample(s) 01-02 (WG189572-3)							
Volatile Organics by MCP 8260B				60 8260B		1215 18:10	SE
Methylene chloride	ND	ug/l	5.0				
1,1-Dichloroethane	ND	ug/l	0.75				
Chloroform	ND	ug/l	0.75				
Carbon tetrachloride	ND	ug/l	0.50				
1,2-Dichloropropane	ND	ug/l	1.8				
Dibromochloromethane	ND	ug/l	0.50				
1,1,2-Trichloroethane	ND	ug/l	0.75				
Tetrachloroethene	ND	ug/l	0.50				
Chlorobenzene	ND	ug/l	0.50				
Trichlorofluoromethane	ND	ug/l	2.5				
1,2-Dichloroethane	ND	ug/l	0.50				
1,1,1-Trichloroethane	ND	ug/l	0.50				
Bromodichloromethane	ND	ug/l	0.50				
trans-1,3-Dichloropropene	ND	ug/l	0.50				
cis-1,3-Dichloropropene	ND	ug/l	0.50				
1,1-Dichloropropene	ND	ug/l	2.5				
Bromoform	ND	ug/l	2.0				
1,1,2,2-Tetrachloroethane	ND	ug/l	0.50				
Benzene	ND	ug/l	0.50				
Toluene	ND	ug/l	0.75				
Ethylbenzene	ND	ug/l	0.50				
Chloromethane	ND	ug/l	2.5				
Bromomethane	ND	ug/l	1.0				
Vinyl chloride	ND	ug/l	1.0				
Chloroethane	ND	ug/l	1.0				
1,1-Dichloroethene	ND	ug/l	0.50				
trans-1,2-Dichloroethene	ND	ug/l	0.75				
Trichloroethene	ND	ug/l	0.50				
1,2-Dichlorobenzene	ND	ug/l	2.5				
1,3-Dichlorobenzene	ND	ug/l	2.5				
1,4-Dichlorobenzene	ND	ug/l	2.5				
Methyl tert butyl ether	ND	ug/l	1.0				
p/m-Xylene	ND	ug/l	0.50				
o-Xylene	ND	ug/l	0.50				
cis-1,2-Dichloroethene	ND	ug/l	0.50				
Dibromomethane	ND	ug/l	5.0				
1,2,3-Trichloropropane	ND	ug/l	5.0				

ALPHA ANALYTICAL LABORATORIES
QUALITY ASSURANCE BATCH BLANK ANALYSIS

Laboratory Job Number: L0413852

Continued

PARAMETER	RESULT	UNITS	RDL	REF METHOD	DATE		ID
					PREP	ANAL	
Blank Analysis for sample(s) 01-02 (WG189572-3)							
Volatile Organics by MCP 8260B continued				60 8260B		1215 18:10	SE
Styrene	ND	ug/l	0.50				
Dichlorodifluoromethane	ND	ug/l	5.0				
Acetone	ND	ug/l	5.0				
Carbon disulfide	ND	ug/l	5.0				
2-Butanone	ND	ug/l	5.0				
4-Methyl-2-pentanone	ND	ug/l	5.0				
2-Hexanone	ND	ug/l	5.0				
Bromochloromethane	ND	ug/l	2.5				
Tetrahydrofuran	ND	ug/l	10.				
2,2-Dichloropropane	ND	ug/l	2.5				
1,2-Dibromoethane	ND	ug/l	2.0				
1,3-Dichloropropane	ND	ug/l	2.5				
1,1,1,2-Tetrachloroethane	ND	ug/l	0.50				
Bromobenzene	ND	ug/l	2.5				
n-Butylbenzene	ND	ug/l	0.50				
sec-Butylbenzene	ND	ug/l	0.50				
tert-Butylbenzene	ND	ug/l	2.5				
o-Chlorotoluene	ND	ug/l	2.5				
p-Chlorotoluene	ND	ug/l	2.5				
1,2-Dibromo-3-chloropropane	ND	ug/l	2.5				
Hexachlorobutadiene	ND	ug/l	1.0				
Isopropylbenzene	ND	ug/l	0.50				
p-Isopropyltoluene	ND	ug/l	0.50				
Naphthalene	ND	ug/l	2.5				
n-Propylbenzene	ND	ug/l	0.50				
1,2,3-Trichlorobenzene	ND	ug/l	2.5				
1,2,4-Trichlorobenzene	ND	ug/l	2.5				
1,3,5-Trimethylbenzene	ND	ug/l	2.5				
1,2,4-Trimethylbenzene	ND	ug/l	2.5				
Ethyl ether	ND	ug/l	2.5				
Isopropyl Ether	ND	ug/l	2.0				
Ethyl-Tert-Butyl-Ether	ND	ug/l	2.0				
Tertiary-Amyl Methyl Ether	ND	ug/l	2.0				
1,4-Dioxane	ND	ug/l	250				
Surrogate(s)	Recovery		QC Criteria				
1,2-Dichloroethane-d4	107.	%	70-130				
Toluene-d8	103.	%	70-130				
4-Bromofluorobenzene	106.	%	70-130				
Dibromofluoromethane	100.	%	70-130				

**ALPHA ANALYTICAL LABORATORIES
ADDENDUM I**

REFERENCES

1. Test Methods for Evaluating Solid Waste: Physical/Chemical Methods. EPA SW-846. Third Edition. Updates I - IIIA, 1997.

60. Quality Assurance and Quality Control Requirements and Performance Standards for SW-846 Methods. MADEP BWSC. WSC-CAM-IIA (Revision 4), WSC-CAM-V C (Revision 2), WSC-CAM-IIIA (Revision 5). May 2004.

GLOSSARY OF TERMS AND SYMBOLS

REF Reference number in which test method may be found.
METHOD Method number by which analysis was performed.
ID Initials of the analyst.
ND Not detected in comparison to the reported detection limit.

ug/cart Micrograms per Cartridge.

LIMITATION OF LIABILITIES

Alpha Analytical, Inc. performs services with reasonable care and diligence normal to the analytical testing laboratory industry. In the event of an error, the sole and exclusive responsibility of Alpha Analytical, Inc., shall be to re-perform the work at it's own expense. In no event shall Alpha Analytical, Inc. be held liable for any incidental consequential or special damages, including but not limited to, damages in any way connected with the use of, interpretation of, information or analysis provided by Alpha Analytical, Inc.

We strongly urge our clients to comply with EPA protocol regarding sample volume, preservation, cooling, containers, sampling procedures, holding times and splitting of samples in the field.

ALPHA ANALYTICAL LABORATORIES
LOGIN SPECIFIC INFORMATION

Laboratory Job Number: L0413852

Were project specific reporting limits specified? YES

Cooler Information

Cooler	Custody Seal
A	Absent
B	Absent
C	Absent

Container Information

Container ID	Container Type	Cooler	pH	Temp	Pres	Seal	Analysis
L0413852-01A	Vial HCl preserved	C	N/A	1.6 C	Y	Absent	MCP-8260-04
L0413852-01B	Vial HCl preserved	C	N/A	1.6 C	Y	Absent	MCP-8260-04
L0413852-01C	Plastic 250ml HNO3 preserved	C	<2	1.6 C	Y	Absent	MCP-NA-6010S
L0413852-01D	Plastic 250ml unpreserved	C	=7	1.6 C	Y	Absent	CL-9251
L0413852-02A	Vial HCl preserved	C	N/A	1.6 C	Y	Absent	MCP-8260-04
L0413852-02B	Vial HCl preserved	C	N/A	1.6 C	Y	Absent	MCP-8260-04
L0413852-02C	Plastic 250ml HNO3 preserved	C	<2	1.6 C	Y	Absent	MCP-AS-6010S

Container Comments

Container ID Comments



CHAIN OF CUSTODY

PAGE ____ OF ____

Eight Walkup Drive Westborough, MA 01581
TEL: 508-898-9220 FAX: 508-898-9193

Client Information

Client: ERM

Address: 399 Boylston St.
Boston MA, 02116

Phone:

Fax:

Email:

These samples have been previously analyzed by Alpha

Other Project Specific Requirements/Comments/Detection Limits:

Dissolved Nat +
Dissolved As - field filtered

Project Information

Project Name: Raytheon

Project Location: Waverley, MA

Project #: 13666

Project Manager: J. Picard

ALPHA Quote #:

Turn-Around Time

Standard

RUSH (only confirmed if pre-approved)

Date Due: 12/17 Time:

Date Rec'd in Lab:

12/10

ALPHA Job #: 10413852

Report Information - Data Deliverables

FAX

EMAIL

ADEX

Add'l Deliverables

Billing Information

Same as Client info

PO #:

Regulatory Requirements/Report Limits

State / Fed Program

Criteria

MCP PRESUMPTIVE CERTAINTY - THESE QUESTIONS MUST BE ANSWERED

Yes No Are MCP Analytical Methods Required?

Yes No Are Drinking Water Samples Submitted?

Yes No Have you met minimum field QC requirements?

ANALYSIS
S&B Chlorinated
Dissolved Nat
Cl-
Dissolved As

SAMPLE HANDLING

Filtration

Done

Not needed

Lab to do

Preservation

Lab to do

(Please specify below)

Sample Specific Comments

ALPHA Lab ID (Lab Use Only)	Sample ID	Collection		Sample Matrix	Sampler's Initials
		Date	Time		
9882-1	FD-06	12/10/04	09:00	6W	LR
	MW-2685	12/10/04	09:25	6W	LR

QUESTIONS ABOVE MUST BE ANSWERED FOR PRESUMPTIVE CERTAINTY

Container Type
Preservative

Relinquished By:

Date/Time

Received By:

Date/Time

IS YOUR PROJECT MCP ?

Relinquished By: [Signature] Date/Time: 12/10/04 1430

Received By: [Signature] Date/Time: 12/10/04

Please print clearly, legibly and completely. Samples can not be logged in and turnaround time clock will not start until any ambiguities are resolved. All samples submitted are subject to Alphas' Payment Terms. See reverse side.