

**Environmental
Resources
Management**

399 Boylston Street, 6th Floor
Boston, MA 02116
(617) 646-7800
(617) 267-6447 (fax)

<http://www.erm.com>

29 January 2004
Reference: 0001922.03

Mr. Brian J. Monahan
Conservation Administrator
Conservation Commission
Town of Wayland
Town Building
41 Cochituate Road
Wayland, MA 01778



RE: Response to Town of Wayland Conservation Commission Order of Conditions and Wetlands and Water Resources Permit (Chapter 194), DEP File No. 322-0564: 430 Boston Post Road, Former Raytheon Facility

Dear Mr. Monahan:

Environmental Resources Management (ERM), on behalf of Raytheon Company (Raytheon), has prepared this submittal in response to the Town of Wayland Conservation Commission (Con Com) Order of Conditions and Wetlands and Water Resources Permit (Chapter 194), dated 20 November 2003. This submittal is intended to provide additional information required by the Order of Conditions and Permit pursuant to the Town of Wayland's Wetlands and Water Resources Bylaw, Chapter 194, prior to commencing the proposed activities.

ERM has reviewed the Findings as determined by the Con Com within the Order of Conditions and Permit. It is our understanding the Findings do not require specific action or response. Table 1 details ERM's action and/or response to the Conditions from the Order of Conditions and Permit. The following additional submittal material was prepared to fulfill various Conditions as directed by the Order of Conditions and Permit:


- Stamped and signed versions of Figure 4 and Figure 5 from NOI Submittal - Condition Number 12 (Permit Number 1);
- Middlesex Registry of Deeds Order of Conditions Filing Receipt - Condition Number 18 (Permit Number 2);
- Affidavit for Completeness - Condition Number 19 (Permit Number 5);

- Daily Log Templates - Condition Number 23, 42 (Permit Number 9, 28);
- Project Organization Chart - Condition Number 24, 28 (Permit Number 10, 14);
- GPS Location Coordinates - Condition Number 25 (Permit Number 11);
- Town of Wayland Board of Health Letter - Condition Number 33 (Permit Number 19);
- Surface Water Monitoring Plan - Condition Number 35 (Permit Number 21);
- Refueling Plan - Condition Number 57 (Permit Number 42); and
- Severe Weather Plan - Condition Number 59 (Permit Number 45).


Conditions within the Order of Conditions and Permit that require information be provided to the Con Com during and at the completion of activities will be complied with as directed.

Should you have any questions or require additional information please contact the undersigned at 617-646-7800.

Sincerely,



John Drobinski, P.G., LSP
Principal-in-Charge



Jeremy J Picard, P.G.
Project Manager

enclosures: Table 1: Compilation of Conditions from Order of
Conditions and Permit for DEP No. 322-0564
Attachment 1: Stamped and signed versions of Figure 4
and Figure 5 from NOI Submittal
Attachment 2: Middlesex Registry of Deeds Order of
Conditions Filing Receipt
Attachment 3: An Affidavit for Completeness
Attachment 4: Daily Log Templates
Attachment 5: Project Organization Chart
Attachment 6: GPS Location Coordinates
Attachment 7: Town of Wayland Board of Health Letter
Attachment 8: Surface Water Monitoring Plan
Attachment 9: Refueling Plan
Attachment 10: Snow Removal Management Plan

cc: Edwin Madera at Raytheon Company
Public Repositories (Library and Board of Health)

Table 1
Compilation of Conditions from Order of Conditions and Permit
DEP File No. 322-0564
Former Raytheon Facility, Wayland, MA

Condition Number	Permit Number	Conditions As Listed in the Decision	ERM Response
1		Failure to comply with all conditions stated herein, and with all related statutes and other regulatory measures, shall be deemed cause to revoke or modify this Order.	ERM will comply with this condition.
2		The Order does not grant any property rights or any exclusive privileges; it does not authorize any injury to private property or invasion of private rights.	ERM will comply with this condition.
3		This Order does not relieve the permittee or any other person of the necessity of complying with all other applicable federal, state, or local statutes, ordinances, bylaws, or regulations.	ERM will comply with this condition.
4		The work authorized hereunder shall be completed within three years from the date of this Order unless either of the following apply: a. the work is a maintenance dredging project as provided for in the Act; or b. the time for completion has been extended to a specified date more than three years, but less than five years, from the date of issuance. If this Order is intended to be valid for more than three years, the extension date and the special circumstances warranting the extended time period are set forth as a special condition in this Order.	ERM will comply with this condition.
5		This Order may be extended by the issuing authority for one or more periods of up to three years each upon application to the issuing authority at least 30 days prior to the expiration date of the Order.	ERM will comply with this condition.
6		Any fill used in connection with this project shall be clean fill. Any fill shall contain no trash, refuse, rubbish, or debris, including but not limited to lumber, bricks, plaster, wire, lath, paper, cardboard, pipe, tires, ashes, refrigerators, motor vehicles, or parts of any of the foregoing.	ERM will comply with this condition.
7		This Order is not final until all administrative appeal periods from this Order have elapsed, or if such an appeal has been taken, until all proceedings before the Department have been completed.	ERM will comply with this condition.
8		No work shall be undertaken until the Order has become final and then has been recorded in the Registry of Deeds or the Land Court for the district in which the land is located, within the chain of title of the affected property. In the case of recorded land, the Final Order shall also be noted in the Registry's Grantor Index under the name of the owner of the land upon which the proposed work is to be done. In the case of the registered land, the Final Order shall also be noted on the Land Court Certificate of Title of the owner of the land upon which the proposed work is done. The recording information shall be submitted to this Conservation Commission on the form at the end of this Order, which form must be stamped by the Registry of Deeds, prior to the commencement of work.	Order of Conditions filed at the Middlesex Registry of Deeds on 4 December 2003. A copy of the filing receipt is attached.
9		A sign shall be displayed at the site not less than two square feet or more than three square feet in size bearing the words, "Massachusetts Department of Environmental Protection" [or, "MA DEP"] "File Number 322-0564"	ERM will comply with this condition.
10		Where the Department of Environmental Protection is requested to issue a Superseding Order, the Conservation Commission shall be a party to all agency proceedings and hearings before DEP	ERM will comply with this condition.
11		Upon completion of the work described herein, the applicant shall submit a Request for Certificate of Compliance (WPA Form 8A) to the Conservation Commission.	ERM will comply with this condition.
12		The work shall conform to the plans and special conditions referenced in this order.	ERM will comply with this condition.
13		Any change to the plans identified in Condition #12 above shall require the applicant to inquire of the Conservation Commission in writing whether the change is significant enough to require the filing of a new Notice of Intent.	ERM will comply with this condition.
14		The Agent or members of the Conservation Commission and the Department of Environmental Protection shall have the right to enter and inspect the area subject to this Order at reasonable hours to evaluate compliance with the conditions stated in this Order, and may require the submittal of any data deemed necessary by the Conservation Commission or Department for that evaluation.	ERM will comply with this condition.
15		This Order of Conditions shall apply to any successor in interest or successor in control of the property subject to this Order and to any contractor or other person performing work conditioned by this Order.	ERM will comply with this condition.
16		Prior to the start of work, and if the project involves work adjacent to a Bordering Vegetated Wetland, the boundary of the wetland in the vicinity of the proposed work area shall be marked by wooden stakes or flagging. Once in place, the wetland boundary markers shall be maintained until a Certificate of Compliance has been issued by the Conservation Commission.	Wetland boundary flagging is in place within the proposed areas. ERM will comply with this condition.
17		All sedimentation barriers shall be maintained in good repair until all disturbed areas have been fully stabilized with vegetation or other means. At no time shall sediments be deposited in a wetland or water body. During construction, the applicant or his/her designee shall inspect the erosion controls on a daily basis and shall remove accumulated sediments as needed. The applicant shall immediately control any erosion problems that occur at the site and shall also immediately notify the Conservation Commission, which reserves the right to require additional erosion and/or damage prevention controls it may deem necessary. Sedimentation barriers shall serve as the limit of work unless another limit of work line has been approved by this Order.	ERM will comply with this condition.
12	1	The work shall conform to the following 'figures' except as herein conditioned:	
a)	a)	Figure 2, "Proposed Investigation Locations", Former Raytheon Facility - Wayland, MA, ERM, Undated, not stamped. Note: Figure shows well locations on a number of properties.	
b)	b)	Figure 3, "Straw Bale and Silt Fence Detail", Former Raytheon Facility - Wayland, MA, ERM, undated, not stamped, and not to scale.	
c)	c)	Figure 4, "Construction Road Specification", Former Raytheon Facility - Wayland, MA, 09/24/03, Environmental Resources Management, Unstamped (Note on Figure - Stamped version to be submitted at Conservation Commission Hearing).	
d)	d)	Figure 5, "Well Construction Access", Former Raytheon Facility - Wayland, MA, 09/23/03, Environmental Resources Management, Unstamped (Note on Figure - Stamped version to be submitted at Conservation Commission Hearing).	ERM will conduct activities in accordance with these figures. Stamped and signed versions of Figure 4 and Figure 5 are attached (Attachment 1).
Effective prior to any Alteration, Excavation, or Construction			
18	2	No work shall be undertaken until the original Order has been recorded in the Registry of Deeds.	Order of Conditions filed at the Middlesex Registry of Deeds on 4 December 2003. A copy of the filing receipt is attached (Attachment 2).

Table 1
 Compilation of Conditions from Order of Conditions and Permit
 DEP File No. 322-0564
 Former Raytheon Facility, Wayland, MA

Condition Number	Permit Number	Conditions As Listed in the Decision	ERM Response
19	5	No work shall be undertaken until the Conservation Commission has received an affidavit from the applicant attesting to the completeness of the plans referenced in this decision.	An affidavit in accordance with this condition is attached (Attachment 3).
20	6	This Order of Conditions shall apply to any successor in interest or successor in control of this property. The Conservation Commission shall be notified in writing, at the time of such transfer, or any transfer in title for all or part of the property that occurs prior to the issuance of the Certificate of Compliance. Prior to any transfer of title the Order of Conditions shall be filed at the Registry of Deeds. A lack of such required written notification to the Conservation Commission shall delay the issuance of the Certificate of Compliance.	ERM will notify the Conservation Commission of any property transfer once transfer becomes public knowledge.
21	7	All written submissions to the Conservation Commission shall include: a date, the DEP File Number, and the condition or conditions that the submission is intended to meet.	ERM will prepare submissions in accordance with this condition.
22	8	In the event the applicant believes that an item required in any condition has been provided to the Commission prior to the issuance of this Order formal notice of the document, the date of the document, and any other reference to the item shall be provided with a notation as to which condition the applicant believes the item satisfies.	ERM will comply with this condition.
23	9	The applicant shall keep a daily log when work is being conducted that lists the type and number of pieces of equipment being used, the hour that the operation began and the time that work stops that day, the name or names of the supervisor for the work being conducted, the name or names of the Company/Corporation operating any equipment, and the name or names of persons representing the applicant on the site during working hours. This log shall be made available to the Conservation Commission or agent of the Commission upon request and a copy of it shall be made available within 48 hours when requested.	ERM has prepared a daily log form to detail Site activities. Completed daily log forms will be sent to the Conservation Commission by the ERM project management. A copy of the daily log form is attached (Attachment 4).
24	10	Prior to commencing any work the applicant shall provide the Conservation Commission the name of the person responsible for assuring compliance with the daily inspection of, repair to, and maintenance of the sediment barriers. A daily log shall be kept with a signature by the person responsible for inspecting sediment barriers and all other erosion/sediment control measures.	ERM has prepared a Project Organization chart for the Conservation Commission. The Project Organization chart is attached (Attachment 5). The daily log form as described in Condition 23 will include sediment barrier and erosion control information in accordance with this condition.
25	11	Prior to commencing any work the well locations shall be marked with a low surveyor's stake and the location coordinates as measured using a G.P.S. instrument accurate to within 15 feet, and documented with location identifiers in a written record submitted to the Conservation Commission.	ERM has placed low surveyor stakes at each vertical profiling location and surveyed the locations using GPS. The coordinates are attached (Attachment 6).
26	12	The Conservation Commission shall receive notice by the applicant or a duly authorized representative not less than two nor more than five business days prior to the commencement of any activity on the site. Failure to comply with this condition shall result in a directive to cease any activity. In the event that work ceases on the site for a period of time greater than five days, this condition shall again apply prior to recommencing work on the site. All conditions requiring additional information prior to commencing work shall be met prior to submitting this notice. <u>E-mail shall not be considered written notice.</u>	ERM will comply with this condition.
27	13	A sediment barrier consisting of filter fencing and staked hay bales shall be installed as described in the Notice of Intent and consistent with this decision. The location of this barrier shall be located as shown on the approved plan and as conditioned herein.	ERM will comply with this condition.
28	14	Prior to commencing any work at the site the applicant shall give the Commission a written list of the names, addresses, business phone number and home phone number of both the project supervisor who will be responsible for ensuring on-site compliance, with particular attention given to maintaining the required sediment and erosion controls, with this Order and his or her alternate. In the event another individual is responsible for maintaining the sediment barriers this person shall also be identified in this notice.	ERM has prepared a Project Organization chart, which presents the required information for the Con Com (Attachment 5). ERM does not release home telephone information of its employees. To allow continuous access to ERM personnel by the Con Com, ERM Project Management will maintain cell phones during the duration of the activities.
29	15	A copy of this Order shall be included in any bid document.	ERM will comply with this condition.
30	16	A copy of this Order shall be provided to the project supervisor and shall be available on the site at all times during construction. If more than one operation is on going at a time each operator shall have a copy of these conditions at the site.	ERM will comply with this condition.
31	17	Prior to commencing any work at the site the Conservation Commission or Conservation Administrator shall inspect the sediment barriers once they have been installed to ensure that the barriers have been properly installed.	ERM will comply with this condition.
32	18	Prior to commencing any work on the site the applicant shall create a lay down area for construction equipment and vehicles. The area shall be subject to the review and approval or approval with modifications by the Conservation Commission.	ERM will use the equipment laydown area used during the wetland excavation activities.
33	19	Prior to commencing any work at the site the applicant shall submit to the Commission evidence that the Wayland Board of Health has reviewed the wells and issued an approval or deemed such approval unnecessary.	ERM submitted a request for work approval to the Town of Wayland Board of Health on January 2004. A copy of this letter and other letters submitted to Town of Wayland Departments notifying them of the proposed activities are attached. (Attachment 7).
34	20	Prior to commencing any work on the site the applicant shall submit to a Town a bond, deposit of money, or negotiable security in the amount of \$30,000 to secure the performance of the conditions and the observance of the safeguards of this Order of Conditions. The terms of the bond or security shall not be less than three years from the effective date of this Order of Conditions. [Adopted pursuant to Wayland's Code Chapter 194-9]	Raytheon will submit a bond in the amount of \$30,000 to the Con Com following receipt of confirmation of the Con Com's acceptance of the \$100,000 bond for the wetlands remediation project.
35	21	Prior to commencing any work at the site applicant shall submit a plan for monitoring the water quality in Sudbury River and any open channel leading to the river that is within 100 feet of a proposed drilling site. The plan shall include sampling points upstream and downstream from the activity (define the sampling points), the timing of the sampling, and provisions to test for d.o., turbidity, pH, and conductivity. Sample results shall be submitted to the Conservation Commission within 48 hours of conducting the test. Tests shall also be conducted before and during the installation of the wells in the wetlands.	ERM prepared a Surface Water Monitoring Plan for the Site. A copy of the plan is attached (Attachment 8).
36	22	Prior to commencing any work at the site the applicant shall provide an estimate of the total disturbed area, including the access roads that will be anticipated to conduct the program permitted by this decision.	ERM prepared and included an estimate of the total disturbed area in the NOI application. The estimate provided has not been modified.

Table 1
 Compilation of Conditions from Order of Conditions and Permit
 DEP File No. 322-0564
 Former Raytheon Facility, Wayland, MA

Condition Number	Permit Number	Conditions As Listed in the Decision	ERM Response
37	23	Portable sanitary facilities shall be provided while work is being done at the site. The facility or facilities shall not be located in a resource area.	Portable sanitary facilities are located at the wetland excavation staging area and will remain onsite during this investigation.
38	24	There shall be a preconstruction conference on the site between the contractor who will do the work, the project engineer (at the discretion of the applicant), and Conservation Administrator. The purpose of the pre-construction meeting is to allow for final inspection of the site prior to construction and to answer any questions regarding these conditions. No change in the conditions or plan is permitted. All parties shall be provided with a minimum of 48 hours (excluding weekends and holidays) notice of the pre-construction meeting.	ERM will comply with this condition.
39	25	If stockpiling is required, other than sediment barriers, the location shall be designated on a Figure referenced in this decision and shall be used unless otherwise modified by the Conservation Commission. Any soil stockpiled overnight shall be covered with plastic or canvas, or stabilized in a manner acceptable to the Commission to prevent soil from entering any resource area. Stockpiles shall also be contained with hay bales around the perimeter of the pile.	ERM will containerize generated soil in 55 gallon drums to prevent soil from entering resource areas.
40	26	The applicant shall take photographs of the site before and after work is conducted. A set of the before photography shall be provided before work starts on the site and a final set of photographs at the conclusion of the project.	ERM will comply with this condition.
41	27	A copy of test results shall be given to the Conservation Commission within 10 days of receipt by the applicant.	ERM will supply data to the Conservation Commission following receipt from subcontractor(s).
Special Conditions <u>Effective upon Commencement</u> of Alteration, Excavation or Construction:			
42	28	The applicant shall create and maintain a daily log of activities conducted on the site. The Commission may elect to require independent monitoring of the activities in the event an activity is found to be non-compliant with this decision.	ERM has prepared a daily log form to detail Site activities to the Conservation Commission as described in Condition 23.
43	29	No permanent drainage structure shall be used as a temporary sedimentation basin or for erosion control during the permitted activity.	ERM will comply with this condition.
44	30	This decision permits no permanent change in grade in a resource area, buffer zone, or on the Conservation lands.	ERM will comply with this condition.
45	31	Ruts greater than 2" in depth shall be filled with loam, seeded with an appropriate seed mixture for the area of restoration, and mulched with straw (seed free) within 14 days after work is completed in an area.	ERM will comply with this condition.
46	32	Equipment shall not be refueled or serviced within 100 feet of the bordering vegetated wetlands or within bordering land subject to flooding. Prior to commencing any activity within the buffer zone or a resource area the applicant shall provide documentation to the Conservation Commission as to how they will achieve compliance with this Condition.	ERM prepared a Refueling Plan for the activities. The Refueling Plan is attached (Attachment 9).
47	33	A spill containment kit shall be kept with any drilling unit used on the site.	ERM will comply with this condition.
48	34	At least every other week, beginning the first week of construction, in which construction activity occurs on site and for as long thereafter as the ground remains unstabilized, after the completion of work within the buffer zone or draining to the buffer zone, the applicant shall submit a written report to the Conservation Commission from a Registered Professional Engineer. The Registered Professional Engineer shall certify that, to the best of his/her knowledge and belief based upon careful site inspections (conducted during work hours at the site not less than weekly) all work is being performed in compliance with this Order of Conditions. If the work is not in compliance, he/she will note where a deviation from the Order occurred and what corrective action is needed to achieve compliance with this Order. These reports may be stopped if work ceases for a period of more than five days and the work is in conformance with this Order. If the reports are stopped no work may occur, except for maintenance of the sediment barriers, until the Conservation Commission is given written notice, as required in Condition #21 of the intent to recommence work	ERM will comply with this condition.
49	34	The required reports shall be submitted within five business days after each required written report (the second inspection of each cycle). Not less than 35% of the performance bond shall be forfeited if this condition is not met.	ERM will comply with this condition.
50	35	Disturbed ground that cannot be permanently stabilized within 30 days shall be stabilized by temporary measures, such as jute netting, seed free straw, or other method accepted in advance by the Commission. This shall be specifically addressed in the site inspection reports required by this Order.	ERM will comply with this condition.
51	36	All disturbed or exposed areas outside bordering vegetated wetlands shall be brought to final finished grade and stabilized with loam and seed. Permanent seeding shall conform to the specifications in "Massachusetts Erosion and Sediment Control Guidelines for Urban and Suburban Areas", prepared by Franklin, Hampden, Hampshire Conservation Districts, Northampton, MA, March 1997; pages 175 - 183, except as modified by these conditions. This shall be specifically addressed in the site inspection reports required by this Order.	ERM will comply with this condition.
52	37	Any bordering vegetated wetlands that are altered shall be restored using native wetlands plant species.	ERM will comply with this condition.
53	38	Any dewatering or draw down activities shall not be directly discharged into a wetland resource area. Any dewatering shall be reviewed and approved or approved with modifications, in advance, by the Conservation Commission.	ERM will comply with this condition.
54	39	Well tailings, drill wastes, and other waste products generated while conducting the work shall be containerized and removed from the site. Excavated soils exhibiting no evidence of contamination may be re-introduced into the hole created for the testing. Excavated soils exhibiting no evidence of contamination may be re-introduced into the holes created for the testing as backfill.	ERM will containerize soil generated in 55 gallon drums to prevent soil from entering resource areas. Drums will be removed from the site.
55	40	At the end of each workday, the applicant shall mechanically sweep or manually sweep sediments from the adjacent streets, unless tracking and sediment is not evident on the streets.	ERM will comply with this condition.
56	41	Any debris, which falls into any pond, stream, or wetland, shall be removed immediately by hand. All construction debris shall be properly disposed of off the site. Documentation that this condition has been met shall be submitted with, or before, seeking a Certificate of Compliance.	ERM will comply with this condition.

Table 1
Compilation of Conditions from Order of Conditions and Permit
DEP File No. 322-0564
Former Raytheon Facility, Wayland, MA

Condition Number	Permit Number	Conditions As Listed in the Decision	ERM Response
57	42	There shall be no more than a total of 50 gallons of flammable or combustible chemicals relating to this project stored on the site at any one time. No routine servicing of vehicles used for this project shall be permitted on the site. The Conservation Commission shall be notified prior to initiating any emergency repair on the site.	ERM prepared a Refueling Plan for the activities. The plan is attached (Attachment 9).
58	43	A supply of straw bales (seed-free), silt fence, and organic filter fabric shall be stockpiled for emergency use only. The applicant shall immediately control any erosion/sedimentation problems that occur on the site and shall also immediately notify the Commission. Any additional erosion/sedimentation controls found to be necessary by either the applicant or the Commission during construction shall be implemented by the applicant, with the approval of the Commission. The applicant shall immediately control any erosion/sedimentation problems that occur on the site and shall also immediately notify the Commission.	ERM will comply with this condition.
58	44	Any deviation from this Order or the work program outlined in the Notice of Intent shall be immediately made known to the Conservation Commission in writing.	ERM will comply with this condition.
59	45	The method proposed for any snow removal required in a resource area or within Cow Common, if needed, shall be submitted to the Conservation Commission for their review and approval or approval with modifications prior to conducting this activity.	ERM prepared a Severe Weather Plan. The plan is attached (Attachment 10).
60	46	The Conservation Commission shall be provided a record of profile readings for the Waterloo testing, and soil logs for the test wells within 14 days of completing such testing or test well.	ERM will supply data to the Conservation Commission following receipt from subcontractor(s).
61	47	Chemical storage, other than that specified in Condition 57, shall be in an upland area and shall include secondary containment for any liquids being stored. Chemicals shall not be stored on the Cow Common Conservation Area.	ERM will comply with this condition.
62	48	No de-icing chemicals shall be used on any surface located within the 100-foot buffer zone, except with the prior written permission of the Commission.	ERM will comply with this condition.
63	49	No pesticides, herbicides or insecticides shall be used on grounds located within the 100-foot buffer zone, except with the prior written permission of the Commission.	ERM will comply with this condition.
64	50	By acceptance of this Order of Conditions and commencement of work authorized herein, the applicant, owner, and their respective agents, assign, and successors in title agree to indemnify, defend and hold harmless the town for any damages that might occur on or off the subject property, or any legal claims which may be attributable to any alterations undertaken or construction performed on the subject property pursuant to this Order of Conditions. Issuance of this Order does not in any way imply or certify that the subject property or downstream or adjacent properties will not be subject to flooding, storm damage, or any other form of water damage that might result from alterations undertaken or construction performed on the subject property pursuant to this Order of Conditions.	ERM will comply with this condition.
65	51	Any tree greater than 4" in diameter shall not be cut until the Conservation Commission or an agent has been notified and viewed the tree or trees. Trees greater than 4" shall be replaced with a native species not less than 3" in diameter, which shall be approved, prior to planting, by the Conservation Commission. Trees replanting shall be completed within 6 months of the time that the tree was cut.	ERM will comply with this condition.
Special Conditions Taking Effect after Completion of the Project			
66	52	The Conservation Commission and/or Conservation Administrator may require the removal and dispersal of the erosion controls after the site has been fully stabilized to their satisfaction.	ERM will comply with this condition.
67	53	The applicant shall use [WPA Form 8A] to request a Certificate of Compliance and shall submit the following items with his request:	ERM will comply with this condition.
a)	a)	A detailed narrative prepared by a Professional Engineer or Professional Land Surveyor registered in the Commonwealth of Massachusetts specifically addressing each condition and certifying compliance with the approved plans referenced above and this Order of Conditions and setting forth any deviations that exist with a note as to how it may be corrected. This request shall be submitted not later than 180 calendar days prior to the expiration of this Order. Work that is not complete shall be detailed in a schedule of planned completion dates prior to expiration of the Order with a certification to the commitment of resources by an authorized official representative of the applicant to complete the work prior to expiration of the Order.	
b)	b)	Two sets of as-built site plans shall be prepared by a registered land surveyor or registered professional engineer showing the wetland resource areas, grades, utilities, building footprint and landscaping. These plans shall include the date/s of fieldwork.	
c)	c)	A copy of the as-built shall be submitted on a computer disk in AutoCAD format dxf, dwg or may be e-mailed to the Town Surveyor at MTB_surveyor@msn.com (if this is not possible please contact the Commission).	
68	54	The work authorized hereunder shall be completed within three years from the date of this Order except as herein conditioned. A request for an Extension shall be filed with the Conservation Commission not less than thirty days prior to the expiration date of this Order. If this Order is intended to be valid for more than three years, the extension date and the special circumstances warranting the extended time period are set forth as a special condition in this Order.	ERM will comply with this condition.