

**Table 2**  
**Summary of Groundwater Gauging Data**  
**Former Raytheon Facility**  
**Wayland, Massachusetts**

Well Designation	Measuring Point	Depth to Water (feet from measuring point)														
		27-May-98	17/18-Nov-98	28/29-July-99	14-Sep-99	5-Apr-00	10-Jul-00	27-29 Aug 01	4-Mar-02*	9/10/11-Jul-02	22/23-Jul-02	30/31-Jul-02	12/13-Aug-02	4/5-Sep-02	19-Sep-02	10-Oct-02
MW-1	Steel Microwell	7.90	-	-	-	8.20	-	-	12.43	-	-	-	-	-	-	-
MW-2	Steel Microwell	12.49	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-5	Steel Microwell	-	17.85	-	-	-	-	-	-	-	-	-	-	-	-	19.41
MW-6	Steel Microwell	15.69	18.40	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-9	Steel Microwell	4.65	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-10	PVC	6.82	10.10	10.87	-	7.41	-	10.26	10.74	-	-	-	-	-	-	11.48
MW-TP-3	PVC	9.10	10.87	13.20	-	8.21	-	12.62	12.54	-	-	12.81	-	-	-	14.19
BW-1	PVC	16.20	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BW-2	PVC	15.97	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BW-3	PVC	15.39	-	-	-	-	-	-	-	-	-	-	-	-	-	-
HA-101	PVC	-	8.06	9.31	-	5.19	-	8.80	8.08	-	-	-	-	-	-	9.75
HA-102	PVC	-	14.38	15.30	-	12.39	13.80	14.96	14.60	-	-	-	-	-	-	15.75
HA-103	PVC	-	14.89	16.12	-	14.05	14.36	15.50	15.96	-	-	-	-	-	-	17.16
HA-104	PVC	14.82	17.94	-	-	16.10	16.92	18.46	18.61	-	-	-	-	-	-	19.63
MW-32	PVC	2.51	4.81	6.89	-	2.10	-	6.58	5.56	-	-	-	-	-	-	7.37
MW-33S*	PVC	17.14	18.74	18.91	19.59	16.40	16.61	18.33	18.74	17.56	-	-	-	-	-	19.71
MW-33M*	PVC	18.71	17.70	19.69	19.47	16.90	18.25	19.10	18.76	19.10	-	-	-	-	-	19.89
MW-33D	PVC	-	-	20.05	19.38	16.93	18.29	18.34	18.67	19.11	-	-	-	-	-	19.87
MW-33B	PVC	-	-	-	-	17.00	18.71	19.20	18.75	18.90	-	-	-	-	-	19.95
MW-34	PVC	5.56	11.36	14.26	-	10.81	-	13.90	Dry	-	-	-	-	-	-	Dry
MW-35	PVC	12.84	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-36	PVC	14.20	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-37	PVC	13.91	16.20	17.54	-	15.29	15.44	17.08	17.21	-	-	-	-	-	-	18.40
MW-37M	PVC	-	17.93	19.81	-	16.61	17.65	18.47	18.16	-	-	-	-	-	-	19.47
MW-38	PVC	13.94	15.28	16.54	-	14.73	-	16.20	16.10	-	-	-	-	-	-	17.49
MW-39	PVC	13.83	15.48	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-40	PVC	13.65	15.46	16.45	-	15.07	-	16.60	16.49	-	-	-	-	-	-	17.47
MW-40S	PVC	13.63	15.46	16.44	-	15.04	-	16.00	16.48	-	-	-	-	-	-	17.45
MW-41	PVC	11.79	14.42	15.32	-	12.40	-	15.10	14.48	-	-	-	-	-	-	15.92
MW-42S	PVC	-	14.41	13.71	-	14.75	-	14.75	16.25	-	-	-	-	-	-	16.99
MW-43S	PVC	-	14.62	15.50	16.39	14.49	14.39	14.75	16.13	15.06	-	-	-	-	-	16.95
MW-43D	PVC	-	-	-	-	15.71	16.46	17.35	17.40	17.27	-	-	-	-	-	18.60
MW-44S	PVC	-	16.17	17.45	-	15.49	-	16.73	17.22	-	-	-	-	-	-	18.46
MW-44M	PVC	-	16.15	17.35	-	15.49	-	16.75	16.76	-	-	-	-	-	-	18.15
MW-44D	PVC	-	16.33	17.54	-	15.40	-	16.93	16.92	-	-	-	-	-	-	18.32
MW-45S	PVC	-	18.17	19.15	19.51	16.21	17.37	18.61	18.56	-	-	18.73	-	-	-	19.67
MW-45M	PVC	-	18.33	19.35	19.71	15.35	17.60	18.91	18.75	-	-	18.92	-	-	-	19.86
MW-45D	PVC	-	-	18.80	18.07	13.35	16.62	17.50	17.29	-	-	17.69	-	-	-	18.36
MW-45B	PVC	-	-	-	-	15.31	17.36	17.86	17.23	-	-	17.84	-	-	-	18.37
MW-46S	PVC	-	14.74	16.10	-	13.91	14.26	15.35	15.86	-	-	-	-	-	-	17.05
MW-46M	PVC	-	16.98	17.86	-	15.50	16.45	17.04	17.37	-	-	-	-	-	-	18.35

**Notes:**

- = Not measured

\* Wells MW-33S & MW-33M were constructed with steel protective standpipes, which were removed between the first and second monitoring rounds and replaced with flush-mounted roadboxes.

† MW-1 DTW was measured on 19 February, 2002

Table 2  
**Summary of Groundwater Gauging Data**  
**Former Raytheon Facility**  
**Wayland, Massachusetts**

Well Designation	Measuring Point	Depth to Water (feet from measuring point)														
		27-May-98	17/18-Nov-98	28/29-July-99	14-Sep-99	5-Apr-00	10-Jul-00	27-29 Aug 01	4-Mar-02*	9/10/11-Jul-02	22/23-Jul-02	30/31-Jul-02	12/13-Aug-02	4/5-Sep-02	19-Sep-02	10-Oct-02
MW-47S	PVC	-	17.73	18.85	19.46	16.00	16.70	18.33	18.45	-	-	18.35	-	-	-	18.59
MW-47M	PVC	-	17.20	17.97	18.07	15.33	16.46	17.74	17.31	-	-	17.68	-	-	-	18.45
MW-47D	PVC	-	17.21	18.28	18.16	15.61	17.00	17.77	17.39	-	-	17.99	-	-	-	19.47
MW-101	Inner Rim	-	-	-	-	-	-	20.35	-	-	-	-	-	-	-	21.47
MW-102	Inner Rim	-	-	-	-	-	-	20.27	-	-	-	-	-	-	-	20.98
MW-103	Inner Rim	-	-	-	-	-	-	17.26	-	-	-	-	-	-	-	18.59
MW-104	Inner Rim	-	-	-	-	-	-	15.73	-	-	-	-	-	-	-	17.63
MW-105	Inner Rim	-	-	-	-	-	-	15.73	-	-	-	-	-	-	-	17.47
MW-106	Inner Rim	-	-	-	-	-	-	16.45	-	-	-	-	-	-	-	17.96
MW-107	PVC	-	-	-	-	-	-	19.22	-	-	-	-	-	-	-	20.27
MW-108	PVC	-	-	-	-	-	-	19.46	-	-	-	-	-	-	-	20.66
MW-109	PVC	-	-	-	-	-	-	19.00	-	-	-	-	-	-	-	20.21
MW-110	PVC	-	-	-	-	-	-	18.98	-	-	-	-	-	-	-	20.06
MW-111	PVC	-	-	-	-	-	-	18.81	-	-	-	-	-	-	-	19.87
MW-112	PVC	-	-	-	-	-	-	18.61	-	-	-	-	-	-	-	19.67
MW-113	PVC	-	-	-	-	-	-	18.80	-	-	-	-	-	-	-	19.66
MW-114	PVC	-	-	-	-	-	-	19.12	-	-	-	-	-	-	-	19.60
MW-115	PVC	-	-	-	-	-	-	-**	-	-	-	-	-	-	-	19.70
MW-116	PVC	-	-	-	-	-	-	18.76	-	-	-	-	-	-	-	19.82
MW-1S	PVC	-	-	-	-	-	-	-	-	12.87	-	-	-	-	-	15.87
MW-1M	PVC	-	-	-	-	-	-	-	-	14.76	-	-	-	-	-	17.00
MW-1D	PVC	-	-	-	-	-	-	-	-	16.26	-	-	-	-	-	17.94
MW-201S	PVC	-	-	-	-	-	-	-	-	-	-	-	-	-	-	19.47
MW-201M	PVC	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18.27
MW-201D	PVC	-	-	-	-	-	-	-	-	-	-	-	-	-	-	19.04
MW-202S	PVC	-	-	-	-	-	-	-	-	-	-	-	-	-	19.91	18.99
MW-202M	PVC	-	-	-	-	-	-	-	-	-	-	-	-	-	19.58	19.52
MW-202D	PVC	-	-	-	-	-	-	-	-	-	-	-	-	18.68	-	19.74
MW-203S	PVC	-	-	-	-	-	-	-	-	-	-	19.36	-	-	-	19.98
MW-203M	PVC	-	-	-	-	-	-	-	-	-	-	19.19	-	-	-	19.82
MW-203D	PVC	-	-	-	-	-	-	-	-	-	-	18.24	-	-	-	18.52
MW-204S	PVC	-	-	-	-	-	-	-	-	-	-	-	-	-	-	19.63
MW-204M	PVC	-	-	-	-	-	-	-	-	-	-	-	-	-	-	19.31
MW-204D	PVC	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18.67
MW-205S	PVC	-	-	-	-	-	-	-	-	-	-	18.62	-	-	-	19.31
MW-205M	PVC	-	-	-	-	-	-	-	-	-	-	18.81	-	-	-	19.45
MW-205D	PVC	-	-	-	-	-	-	-	-	-	-	18.13	-	-	-	18.38
MW-206S	PVC	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18.49
MW-206M	PVC	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18.40
MW-206D	PVC	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17.43

Notes:

- = Not measured

\*\*Water level not measured due to obstruction at the well cap.

DTW for MW-101 to MW-106 measured from PVC before Oct 02. Notch was created on inner rim of protective cap for measuring point and surveyed in Oct 02. Pre Oct 02 measurements were corrected for elevation difference.

Table 2  
 Summary of Groundwater Gauging Data  
 Former Raytheon Facility  
 Wayland, Massachusetts

Well Designation	Measuring Point	Depth to Water (feet from measuring point)														
		27-May-98	17/18-Nov-98	28/29-July-99	14-Sep-99	5-Apr-00	10-Jul-00	27-29 Aug 01	4-Mar-02*	9/10/11-Jul-02	22/23-Jul-02	30/31-Jul-02	12/13-Aug-02	4/5-Sep-02	19-Sep-02	10-Oct-02
MW-207S	PVC	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16.90
MW-207M	PVC	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17.08
MW-207D	PVC	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16.00
MW-208S	PVC	-	-	-	-	-	-	-	-	-	-	-	-	-	-	19.31
MW-208M	PVC	-	-	-	-	-	-	-	-	-	-	-	-	-	-	19.54
MW-208D	PVC	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18.71
MW-209	PVC	-	-	-	-	-	-	-	-	16.81	-	-	-	-	-	18.21
MW-210	Inner Rim	-	-	-	-	-	-	-	-	-	18.81	-	-	-	-	Not Accessible
MW-211	Inner Rim	-	-	-	-	-	-	-	-	-	16.29	-	-	-	-	17.84
MW-212	PVC	-	-	-	-	-	-	-	-	15.71	-	-	-	-	-	17.73
MW-213	Inner Rim	-	-	-	-	-	-	-	-	-	18.09	-	-	-	-	19.52
MW-214	Inner Rim	-	-	-	-	-	-	-	-	-	19.82	-	-	-	-	21.55
MW-215S	PVC	-	-	-	-	-	-	-	-	-	-	-	-	16.21	16.31	
MW-215M	PVC	-	-	-	-	-	-	-	-	-	-	-	-	16.26	16.37	
MW-215D	PVC	-	-	-	-	-	-	-	-	-	-	-	-	16.56	16.60	
MW-216S	PVC	-	-	-	-	-	-	-	-	-	-	-	-	17.58	17.18	
MW-216M	PVC	-	-	-	-	-	-	-	-	-	-	-	-	17.63	17.23	
MW-216D	PVC	-	-	-	-	-	-	-	-	-	-	-	-	17.84	18.00	
MW-217S	PVC	-	-	-	-	-	-	-	-	-	14.43	-	-	-	16.05	
MW-217M	PVC	-	-	-	-	-	-	-	-	-	15.15	-	-	-	16.62	
MW-217D	PVC	-	-	-	-	-	-	-	-	-	15.02	-	-	-	15.71	
MW-218S	PVC	-	-	-	-	-	-	-	-	-	14.94	-	-	-	16.65	
MW-218M	PVC	-	-	-	-	-	-	-	-	-	15.64	-	-	-	16.74	
MW-218D	PVC	-	-	-	-	-	-	-	-	-	15.64	-	-	-	14.77	
MW-219S	PVC	-	-	-	-	-	-	-	-	-	-	-	4.66	-	5.58	
MW-219M	PVC	-	-	-	-	-	-	-	-	-	-	-	5.11	-	5.01	
MW-219D	PVC	-	-	-	-	-	-	-	-	-	-	-	4.89	-	4.67	
MW-220S	PVC	-	-	-	-	-	-	-	-	-	-	-	5.01	-	5.42	
MW-220M	PVC	-	-	-	-	-	-	-	-	-	-	-	5.40	-	5.27	
MW-220D	PVC	-	-	-	-	-	-	-	-	-	-	-	5.77	-	5.19	
MW-221M	PVC	-	-	-	-	-	-	-	-	-	-	-	-	5.59	5.41	
MW-221D	PVC	-	-	-	-	-	-	-	-	-	-	-	-	5.58	5.68	
MW-307	PVC	-	-	-	-	-	-	-	-	-	-	-	-	11.54	11.39	
MW-313S	PVC	-	-	-	-	-	-	-	-	-	-	-	-	4.33	4.18	
MW-313D	PVC	-	-	-	-	-	-	-	-	-	-	-	-	4.77	6.31	
MW-314S	PVC	-	-	-	-	-	-	-	-	-	-	-	-	3.84	4.18	
MW-314D	PVC	-	-	-	-	-	-	-	-	-	-	-	-	4.87	4.91	
MW-315S	PVC	-	-	-	-	-	-	-	-	-	-	-	-	7.50	4.09	
MW-315D	PVC	-	-	-	-	-	-	-	-	-	-	-	-	6.82	5.01	
DEP-19S	Steel Microwell	-	-	-	-	-	-	-	-	4.94	-	-	-	-	6.81	
DEP-19M	Steel Microwell	-	-	-	-	-	-	-	-	3.14	-	-	-	-	5.01	
DEP-19D	Steel Microwell	-	-	-	-	-	-	-	-	3.17	-	-	-	-	5.12	
DEP-20	Steel Microwell	-	-	-	-	-	-	-	-	2.27	-	-	-	-	4.38	
DEP-21	Steel Microwell	-	-	-	-	-	-	-	-	2.20	-	-	-	-	4.13	

Notes:  
 - = Not measured

**Table 2**  
**Summary of Groundwater Gauging Data**  
**Former Raytheon Facility**  
**Wayland, Massachusetts**

Well Designation	Measuring Pt. Elevation (feet ASL)	Groundwater Elevation (feet ASL)														
		27-May-98	17/18-Nov-98	28/29-July-99	14-Sep-99	5-Apr-00	10-Jul-00	27-29 Aug 01	4-Mar-02 <sup>†</sup>	9/10/11-Jul-02	22/23-Jul-02	30/31-Jul-02	12/13-Aug-02	4/5-Sep-02	19-Sep-02	10-Oct-02
MW-1	132.98	125.08	-	-	-	124.78	-	-	120.55	-	-	-	-	-	-	-
MW-2	136.25	123.76	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-5	132.40	-	114.55	-	-	-	-	-	-	-	-	-	-	-	-	112.99
MW-6	134.40	118.71	116.00	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-9	120.85	116.20	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-10	130.86	124.04	120.76	119.99	-	123.45	-	120.60	120.12	-	-	-	-	-	-	119.38
MW-TP-3	131.08	121.98	120.21	117.88	-	122.87	-	118.46	118.54	-	-	118.27	-	-	-	116.89
BW-1	135.60	119.40	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BW-2	134.91	118.94	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BW-3	135.57	120.18	-	-	-	-	-	-	-	-	-	-	-	-	-	-
HA-101	127.27	-	119.21	117.96	-	122.08	-	118.47	119.19	-	-	-	-	-	-	117.52
HA-102	128.14	-	113.76	112.84	-	115.75	114.34	113.18	113.54	-	-	-	-	-	-	112.39
HA-103	131.54	-	116.65	115.42	-	117.49	117.18	116.04	115.58	-	-	-	-	-	-	114.38
HA-104	132.39	117.57	114.45	-	-	116.29	115.47	113.93	113.78	-	-	-	-	-	-	112.76
MW-32	124.41	121.90	119.60	117.52	-	122.31	-	117.83	118.85	-	-	-	-	-	-	117.04
MW-33S*	133.58	116.44	114.84	114.67	113.99	117.18	116.97	115.25	114.84	116.02	-	-	-	-	-	113.87
MW-33M*	133.77	115.06	116.07	114.08	114.30	116.87	115.52	114.67	115.01	114.67	-	-	-	-	-	113.88
MW-33D	133.57	-	-	113.52	114.19	116.64	115.28	115.23	114.90	114.46	-	-	-	-	-	113.70
MW-33B	133.67	-	-	-	-	116.67	114.96	114.47	114.92	114.77	-	-	-	-	-	113.72
MW-34	136.67	131.11	125.31	122.41	-	125.86	-	122.77	Dry	-	-	-	-	-	-	Dry
MW-35	132.80	119.96	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-36	132.52	118.32	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-37	134.43	120.52	118.23	116.89	-	119.14	118.99	117.35	117.22	-	-	-	-	-	-	116.03
MW-37M	134.40	-	116.47	114.59	-	117.79	116.75	115.93	116.24	-	-	-	-	-	-	114.93
MW-38	134.42	120.48	119.14	117.88	-	119.69	-	118.22	118.32	-	-	-	-	-	-	116.93
MW-39	134.89	121.06	119.41	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-40	134.84	121.19	119.38	118.39	-	119.77	-	118.24	118.35	-	-	-	-	-	-	117.37
MW-40S	134.82	121.19	119.36	118.38	-	119.78	-	118.82	118.34	-	-	-	-	-	-	117.37
MW-41	127.46	115.67	113.04	112.14	-	115.06	-	112.36	112.98	-	-	-	-	-	-	111.54
MW-42S	134.44	-	120.03	120.73	-	119.69	-	119.69	118.19	-	-	-	-	-	-	117.45
MW-43S	133.80	-	119.18	118.30	117.41	119.31	119.41	119.05	117.67	118.74	-	-	-	-	-	116.85
MW-43D	134.31	-	-	-	-	118.60	117.85	116.96	116.91	117.04	-	-	-	-	-	115.71
MW-44S	134.73	-	118.56	117.28	-	119.24	-	118.00	117.51	-	-	-	-	-	-	116.27
MW-44M	134.57	-	118.42	117.22	-	119.08	-	117.82	117.81	-	-	-	-	-	-	116.42
MW-44D	134.66	-	118.33	117.12	-	119.26	-	117.73	117.74	-	-	-	-	-	-	116.34
MW-45S	132.07	-	113.90	112.92	112.56	115.86	114.70	113.46	113.51	-	-	113.34	-	-	-	112.40
MW-45M	132.28	-	113.95	112.93	112.57	116.93	114.68	113.37	113.53	-	-	113.36	-	-	-	112.42
MW-45D	131.88	-	-	113.08	113.81	118.53	115.26	114.38	114.59	-	-	114.19	-	-	-	113.52
MW-45B	131.59	-	-	-	-	116.28	114.23	113.73	114.36	-	-	113.75	-	-	-	113.22
MW-46S	131.44	-	116.70	115.34	-	117.53	117.18	116.09	115.58	-	-	-	-	-	-	114.39
MW-46M	131.52	-	114.54	113.66	-	116.02	115.07	114.48	114.15	-	-	-	-	-	-	113.17

**Notes:**

- = Not measured

\* Wells MW-33S & MW-33M were constructed with steel protective standpipes, which were removed between the first and second monitoring rounds and replaced with flush-mounted roadboxes.

<sup>†</sup> MW-1 DTW was measured on 19 February, 2002

**Table 2**  
**Summary of Groundwater Gauging Data**  
**Former Raytheon Facility**  
**Wayland, Massachusetts**

Well Designation	Measuring Pt. Elevation (feet ASL)	Groundwater Elevation (feet ASL)														
		27-May-98	17/18-Nov-98	28/29-July-99	14-Sep-99	5-Apr-00	10-Jul-00	27-29 Aug 01	4-Mar-02*	9/10/11-Jul-02	22/23-Jul-02	30/31-Jul-02	12/13-Aug-02	4/5-Sep-02	19-Sep-02	10-Oct-02
MW-47S	132.30	-	114.57	113.45	112.84	116.30	115.60	113.97	113.85	-	-	113.95	-	-	-	113.71
MW-47M	131.99	-	114.79	114.02	113.92	116.66	115.53	114.25	114.68	-	-	114.31	-	-	-	113.54
MW-47D	132.29	-	115.08	114.01	114.13	116.68	115.29	114.52	114.90	-	-	114.30	-	-	-	112.82
MW-101	134.60	-	-	-	-	-	-	114.25	-	-	-	-	-	-	-	113.13
MW-102	134.50	-	-	-	-	-	-	114.23	-	-	-	-	-	-	-	113.52
MW-103	134.50	-	-	-	-	-	-	117.24	-	-	-	-	-	-	-	115.91
MW-104	134.22	-	-	-	-	-	-	118.49	-	-	-	-	-	-	-	116.59
MW-105	134.58	-	-	-	-	-	-	118.85	-	-	-	-	-	-	-	117.11
MW-106	134.90	-	-	-	-	-	-	118.45	-	-	-	-	-	-	-	116.94
MW-107	134.65	-	-	-	-	-	-	115.43	-	-	-	-	-	-	-	114.38
MW-108	134.69	-	-	-	-	-	-	115.23	-	-	-	-	-	-	-	114.03
MW-109	134.12	-	-	-	-	-	-	115.12	-	-	-	-	-	-	-	113.91
MW-110	134.04	-	-	-	-	-	-	115.06	-	-	-	-	-	-	-	113.98
MW-111	133.88	-	-	-	-	-	-	115.07	-	-	-	-	-	-	-	114.01
MW-112	133.68	-	-	-	-	-	-	115.07	-	-	-	-	-	-	-	114.01
MW-113	133.60	-	-	-	-	-	-	114.80	-	-	-	-	-	-	-	113.94
MW-114	133.48	-	-	-	-	-	-	114.36	-	-	-	-	-	-	-	113.88
MW-115	133.56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	113.86
MW-116	133.72	-	-	-	-	-	-	114.96	-	-	-	-	-	-	-	113.90
MW-1S	133.79	-	-	-	-	-	-	-	-	120.92	-	-	-	-	-	117.92
MW-1M	133.78	-	-	-	-	-	-	-	-	119.02	-	-	-	-	-	116.78
MW-1D	133.74	-	-	-	-	-	-	-	-	117.48	-	-	-	-	-	115.80
MW-201S	132.38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	112.91
MW-201M	132.19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	113.92
MW-201D	132.10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	113.06
MW-202S	132.74	-	-	-	-	-	-	-	-	-	-	-	-	-	112.83	113.75
MW-202M	132.98	-	-	-	-	-	-	-	-	-	-	-	-	-	113.40	113.46
MW-202D	132.72	-	-	-	-	-	-	-	-	-	-	-	-	114.04	-	112.98
MW-203S	132.50	-	-	-	-	-	-	-	-	-	-	113.14	-	-	-	112.52
MW-203M	132.39	-	-	-	-	-	-	-	-	-	-	113.20	-	-	-	112.57
MW-203D	132.14	-	-	-	-	-	-	-	-	-	-	113.90	-	-	-	113.62
MW-204S	132.23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	112.60
MW-204M	132.02	-	-	-	-	-	-	-	-	-	-	-	-	-	-	112.71
MW-204D	132.30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	113.63
MW-205S	131.98	-	-	-	-	-	-	-	-	-	-	113.36	-	-	-	112.67
MW-205M	132.12	-	-	-	-	-	-	-	-	-	-	113.31	-	-	-	112.67
MW-205D	131.98	-	-	-	-	-	-	-	-	-	-	113.85	-	-	-	113.60
MW-206S	130.82	-	-	-	-	-	-	-	-	-	-	-	-	-	-	112.33
MW-206M	130.75	-	-	-	-	-	-	-	-	-	-	-	-	-	-	112.35
MW-206D	130.66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	113.23

**Notes:**

- = Not measured

\*\*Water level not measured due to obstruction at the well cap.

DTW for MW-101 to MW-106 measured from PVC before Oct 02. Notch was created on inner rim of protective cap for measuring point and surveyed in Oct 02. Pre Oct 02 measurements were corrected for elevation difference.

Table 2  
 Summary of Groundwater Gauging Data  
 Former Raytheon Facility  
 Wayland, Massachusetts

Well Designation	Measuring Pt. Elevation (feet ASL)	Groundwater Elevation (feet ASL)														
		27-May-98	17/18-Nov-98	28/29-July-99	14-Sep-99	5-Apr-00	10-Jul-00	27-29 Aug 01	4-Mar-02*	9/10/11-Jul-02	22/23-Jul-02	30/31-Jul-02	12/13-Aug-02	4/5-Sep-02	19-Sep-02	10-Oct-02
MW-207S	129.16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	112.26
MW-207M	129.29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	112.21
MW-207D	129.10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	113.10
MW-208S	132.14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	112.83
MW-208M	132.38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	112.84
MW-208D	132.38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	113.67
MW-209	134.56	-	-	-	-	-	-	-	117.75	-	-	-	-	-	-	116.35
MW-210	134.48	-	-	-	-	-	-	-	-	115.67	-	-	-	-	-	Not Accessible
MW-211	135.26	-	-	-	-	-	-	-	-	118.97	-	-	-	-	-	117.42
MW-212	134.39	-	-	-	-	-	-	-	118.68	-	-	-	-	-	-	116.66
MW-213	134.84	-	-	-	-	-	-	-	-	116.75	-	-	-	-	-	115.32
MW-214	134.60	-	-	-	-	-	-	-	-	114.78	-	-	-	-	-	113.05
MW-215S	133.42	-	-	-	-	-	-	-	-	-	-	-	-	-	117.21	117.11
MW-215M	133.48	-	-	-	-	-	-	-	-	-	-	-	-	-	117.22	117.11
MW-215D	133.44	-	-	-	-	-	-	-	-	-	-	-	-	-	116.88	116.84
MW-216S	134.54	-	-	-	-	-	-	-	-	-	-	-	-	-	116.96	117.36
MW-216M	134.59	-	-	-	-	-	-	-	-	-	-	-	-	-	116.96	117.36
MW-216D	134.59	-	-	-	-	-	-	-	-	-	-	-	-	-	116.75	116.59
MW-217S	130.06	-	-	-	-	-	-	-	-	115.63	-	-	-	-	-	114.01
MW-217M	130.44	-	-	-	-	-	-	-	-	115.29	-	-	-	-	-	113.82
MW-217D	130.20	-	-	-	-	-	-	-	-	115.18	-	-	-	-	-	114.49
MW-218S	130.24	-	-	-	-	-	-	-	-	115.30	-	-	-	-	-	113.59
MW-218M	130.16	-	-	-	-	-	-	-	-	114.52	-	-	-	-	-	113.42
MW-218D	130.02	-	-	-	-	-	-	-	-	114.38	-	-	-	-	-	115.25
MW-219S	118.12	-	-	-	-	-	-	-	-	-	-	-	-	113.46	-	112.54
MW-219M	118.09	-	-	-	-	-	-	-	-	-	-	-	-	112.98	-	113.08
MW-219D	117.95	-	-	-	-	-	-	-	-	-	-	-	-	113.06	-	113.28
MW-220S	117.09	-	-	-	-	-	-	-	-	-	-	-	-	112.08	-	111.67
MW-220M	117.29	-	-	-	-	-	-	-	-	-	-	-	-	111.89	-	112.02
MW-220D	116.99	-	-	-	-	-	-	-	-	-	-	-	-	111.22	-	111.80
MW-221M	120.07	-	-	-	-	-	-	-	-	-	-	-	-	-	114.48	114.66
MW-221D	120.22	-	-	-	-	-	-	-	-	-	-	-	-	-	114.64	114.54
MW-307	124.86	-	-	-	-	-	-	-	-	-	-	-	-	-	113.32	113.47
MW-313S	114.61	-	-	-	-	-	-	-	-	-	-	-	-	-	110.28	110.43
MW-313D	114.37	-	-	-	-	-	-	-	-	-	-	-	-	-	109.60	108.06
MW-314S	114.10	-	-	-	-	-	-	-	-	-	-	-	-	-	110.26	109.92
MW-314D	114.09	-	-	-	-	-	-	-	-	-	-	-	-	-	109.22	109.18
MW-315S	114.07	-	-	-	-	-	-	-	-	-	-	-	-	-	106.57	109.98
MW-315D	113.79	-	-	-	-	-	-	-	-	-	-	-	-	-	106.97	108.78
DEP-19S	120.79	-	-	-	-	-	-	-	115.85	-	-	-	-	-	-	113.98
DEP-19M	120.62	-	-	-	-	-	-	-	117.48	-	-	-	-	-	-	115.61
DEP-19D	120.78	-	-	-	-	-	-	-	117.61	-	-	-	-	-	-	115.66
DEP-20	119.98	-	-	-	-	-	-	-	117.71	-	-	-	-	-	-	115.60
DEP-21	119.18	-	-	-	-	-	-	-	116.98	-	-	-	-	-	-	115.05

Notes:  
 - = Not measured