


**Environmental  
Resources  
Management**

399 Boylston Street  
6th Floor  
Boston, MA 02116  
(617) 646-7800  
(617) 267-6447 (fax)

18 October 2010  
Reference: 0114119

Mr. Brian Monahan  
Conservation Commission  
Wayland Town Hall  
41 Cochituate Road  
Wayland, MA 01778



**ERM**

RE: Transmittal of Groundwater Analytical Data  
Former Raytheon Facility  
430 Boston Post Road, Wayland, Massachusetts

Dear Mr. Monahan:


On behalf of Raytheon Company (Raytheon), Environmental Resources Management (ERM) is submitting the results of groundwater sample analyses related to the Former Raytheon Facility located at 430 Boston Post Road in Wayland, Massachusetts (Site). These results are submitted pursuant to 310 CMR 40.1403(10) of the Massachusetts Contingency Plan (MCP).

ERM collected groundwater samples from five wells on a portion of the Site within the boundaries of your property on 7 October 2010. The samples were submitted to Alpha Analytical, Inc. of Westborough, Massachusetts for analysis of volatile organic compounds by US EPA Method 8260B. Analytical results are attached to this letter. These analytical data will be provided to the Massachusetts Department of Environmental Protection in the next required MCP submittal.

Raytheon has implemented the Public Involvement Process in accordance with 310 CMR 40.1405. Documents pertaining to the Site can be found at the Board of Health, the Wayland Public Library Public Involvement Plan files, or at [www.ermne.com](http://www.ermne.com) (username = raytheon, password = wayland).

If you have any questions or comments, please contact the undersigned at (617) 646-7800 or Jonathan Hone, Raytheon Company, at (978) 436-8298.

Sincerely,



John C. Drobinski, P.G., LSP  
*Principal-in-Charge*



Jason D. Flattery, P.E.  
*Project Manager*

enclosures: BWSC-123 - Notice of Environmental Sampling  
Laboratory analytical reports

cc: Jonathan Hone, Raytheon Company  
Louis Burkhardt, Raytheon Company  
Ben Gould, CMG Environmental  
PIP Repositories



**NOTICE OF ENVIRONMENTAL SAMPLING**

As required by 310 CMR 40.1403(10) of the Massachusetts Contingency Plan

**BWSC 123**

This Notice is Related to Release Tracking Number

3

13302

**A. The address of the disposal site related to this Notice and Release Tracking Number (provided above):**

1. Street Address: 430 Boston Post Road  
City/Town: Wayland Zip Code: 01778

**B. This notice is being provided to the following party:**

1. Name: Town of Wayland Conservation Commission  
2. Street Address: 41 Cochituate Road  
City/Town: Wayland Zip Code: 01778

**C. This notice is being given to inform its recipient (the party listed in Section B):**

- 1. That environmental sampling will be/has been conducted at property owned by the recipient of this notice.
- 2. Of the results of environmental sampling conducted at property owned by the recipient of this notice.
- 3. Check to indicate if the analytical results are attached. (If item 2. above is checked, the analytical results from the environmental sampling must be attached to this notice.)

**D. Location of the property where the environmental sampling will be/has been conducted:**

1. Street Address: 0 Old Sudbury Road  
City/Town: Wayland Zip Code: 01778

2. MCP phase of work during which the sampling will be/has been conducted:

- |   |   |
|---|---|
| <input type="checkbox"/> Immediate Response Action              | <input type="checkbox"/> Phase III Feasibility Evaluation                   |
| <input type="checkbox"/> Release Abatement Measure              | <input type="checkbox"/> Phase IV Remedy Implementation Plan                |
| <input type="checkbox"/> Utility-related Abatement Measure      | <input checked="" type="checkbox"/> Phase V/Remedy Operation Status         |
| <input type="checkbox"/> Phase I Initial Site Investigation     | <input type="checkbox"/> Post-Class C Operation, Maintenance and Monitoring |
| <input type="checkbox"/> Phase II Comprehensive Site Assessment | <input type="checkbox"/> Other _____  |
- (specify)

3. Description of property where sampling will be/has been conducted:

- residential    commercial    industrial    school/playground    Other undeveloped  
(specify)

4. Description of the sampling locations and types (e.g., soil, groundwater) to the extent known at the time of this notice.

**Collection of groundwater samples from existing monitoring wells.**

**E. Contact information related to the party providing this notice:**

Contact Name: Louis J. Burkhardt  
Street Address: 880 Technology Park Drive, T-3033  
City/Town: Billerica Zip Code: 01821  
Telephone: (978) 436-8238 Email: louis\_j\_burkhardt@raytheon.com

## **NOTICE OF ENVIRONMENTAL SAMPLING**

As required by 310 CMR 40.1403(10) of the Massachusetts Contingency Plan

### MASSACHUSETTS REGULATIONS THAT REQUIRE THIS NOTICE

This notice is being provided pursuant to the Massachusetts Contingency Plan and the notification requirement at 310 CMR 40.1403(10). The Massachusetts Contingency Plan is a state regulation that specifies requirements for parties who are taking actions to address releases of chemicals (oil or hazardous material) to the environment.

### THE PERSON(S) PROVIDING THIS NOTICE

This notice has been sent to you by the party who is addressing a release of oil or hazardous material to the environment at the location listed in **Section A** on the reverse side of this form. (The regulations refer to the area where the oil or hazardous material is present as the “disposal site”.)

### PURPOSE OF THIS NOTICE

When environmental samples are taken as part of an investigation under the Massachusetts Contingency Plan at a property on behalf of someone other than the owner of the property, the regulations require that the property owner (listed in **Section B** on the reverse side of this form) be given notice of the environmental sampling. The regulations also require that the property owner subsequently receive the analytical results following the analysis of the environmental samples.

**Section C** on the reverse side of this form indicates the circumstance under which you are receiving this notice at this time. If you are receiving this notice to inform you of the analytical results following the analysis of the environmental samples, you should also have received, as an attachment, a copy of analytical results. These results should indicate the number and type(s) of samples (e.g., soil, groundwater) analyzed, any chemicals identified, and the measured concentrations of those chemicals.

**Section D** on the reverse side of this form identifies the property where the environmental sampling will be/has been conducted, provides a description of the sampling locations within the property, and indicates the phase of work under the Massachusetts Contingency Plan regulatory process during which the samples will be/were collected.

### FOR MORE INFORMATION

Information about the general process for addressing releases of oil or hazardous material under the Massachusetts Contingency Plan and related public involvement opportunities may be found at <http://www.mass.gov/dep/cleanup/oview.htm>. For more information regarding this notice, you may contact the party listed in **Section E** on the reverse side of this form. Information about the disposal site identified in Section A is also available in files at the Massachusetts Department of Environmental Protection. See <http://mass.gov/dep/about/region/schedule.htm> if you would like to make an appointment to see these files. Please reference the **Release Tracking Number** listed in the upper right hand corner on the reverse side of this form when making file review appointments.



## ANALYTICAL REPORT

Lab Number:	L1015738
Client:	ERM Consulting & Engineering, Inc. 399 Boylston Street 6th Floor Boston, MA 02116
ATTN:	Jason Flattery
Phone:	(617) 646-7816
Project Name:	RAYTHEON WAYLAND
Project Number:	0114119
Report Date:	10/14/10

Certifications & Approvals: MA (M-MA086), NY NELAC (11148), CT (PH-0574), NH (2003), NJ (MA935), RI (LAO00065), ME (MA0086), PA (Registration #68-03671), USDA (Permit #S-72578), US Army Corps of Engineers, Naval FESC.

---

Eight Walkup Drive, Westborough, MA 01581-1019  
508-898-9220 (Fax) 508-898-9193 800-624-9220 - [www.alphalab.com](http://www.alphalab.com)



**Project Name:** RAYTHEON WAYLAND  
**Project Number:** 0114119

**Lab Number:** L1015738  
**Report Date:** 10/14/10

<b>Alpha Sample ID</b>	<b>Client ID</b>	<b>Sample Location</b>	<b>Collection Date/Time</b>
L1015738-01	SEN-1M-20101007-01	WAYLAND, MA	10/07/10 09:15
L1015738-02	SEN-1D-20101007-01	WAYLAND, MA	10/07/10 18:25
L1015738-03	DUP-006-20101007-01	WAYLAND, MA	10/07/10 00:00
L1015738-04	SEN-3-20101007-01	WAYLAND, MA	10/07/10 10:00
L1015738-05	SEN-2M-20101007-01	WAYLAND, MA	10/07/10 12:20
L1015738-06	SEN-2D-20101007-01	WAYLAND, MA	10/07/10 11:30

Project Name: RAYTHEON WAYLAND

Lab Number: L1015738

Project Number: 0114119

Report Date: 10/14/10

**MADEP MCP Response Action Analytical Report Certification**

**This form provides certifications for all samples performed by MCP methods. Please refer to the Sample Results and Container Information sections of this report for specification of MCP methods used for each analysis. The following questions pertain only to MCP Analytical Methods.**

<b>An affirmative response to questions A through F is required for "Presumptive Certainty" status</b>		
A	Were all samples received in a condition consistent with those described on the Chain-of-Custody, properly preserved (including temperature) in the field or laboratory, and prepared/analyzed within method holding times?	YES
B	Were the analytical method(s) and all associated QC requirements specified in the selected CAM protocol(s) followed?	YES
C	Were all required corrective actions and analytical response actions specified in the selected CAM protocol(s) implemented for all identified performance standard non-conformances?	YES
D	Does the laboratory report comply with all the reporting requirements specified in CAM VII A, "Quality Assurance and Quality Control Guidelines for the Acquisition and Reporting of Analytical Data?"	YES
E a.	VPH, EPH, and APH Methods only: Was each method conducted without significant modification(s)? (Refer to the individual method(s) for a list of significant modifications).	N/A
E b.	APH and TO-15 Methods only: Was the complete analyte list reported for each method?	N/A
F	Were all applicable CAM protocol QC and performance standard non-conformances identified and evaluated in a laboratory narrative (including all "No" responses to Questions A through E)?	YES

<b>A response to questions G, H and I is required for "Presumptive Certainty" status</b>		
G	Were the reporting limits at or below all CAM reporting limits specified in the selected CAM protocol(s)?	NO
H	Were all QC performance standards specified in the CAM protocol(s) achieved?	NO
I	Were results reported for the complete analyte list specified in the selected CAM protocol(s)?	YES

**For any questions answered "No", please refer to the case narrative section on the following page(s).**

**Please note that sample matrix information is located in the Sample Results section of this report.**



**Project Name:** RAYTHEON WAYLAND  
**Project Number:** 0114119

**Lab Number:** L1015738  
**Report Date:** 10/14/10

### Case Narrative

The samples were received in accordance with the Chain of Custody and no significant deviations were encountered during the preparation or analysis unless otherwise noted. Sample Receipt, Container Information, and the Chain of Custody are located at the back of the report.

Results contained within this report relate only to the samples submitted under this Alpha Lab Number and meet all of the requirements of NELAC, for all NELAC accredited parameters. The data presented in this report is organized by parameter (i.e. VOC, SVOC, etc.). Sample specific Quality Control data (i.e. Surrogate Spike Recovery) is reported at the end of the target analyte list for each individual sample, followed by the Laboratory Batch Quality Control at the end of each parameter. If a sample was re-analyzed or re-extracted due to a required quality control corrective action and if both sets of data are reported, the Laboratory ID of the re-analysis or re-extraction is designated with an "R" or "RE", respectively. When multiple Batch Quality Control elements are reported (e.g. more than one LCS), the associated samples for each element are noted in the grey shaded header line of each data table. Any Laboratory Batch, Sample Specific % recovery or RPD value that is outside the listed Acceptance Criteria is bolded in the report. Definitions of all data qualifiers and acronyms used in this report are provided in the Glossary located at the back of the report.

Please see the associated ADEX data file for a comparison of laboratory reporting limits that were achieved with the regulatory Numerical Standards requested on the Chain of Custody.

For additional information, please contact Client Services at 800-624-9220.

---

#### MCP Related Narratives

##### Volatile Organics

In reference to question G:

One or more of the target analytes did not achieve the requested CAM reporting limits.

In reference to question H:

The initial calibration, associated with L1015738-01 through -06, did not meet the method required minimum response factor for Acetone and 1,4-Dioxane and utilized a quadratic fit for Chloromethane, Bromomethane, Chloroethane and Naphthalene.

The continuing calibration standard, associated with L1015738-01 through -06, is outside the acceptance criteria for several compounds; however, it is within overall method allowances. A copy of the continuing calibration standard is included as an addendum to this report.

I, the undersigned, attest under the pains and penalties of perjury that, to the best of my knowledge and belief and based upon my personal inquiry of those responsible for providing the information contained in this analytical report, such information is accurate and complete. This certificate of analysis is not complete unless this page accompanies any and all pages of this report.

Authorized Signature:  Elizabeth Simmons

Title: Technical Director/Representative

Date: 10/14/10



# ORGANICS

# VOLATILES

**Project Name:** RAYTHEON WAYLAND**Lab Number:** L1015738**Project Number:** 0114119**Report Date:** 10/14/10**SAMPLE RESULTS**

**Lab ID:** L1015738-01  
**Client ID:** SEN-1M-20101007-01  
**Sample Location:** WAYLAND, MA  
**Matrix:** Water  
**Analytical Method:** 97,8260B  
**Analytical Date:** 10/11/10 15:24  
**Analyst:** MM

**Date Collected:** 10/07/10 09:15  
**Date Received:** 10/07/10  
**Field Prep:** Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>MCP Volatile Organics - Westborough Lab</b>						
Methylene chloride	ND		ug/l	2.0	--	1
1,1-Dichloroethane	ND		ug/l	1.0	--	1
Chloroform	ND		ug/l	1.0	--	1
Carbon tetrachloride	ND		ug/l	1.0	--	1
1,2-Dichloropropane	ND		ug/l	1.0	--	1
Dibromochloromethane	ND		ug/l	1.0	--	1
1,1,2-Trichloroethane	ND		ug/l	1.0	--	1
Tetrachloroethene	ND		ug/l	1.0	--	1
Chlorobenzene	ND		ug/l	1.0	--	1
Trichlorofluoromethane	ND		ug/l	2.0	--	1
1,2-Dichloroethane	ND		ug/l	1.0	--	1
1,1,1-Trichloroethane	ND		ug/l	1.0	--	1
Bromodichloromethane	ND		ug/l	1.0	--	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	--	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	--	1
1,1-Dichloropropene	ND		ug/l	2.0	--	1
Bromoform	ND		ug/l	2.0	--	1
1,1,2,2-Tetrachloroethane	ND		ug/l	1.0	--	1
Benzene	ND		ug/l	1.0	--	1
Toluene	ND		ug/l	1.0	--	1
Ethylbenzene	ND		ug/l	1.0	--	1
Chloromethane	ND		ug/l	2.0	--	1
Bromomethane	ND		ug/l	2.0	--	1
Vinyl chloride	ND		ug/l	1.0	--	1
Chloroethane	ND		ug/l	2.0	--	1
1,1-Dichloroethene	ND		ug/l	1.0	--	1
trans-1,2-Dichloroethene	ND		ug/l	1.0	--	1
Trichloroethene	ND		ug/l	1.0	--	1
1,2-Dichlorobenzene	ND		ug/l	1.0	--	1
1,3-Dichlorobenzene	ND		ug/l	1.0	--	1

Project Name: RAYTHEON WAYLAND

Lab Number: L1015738

Project Number: 0114119

Report Date: 10/14/10

## SAMPLE RESULTS

Lab ID: L1015738-01  
 Client ID: SEN-1M-20101007-01  
 Sample Location: WAYLAND, MA

Date Collected: 10/07/10 09:15  
 Date Received: 10/07/10  
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>MCP Volatile Organics - Westborough Lab</b>						
1,4-Dichlorobenzene	ND		ug/l	1.0	--	1
Methyl tert butyl ether	ND		ug/l	2.0	--	1
p/m-Xylene	ND		ug/l	2.0	--	1
o-Xylene	ND		ug/l	1.0	--	1
cis-1,2-Dichloroethene	ND		ug/l	1.0	--	1
Dibromomethane	ND		ug/l	2.0	--	1
1,2,3-Trichloropropane	ND		ug/l	2.0	--	1
Styrene	ND		ug/l	1.0	--	1
Dichlorodifluoromethane	ND		ug/l	2.0	--	1
Acetone	ND		ug/l	5.0	--	1
Carbon disulfide	ND		ug/l	2.0	--	1
2-Butanone	ND		ug/l	5.0	--	1
4-Methyl-2-pentanone	ND		ug/l	5.0	--	1
2-Hexanone	ND		ug/l	5.0	--	1
Bromochloromethane	ND		ug/l	2.0	--	1
Tetrahydrofuran	ND		ug/l	10	--	1
2,2-Dichloropropane	ND		ug/l	2.0	--	1
1,2-Dibromoethane	ND		ug/l	2.0	--	1
1,3-Dichloropropane	ND		ug/l	2.0	--	1
1,1,1,2-Tetrachloroethane	ND		ug/l	1.0	--	1
Bromobenzene	ND		ug/l	2.0	--	1
n-Butylbenzene	ND		ug/l	2.0	--	1
sec-Butylbenzene	ND		ug/l	2.0	--	1
tert-Butylbenzene	ND		ug/l	2.0	--	1
o-Chlorotoluene	ND		ug/l	2.0	--	1
p-Chlorotoluene	ND		ug/l	2.0	--	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.0	--	1
Hexachlorobutadiene	ND		ug/l	0.60	--	1
Isopropylbenzene	ND		ug/l	2.0	--	1
p-Isopropyltoluene	ND		ug/l	2.0	--	1
Naphthalene	ND		ug/l	2.0	--	1
n-Propylbenzene	ND		ug/l	2.0	--	1
1,2,3-Trichlorobenzene	ND		ug/l	2.0	--	1
1,2,4-Trichlorobenzene	ND		ug/l	2.0	--	1
1,3,5-Trimethylbenzene	ND		ug/l	2.0	--	1
1,2,4-Trimethylbenzene	ND		ug/l	2.0	--	1
Ethyl ether	ND		ug/l	2.0	--	1

**Project Name:** RAYTHEON WAYLAND**Lab Number:** L1015738**Project Number:** 0114119**Report Date:** 10/14/10**SAMPLE RESULTS**

Lab ID: L1015738-01  
 Client ID: SEN-1M-20101007-01  
 Sample Location: WAYLAND, MA

Date Collected: 10/07/10 09:15  
 Date Received: 10/07/10  
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>MCP Volatile Organics - Westborough Lab</b>						
Isopropyl Ether	ND		ug/l	2.0	--	1
Ethyl-Tert-Butyl-Ether	ND		ug/l	2.0	--	1
Tertiary-Amyl Methyl Ether	ND		ug/l	2.0	--	1
1,4-Dioxane	ND		ug/l	250	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	117		70-130
Toluene-d8	96		70-130
4-Bromofluorobenzene	106		70-130
Dibromofluoromethane	126		70-130

**Project Name:** RAYTHEON WAYLAND**Lab Number:** L1015738**Project Number:** 0114119**Report Date:** 10/14/10**SAMPLE RESULTS**

**Lab ID:** L1015738-02  
**Client ID:** SEN-1D-20101007-01  
**Sample Location:** WAYLAND, MA  
**Matrix:** Water  
**Analytical Method:** 97,8260B  
**Analytical Date:** 10/11/10 15:57  
**Analyst:** MM

**Date Collected:** 10/07/10 18:25  
**Date Received:** 10/07/10  
**Field Prep:** Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>MCP Volatile Organics - Westborough Lab</b>						
Methylene chloride	ND		ug/l	2.0	--	1
1,1-Dichloroethane	ND		ug/l	1.0	--	1
Chloroform	ND		ug/l	1.0	--	1
Carbon tetrachloride	ND		ug/l	1.0	--	1
1,2-Dichloropropane	ND		ug/l	1.0	--	1
Dibromochloromethane	ND		ug/l	1.0	--	1
1,1,2-Trichloroethane	ND		ug/l	1.0	--	1
Tetrachloroethene	ND		ug/l	1.0	--	1
Chlorobenzene	ND		ug/l	1.0	--	1
Trichlorofluoromethane	ND		ug/l	2.0	--	1
1,2-Dichloroethane	ND		ug/l	1.0	--	1
1,1,1-Trichloroethane	ND		ug/l	1.0	--	1
Bromodichloromethane	ND		ug/l	1.0	--	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	--	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	--	1
1,1-Dichloropropene	ND		ug/l	2.0	--	1
Bromoform	ND		ug/l	2.0	--	1
1,1,2,2-Tetrachloroethane	ND		ug/l	1.0	--	1
Benzene	ND		ug/l	1.0	--	1
Toluene	ND		ug/l	1.0	--	1
Ethylbenzene	ND		ug/l	1.0	--	1
Chloromethane	ND		ug/l	2.0	--	1
Bromomethane	ND		ug/l	2.0	--	1
Vinyl chloride	ND		ug/l	1.0	--	1
Chloroethane	ND		ug/l	2.0	--	1
1,1-Dichloroethene	ND		ug/l	1.0	--	1
trans-1,2-Dichloroethene	ND		ug/l	1.0	--	1
Trichloroethene	ND		ug/l	1.0	--	1
1,2-Dichlorobenzene	ND		ug/l	1.0	--	1
1,3-Dichlorobenzene	ND		ug/l	1.0	--	1

Project Name: RAYTHEON WAYLAND

Lab Number: L1015738

Project Number: 0114119

Report Date: 10/14/10

## SAMPLE RESULTS

Lab ID: L1015738-02  
 Client ID: SEN-1D-20101007-01  
 Sample Location: WAYLAND, MA

Date Collected: 10/07/10 18:25  
 Date Received: 10/07/10  
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>MCP Volatile Organics - Westborough Lab</b>						
1,4-Dichlorobenzene	ND		ug/l	1.0	--	1
Methyl tert butyl ether	ND		ug/l	2.0	--	1
p/m-Xylene	ND		ug/l	2.0	--	1
o-Xylene	ND		ug/l	1.0	--	1
cis-1,2-Dichloroethene	1.0		ug/l	1.0	--	1
Dibromomethane	ND		ug/l	2.0	--	1
1,2,3-Trichloropropane	ND		ug/l	2.0	--	1
Styrene	ND		ug/l	1.0	--	1
Dichlorodifluoromethane	ND		ug/l	2.0	--	1
Acetone	ND		ug/l	5.0	--	1
Carbon disulfide	ND		ug/l	2.0	--	1
2-Butanone	ND		ug/l	5.0	--	1
4-Methyl-2-pentanone	ND		ug/l	5.0	--	1
2-Hexanone	ND		ug/l	5.0	--	1
Bromochloromethane	ND		ug/l	2.0	--	1
Tetrahydrofuran	ND		ug/l	10	--	1
2,2-Dichloropropane	ND		ug/l	2.0	--	1
1,2-Dibromoethane	ND		ug/l	2.0	--	1
1,3-Dichloropropane	ND		ug/l	2.0	--	1
1,1,1,2-Tetrachloroethane	ND		ug/l	1.0	--	1
Bromobenzene	ND		ug/l	2.0	--	1
n-Butylbenzene	ND		ug/l	2.0	--	1
sec-Butylbenzene	ND		ug/l	2.0	--	1
tert-Butylbenzene	ND		ug/l	2.0	--	1
o-Chlorotoluene	ND		ug/l	2.0	--	1
p-Chlorotoluene	ND		ug/l	2.0	--	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.0	--	1
Hexachlorobutadiene	ND		ug/l	0.60	--	1
Isopropylbenzene	ND		ug/l	2.0	--	1
p-Isopropyltoluene	ND		ug/l	2.0	--	1
Naphthalene	ND		ug/l	2.0	--	1
n-Propylbenzene	ND		ug/l	2.0	--	1
1,2,3-Trichlorobenzene	ND		ug/l	2.0	--	1
1,2,4-Trichlorobenzene	ND		ug/l	2.0	--	1
1,3,5-Trimethylbenzene	ND		ug/l	2.0	--	1
1,2,4-Trimethylbenzene	ND		ug/l	2.0	--	1
Ethyl ether	ND		ug/l	2.0	--	1

**Project Name:** RAYTHEON WAYLAND**Lab Number:** L1015738**Project Number:** 0114119**Report Date:** 10/14/10**SAMPLE RESULTS**

Lab ID: L1015738-02  
 Client ID: SEN-1D-20101007-01  
 Sample Location: WAYLAND, MA

Date Collected: 10/07/10 18:25  
 Date Received: 10/07/10  
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>MCP Volatile Organics - Westborough Lab</b>						
Isopropyl Ether	ND		ug/l	2.0	--	1
Ethyl-Tert-Butyl-Ether	ND		ug/l	2.0	--	1
Tertiary-Amyl Methyl Ether	ND		ug/l	2.0	--	1
1,4-Dioxane	ND		ug/l	250	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	116		70-130
Toluene-d8	94		70-130
4-Bromofluorobenzene	111		70-130
Dibromofluoromethane	123		70-130



**Project Name:** RAYTHEON WAYLAND**Lab Number:** L1015738**Project Number:** 0114119**Report Date:** 10/14/10**SAMPLE RESULTS**

**Lab ID:** L1015738-03  
**Client ID:** DUP-006-20101007-01  
**Sample Location:** WAYLAND, MA  
**Matrix:** Water  
**Analytical Method:** 97,8260B  
**Analytical Date:** 10/11/10 16:29  
**Analyst:** MM

**Date Collected:** 10/07/10 00:00  
**Date Received:** 10/07/10  
**Field Prep:** Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>MCP Volatile Organics - Westborough Lab</b>						
Methylene chloride	ND		ug/l	2.0	--	1
1,1-Dichloroethane	ND		ug/l	1.0	--	1
Chloroform	ND		ug/l	1.0	--	1
Carbon tetrachloride	ND		ug/l	1.0	--	1
1,2-Dichloropropane	ND		ug/l	1.0	--	1
Dibromochloromethane	ND		ug/l	1.0	--	1
1,1,2-Trichloroethane	ND		ug/l	1.0	--	1
Tetrachloroethene	ND		ug/l	1.0	--	1
Chlorobenzene	ND		ug/l	1.0	--	1
Trichlorofluoromethane	ND		ug/l	2.0	--	1
1,2-Dichloroethane	ND		ug/l	1.0	--	1
1,1,1-Trichloroethane	ND		ug/l	1.0	--	1
Bromodichloromethane	ND		ug/l	1.0	--	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	--	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	--	1
1,1-Dichloropropene	ND		ug/l	2.0	--	1
Bromoform	ND		ug/l	2.0	--	1
1,1,2,2-Tetrachloroethane	ND		ug/l	1.0	--	1
Benzene	ND		ug/l	1.0	--	1
Toluene	ND		ug/l	1.0	--	1
Ethylbenzene	ND		ug/l	1.0	--	1
Chloromethane	ND		ug/l	2.0	--	1
Bromomethane	ND		ug/l	2.0	--	1
Vinyl chloride	ND		ug/l	1.0	--	1
Chloroethane	ND		ug/l	2.0	--	1
1,1-Dichloroethene	ND		ug/l	1.0	--	1
trans-1,2-Dichloroethene	ND		ug/l	1.0	--	1
Trichloroethene	ND		ug/l	1.0	--	1
1,2-Dichlorobenzene	ND		ug/l	1.0	--	1
1,3-Dichlorobenzene	ND		ug/l	1.0	--	1

Project Name: RAYTHEON WAYLAND

Lab Number: L1015738

Project Number: 0114119

Report Date: 10/14/10

## SAMPLE RESULTS

Lab ID: L1015738-03

Date Collected: 10/07/10 00:00

Client ID: DUP-006-20101007-01

Date Received: 10/07/10

Sample Location: WAYLAND, MA

Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>MCP Volatile Organics - Westborough Lab</b>						
1,4-Dichlorobenzene	ND		ug/l	1.0	--	1
Methyl tert butyl ether	ND		ug/l	2.0	--	1
p/m-Xylene	ND		ug/l	2.0	--	1
o-Xylene	ND		ug/l	1.0	--	1
cis-1,2-Dichloroethene	ND		ug/l	1.0	--	1
Dibromomethane	ND		ug/l	2.0	--	1
1,2,3-Trichloropropane	ND		ug/l	2.0	--	1
Styrene	ND		ug/l	1.0	--	1
Dichlorodifluoromethane	ND		ug/l	2.0	--	1
Acetone	ND		ug/l	5.0	--	1
Carbon disulfide	ND		ug/l	2.0	--	1
2-Butanone	ND		ug/l	5.0	--	1
4-Methyl-2-pentanone	ND		ug/l	5.0	--	1
2-Hexanone	ND		ug/l	5.0	--	1
Bromochloromethane	ND		ug/l	2.0	--	1
Tetrahydrofuran	ND		ug/l	10	--	1
2,2-Dichloropropane	ND		ug/l	2.0	--	1
1,2-Dibromoethane	ND		ug/l	2.0	--	1
1,3-Dichloropropane	ND		ug/l	2.0	--	1
1,1,1,2-Tetrachloroethane	ND		ug/l	1.0	--	1
Bromobenzene	ND		ug/l	2.0	--	1
n-Butylbenzene	ND		ug/l	2.0	--	1
sec-Butylbenzene	ND		ug/l	2.0	--	1
tert-Butylbenzene	ND		ug/l	2.0	--	1
o-Chlorotoluene	ND		ug/l	2.0	--	1
p-Chlorotoluene	ND		ug/l	2.0	--	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.0	--	1
Hexachlorobutadiene	ND		ug/l	0.60	--	1
Isopropylbenzene	ND		ug/l	2.0	--	1
p-Isopropyltoluene	ND		ug/l	2.0	--	1
Naphthalene	ND		ug/l	2.0	--	1
n-Propylbenzene	ND		ug/l	2.0	--	1
1,2,3-Trichlorobenzene	ND		ug/l	2.0	--	1
1,2,4-Trichlorobenzene	ND		ug/l	2.0	--	1
1,3,5-Trimethylbenzene	ND		ug/l	2.0	--	1
1,2,4-Trimethylbenzene	ND		ug/l	2.0	--	1
Ethyl ether	ND		ug/l	2.0	--	1

**Project Name:** RAYTHEON WAYLAND**Lab Number:** L1015738**Project Number:** 0114119**Report Date:** 10/14/10**SAMPLE RESULTS**

Lab ID: L1015738-03

Date Collected: 10/07/10 00:00

Client ID: DUP-006-20101007-01

Date Received: 10/07/10

Sample Location: WAYLAND, MA

Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>MCP Volatile Organics - Westborough Lab</b>						
Isopropyl Ether	ND		ug/l	2.0	--	1
Ethyl-Tert-Butyl-Ether	ND		ug/l	2.0	--	1
Tertiary-Amyl Methyl Ether	ND		ug/l	2.0	--	1
1,4-Dioxane	ND		ug/l	250	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	119		70-130
Toluene-d8	94		70-130
4-Bromofluorobenzene	106		70-130
Dibromofluoromethane	126		70-130

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** 0114119

**Lab Number:** L1015738  
**Report Date:** 10/14/10

**SAMPLE RESULTS**

**Lab ID:** L1015738-04  
**Client ID:** SEN-3-20101007-01  
**Sample Location:** WAYLAND, MA  
**Matrix:** Water  
**Analytical Method:** 97,8260B  
**Analytical Date:** 10/11/10 17:02  
**Analyst:** MM

**Date Collected:** 10/07/10 10:00  
**Date Received:** 10/07/10  
**Field Prep:** Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>MCP Volatile Organics - Westborough Lab</b>						
Methylene chloride	ND		ug/l	2.0	--	1
1,1-Dichloroethane	ND		ug/l	1.0	--	1
Chloroform	ND		ug/l	1.0	--	1
Carbon tetrachloride	ND		ug/l	1.0	--	1
1,2-Dichloropropane	ND		ug/l	1.0	--	1
Dibromochloromethane	ND		ug/l	1.0	--	1
1,1,2-Trichloroethane	ND		ug/l	1.0	--	1
Tetrachloroethene	ND		ug/l	1.0	--	1
Chlorobenzene	ND		ug/l	1.0	--	1
Trichlorofluoromethane	ND		ug/l	2.0	--	1
1,2-Dichloroethane	ND		ug/l	1.0	--	1
1,1,1-Trichloroethane	ND		ug/l	1.0	--	1
Bromodichloromethane	ND		ug/l	1.0	--	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	--	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	--	1
1,1-Dichloropropene	ND		ug/l	2.0	--	1
Bromoform	ND		ug/l	2.0	--	1
1,1,2,2-Tetrachloroethane	ND		ug/l	1.0	--	1
Benzene	ND		ug/l	1.0	--	1
Toluene	ND		ug/l	1.0	--	1
Ethylbenzene	ND		ug/l	1.0	--	1
Chloromethane	ND		ug/l	2.0	--	1
Bromomethane	ND		ug/l	2.0	--	1
Vinyl chloride	ND		ug/l	1.0	--	1
Chloroethane	ND		ug/l	2.0	--	1
1,1-Dichloroethene	ND		ug/l	1.0	--	1
trans-1,2-Dichloroethene	ND		ug/l	1.0	--	1
Trichloroethene	ND		ug/l	1.0	--	1
1,2-Dichlorobenzene	ND		ug/l	1.0	--	1
1,3-Dichlorobenzene	ND		ug/l	1.0	--	1

Project Name: RAYTHEON WAYLAND

Lab Number: L1015738

Project Number: 0114119

Report Date: 10/14/10

## SAMPLE RESULTS

Lab ID: L1015738-04  
 Client ID: SEN-3-20101007-01  
 Sample Location: WAYLAND, MA

Date Collected: 10/07/10 10:00  
 Date Received: 10/07/10  
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>MCP Volatile Organics - Westborough Lab</b>						
1,4-Dichlorobenzene	ND		ug/l	1.0	--	1
Methyl tert butyl ether	ND		ug/l	2.0	--	1
p/m-Xylene	ND		ug/l	2.0	--	1
o-Xylene	ND		ug/l	1.0	--	1
cis-1,2-Dichloroethene	ND		ug/l	1.0	--	1
Dibromomethane	ND		ug/l	2.0	--	1
1,2,3-Trichloropropane	ND		ug/l	2.0	--	1
Styrene	ND		ug/l	1.0	--	1
Dichlorodifluoromethane	ND		ug/l	2.0	--	1
Acetone	ND		ug/l	5.0	--	1
Carbon disulfide	ND		ug/l	2.0	--	1
2-Butanone	ND		ug/l	5.0	--	1
4-Methyl-2-pentanone	ND		ug/l	5.0	--	1
2-Hexanone	ND		ug/l	5.0	--	1
Bromochloromethane	ND		ug/l	2.0	--	1
Tetrahydrofuran	ND		ug/l	10	--	1
2,2-Dichloropropane	ND		ug/l	2.0	--	1
1,2-Dibromoethane	ND		ug/l	2.0	--	1
1,3-Dichloropropane	ND		ug/l	2.0	--	1
1,1,1,2-Tetrachloroethane	ND		ug/l	1.0	--	1
Bromobenzene	ND		ug/l	2.0	--	1
n-Butylbenzene	ND		ug/l	2.0	--	1
sec-Butylbenzene	ND		ug/l	2.0	--	1
tert-Butylbenzene	ND		ug/l	2.0	--	1
o-Chlorotoluene	ND		ug/l	2.0	--	1
p-Chlorotoluene	ND		ug/l	2.0	--	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.0	--	1
Hexachlorobutadiene	ND		ug/l	0.60	--	1
Isopropylbenzene	ND		ug/l	2.0	--	1
p-Isopropyltoluene	ND		ug/l	2.0	--	1
Naphthalene	ND		ug/l	2.0	--	1
n-Propylbenzene	ND		ug/l	2.0	--	1
1,2,3-Trichlorobenzene	ND		ug/l	2.0	--	1
1,2,4-Trichlorobenzene	ND		ug/l	2.0	--	1
1,3,5-Trimethylbenzene	ND		ug/l	2.0	--	1
1,2,4-Trimethylbenzene	ND		ug/l	2.0	--	1
Ethyl ether	ND		ug/l	2.0	--	1

**Project Name:** RAYTHEON WAYLAND**Lab Number:** L1015738**Project Number:** 0114119**Report Date:** 10/14/10**SAMPLE RESULTS**

Lab ID: L1015738-04  
 Client ID: SEN-3-20101007-01  
 Sample Location: WAYLAND, MA

Date Collected: 10/07/10 10:00  
 Date Received: 10/07/10  
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>MCP Volatile Organics - Westborough Lab</b>						
Isopropyl Ether	ND		ug/l	2.0	--	1
Ethyl-Tert-Butyl-Ether	ND		ug/l	2.0	--	1
Tertiary-Amyl Methyl Ether	ND		ug/l	2.0	--	1
1,4-Dioxane	ND		ug/l	250	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	114		70-130
Toluene-d8	99		70-130
4-Bromofluorobenzene	115		70-130
Dibromofluoromethane	125		70-130

Project Name: RAYTHEON WAYLAND

Lab Number: L1015738

Project Number: 0114119

Report Date: 10/14/10

## SAMPLE RESULTS

Lab ID: L1015738-05  
 Client ID: SEN-2M-20101007-01  
 Sample Location: WAYLAND, MA  
 Matrix: Water  
 Analytical Method: 97,8260B  
 Analytical Date: 10/11/10 17:34  
 Analyst: MM

Date Collected: 10/07/10 12:20  
 Date Received: 10/07/10  
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>MCP Volatile Organics - Westborough Lab</b>						
Methylene chloride	ND		ug/l	2.0	--	1
1,1-Dichloroethane	ND		ug/l	1.0	--	1
Chloroform	ND		ug/l	1.0	--	1
Carbon tetrachloride	ND		ug/l	1.0	--	1
1,2-Dichloropropane	ND		ug/l	1.0	--	1
Dibromochloromethane	ND		ug/l	1.0	--	1
1,1,2-Trichloroethane	ND		ug/l	1.0	--	1
Tetrachloroethene	ND		ug/l	1.0	--	1
Chlorobenzene	ND		ug/l	1.0	--	1
Trichlorofluoromethane	ND		ug/l	2.0	--	1
1,2-Dichloroethane	ND		ug/l	1.0	--	1
1,1,1-Trichloroethane	ND		ug/l	1.0	--	1
Bromodichloromethane	ND		ug/l	1.0	--	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	--	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	--	1
1,1-Dichloropropene	ND		ug/l	2.0	--	1
Bromoform	ND		ug/l	2.0	--	1
1,1,2,2-Tetrachloroethane	ND		ug/l	1.0	--	1
Benzene	ND		ug/l	1.0	--	1
Toluene	ND		ug/l	1.0	--	1
Ethylbenzene	ND		ug/l	1.0	--	1
Chloromethane	ND		ug/l	2.0	--	1
Bromomethane	ND		ug/l	2.0	--	1
Vinyl chloride	ND		ug/l	1.0	--	1
Chloroethane	ND		ug/l	2.0	--	1
1,1-Dichloroethene	ND		ug/l	1.0	--	1
trans-1,2-Dichloroethene	ND		ug/l	1.0	--	1
Trichloroethene	ND		ug/l	1.0	--	1
1,2-Dichlorobenzene	ND		ug/l	1.0	--	1
1,3-Dichlorobenzene	ND		ug/l	1.0	--	1

Project Name: RAYTHEON WAYLAND

Lab Number: L1015738

Project Number: 0114119

Report Date: 10/14/10

## SAMPLE RESULTS

Lab ID: L1015738-05  
 Client ID: SEN-2M-20101007-01  
 Sample Location: WAYLAND, MA

Date Collected: 10/07/10 12:20  
 Date Received: 10/07/10  
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>MCP Volatile Organics - Westborough Lab</b>						
1,4-Dichlorobenzene	ND		ug/l	1.0	--	1
Methyl tert butyl ether	ND		ug/l	2.0	--	1
p/m-Xylene	ND		ug/l	2.0	--	1
o-Xylene	ND		ug/l	1.0	--	1
cis-1,2-Dichloroethene	ND		ug/l	1.0	--	1
Dibromomethane	ND		ug/l	2.0	--	1
1,2,3-Trichloropropane	ND		ug/l	2.0	--	1
Styrene	ND		ug/l	1.0	--	1
Dichlorodifluoromethane	ND		ug/l	2.0	--	1
Acetone	ND		ug/l	5.0	--	1
Carbon disulfide	ND		ug/l	2.0	--	1
2-Butanone	ND		ug/l	5.0	--	1
4-Methyl-2-pentanone	ND		ug/l	5.0	--	1
2-Hexanone	ND		ug/l	5.0	--	1
Bromochloromethane	ND		ug/l	2.0	--	1
Tetrahydrofuran	ND		ug/l	10	--	1
2,2-Dichloropropane	ND		ug/l	2.0	--	1
1,2-Dibromoethane	ND		ug/l	2.0	--	1
1,3-Dichloropropane	ND		ug/l	2.0	--	1
1,1,1,2-Tetrachloroethane	ND		ug/l	1.0	--	1
Bromobenzene	ND		ug/l	2.0	--	1
n-Butylbenzene	ND		ug/l	2.0	--	1
sec-Butylbenzene	ND		ug/l	2.0	--	1
tert-Butylbenzene	ND		ug/l	2.0	--	1
o-Chlorotoluene	ND		ug/l	2.0	--	1
p-Chlorotoluene	ND		ug/l	2.0	--	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.0	--	1
Hexachlorobutadiene	ND		ug/l	0.60	--	1
Isopropylbenzene	ND		ug/l	2.0	--	1
p-Isopropyltoluene	ND		ug/l	2.0	--	1
Naphthalene	ND		ug/l	2.0	--	1
n-Propylbenzene	ND		ug/l	2.0	--	1
1,2,3-Trichlorobenzene	ND		ug/l	2.0	--	1
1,2,4-Trichlorobenzene	ND		ug/l	2.0	--	1
1,3,5-Trimethylbenzene	ND		ug/l	2.0	--	1
1,2,4-Trimethylbenzene	ND		ug/l	2.0	--	1
Ethyl ether	ND		ug/l	2.0	--	1



**Project Name:** RAYTHEON WAYLAND**Lab Number:** L1015738**Project Number:** 0114119**Report Date:** 10/14/10**SAMPLE RESULTS**

Lab ID: L1015738-05  
 Client ID: SEN-2M-20101007-01  
 Sample Location: WAYLAND, MA

Date Collected: 10/07/10 12:20  
 Date Received: 10/07/10  
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>MCP Volatile Organics - Westborough Lab</b>						
Isopropyl Ether	ND		ug/l	2.0	--	1
Ethyl-Tert-Butyl-Ether	ND		ug/l	2.0	--	1
Tertiary-Amyl Methyl Ether	ND		ug/l	2.0	--	1
1,4-Dioxane	ND		ug/l	250	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	115		70-130
Toluene-d8	96		70-130
4-Bromofluorobenzene	107		70-130
Dibromofluoromethane	124		70-130

**Project Name:** RAYTHEON WAYLAND**Lab Number:** L1015738**Project Number:** 0114119**Report Date:** 10/14/10**SAMPLE RESULTS**

**Lab ID:** L1015738-06  
**Client ID:** SEN-2D-20101007-01  
**Sample Location:** WAYLAND, MA  
**Matrix:** Water  
**Analytical Method:** 97,8260B  
**Analytical Date:** 10/11/10 18:07  
**Analyst:** MM

**Date Collected:** 10/07/10 11:30  
**Date Received:** 10/07/10  
**Field Prep:** Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>MCP Volatile Organics - Westborough Lab</b>						
Methylene chloride	ND		ug/l	2.0	--	1
1,1-Dichloroethane	ND		ug/l	1.0	--	1
Chloroform	4.2		ug/l	1.0	--	1
Carbon tetrachloride	ND		ug/l	1.0	--	1
1,2-Dichloropropane	ND		ug/l	1.0	--	1
Dibromochloromethane	ND		ug/l	1.0	--	1
1,1,2-Trichloroethane	ND		ug/l	1.0	--	1
Tetrachloroethene	ND		ug/l	1.0	--	1
Chlorobenzene	ND		ug/l	1.0	--	1
Trichlorofluoromethane	ND		ug/l	2.0	--	1
1,2-Dichloroethane	ND		ug/l	1.0	--	1
1,1,1-Trichloroethane	ND		ug/l	1.0	--	1
Bromodichloromethane	ND		ug/l	1.0	--	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	--	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	--	1
1,1-Dichloropropene	ND		ug/l	2.0	--	1
Bromoform	ND		ug/l	2.0	--	1
1,1,2,2-Tetrachloroethane	ND		ug/l	1.0	--	1
Benzene	ND		ug/l	1.0	--	1
Toluene	ND		ug/l	1.0	--	1
Ethylbenzene	ND		ug/l	1.0	--	1
Chloromethane	ND		ug/l	2.0	--	1
Bromomethane	ND		ug/l	2.0	--	1
Vinyl chloride	ND		ug/l	1.0	--	1
Chloroethane	ND		ug/l	2.0	--	1
1,1-Dichloroethene	ND		ug/l	1.0	--	1
trans-1,2-Dichloroethene	ND		ug/l	1.0	--	1
Trichloroethene	ND		ug/l	1.0	--	1
1,2-Dichlorobenzene	ND		ug/l	1.0	--	1
1,3-Dichlorobenzene	ND		ug/l	1.0	--	1

Project Name: RAYTHEON WAYLAND

Lab Number: L1015738

Project Number: 0114119

Report Date: 10/14/10

## SAMPLE RESULTS

Lab ID: L1015738-06  
 Client ID: SEN-2D-20101007-01  
 Sample Location: WAYLAND, MA

Date Collected: 10/07/10 11:30  
 Date Received: 10/07/10  
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>MCP Volatile Organics - Westborough Lab</b>						
1,4-Dichlorobenzene	ND		ug/l	1.0	--	1
Methyl tert butyl ether	ND		ug/l	2.0	--	1
p/m-Xylene	ND		ug/l	2.0	--	1
o-Xylene	ND		ug/l	1.0	--	1
cis-1,2-Dichloroethene	ND		ug/l	1.0	--	1
Dibromomethane	ND		ug/l	2.0	--	1
1,2,3-Trichloropropane	ND		ug/l	2.0	--	1
Styrene	ND		ug/l	1.0	--	1
Dichlorodifluoromethane	ND		ug/l	2.0	--	1
Acetone	ND		ug/l	5.0	--	1
Carbon disulfide	ND		ug/l	2.0	--	1
2-Butanone	ND		ug/l	5.0	--	1
4-Methyl-2-pentanone	ND		ug/l	5.0	--	1
2-Hexanone	ND		ug/l	5.0	--	1
Bromochloromethane	ND		ug/l	2.0	--	1
Tetrahydrofuran	ND		ug/l	10	--	1
2,2-Dichloropropane	ND		ug/l	2.0	--	1
1,2-Dibromoethane	ND		ug/l	2.0	--	1
1,3-Dichloropropane	ND		ug/l	2.0	--	1
1,1,1,2-Tetrachloroethane	ND		ug/l	1.0	--	1
Bromobenzene	ND		ug/l	2.0	--	1
n-Butylbenzene	ND		ug/l	2.0	--	1
sec-Butylbenzene	ND		ug/l	2.0	--	1
tert-Butylbenzene	ND		ug/l	2.0	--	1
o-Chlorotoluene	ND		ug/l	2.0	--	1
p-Chlorotoluene	ND		ug/l	2.0	--	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.0	--	1
Hexachlorobutadiene	ND		ug/l	0.60	--	1
Isopropylbenzene	ND		ug/l	2.0	--	1
p-Isopropyltoluene	ND		ug/l	2.0	--	1
Naphthalene	ND		ug/l	2.0	--	1
n-Propylbenzene	ND		ug/l	2.0	--	1
1,2,3-Trichlorobenzene	ND		ug/l	2.0	--	1
1,2,4-Trichlorobenzene	ND		ug/l	2.0	--	1
1,3,5-Trimethylbenzene	ND		ug/l	2.0	--	1
1,2,4-Trimethylbenzene	ND		ug/l	2.0	--	1
Ethyl ether	ND		ug/l	2.0	--	1

**Project Name:** RAYTHEON WAYLAND**Lab Number:** L1015738**Project Number:** 0114119**Report Date:** 10/14/10**SAMPLE RESULTS**

Lab ID: L1015738-06  
 Client ID: SEN-2D-20101007-01  
 Sample Location: WAYLAND, MA

Date Collected: 10/07/10 11:30  
 Date Received: 10/07/10  
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>MCP Volatile Organics - Westborough Lab</b>						
Isopropyl Ether	ND		ug/l	2.0	--	1
Ethyl-Tert-Butyl-Ether	ND		ug/l	2.0	--	1
Tertiary-Amyl Methyl Ether	ND		ug/l	2.0	--	1
1,4-Dioxane	ND		ug/l	250	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	121		70-130
Toluene-d8	98		70-130
4-Bromofluorobenzene	105		70-130
Dibromofluoromethane	125		70-130

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** 0114119

**Lab Number:** L1015738  
**Report Date:** 10/14/10

**Method Blank Analysis**  
**Batch Quality Control**

Analytical Method: 97,8260B  
Analytical Date: 10/11/10 10:00  
Analyst: MM

Parameter	Result	Qualifier	Units	RL	MDL
MCP Volatile Organics - Westborough Lab for sample(s): 01-06 Batch: WG436841-3					
Methylene chloride	ND		ug/l	2.0	--
1,1-Dichloroethane	ND		ug/l	1.0	--
Chloroform	ND		ug/l	1.0	--
Carbon tetrachloride	ND		ug/l	1.0	--
1,2-Dichloropropane	ND		ug/l	1.0	--
Dibromochloromethane	ND		ug/l	1.0	--
1,1,2-Trichloroethane	ND		ug/l	1.0	--
Tetrachloroethene	ND		ug/l	1.0	--
Chlorobenzene	ND		ug/l	1.0	--
Trichlorofluoromethane	ND		ug/l	2.0	--
1,2-Dichloroethane	ND		ug/l	1.0	--
1,1,1-Trichloroethane	ND		ug/l	1.0	--
Bromodichloromethane	ND		ug/l	1.0	--
trans-1,3-Dichloropropene	ND		ug/l	0.50	--
cis-1,3-Dichloropropene	ND		ug/l	0.50	--
1,1-Dichloropropene	ND		ug/l	2.0	--
Bromoform	ND		ug/l	2.0	--
1,1,2,2-Tetrachloroethane	ND		ug/l	1.0	--
Benzene	ND		ug/l	1.0	--
Toluene	ND		ug/l	1.0	--
Ethylbenzene	ND		ug/l	1.0	--
Chloromethane	ND		ug/l	2.0	--
Bromomethane	ND		ug/l	2.0	--
Vinyl chloride	ND		ug/l	1.0	--
Chloroethane	ND		ug/l	2.0	--
1,1-Dichloroethene	ND		ug/l	1.0	--
trans-1,2-Dichloroethene	ND		ug/l	1.0	--
Trichloroethene	ND		ug/l	1.0	--
1,2-Dichlorobenzene	ND		ug/l	1.0	--
1,3-Dichlorobenzene	ND		ug/l	1.0	--
1,4-Dichlorobenzene	ND		ug/l	1.0	--

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** 0114119

**Lab Number:** L1015738  
**Report Date:** 10/14/10

**Method Blank Analysis**  
**Batch Quality Control**

Analytical Method: 97,8260B  
Analytical Date: 10/11/10 10:00  
Analyst: MM

Parameter	Result	Qualifier	Units	RL	MDL
MCP Volatile Organics - Westborough Lab for sample(s): 01-06 Batch: WG436841-3					
Methyl tert butyl ether	ND		ug/l	2.0	--
p/m-Xylene	ND		ug/l	2.0	--
o-Xylene	ND		ug/l	1.0	--
cis-1,2-Dichloroethene	ND		ug/l	1.0	--
Dibromomethane	ND		ug/l	2.0	--
1,2,3-Trichloropropane	ND		ug/l	2.0	--
Styrene	ND		ug/l	1.0	--
Dichlorodifluoromethane	ND		ug/l	2.0	--
Acetone	ND		ug/l	5.0	--
Carbon disulfide	ND		ug/l	2.0	--
2-Butanone	ND		ug/l	5.0	--
4-Methyl-2-pentanone	ND		ug/l	5.0	--
2-Hexanone	ND		ug/l	5.0	--
Bromochloromethane	ND		ug/l	2.0	--
Tetrahydrofuran	ND		ug/l	10	--
2,2-Dichloropropane	ND		ug/l	2.0	--
1,2-Dibromoethane	ND		ug/l	2.0	--
1,3-Dichloropropane	ND		ug/l	2.0	--
1,1,1,2-Tetrachloroethane	ND		ug/l	1.0	--
Bromobenzene	ND		ug/l	2.0	--
n-Butylbenzene	ND		ug/l	2.0	--
sec-Butylbenzene	ND		ug/l	2.0	--
tert-Butylbenzene	ND		ug/l	2.0	--
o-Chlorotoluene	ND		ug/l	2.0	--
p-Chlorotoluene	ND		ug/l	2.0	--
1,2-Dibromo-3-chloropropane	ND		ug/l	2.0	--
Hexachlorobutadiene	ND		ug/l	0.60	--
Isopropylbenzene	ND		ug/l	2.0	--
p-Isopropyltoluene	ND		ug/l	2.0	--
Naphthalene	ND		ug/l	2.0	--
n-Propylbenzene	ND		ug/l	2.0	--

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** 0114119

**Lab Number:** L1015738  
**Report Date:** 10/14/10

**Method Blank Analysis  
Batch Quality Control**

Analytical Method: 97,8260B  
Analytical Date: 10/11/10 10:00  
Analyst: MM

Parameter	Result	Qualifier	Units	RL	MDL
MCP Volatile Organics - Westborough Lab for sample(s): 01-06 Batch: WG436841-3					
1,2,3-Trichlorobenzene	ND		ug/l	2.0	--
1,2,4-Trichlorobenzene	ND		ug/l	2.0	--
1,3,5-Trimethylbenzene	ND		ug/l	2.0	--
1,2,4-Trimethylbenzene	ND		ug/l	2.0	--
Ethyl ether	ND		ug/l	2.0	--
Isopropyl Ether	ND		ug/l	2.0	--
Ethyl-Tert-Butyl-Ether	ND		ug/l	2.0	--
Tertiary-Amyl Methyl Ether	ND		ug/l	2.0	--
1,4-Dioxane	ND		ug/l	250	--

Surrogate	%Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	106		70-130
Toluene-d8	93		70-130
4-Bromofluorobenzene	111		70-130
Dibromofluoromethane	113		70-130

## Lab Control Sample Analysis

### Batch Quality Control

Project Name: RAYTHEON WAYLAND

Lab Number: L1015738

Project Number: 0114119

Report Date: 10/14/10

Parameter	LCS		LCSD		%Recovery Limits	RPD	Qual	RPD Limits
	%Recovery	Qual	%Recovery	Qual				
MCP Volatile Organics - Westborough Lab Associated sample(s): 01-06 Batch: WG436841-1 WG436841-2								
Methylene chloride	106		102		70-130	4		20
1,1-Dichloroethane	104		98		70-130	6		20
Chloroform	106		101		70-130	5		20
Carbon tetrachloride	111		106		70-130	5		20
1,2-Dichloropropane	97		99		70-130	2		20
Dibromochloromethane	105		105		70-130	0		20
1,1,2-Trichloroethane	105		105		70-130	0		20
Tetrachloroethene	111		106		70-130	5		20
Chlorobenzene	102		100		70-130	2		20
Trichlorofluoromethane	126		118		70-130	7		20
1,2-Dichloroethane	104		104		70-130	0		20
1,1,1-Trichloroethane	110		105		70-130	5		20
Bromodichloromethane	109		106		70-130	3		20
trans-1,3-Dichloropropene	107		107		70-130	0		20
cis-1,3-Dichloropropene	99		97		70-130	2		20
1,1-Dichloropropene	107		101		70-130	6		20
Bromoform	105		106		70-130	1		20
1,1,2,2-Tetrachloroethane	106		105		70-130	1		20
Benzene	105		100		70-130	5		20
Toluene	104		98		70-130	6		20
Ethylbenzene	110		105		70-130	5		20



## Lab Control Sample Analysis

### Batch Quality Control

Project Name: RAYTHEON WAYLAND

Lab Number: L1015738

Project Number: 0114119

Report Date: 10/14/10

Parameter	LCS		LCSD		%Recovery Limits	RPD	Qual	RPD Limits
	%Recovery	Qual	%Recovery	Qual				
MCP Volatile Organics - Westborough Lab Associated sample(s): 01-06 Batch: WG436841-1 WG436841-2								
Chloromethane	89		84		70-130	6		20
Bromomethane	119		109		70-130	9		20
Vinyl chloride	93		88		70-130	6		20
Chloroethane	100		92		70-130	8		20
1,1-Dichloroethene	122		111		70-130	9		20
trans-1,2-Dichloroethene	103		100		70-130	3		20
Trichloroethene	106		103		70-130	3		20
1,2-Dichlorobenzene	108		102		70-130	6		20
1,3-Dichlorobenzene	108		100		70-130	8		20
1,4-Dichlorobenzene	108		102		70-130	6		20
Methyl tert butyl ether	90		98		70-130	9		20
p/m-Xylene	113		107		70-130	5		20
o-Xylene	110		106		70-130	4		20
cis-1,2-Dichloroethene	105		102		70-130	3		20
Dibromomethane	93		108		70-130	15		20
1,2,3-Trichloropropane	104		104		70-130	0		20
Styrene	104		103		70-130	1		20
Dichlorodifluoromethane	97		92		70-130	5		20
Acetone	110		120		70-130	9		20
Carbon disulfide	109		96		70-130	13		20
2-Butanone	105		111		70-130	6		20

## Lab Control Sample Analysis

### Batch Quality Control

Project Name: RAYTHEON WAYLAND

Lab Number: L1015738

Project Number: 0114119

Report Date: 10/14/10

Parameter	LCS		LCSD		%Recovery Limits	RPD	Qual	RPD Limits
	%Recovery	Qual	%Recovery	Qual				
MCP Volatile Organics - Westborough Lab Associated sample(s): 01-06 Batch: WG436841-1 WG436841-2								
4-Methyl-2-pentanone	91		107		70-130	16		20
2-Hexanone	95		106		70-130	11		20
Bromochloromethane	105		102		70-130	3		20
Tetrahydrofuran	88		99		70-130	12		20
2,2-Dichloropropane	115		108		70-130	6		20
1,2-Dibromoethane	100		107		70-130	7		20
1,3-Dichloropropane	100		105		70-130	5		20
1,1,1,2-Tetrachloroethane	112		111		70-130	1		20
Bromobenzene	106		100		70-130	6		20
n-Butylbenzene	121		107		70-130	12		20
sec-Butylbenzene	117		105		70-130	11		20
tert-Butylbenzene	118		104		70-130	13		20
o-Chlorotoluene	108		100		70-130	8		20
p-Chlorotoluene	109		100		70-130	9		20
1,2-Dibromo-3-chloropropane	108		116		70-130	7		20
Hexachlorobutadiene	119		110		70-130	8		20
Isopropylbenzene	114		107		70-130	6		20
p-Isopropyltoluene	119		103		70-130	14		20
Naphthalene	96		102		70-130	6		20
n-Propylbenzene	115		103		70-130	11		20
1,2,3-Trichlorobenzene	101		104		70-130	3		20

## Lab Control Sample Analysis

### Batch Quality Control

Project Name: RAYTHEON WAYLAND

Lab Number: L1015738

Project Number: 0114119

Report Date: 10/14/10

Parameter	LCS		LCSD		%Recovery Limits	RPD	Qual	RPD Limits
	%Recovery	Qual	%Recovery	Qual				
MCP Volatile Organics - Westborough Lab Associated sample(s): 01-06 Batch: WG436841-1 WG436841-2								
1,2,4-Trichlorobenzene	104		104		70-130	0		20
1,3,5-Trimethylbenzene	112		100		70-130	11		20
1,2,4-Trimethylbenzene	112		102		70-130	9		20
Ethyl ether	107		106		70-130	1		20
Isopropyl Ether	89		91		70-130	2		20
Ethyl-Tert-Butyl-Ether	96		98		70-130	2		20
Tertiary-Amyl Methyl Ether	100		104		70-130	4		20
1,4-Dioxane	124		124		70-130	0		20

Surrogate	LCS		LCSD		Acceptance Criteria
	%Recovery	Qual	%Recovery	Qual	
1,2-Dichloroethane-d4	95		100		70-130
Toluene-d8	100		98		70-130
4-Bromofluorobenzene	98		99		70-130
Dibromofluoromethane	106		102		70-130

Project Name: RAYTHEON WAYLAND

Lab Number: L1015738

Project Number: 0114119

Report Date: 10/14/10

## Sample Receipt and Container Information

Were project specific reporting limits specified? YES

Reagent H2O Preserved Vials Frozen on: NA

## Cooler Information Custody Seal

## Cooler

A Absent

## Container Information

Container ID	Container Type	Cooler	pH	Temp deg C	Pres	Seal	Analysis(*)
L1015738-01A	Vial HCl preserved	A	N/A	2	Y	Absent	MCP-8260-10(14)
L1015738-01B	Vial HCl preserved	A	N/A	2	Y	Absent	MCP-8260-10(14)
L1015738-02A	Vial HCl preserved	A	N/A	2	Y	Absent	MCP-8260-10(14)
L1015738-02B	Vial HCl preserved	A	N/A	2	Y	Absent	MCP-8260-10(14)
L1015738-03A	Vial HCl preserved	A	N/A	2	Y	Absent	MCP-8260-10(14)
L1015738-03B	Vial HCl preserved	A	N/A	2	Y	Absent	MCP-8260-10(14)
L1015738-04A	Vial HCl preserved	A	N/A	2	Y	Absent	MCP-8260-10(14)
L1015738-04B	Vial HCl preserved	A	N/A	2	Y	Absent	MCP-8260-10(14)
L1015738-05A	Vial HCl preserved	A	N/A	2	Y	Absent	MCP-8260-10(14)
L1015738-05B	Vial HCl preserved	A	N/A	2	Y	Absent	MCP-8260-10(14)
L1015738-06A	Vial HCl preserved	A	N/A	2	Y	Absent	MCP-8260-10(14)
L1015738-06B	Vial HCl preserved	A	N/A	2	Y	Absent	MCP-8260-10(14)

\*Values in parentheses indicate holding time in days

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** 0114119

**Lab Number:** L1015738  
**Report Date:** 10/14/10

## GLOSSARY

### Acronyms

- EPA** - Environmental Protection Agency.
- LCS** - Laboratory Control Sample: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
- LCSD** - Laboratory Control Sample Duplicate: Refer to LCS.
- MDL** - Method Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The MDL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
- MS** - Matrix Spike Sample: A sample prepared by adding a known mass of target analyte to a specified amount of matrix sample for which an independent estimate of target analyte concentration is available.
- MSD** - Matrix Spike Sample Duplicate: Refer to MS.
- NA** - Not Applicable.
- NC** - Not Calculated: Term is utilized when one or more of the results utilized in the calculation are non-detect at the parameter's reporting unit.
- NI** - Not Ignitable.
- RL** - Reporting Limit: The value at which an instrument can accurately measure an analyte at a specific concentration. The RL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
- RPD** - Relative Percent Difference: The results from matrix and/or matrix spike duplicates are primarily designed to assess the precision of analytical results in a given matrix and are expressed as relative percent difference (RPD). Values which are less than five times the reporting limit for any individual parameter are evaluated by utilizing the absolute difference between the values; although the RPD value will be provided in the report.

### Terms

**Analytical Method:** Both the document from which the method originates and the analytical reference method. (Example: EPA 8260B is shown as 1,8260B.) The codes for the reference method documents are provided in the References section of the Addendum.

### Data Qualifiers

- A** - Spectra identified as "Aldol Condensation Product".
- B** - The analyte was detected above the reporting limit in the associated method blank. Flag only applies to associated field samples that have detectable concentrations of the analyte at less than five times (5x) the concentration found in the blank. For MCP-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For DOD-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank AND the analyte was detected above one-half the reporting limit (or above the reporting limit for common lab contaminants) in the associated method blank.
- D** - Concentration of analyte was quantified from diluted analysis. Flag only applies to field samples that have detectable concentrations of the analyte.
- E** - Concentration of analyte exceeds the range of the calibration curve and/or linear range of the instrument.
- H** - The analysis of pH was performed beyond the regulatory-required holding time of 15 minutes from the time of sample collection.
- I** - The RPD between the results for the two columns exceeds the method-specified criteria; however, the lower value has been reported due to obvious interference.
- P** - The RPD between the results for the two columns exceeds the method-specified criteria.
- Q** - The quality control sample exceeds the associated acceptance criteria. Note: This flag is not applicable for matrix spike recoveries when the sample concentration is greater than 4x the spike added or for batch duplicate RPD when the sample concentrations are less than 5x the RL. (Metals only.)
- R** - Analytical results are from sample re-analysis.

Report Format: Data Usability Report



**Project Name:** RAYTHEON WAYLAND

**Lab Number:** L1015738

**Project Number:** 0114119

**Report Date:** 10/14/10

*Data Qualifiers*

**RE** - Analytical results are from sample re-extraction.

**J** - Estimated value. This represents an estimated concentration for Tentatively Identified Compounds (TICs).

**ND** - Not detected at the reporting limit (RL) for the sample.

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** 0114119

**Lab Number:** L1015738  
**Report Date:** 10/14/10

## REFERENCES

- 97 EPA Test Methods (SW-846) with QC Requirements & Performance Standards for the Analysis of EPA SW-846 Methods under the Massachusetts Contingency Plan, WSC-CAM-IIA, IIB, IIIA, IIIB, IIIC, IIID, VA, VB, VC, VIA, VIB, VIIIA and VIIIB, July 2010.

## LIMITATION OF LIABILITIES

Alpha Analytical performs services with reasonable care and diligence normal to the analytical testing laboratory industry. In the event of an error, the sole and exclusive responsibility of Alpha Analytical shall be to re-perform the work at it's own expense. In no event shall Alpha Analytical be held liable for any incidental, consequential or special damages, including but not limited to, damages in any way connected with the use of, interpretation of, information or analysis provided by Alpha Analytical.

We strongly urge our clients to comply with EPA protocol regarding sample volume, preservation, cooling, containers, sampling procedures, holding time and splitting of samples in the field.



## Certificate/Approval Program Summary

Last revised July 19, 2010 - Westboro Facility

The following list includes only those analytes/methods for which certification/approval is currently held.  
For a complete listing of analytes for the referenced methods, please contact your Alpha Customer Service Representative.

### Connecticut Department of Public Health Certificate/Lab ID: PH-0574. **NELAP Accredited Solid Waste/Soil.**

*Drinking Water* (Inorganic Parameters: Color, pH, Turbidity, Conductivity, Alkalinity, Chloride, Free Residual Chlorine, Fluoride, Calcium Hardness, Sulfate, Nitrate, Nitrite, Aluminum, Antimony, Arsenic, Barium, Beryllium, Cadmium, Calcium, Chromium, Copper, Iron, Lead, Magnesium, Manganese, Mercury, Molybdenum, Nickel, Potassium, Selenium, Silver, Sodium, Thallium, Vanadium, Zinc, Total Dissolved Solids, Total Organic Carbon, Total Cyanide, Perchlorate. Organic Parameters: Volatile Organics 524.2, Total Trihalomethanes 524.2, 1,2-Dibromo-3-chloropropane (DBCP), Ethylene Dibromide (EDB), 1,4-Dioxane (Mod 8270). Microbiology Parameters: Total Coliform-MF mEndo (SM9222B), Total Coliform – Colilert (SM9223 P/A), E. Coli. – Colilert (SM9223 P/A), HPC – Pour Plate (SM9215B), Fecal Coliform – MF m-FC (SM9222D))

*Wastewater/Non-Potable Water* (Inorganic Parameters: Color, pH, Conductivity, Acidity, Alkalinity, Chloride, Total Residual Chlorine, Fluoride, Total Hardness, Silica, Sulfate, Sulfide, Ammonia, Kjeldahl Nitrogen, Nitrate, Nitrite, O-Phosphate, Total Phosphorus, Aluminum, Antimony, Arsenic, Barium, Beryllium, Boron, Cadmium, Calcium, Chromium, Hexavalent Chromium, Cobalt, Copper, Iron, Lead, Magnesium, Manganese, Mercury, Molybdenum, Nickel, Potassium, Selenium, Silver, Sodium, Strontium, Thallium, Tin, Titanium, Vanadium, Zinc, Total Residue (Solids), Total Dissolved Solids, Total Suspended Solids (non-filterable), BOD, CBOD, COD, TOC, Total Cyanide, Phenolics, Foaming Agents (MBAS), Bromide, Oil and Grease. Organic Parameters: PCBs, Organochlorine Pesticides, Technical Chlordane, Toxaphene, 2,4-D, 2,4,5-T, 2,4,5-TP(Silvex), Acid Extractables (Phenols), Benzidines, Phthalate Esters, Nitrosamines, Nitroaromatics & Isophorone, Polynuclear Aromatic Hydrocarbons, Haloethers, Chlorinated Hydrocarbons, Volatile Organics, TPH (HEM/SGT), Extractable Petroleum Hydrocarbons (ETPH), MA-EPH, MA-VPH. Microbiology Parameters: Total Coliform – MF mEndo (SM9222B), Total Coliform – MTF (SM9221B), HPC – Pour Plate (SM9215B), Fecal Coliform – MF m-FC (SM9222D), Fecal Coliform – A-1 Broth (SM9221E).)

*Solid Waste/Soil* (Inorganic Parameters: pH, Sulfide, Aluminum, Antimony, Arsenic, Barium, Beryllium, Boron, Cadmium, Calcium, Chromium, Hexavalent Chromium, Cobalt, Copper, Iron, Lead, Magnesium, Manganese, Mercury, Molybdenum, Nickel, Potassium, Selenium, Silver, Sodium, Thallium, Tin, Vanadium, Zinc, Total Cyanide, Ignitability, Phenolics, Corrosivity, TCLP Leach (1311), SPLP Leach (1312 metals only), Reactivity. Organic Parameters: PCBs, PCBs in Oil, Organochlorine Pesticides, Technical Chlordane, Toxaphene, Extractable Petroleum Hydrocarbons (ETPH), MA-EPH, MA-VPH, Dicamba, 2,4-D, 2,4,5-T, 2,4,5-TP(Silvex), Volatile Organics, Acid Extractables (Phenols), 3,3'-Dichlorobenzidine, Phthalates, Nitrosamines, Nitroaromatics & Cyclic Ketones, PAHs, Haloethers, Chlorinated Hydrocarbons. )

### Maine Department of Human Services Certificate/Lab ID: 2009024.

*Drinking Water* (Inorganic Parameters: SM9215B, 9222D, 9223B, EPA 180.1, 300.0, 353.2, SM2130B, 2320B, 4500CI-D, 4500CN-C, 4500CN-E, 4500F-C, 4500H+B, 4500NO3-F, EPA 200.7, EPA 200.8, 245.1, EPA 300.0. Organic Parameters: 504.1, 524.2.)

*Wastewater/Non-Potable Water* (Inorganic Parameters: EPA 120.1, 1664A, 350.1, 351.1, 353.2, 410.4, 420.1, Lachat 10-107-06-1-B, SM2320B, 2340B, 2510B, 2540C, 2540D, 426C, 4500CI-D, 4500CI-E, 4500CN-C, 4500CN-E, 4500F-B, 4500F-C, 4500H+B, 4500Norg-B, 4500Norg-C, 4500NH3-B, 4500NH3-G, 4500NH3-H, 4500NO3-F, 4500P-B.5, 4500P-E, 5210B, 5220D, 5310C, EPA 200.7, 200.8, 245.1. Organic Parameters: 608, 624, ME DRO, ME GRO, MA EPH, MA VPH.)

*Solid Waste/Soil* (Organic Parameters: ME DRO, ME GRO, MA EPH, MA VPH.)

### Massachusetts Department of Environmental Protection Certificate/Lab ID: M-MA086.

#### *Drinking Water*

Inorganic Parameters: (EPA 200.8 for: Sb,As,Ba,Be,Cd,Cr,Cu,Pb,Ni,Se,Tl)

(EPA 200.7 for: Ba,Be,Ca,Cd,Cr,Cu,Na,Ni) 245.1, (300.0 for: Nitrate-N, Fluoride, Sulfate)

353.2 for: Nitrate-N, Nitrite-N; SM4500NO3-F, 4500F-C, 4500CN-CE, EPA 180.1, SM2130B, SM4500CI-D, 2320B, SM2540C, SM4500H-B.

Organic Parameters: (EPA 524.2 for: Trihalomethanes, Volatile Organics)

(504.1 for: 1,2-Dibromoethane, 1,2-Dibromo-3-Chloropropane), 314.0, 332.

Microbiology Parameters: SM9215B; ENZ. SUB. SM9223; MF-SM9222D

#### *Non-Potable Water*

Inorganic Parameters:, (EPA 200.8 for: Al,Sb,As,Be,Cd,Cr,Cu,Pb,Mn,Ni,Se,Ag,Tl,Zn)

(EPA 200.7 for: Al,Sb,As,Be,Cd,Cr,Co,Cu,Fe,Pb,Mn,Mo,Ni,Se,Ag,Sr,Ti,Tl, V,Zn,Ca,Mg,Na,K)

245.1, SM4500H,B, EPA 120.1, SM2510B, 2540C, 2540B, 2340B, 2320B, 4500CL-E, 4500F-BC, 426C, SM4500NH3-BH, (EPA 350.1 for: Ammonia-N), LACHAT 10-107-06-1-B for Ammonia-N, SM4500NO3-F, 353.2 for Nitrate-N, SM4500NH3-B,C-Titr, SM4500NH3-BC-NES, EPA 351.1, SM4500P-E, 4500P-B,E, 5220D, EPA 410.4, SM 5210B, 5310C, 4500CL-D, EPA 1664, SM14 510AC, EPA 420, SM4500-CN-CE, SM2540D.

Organic Parameters: (EPA 624 for Volatile Halocarbons, Volatile Aromatics)



(608 for: Chlordane, Aldrin, Dieldrin, DDD, DDE, DDT, Heptachlor, Heptachlor Epoxide, PCBs-Water), EPA 625 for SVOC Acid Extractables and SVOC Base/Neutral Extractables, 600/4-81-045-PCB-Oil

**New Hampshire Department of Environmental Services Certificate/Lab ID: 200307. *NELAP Accredited.***

*Drinking Water (Inorganic Parameters:* SM6215B, 9222B, 9223B Colilert, EPA 200.7, 200.8, 245.2, 120.1, 300.0, 314.0, SM4500CN-E, 4500H+B, 4500NO3-F, 2320B, 2510B, 2540C, 4500F-C, 5310C, 2120B, EPA 331.0. *Organic Parameters:* 504.1, 524.2, SM6251B.)

*Non-Potable Water (Inorganic Parameters:* SM9222D, 9221B, 9222B, 9221E-EC, EPA 200.7, 200.8, 245.1, 245.2, SW-846 6010B, 6020, 7196A, 7470A, SM3500-CR-D, EPA 120.1, 300.0, 350.1, 351.1, 353.2, 420.1, 1664A, SW-846 9010, 9030, 9040B, SM426C, SM2310B, 2540B, 2540D, 4500H+B, 4500NH3-H, 4500NH3-E, 4500NO2-B, 4500P-E, 4500-S2-D, 5210B, 2320B, 2540C, 4500F-C, 5310C, 5540C, LACHAT 10-117-07-1-B, LACHAT 10-107-06-1-B, LACHAT 10-107-04-1-C, LACHAT 10-107-04-1-J, LACHAT 10-117-07-1-A, SM4500CL-E, LACHAT 10-204-00-1-A, LACHAT 10-107-06-2-D. *Organic Parameters:* SW-846 3005A, 3015A, 3510C, 5030B, 8021B, 8260B, 8270C, 8330, EPA 624, 625, 608, SW-846 8082, 8081A.)

*Solid & Chemical Materials (Inorganic Parameters:* SW-846 6010B, 7196A, 7471A, 7.3.3.2, 7.3.4.2, 1010, 1030, 9010, 9012A, 9014, 9030B, 9040, 9045C, 9050C, 1311, 3005A, 3050B, 3051A. *Organic Parameters:* SW-846 3540C, 3545, 3580A, 5030B, 5035, 8021B, 8260B, 8270C, 8330, 8151A, 8082, 8081A.)

**New Jersey Department of Environmental Protection Certificate/Lab ID: MA935. *NELAP Accredited.***

*Drinking Water (Inorganic Parameters:* SM9222B, 9221E, 9223B, 9215B, 4500NO3-F, 4500F-C, EPA 300.0, 200.7, 2540C, 2320B, 314.0, SM2120B, 2510B, 5310C, SM4500H-B, EPA 200.8, 245.2. *Organic Parameters:* 504.1, SM6251B, 524.2.)

*Non-Potable Water (Inorganic Parameters:* SM5210B, EPA 410.4, SM5220D, 4500CI-D, EPA 300.0, SM2120B, SM4500F-BC, EPA 200.7, 351.1, LACHAT 10-107-06-2-D, EPA 353.2, SM4500NO3-F, 4500NO2-B, EPA 1664A, SM5310B, C or D, 4500-PE, EPA 420.1, SM4500P-B5+E, 2540B, 2540C, 2540D, EPA 120.1, SM2510B, SM15 426C, SM9221CE, 9222D, 9221B, 9222B, 9215B, 2310B, 2320B, 4500NH3-H, 4500-S D, EPA 350.1, SM5210B, SW-846 3015, 6020, 7470A, 5540C, 4500H-B, EPA 200.8, SM3500Cr-D, EPA 245.1, 245.2, SW-846 9040B, 3005A, EPA 6010B, 7196A, SW-846 9010B, 9030B. *Organic Parameters:* SW-846 8260B, 8270C, 3510C, EPA 608, 624, 625, SW-846 5030B, 8021B, 8081A, 8082, 8151A, 8330, NJ OQA-QAM-025 Rev.7.)

*Solid & Chemical Materials (Inorganic Parameters:* SW-846 9040B, 3005A, 6010B, 7196A, 5030B, 9010B, 9030B, 1030, 1311, 3050B, 3051, 7471A, 9014, 9012A, 9045C, 9050A, 9065. *Organic Parameters:* SW-846 8021B, 8081A, 8082, 8151A, 8330, 8260B, 8270C, 1311, 1312, 3540C, 3545, 3550B, 3580A, 5035L, 5035H, NJ OQA-QAM-025 Rev.7.)

**New York Department of Health Certificate/Lab ID: 11148. *NELAP Accredited.***

*Drinking Water (Inorganic Parameters:* SM9223B, 9222B, 9215B, EPA 200.8, 200.7, 245.2, SM5310C, EPA 314.0, 332.0, SM2320B, EPA 300.0, SM2120B, 4500CN-E, 4500F-C, 4500H-B, 4500NO3-F, 2540C, EPA 120.1, SM 2510B. *Organic Parameters:* EPA 524.2, 504.1.)

*Non-Potable Water (Inorganic Parameters:* SM9221E, 9222D, 9221B, 9222B, 9215B, 5210B, EPA 410.4, SM5220D, 2310B-4a, 2320B, EPA 200.7, 300.0, LACHAT 10-117-07-1A or B, SM4500CI-E, 4500F-C, SM15 426C, EPA 350.1, LACHAT 10-107-06-1-B, SM4500NH3-H, EPA 351.1, LACHAT 10-107-06-2, EPA 353.2, LACHAT 10-107-041-C, SM4500-NO3-F, 4500-NO2-B, 4500P-E, 2540C, 2540B, 2540D, EPA 200.8, EPA 6010B, 6020, EPA 7196A, SM3500Cr-D, EPA 245.1, 245.2, 7470A, SM2120B, SM4500-CN-E LACHAT 10-204-00-1-A, EPA 9040B, SM4500-HB, EPA 1664A, SM5310C, EPA 420.1, SM14 510C, EPA 120.1, SM2510B, SM4500S-D, SM5540C, EPA 3005A, 3015. *Organic Parameters:* EPA 624, 8260B, 8270C, 625, 608, 8081A, 8151A, 8330, 8082, EPA 3510C, 5030B, 9010B, 9030B.)

*Solid & Hazardous Waste (Inorganic Parameters:* 1010, 1030, SW-846 Ch 7 Sec 7.3, EPA 6010B, 7196A, 7471A, 9012A, 9014, 9040B, 9045C, 9065, 9050, EPA 1311, 1312, 3005A, 3050B, 9010B, 9030B. *Organic Parameters:* EPA 8260B, 8270C, 8081A, 8151A, 8330, 8082, 3540C, 3545, 3546, 3580, 5030B, 5035.)

**North Carolina Department of the Environment and Natural Resources Certificate/Lab ID : 666. *Organic Parameters:* MA-EPH, MA-VPH.**

**Pennsylvania Department of Environmental Protection Certificate/Lab ID : 68-03671. *NELAP Accredited.***

*Non-Potable Water (Organic Parameters:* EPA 3510C, 5030B, 625, 624. 608, 8081A, 8082, 8151A, 8260B, 8270C, 8330)

*Solid & Hazardous Waste (Inorganic Parameters:* EPA 1010, 1030, 1311, 3050B, 3051, 6010B, EPA 7.3.3.2, EPA 7.3.4.2, 7196A, 7471A, 9010B, 9012A, 9014, 9040B, 9045C, 9050, 9065. *Organic Parameters:* 3540C, 3545, 3580A, 5035, 8021B, 8081A, 8082, 8151A, 8260B, 8270C, 8330)

**Rhode Island Department of Health Certificate/Lab ID: LAO00065. *NELAP Accredited via NY-DOH.***

Refer to MA-DEP Certificate for Potable and Non-Potable Water.

Refer to NY-DOH Certificate for Potable and Non-Potable Water.

**Texas Commission on Environmental Quality Certificate/Lab ID: T104704476-09-1. NELAP Accredited.**

*Non-Potable Water (Inorganic Parameters: EPA 120.1, 1664, 200.7, 200.8, 245.1, 245.2, 300.0, 350.1, 351.1, 353.2, 376.2, 410.4, 420.1, 6010, 6020, 7196, 7470, 9040, SM 2120B, 2310B, 2320B, 2510B, 2540B, 2540C, 2540D, 426C, 4500CL-E, 4500CN-E, 4500F-C, 4500H+B, 4500NH3-H, 4500NO2B, 4500P-E, 4500 S<sup>2-</sup> D, 510C, 5210B, 5220D, 5310C, 5540C. Organic Parameters: EPA 608, 624, 625, 8081, 8082, 8151, 8260, 8270, 8330.)*

*Solid & Hazardous Waste (Inorganic Parameters: EPA 1311, 1312, 9012, 9014, 9040, 9045, 9050, 9065.)*

**Department of Defense Certificate/Lab ID: L2217.**


*Drinking Water (Inorganic Parameters: SM 4500H-B. Organic Parameters: EPA 524.2, 504.1.)*

*Non-Potable Water (Inorganic Parameters: EPA 200.7, 200.8, 6010B, 6020, 245.1, 245.2, 7470A, 9040B, 300.0, 9251, 9038, 350.1, 353.2, 351.1, 120.1, 9050A, 410.4, 9060, 1664, 420.1, LACHAT 10-107-06-1-B, SM 4500CN-E, 4500H-B, 4500CL-E, 4500F-BC, 4500SO4-E, 426C, 4500NH3-B, 4500NH3-H, 4500NO3-F, 4500NO2-B, 4500Norg-C, 4500PE, 2510B, 5540C, 5220D, 5310C, 2540B, 2540C, 2540D, 510C, 4500S2-AD, 3005A, 3015, 9010B, 9030B. Organic Parameters: EPA 8260B, 8270C, 8330, 625, 8082, 8151A, 8081A, 3510C, 5030B, MassDEP EPH, MassDEP VPH.)*

*Solid & Hazardous Waste (Inorganic Parameters: EPA 200.7, 6010B, 7471A, 9040B, 9045C, 9065, 420.1, 9012A, 6860, 1311, 1312, 3050B, 9030B, 3051, 9010B, 3540C, SM 510ABC, 4500CN-CE, 2540G, SW-846 7.3, Organic Parameters: EPA 8260B, 8270C, 8330, 8082, 8081A, 8151A, 3545, 3546, 3580, 5035, MassDEP EPH, MassDEP VPH.)*

**Analytes Not Accredited by NELAP**

Certification is not available by NELAP for the following analytes: **EPA 8260B:** Freon-113, 1,2,4,5-Tetramethylbenzene, 4-Ethyltoluene. **EPA 8330A:** PETN, Picric Acid, Nitroglycerine, 2,6-DANT, 2,4-DANT. **EPA 8270C:** Methyl naphthalene, Dimethyl naphthalene, Total Methylnaphthalenes, Total Dimethylnaphthalenes, 1,4-Diphenylhydrazine (Azobenzene). **EPA 625:** 4-Chloroaniline. **EPA 350.1** for Ammonia in a Soil matrix.



# CHAIN OF CUSTODY

PAGE 1 OF 1

WESTBORO, MA  
TEL: 508-898-9220  
FAX: 508-898-9193

MANSFIELD, MA  
TEL: 508-822-9300  
FAX: 508-822-3288

### Client Information

Client: **ERM**

Address: **399 Bealston St.,  
4th Floor Boston, MA**

Phone: **(617) 644-7800**

Fax: **(617) 267-6447**

Email: **jason.flattery@erm.com**

These samples have been previously analyzed by Alpha

Other Project Specific Requirements/Comments/Detection Limits:  
If MS is required, indicate in Sample Specific Comments which samples and what tests MS to be performed.  
(Note: All CAM methods for Inorganic analyses require MS every 20 soil samples)

### Project Information

Project Name: **Raytheon Wayland**

Project Location: **Wayland, MA**

Project #: **0114119**

Project Manager: **Jason Flattery**

ALPHA Quote #:

### Turn-Around Time

Standard  RUSH (only confirmed if pre-approved)

Date Due: \_\_\_\_\_ Time: \_\_\_\_\_

### Report Information - Data Deliverables

Date Rec'd in Lab: **10/7/10**

FAX  EMAIL

ADEX  Add'l Deliverables

### Billing Information

ALPHA Job #: **L1015738**

PO #: \_\_\_\_\_

### Regulatory Requirements/Report Limits

State/Fed Program: **MA MCP** Criteria: **GW-1**

**MA MCP PRESUMPTIVE CERTAINTY --- CT REASONABLE CONFIDENCE PROTO**

Yes  No Are MCP Analytical Methods Required?

Yes  No Is Matrix Spike (MS) Required on this SDG? (If yes see note in Comments)

Yes  No Are CT RCP (Reasonable Confidence Protocols) Required?

**ANALYSIS**  
**VOCs (8260B)**

**SAMPLE HANDLING**

Filtration \_\_\_\_\_

Done

Not needed

Lab to do

Lab to do

(Please specify below)

Sample Specific Comments

ALPHA Lab ID (Lab Use Only)	Sample ID	Collection		Sample Matrix	Sampler's Initials	Container Type Preservative	Date/Time	Received By:	Date/Time
		Date	Time						
15738.1	SEN-1M-20101007-01	10/7/10	18:15	GW	SMC	V	10/7/10 15:15	10/11/10 15:15	2
2	SEN-1D-201007-01	10/7/10	18:25	GW	SMC	B	10/7/10 15:20	10/11/10 15:20	2
3	DUP-006-20101007-01	10/7/10	24:00	GW	HEA	B	10/7/10 15:20	10/11/10 15:20	2
4	SEN-3-201007-01	10/7/10	10:00	GW	HEA	B	10/7/10 11:30	10/11/10 15:20	2
5	SEN-3M-20101007-01	10/7/10	12:20	GW	HEA	B	10/7/10 11:30	10/11/10 15:20	2
6	SEN-3D-20101007-01	10/7/10	11:30	GW	HEA	B	10/7/10 11:30	10/11/10 15:20	2

PLEASE ANSWER QUESTIONS ABOVE!

IS YOUR PROJECT  
MAMCP or CT RCP?

Relinquished By: *[Signature]*

Container Type: **V**

Preservative: **B**

Date/Time: **10/7/10 15:15**

Received By: *[Signature]*

Date/Time: **10/11/10 15:15**

Date/Time: **10/7/10 15:20**

Received By: *[Signature]*

Date/Time: **10/11/10 15:20**

Please print clearly, legibly and completely. Samples can not be logged in and turnaround time clock will not start until any ambiguities are resolved. All samples submitted are subject to Alpha's Terms and Conditions. See reverse side.

7A  
CONTINUING CALIBRATION CHECK

Lab Name: Alpha Analytical Labs

SDG No.: L1015738

Instrument ID: Jack.i                      Calibration Date: 11-OCT-2010    Time: 08:22

Lab File ID: 1011A01.D                      Init. Calib. Date(s): 05-OCT-2      05-OCT-2

Sample No: 8260 CCAL                      Init. Calib. Times    : 07:48                      11:34

Compound	RRF	RRF	MIN RRF	%D	MAX %D
dichlorodifluoromethane	.61712	.59869	.1	3	20
chloromethane	100	89.119	.1	11	20
vinyl chloride	.60439	.56112	.1	7	20
bromomethane	100	119	.1	-19	20
chloroethane	100	100	.1	0	20
trichlorofluoromethane	.93722	1.1833	.1	-26	20
ethyl ether	.20661	.22057	.05	-7	20
1,1,-dichloroethene	.51512	.62726	.1	-22	20
carbon disulfide	1.2385	1.3451	.1	-9	20
methylene chloride	.68985	.73442	.1	-6	20
acetone	.07828	.08645	.1	-10	20
trans-1,2-dichloroethene	.75292	.77528	.1	-3	20
methyl tert butyl ether	1.1898	1.0763	.1	10	20
Ethyl-Tert-Butyl-Ether	1.3857	1.3297	.05	4	20
Diisopropyl Ether	1.7079	1.5127	.01	11	20
1,1-dichloroethane	1.2551	1.3056	.2	-4	20
cis-1,2-dichloroethene	.80214	.84463	.1	-5	20
2,2-dichloropropane	.94869	1.0908	.05	-15	20
bromochloromethane	.34642	.36545	.05	-5	20
chloroform	1.2140	1.2939	.2	-7	20
carbontetrachloride	.95483	1.0582	.1	-11	20
tetrahydrofuran	.10877	.09525	.05	12	20
1,1,1-trichloroethane	1.0640	1.1757	.1	-11	20
Tertiary-Amyl Methyl Ether	1.2072	1.2057	.05	0	20
1,1-dichloropropene	.95913	1.0242	.05	-7	20
2-butanone	.12768	.134	.1	-5	20
benzene	2.864	3.0152	.5	-5	20
1,2-dichloroethane	.6711	.70071	.1	-4	20
trichloroethene	.74779	.79678	.2	-7	20
dibromomethane	.35609	.33217	.05	7	20
1,2-dichloropropane	.68747	.66489	.1	3	20
bromodichloromethane	.80321	.87561	.2	-9	20
1,4-dioxane	.00261	.00325	.05	-25	20
cis-1,3-dichloropropene	.92257	.90933	.2	1	20
toluene	2.2733	2.3540	.4	-4	20
tetrachloroethene	1.1213	1.2487	.2	-11	20
4-methyl-2-pentanone	.11685	.10618	.1	9	20
trans-1,3-dichloropropene	.8567	.91325	.1	-7	20

FORM VII MCP-8260-10

7A  
CONTINUING CALIBRATION CHECK

Lab Name: Alpha Analytical Labs

SDG No.: L1015738

Instrument ID: Jack.i                      Calibration Date: 11-OCT-2010    Time: 08:22

Lab File ID: 1011A01.D                      Init. Calib. Date(s): 05-OCT-2      05-OCT-2

Sample No: 8260 CCAL                      Init. Calib. Times    : 07:48                      11:34

Compound	RRF	RRF	MIN RRF	%D	MAX %D
1,1,2-trichloroethane	.44519	.46903	.1	-5	20
chlorodibromomethane	.68379	.7166	.1	-5	20
1,3-dichloropropane	.93597	.93832	.05	0	20
1,2-dibromoethane	.53241	.53162	.1	0	20
2-hexanone	.21918	.20766	.1	5	20
chlorobenzene	2.5429	2.5891	.5	-2	20
ethyl benzene	4.2068	4.6109	.1	-10	20
1,1,1,2-tetrachloroethane	.7917	.89093	.05	-13	20
p/m xylene	1.6839	1.8984	.1	-13	20
o xylene	1.5740	1.7384	.3	-10	20
styrene	2.6594	2.7724	.3	-4	20
bromoform	.68407	.72064	.1	-5	20
isopropylbenzene	4.0710	4.6508	.1	-14	20
bromobenzene	1.8486	1.9627	.05	-6	20
n-propylbenzene	7.5749	8.6976	.05	-15	20
1,1,2,2,-tetrachloroethane	.95122	1.0109	.3	-6	20
2-chlorotoluene	5.3195	5.7666	.05	-8	20
1,2,3-trichloropropane	.75876	.79201	.05	-4	20
1,3,5-trimethylbenzene	5.3641	6.0189	.05	-12	20
4-chorotoluene	4.7624	5.1947	.05	-9	20
tert-butylbenzene	4.5597	5.3828	.05	-18	20
1,2,4-trimethylbenzene	5.436	6.1176	.05	-13	20
sec-butylbenzene	6.2797	7.341	.01	-17	20
p-isopropyltoluene	5.4602	6.4887	.05	-19	20
1,3-dichlorobenzene	3.5486	3.8249	.6	-8	20
1,4-dichlorobenzene	3.5049	3.7875	.5	-8	20
n-butylbenzene	4.0502	4.9145	.05	-21	20
1,2-dichlorobenzene	3.1071	3.3583	.4	-8	20
1,2-dibromo-3-chloropropane	.12483	.13432	.05	-8	20
hexachlorobutadiene	.71831	.85563	.05	-19	20
1,2,4-trichlorobenzene	1.6561	1.7201	.2	-4	20
naphthalene	100	95.948	.05	4	20
1,2,3-trichlorobenzene	1.3009	1.3095	.05	-1	20
dibromofluoromethane	.25944	.27469	.05	-6	20
1,2-dichloroethane-d4	.23246	.22167	.05	5	20
toluene-d8	1.2443	1.2499	.01	0	20
4-bromofluorobenzene	.7302	.71889	.05	2	20

F

FORM VII MCP-8260-10