Environmental Resources Management

399 Boylston Street, 6th Floor Boston, MA 02116 (617) 646-7800 (617) 267-6447 (fax)

http://www.erm.com



25 April 2011 Reference: 0131386

Mr. Tim Skehan c/o Russell's Garden Center 397 Boston Post Road Wayland, MA 01778

RE: Transmittal of Groundwater Analytical Data Former Raytheon Facility 430 Boston Post Road, Wayland, Massachusetts

Dear Mr. Skehan:

On behalf of Raytheon Company (Raytheon), Environmental Resources Management (ERM) is submitting the results of groundwater sample analyses related to the Former Raytheon Facility located at 430 Boston Post Road in Wayland, Massachusetts (Site). These results are submitted pursuant to 310 CMR 40.1403(10) of the Massachusetts Contingency Plan (MCP).

ERM collected groundwater samples from the irrigation well within the boundaries of your property was sampled on 7 April 2011, and submitted for laboratory analysis of volatile organic compounds by US EPA Method 8260B. Sample analysis was conducted by Alpha Analytical, Inc. of Westborough, Massachusetts. These analytical data will be provided to the Massachusetts Department of Environmental Protection in the next required MCP submittal.

Raytheon has implemented the Public Involvement Process in accordance with 310 CMR 40.1405. Documents pertaining to the Site can be found at the Board of Health, the Wayland Public Library Public Involvement Plan files, or at www.ermne.com (username = raytheon, password = wayland).

If you have any questions or comments, please contact the undersigned at (617) 646-7800 or Jonathan Hone, Raytheon Company, at (978) 436-8238.

Sincerely,

John C. Drobinski, P.G., LSP

Principal-in-Charge

Jason D. Flattery, P.E. *Project Manager*

enclosures: BWSC-123 - Notice of Environmental Sampling

Laboratory analytical reports

cc: Jonathan Hone, Raytheon Company

Louis Burkhardt, Raytheon Company Ben Gould, CMG Environmental

PIP Repositories

NOTICE OF ENVIRONMENTAL SAMPLING



As required by 310 CMR 40.1403(10) of the Massachusetts Contingency Plan

BWSC 123

This Notice is Related to Release Tracking Number

\sim	
.)	
\sim	

13302

A. The address of the disposal site related to this Notice and Release Tracking Number (provided above):
1. Street Address: 430 Boston Post Road
City/Town: Wayland Zip Code: 01778
B. This notice is being provided to the following party:
1. Name: Russell's Garden Center
2. Street Address: 397 Boston Post Road
City/Town: Wayland Zip Code: 02903
C. This notice is being given to inform its recipient (the party listed in Section B):
1. That environmental sampling will be/has been conducted at property owned by the recipient of this notice.
2. Of the results of environmental sampling conducted at property owned by the recipient of this notice.
3. Check to indicate if the analytical results are attached. (If item 2. above is checked, the analytical results from the environmental sampling must be attached to this notice.)
D. Location of the property where the environmental sampling will be/has been conducted:
1. Street Address: 430 Boston Post Road
City/Town: Wayland Zip Code: 01778
2. MCP phase of work during which the sampling will be/has been conducted:
☐ Immediate Response Action ☐ Release Abatement Measure ☐ Utility-related Abatement Measure ☐ Phase I Initial Site Investigation ☐ Phase II Comprehensive Site Assessment ☐ Phase III Feasibility Evaluation ☐ Phase IV Remedy Implementation Plan ☐ Phase V/Remedy Operation Status ☐ Post-Class C Operation, Maintenance and Monitoring ☐ Other ☐ (specify)
3. Description of property where sampling will be/has been conducted:
☐ residential ☐ commerical ☑ industrial ☐ school/playground ☐ Other
(specify) 4. Description of the sampling locations and types (e.g., soil, groundwater) to the extent known at the time of this notice.
Collection of groundwater samples from existing monitoring wells.
E. Contact information related to the party providing this notice: Contact Name: Louis J. Burkhardt
Street Address: 880 Technology Park Drive, T-3033
City/Town: Billerica Zip Code: 01821
Telephone: (978) 436-8238 Email: louis_j_burkhardt@raytheon.com

NOTICE OF ENVIRONMENTAL SAMPLING

As required by 310 CMR 40.1403(10) of the Massachusetts Contingency Plan

MASSACHUSETTS REGULATIONS THAT REQUIRE THIS NOTICE

This notice is being provided pursuant to the Massachusetts Contingency Plan and the notification requirement at 310 CMR 40.1403(10). The Massachusetts Contingency Plan is a state regulation that specifies requirements for parties who are taking actions to address releases of chemicals (oil or hazardous material) to the environment.

THE PERSON(S) PROVIDING THIS NOTICE

This notice has been sent to you by the party who is addressing a release of oil or hazardous material to the environment at the location listed in **Section A** on the reverse side of this form. (The regulations refer to the area where the oil or hazardous material is present as the "disposal site".)

PURPOSE OF THIS NOTICE

When environmental samples are taken as part of an investigation under the Massachusetts Contingency Plan at a property on behalf of someone other than the owner of the property, the regulations require that the property owner (listed in **Section B** on the reverse side of this form) be given notice of the environmental sampling. The regulations also require that the property owner subsequently receive the analytical results following the analysis of the environmental samples.

Section C on the reverse side of this form indicates the circumstance under which you are receiving this notice at this time. If you are receiving this notice to inform you of the analytical results following the analysis of the environmental samples, you should also have received, as an attachment, a copy of analytical results. These results should indicate the number and type(s) of samples (e.g., soil, groundwater) analyzed, any chemicals identified, and the measured concentrations of those chemicals.

Section D on the reverse side of this form identifies the property where the environmental sampling will be/has been conducted, provides a description of the sampling locations within the property, and indicates the phase of work under the Massachusetts Contingency Plan regulatory process during which the samples will be/were collected.

FOR MORE INFORMATION

Information about the general process for addressing releases of oil or hazardous material under the Massachusetts Contingency Plan and related public involvement opportunities may be found at http://www.mass.gov/dep/cleanup/oview.htm. For more information regarding this notice, you may contact the party listed in **Section E** on the reverse side of this form. Information about the disposal site identified in Section A is also available in files at the Massachusetts Department of Environmental Protection. See http://mass.gov/dep/about/region/schedule.htm if you would like to make an appointment to see these files. Please reference the **Release Tracking Number** listed in the upper right hand corner on the reverse side of this form when making file review appointments.



ANALYTICAL REPORT

Lab Number: L1104712

Client: ERM Consulting & Engineering, Inc.

399 Boylston Street

6th Floor

Boston, MA 02116

ATTN: Jason Flattery Phone: (617) 646-7816

Project Name: RAYTHEON WAYLAND

Project Number: 0131386.01

Report Date: 04/15/11

The original project report/data package is held by Alpha Analytical. This report/data package is paginated and should be reproduced only in its entirety. Alpha Analytical holds no responsibility for results and/or data that are not consistent with the original.

Certifications & Approvals: MA (M-MA086), NY NELAC (11148), CT (PH-0574), NH (2003), NJ (MA935), RI (LAO00065), ME (MA0086), PA (Registration #68-03671), USDA (Permit #S-72578), US Army Corps of Engineers, Naval FESC.

Eight Walkup Drive, Westborough, MA 01581-1019 508-898-9220 (Fax) 508-898-9193 800-624-9220 - www.alphalab.com



Project Name:RAYTHEON WAYLANDLab Number:L1104712

Project Number: 0131386.01 **Report Date:** 04/15/11

Alpha Sample Collection
Sample ID Client ID Coation Date/Time

L1104712-01 RUSSWELL-2011040-01 WAYLAND, MA 04/07/11 08:40

Project Number: 0131386.01 **Report Date:** 04/15/11

MADEP MCP Response Action Analytical Report Certification

This form provides certifications for all samples performed by MCP methods. Please refer to the Sample Results and Container Information sections of this report for specification of MCP methods used for each analysis. The following questions pertain only to MCP Analytical Methods.

An af	firmative response to questions A through F is required for "Presumptive Certainty" status	
Α	Were all samples received in a condition consistent with those described on the Chain-of-Custody, properly preserved (including temperature) in the field or laboratory, and prepared/analyzed within method holding times?	NO
В	Were the analytical method(s) and all associated QC requirements specified in the selected CAM protocol(s) followed?	YES
С	Were all required corrective actions and analytical response actions specified in the selected CAM protocol(s) implemented for all identified performance standard non-conformances?	YES
D	Does the laboratory report comply with all the reporting requirements specified in CAM VII A, "Quality Assurance and Quality Control Guidelines for the Acquisition and Reporting of Analytical Data?"	YES
E a.	VPH, EPH, and APH Methods only: Was each method conducted without significant modification(s)? (Refer to the individual method(s) for a list of significant modifications).	N/A
Eb.	APH and TO-15 Methods only: Was the complete analyte list reported for each method?	N/A
F	Were all applicable CAM protocol QC and performance standard non-conformances identified and evaluated in a laboratory narrative (including all "No" responses to Questions A through E)?	YES

A res	sponse to questions G, H and I is required for "Presumptive Certainty" status	
G	Were the reporting limits at or below all CAM reporting limits specified in the selected CAM protocol(s)?	NO
Н	Were all QC performance standards specified in the CAM protocol(s) achieved?	NO
I	Were results reported for the complete analyte list specified in the selected CAM protocol(s)?	YES

For any questions answered "No", please refer to the case narrative section on the following page(s).

Please note that sample matrix information is located in the Sample Results section of this report.



Project Name:RAYTHEON WAYLANDLab Number:L1104712Project Number:0131386.01Report Date:04/15/11

Case Narrative

The samples were received in accordance with the Chain of Custody and no significant deviations were encountered during the preparation or analysis unless otherwise noted. Sample Receipt, Container Information, and the Chain of Custody are located at the back of the report.

Results contained within this report relate only to the samples submitted under this Alpha Lab Number and meet all of the requirements of NELAC, for all NELAC accredited parameters. The data presented in this report is organized by parameter (i.e. VOC, SVOC, etc.). Sample specific Quality Control data (i.e. Surrogate Spike Recovery) is reported at the end of the target analyte list for each individual sample, followed by the Laboratory Batch Quality Control at the end of each parameter. If a sample was re-analyzed or re-extracted due to a required quality control corrective action and if both sets of data are reported, the Laboratory ID of the re-analysis or re-extraction is designated with an "R" or "RE", respectively. When multiple Batch Quality Control elements are reported (e.g. more than one LCS), the associated samples for each element are noted in the grey shaded header line of each data table. Any Laboratory Batch, Sample Specific % recovery or RPD value that is outside the listed Acceptance Criteria is bolded in the report. Definitions of all data qualifiers and acronyms used in this report are provided in the Glossary located at the back of the report.

Please see the associated ADEx data file for a comparison of laboratory reporting limits that were achieved with the regulatory Numerical Standards requested on the Chain of Custody.

 additional innonnation,	produce contact chom co		

For additional information, please contact Client Services at 800-624-9220

MCP Related Narratives

Report Submission

In reference to question A:

Air bubbles were present in the sample containers. The laboratory proceeded with the analysis with the client's authorization.

Volatile Organics

In reference to question G:

One or more of the target analytes did not achieve the requested CAM reporting limits.

In reference to question H:

The WG463009-1/-2 LCS/LCSD recoveries, associated with L1104712-01, are below the acceptance criteria



Project Name:RAYTHEON WAYLANDLab Number:L1104712Project Number:0131386.01Report Date:04/15/11

Case Narrative (continued)

for Chloromethane (54%/56%), Bromomethane (60%/63%) and Dichlorodifluoromethane (52%/46%); however, they have been identified as "difficult" analytes and are within the 40-160% acceptance limits. The results of the associated sample are reported; however, all results are considered to have a potentially low bias for these compounds.

The WG463009-1 LCS recovery, associated with L1104712-01, is above the individual acceptance criteria for 1,2,3-Trichlorobenzene (137%), but within the overall method allowances. The results of the associated sample are reported; however, all positive detects are considered to have a potentially high bias for this compound.

The initial calibration, associated with L1104712-01, did not meet the method required minimum response factors on the lowest calibration standards for 1,4-Dioxane (0.00222), as well as the average response factor for 1,4-Dioxane. In addition, a quadratic fit was utilized for Bromomethane.

The continuing calibration standard, associated with L1104712-01, is outside the acceptance criteria for several compounds; however, it is within overall method allowances. A copy of the continuing calibration standard is included as an addendum to this report.

I, the undersigned, attest under the pains and penalties of perjury that, to the best of my knowledge and belief and based upon my personal inquiry of those responsible for providing the information contained in this analytical report, such information is accurate and complete. This certificate of analysis is not complete unless this page accompanies any and all pages of this report.

Michelle M. Morris

Authorized Signature:

Title: Technical Director/Representative

Date: 04/15/11



ORGANICS



VOLATILES



Project Name: RAYTHEON WAYLAND Lab Number: L1104712

Project Number: 0131386.01 **Report Date:** 04/15/11

SAMPLE RESULTS

Lab ID: L1104712-01 Date Collected: 04/07/11 08:40

Client ID: RUSSWELL-2011040-01 Date Received: 04/08/11 Sample Location: WAYLAND, MA Field Prep: Not Specified

Matrix: Water
Analytical Method: 97,8260B
Analytical Date: 04/14/11 19:07

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
MCP Volatile Organics - Westboroug	h Lab					
Methylene chloride	ND		ug/l	2.0		1
1,1-Dichloroethane	ND		ug/l	1.0		1
Chloroform	ND		ug/l	1.0		1
Carbon tetrachloride	ND		ug/l	1.0		1
1,2-Dichloropropane	ND		ug/l	1.0		1
Dibromochloromethane	ND		ug/l	1.0		1
1,1,2-Trichloroethane	ND		ug/l	1.0		1
Tetrachloroethene	ND		ug/l	1.0		1
Chlorobenzene	ND		ug/l	1.0		1
Trichlorofluoromethane	ND		ug/l	2.0		1
1,2-Dichloroethane	ND		ug/l	1.0		1
1,1,1-Trichloroethane	ND		ug/l	1.0		1
Bromodichloromethane	ND		ug/l	1.0		1
trans-1,3-Dichloropropene	ND		ug/l	0.50		1
cis-1,3-Dichloropropene	ND		ug/l	0.50		1
1,1-Dichloropropene	ND		ug/l	2.0		1
Bromoform	ND		ug/l	2.0		1
1,1,2,2-Tetrachloroethane	ND		ug/l	1.0		1
Benzene	ND		ug/l	1.0		1
Toluene	ND		ug/l	1.0		1
Ethylbenzene	ND		ug/l	1.0		1
Chloromethane	ND		ug/l	2.0		1
Bromomethane	ND		ug/l	2.0		1
Vinyl chloride	ND		ug/l	1.0		1
Chloroethane	ND		ug/l	2.0		1
1,1-Dichloroethene	ND		ug/l	1.0		1
trans-1,2-Dichloroethene	ND		ug/l	1.0		1
Trichloroethene	ND		ug/l	1.0		1
1,2-Dichlorobenzene	ND		ug/l	1.0		1
1,3-Dichlorobenzene	ND		ug/l	1.0		1
1,4-Dichlorobenzene	ND		ug/l	1.0		1



Not Specified

Project Name: Lab Number: RAYTHEON WAYLAND L1104712

Project Number: Report Date: 0131386.01 04/15/11

SAMPLE RESULTS

04/07/11 08:40 Lab ID: L1104712-01 Date Collected:

Client ID: RUSSWELL-2011040-01 Date Received: 04/08/11 Field Prep:

Sample Location: WAYLAND, MA

7777 E 1172, 1177			1 101	а г тор.	1101	Opcomod
Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
MCP Volatile Organics - Westborough Lab						
Methyl tert butyl ether	ND		ug/l	2.0		1
p/m-Xylene	ND		ug/l	2.0		1
o-Xylene	ND		ug/l	1.0		1
cis-1,2-Dichloroethene	ND		ug/l	1.0		1
Dibromomethane	ND		ug/l	2.0		1
1,2,3-Trichloropropane	ND		ug/l	2.0		1
Styrene	ND		ug/l	1.0		1
Dichlorodifluoromethane	ND		ug/l	2.0		1
Acetone	ND		ug/l	5.0		1
Carbon disulfide	ND		ug/l	2.0		1
2-Butanone	ND		ug/l	5.0		1
4-Methyl-2-pentanone	ND		ug/l	5.0		1
2-Hexanone	ND		ug/l	5.0		1
Bromochloromethane	ND		ug/l	2.0		1
Tetrahydrofuran	ND		ug/l	5.0		1
2,2-Dichloropropane	ND		ug/l	2.0		1
1,2-Dibromoethane	ND		ug/l	2.0		1
1,3-Dichloropropane	ND		ug/l	2.0		1
1,1,1,2-Tetrachloroethane	ND		ug/l	1.0		1
Bromobenzene	ND		ug/l	2.0		1
n-Butylbenzene	ND		ug/l	2.0		1
sec-Butylbenzene	ND		ug/l	2.0		1
tert-Butylbenzene	ND		ug/l	2.0		1
o-Chlorotoluene	ND		ug/l	2.0		1
p-Chlorotoluene	ND		ug/l	2.0		1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.0		1
Hexachlorobutadiene	ND		ug/l	0.60		1
Isopropylbenzene	ND		ug/l	2.0		1
p-Isopropyltoluene	ND		ug/l	2.0		1
Naphthalene	ND		ug/l	2.0		1
n-Propylbenzene	ND		ug/l	2.0		1
1,2,3-Trichlorobenzene	ND		ug/l	2.0		1
1,2,4-Trichlorobenzene	ND		ug/l	2.0		1
1,3,5-Trimethylbenzene	ND		ug/l	2.0		1
1,2,4-Trimethylbenzene	ND		ug/l	2.0		1
Ethyl ether	ND		ug/l	2.0		1
Isopropyl Ether	ND		ug/l	2.0		1
Ethyl-Tert-Butyl-Ether	ND		ug/l	2.0		1
Tertiary-Amyl Methyl Ether	ND		ug/l	2.0		1



Project Name: Lab Number: RAYTHEON WAYLAND L1104712

Project Number: 0131386.01 **Report Date:** 04/15/11

SAMPLE RESULTS

Lab ID: Date Collected: 04/07/11 08:40 L1104712-01

Client ID: RUSSWELL-2011040-01 Date Received: 04/08/11

Sample Location: WAYLAND, MA Field Prep: Not Specified

Parameter Result Qualifier Units RL MDL **Dilution Factor**

MCP Volatile Organics - Westborough Lab

ND 1,4-Dioxane ug/l 250 1

Acceptance Criteria Surrogate % Recovery Qualifier 1,2-Dichloroethane-d4 109 70-130 Toluene-d8 101 70-130 4-Bromofluorobenzene 85 70-130 Dibromofluoromethane 105 70-130



Project Number: 0131386.01 **Report Date:** 04/15/11

Method Blank Analysis Batch Quality Control

Analytical Method: 97,8260B Analytical Date: 04/14/11 09:12

arameter	Result	Qualifier	Units	RL	MDL
CP Volatile Organics - We	stborough Lab for sa	mple(s): 0	1 Batch:	WG463009-3	
Methylene chloride	ND		ug/l	2.0	
1,1-Dichloroethane	ND		ug/l	1.0	
Chloroform	ND		ug/l	1.0	
Carbon tetrachloride	ND		ug/l	1.0	
1,2-Dichloropropane	ND		ug/l	1.0	
Dibromochloromethane	ND		ug/l	1.0	
1,1,2-Trichloroethane	ND		ug/l	1.0	
Tetrachloroethene	ND		ug/l	1.0	
Chlorobenzene	ND		ug/l	1.0	
Trichlorofluoromethane	ND		ug/l	2.0	
1,2-Dichloroethane	ND		ug/l	1.0	
1,1,1-Trichloroethane	ND		ug/l	1.0	
Bromodichloromethane	ND		ug/l	1.0	
trans-1,3-Dichloropropene	ND		ug/l	0.50	
cis-1,3-Dichloropropene	ND		ug/l	0.50	
1,1-Dichloropropene	ND		ug/l	2.0	
Bromoform	ND		ug/l	2.0	
1,1,2,2-Tetrachloroethane	ND		ug/l	1.0	
Benzene	ND		ug/l	1.0	
Toluene	ND		ug/l	1.0	
Ethylbenzene	ND		ug/l	1.0	
Chloromethane	ND		ug/l	2.0	
Bromomethane	ND		ug/l	2.0	
Vinyl chloride	ND		ug/l	1.0	
Chloroethane	ND		ug/l	2.0	
1,1-Dichloroethene	ND		ug/l	1.0	
trans-1,2-Dichloroethene	ND		ug/l	1.0	
Trichloroethene	ND		ug/l	1.0	
1,2-Dichlorobenzene	ND		ug/l	1.0	
1,3-Dichlorobenzene	ND		ug/l	1.0	
1,4-Dichlorobenzene	ND		ug/l	1.0	



Project Number: 0131386.01 **Report Date:** 04/15/11

Method Blank Analysis Batch Quality Control

Analytical Method: 97,8260B Analytical Date: 04/14/11 09:12

Parameter	Result	Qualifier		Units	RL	MDL
MCP Volatile Organics -	- Westborough Lab for s	sample(s):	01	Batch:	WG463009-3	
Methyl tert butyl ether	ND			ug/l	2.0	
p/m-Xylene	ND			ug/l	2.0	
o-Xylene	ND			ug/l	1.0	
cis-1,2-Dichloroethene	ND			ug/l	1.0	
Dibromomethane	ND			ug/l	2.0	
1,2,3-Trichloropropane	ND			ug/l	2.0	
Styrene	ND			ug/l	1.0	
Dichlorodifluoromethane	ND			ug/l	2.0	
Acetone	ND			ug/l	5.0	
Carbon disulfide	ND			ug/l	2.0	
2-Butanone	ND			ug/l	5.0	
4-Methyl-2-pentanone	ND			ug/l	5.0	
2-Hexanone	ND			ug/l	5.0	
Bromochloromethane	ND			ug/l	2.0	
Tetrahydrofuran	ND			ug/l	5.0	
2,2-Dichloropropane	ND			ug/l	2.0	
1,2-Dibromoethane	ND			ug/l	2.0	
1,3-Dichloropropane	ND			ug/l	2.0	
1,1,1,2-Tetrachloroethane	ND			ug/l	1.0	
Bromobenzene	ND			ug/l	2.0	
n-Butylbenzene	ND			ug/l	2.0	
sec-Butylbenzene	ND			ug/l	2.0	
tert-Butylbenzene	ND			ug/l	2.0	
o-Chlorotoluene	ND			ug/l	2.0	
p-Chlorotoluene	ND			ug/l	2.0	
1,2-Dibromo-3-chloropropa	nne ND			ug/l	2.0	
Hexachlorobutadiene	ND			ug/l	0.60	
Isopropylbenzene	ND			ug/l	2.0	
p-Isopropyltoluene	ND			ug/l	2.0	
Naphthalene	ND			ug/l	2.0	
n-Propylbenzene	ND			ug/l	2.0	



Project Number: 0131386.01 **Report Date:** 04/15/11

Method Blank Analysis Batch Quality Control

Analytical Method: 97,8260B Analytical Date: 04/14/11 09:12

arameter	Result	Qualifier	Units	RL	MDL
ICP Volatile Organics - Westh	orough Lab for	sample(s): 01	Batch:	WG463009-3	
1,2,3-Trichlorobenzene	ND		ug/l	2.0	
1,2,4-Trichlorobenzene	ND		ug/l	2.0	
1,3,5-Trimethylbenzene	ND		ug/l	2.0	
1,2,4-Trimethylbenzene	ND		ug/l	2.0	
Ethyl ether	ND		ug/l	2.0	
Isopropyl Ether	ND		ug/l	2.0	
Ethyl-Tert-Butyl-Ether	ND		ug/l	2.0	
Tertiary-Amyl Methyl Ether	ND		ug/l	2.0	
1,4-Dioxane	ND		ug/l	250	

		Acceptance		
Surrogate	%Recovery	Qualifier	Criteria	
1,2-Dichloroethane-d4	108		70-130	
Toluene-d8	100		70-130	
4-Bromofluorobenzene	85		70-130	
Dibromofluoromethane	104		70-130	



Project Name: RAYTHEON WAYLAND

Project Number: 0131386.01

Lab Number: L1104712

arameter	LCS %Recovery	Qual	LCSD %Recovery	%Recovery Qual Limits	RPD	Qual	RPD Limits
ACP Volatile Organics - Westborough Lab A	Associated samp	le(s): 01	Batch: WG4630	009-1 WG463009-2			
Methylene chloride	101		90	70-130	12		20
1,1-Dichloroethane	100		88	70-130	13		20
Chloroform	105		94	70-130	11		20
Carbon tetrachloride	103		95	70-130	8		20
1,2-Dichloropropane	103		92	70-130	11		20
Dibromochloromethane	104		95	70-130	9		20
1,1,2-Trichloroethane	98		92	70-130	6		20
Tetrachloroethene	112		100	70-130	11		20
Chlorobenzene	103		92	70-130	11		20
Trichlorofluoromethane	125		110	70-130	13		20
1,2-Dichloroethane	108		98	70-130	10		20
1,1,1-Trichloroethane	93		85	70-130	9		20
Bromodichloromethane	103		91	70-130	12		20
trans-1,3-Dichloropropene	84		76	70-130	10		20
cis-1,3-Dichloropropene	89		79	70-130	12		20
1,1-Dichloropropene	98		85	70-130	14		20
Bromoform	103		97	70-130	6		20
1,1,2,2-Tetrachloroethane	87		82	70-130	6		20
Benzene	102		91	70-130	11		20
Toluene	97		88	70-130	10		20
Ethylbenzene	106		96	70-130	10		20

Project Name: RAYTHEON WAYLAND

Project Number: 0131386.01

Lab Number: L1104712

arameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
ACP Volatile Organics - Westborough Lab A	ssociated samp	ole(s): 01	Batch: WG4630	009-1 W	G463009-2			
Chloromethane	54	Q	56	Q	70-130	4		20
Bromomethane	60	Q	63	Q	70-130	5		20
Vinyl chloride	116		106		70-130	9		20
Chloroethane	110		100		70-130	10		20
1,1-Dichloroethene	91		83		70-130	9		20
trans-1,2-Dichloroethene	96		85		70-130	12		20
Trichloroethene	103		91		70-130	12		20
1,2-Dichlorobenzene	104		95		70-130	9		20
1,3-Dichlorobenzene	104		94		70-130	10		20
1,4-Dichlorobenzene	107		97		70-130	10		20
Methyl tert butyl ether	84		82		70-130	2		20
p/m-Xylene	110		100		70-130	10		20
o-Xylene	110		103		70-130	7		20
cis-1,2-Dichloroethene	106		94		70-130	12		20
Dibromomethane	108		99		70-130	9		20
1,2,3-Trichloropropane	85		79		70-130	7		20
Styrene	114		105		70-130	8		20
Dichlorodifluoromethane	52	Q	46	Q	70-130	12		20
Acetone	97		96		70-130	1		20
Carbon disulfide	83		76		70-130	9		20
2-Butanone	94		92		70-130	2		20



Project Name: RAYTHEON WAYLAND

Project Number: 0131386.01

Lab Number: L1104712

nrameter	LCS %Recovery	Qual	LCSD %Recovery	%Recovery Qual Limits	RPD	Qual	RPD Limits
CP Volatile Organics - Westborough Lab	Associated samp	ole(s): 01	Batch: WG4630	009-1 WG463009-2			
4-Methyl-2-pentanone	87		86	70-130	1		20
2-Hexanone	88		89	70-130	1		20
Bromochloromethane	116		102	70-130	13		20
Tetrahydrofuran	101		101	70-130	0		20
2,2-Dichloropropane	99		93	70-130	6		20
1,2-Dibromoethane	93		86	70-130	8		20
1,3-Dichloropropane	98		90	70-130	9		20
1,1,1,2-Tetrachloroethane	108		96	70-130	12		20
Bromobenzene	103		92	70-130	11		20
n-Butylbenzene	105		92	70-130	13		20
sec-Butylbenzene	97		85	70-130	13		20
tert-Butylbenzene	98		87	70-130	12		20
o-Chlorotoluene	96		84	70-130	13		20
p-Chlorotoluene	95		86	70-130	10		20
1,2-Dibromo-3-chloropropane	119		114	70-130	4		20
Hexachlorobutadiene	119		100	70-130	17		20
Isopropylbenzene	107		97	70-130	10		20
p-Isopropyltoluene	107		94	70-130	13		20
Naphthalene	116		110	70-130	5		20
n-Propylbenzene	96		85	70-130	12		20
1,2,3-Trichlorobenzene	137	Q	126	70-130	8		20



Project Name: RAYTHEON WAYLAND

Project Number: 0131386.01

Lab Number: L1104712

arameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
MCP Volatile Organics - Westborough Lab	Associated samp	le(s): 01	Batch: WG463	009-1 W	G463009-2			
1,2,4-Trichlorobenzene	130		116		70-130	11		20
1,3,5-Trimethylbenzene	103		90		70-130	13		20
1,2,4-Trimethylbenzene	106		94		70-130	12		20
Ethyl ether	92		90		70-130	2		20
Isopropyl Ether	89		87		70-130	2		20
Ethyl-Tert-Butyl-Ether	93		87		70-130	7		20
Tertiary-Amyl Methyl Ether	91		89		70-130	2		20
1,4-Dioxane	105		108		70-130	3		20

0	LCS	0	LCSD	0	Acceptance Criteria	
Surrogate	%Recovery	Qual	%Recovery	Qual	Criteria	
1,2-Dichloroethane-d4	104		107		70-130	
Toluene-d8	100		99		70-130	
4-Bromofluorobenzene	85		84		70-130	
Dibromofluoromethane	107		105		70-130	



Project Name: RAYTHEON WAYLAND Lab Number: L1104712

Project Number: 0131386.01 **Report Date:** 04/15/11

Sample Receipt and Container Information

Were project specific reporting limits specified?

Reagent H2O Preserved Vials Frozen on: NA

Cooler Information Custody Seal

Cooler

A Absent

Container Info	ormation			Temp			
Container ID	Container Type	Cooler	рН	deg C	Pres	Seal	Analysis(*)
L1104712-01A	Vial HCl preserved	Α	N/A	2	Υ	Absent	MCP-8260-10(14)
L1104712-01B	Vial HCI preserved	Α	N/A	2	Υ	Absent	MCP-8260-10(14)



Project Name:RAYTHEON WAYLANDLab Number:L1104712Project Number:0131386.01Report Date:04/15/11

GLOSSARY

Acronyms

EPA - Environmental Protection Agency.

LCS - Laboratory Control Sample: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.

LCSD · Laboratory Control Sample Duplicate: Refer to LCS.

MDL • Method Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The MDL includes any adjustments from dilutions, concentrations or moisture content, where applicable.

MS • Matrix Spike Sample: A sample prepared by adding a known mass of target analyte to a specified amount of matrix sample for which an independent estimate of target analyte concentration is available.

MSD · Matrix Spike Sample Duplicate: Refer to MS.

NA · Not Applicable.

NC • Not Calculated: Term is utilized when one or more of the results utilized in the calculation are non-detect at the parameter's reporting unit.

NI · Not Ignitable.

RL • Reporting Limit: The value at which an instrument can accurately measure an analyte at a specific concentration. The RL includes any adjustments from dilutions, concentrations or moisture content, where applicable.

RPD - Relative Percent Difference: The results from matrix and/or matrix spike duplicates are primarily designed to assess the precision of analytical results in a given matrix and are expressed as relative percent difference (RPD). Values which are less than five times the reporting limit for any individual parameter are evaluated by utilizing the absolute difference between the values; although the RPD value will be provided in the report.

Terms

Analytical Method: Both the document from which the method originates and the analytical reference method. (Example: EPA 8260B is shown as 1,8260B.) The codes for the reference method documents are provided in the References section of the Addendum.

Data Qualifiers

- A Spectra identified as "Aldol Condensation Product".
- The analyte was detected above the reporting limit in the associated method blank. Flag only applies to associated field samples that have detectable concentrations of the analyte at less than five times (5x) the concentration found in the blank. For MCP-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For DOD-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank AND the analyte was detected above one-half the reporting limit (or above the reporting limit for common lab contaminants) in the associated method blank.
- Concentration of analyte was quantified from diluted analysis. Flag only applies to field samples that have detectable concentrations of the analyte.
- ${\bf E} \qquad \hbox{-Concentration of analyte exceeds the range of the calibration curve and/or linear range of the instrument.}$
- G The concentration may be biased high due to matrix interferences (i.e, co-elution) with non-target compound(s). The result should be considered estimated.
- H -The analysis of pH was performed beyond the regulatory-required holding time of 15 minutes from the time of sample collection.
- The RPD between the results for the two columns exceeds the method-specified criteria; however, the lower value has been reported due to obvious interference.
- P The RPD between the results for the two columns exceeds the method-specified criteria.
- The quality control sample exceeds the associated acceptance criteria. Note: This flag is not applicable for matrix spike recoveries when the sample concentration is greater than 4x the spike added or for batch duplicate RPD when

Report Format: Data Usability Report



Project Name:RAYTHEON WAYLANDLab Number:L1104712Project Number:0131386.01Report Date:04/15/11

Data Qualifiers

the sample concentrations are less than 5x the RL. (Metals only.)

R - Analytical results are from sample re-analysis.

RE - Analytical results are from sample re-extraction.

J Estimated value. This represents an estimated concentration for Tentatively Identified Compounds (TICs).

ND • Not detected at the reporting limit (RL) for the sample.

Report Format: Data Usability Report



Project Name:RAYTHEON WAYLANDLab Number:L1104712Project Number:0131386.01Report Date:04/15/11

REFERENCES

97 EPA Test Methods (SW-846) with QC Requirements & Performance Standards for the Analysis of EPA SW-846 Methods under the Massachusetts Contingency Plan, WSC-CAM-IIA, IIB, IIIA, IIIB, IIIC, IIID, VA, VB, VC, VIA, VIB, VIIIA and VIIIB, July 2010.

LIMITATION OF LIABILITIES

Alpha Analytical performs services with reasonable care and diligence normal to the analytical testing laboratory industry. In the event of an error, the sole and exclusive responsibility of Alpha Analytical shall be to re-perform the work at it's own expense. In no event shall Alpha Analytical be held liable for any incidental, consequential or special damages, including but not limited to, damages in any way connected with the use of, interpretation of, information or analysis provided by Alpha Analytical.

We strongly urge our clients to comply with EPA protocol regarding sample volume, preservation, cooling, containers, sampling procedures, holding time and splitting of samples in the field.



Certificate/Approval Program Summary

Last revised February 23, 2011 - Westboro Facility

The following list includes only those analytes/methods for which certification/approval is currently held. For a complete listing of analytes for the referenced methods, please contact your Alpha Customer Service Representative.

Connecticut Department of Public Health Certificate/Lab ID: PH-0574. NELAP Accredited Solid Waste/Soil.

Drinking Water (Inorganic Parameters: Color, pH, Turbidity, Conductivity, Alkalinity, Chloride, Free Residual Chlorine, Fluoride, Calcium Hardness, Sulfate, Nitrate, Nitrite, Aluminum, Antimony, Arsenic, Barium, Beryllium, Cadmium, Calcium, Chromium, Copper, Iron, Lead, Magnesium, Manganese, Mercury, Molybdenum, Nickel, Potassium, Selenium, Silver, Sodium, Thallium, Vanadium, Zinc, Total Dissolved Solids, Total Organic Carbon, Total Cyanide, Perchlorate. Organic Parameters: Volatile Organics 524.2, Total Trihalomethanes 524.2, 1,2-Dibromo-3-chloropropane (DBCP), Ethylene Dibromide (EDB), 1,4-Dioxane (Mod 8270). Microbiology Parameters: Total Coliform-MF mEndo (SM9222B), Total Coliform – Colilert (SM9223 P/A), E. Coli. – Colilert (SM9223 P/A), HPC – Pour Plate (SM9215B), Fecal Coliform – MF m-FC (SM9222D))

Wastewater/Non-Potable Water (Inorganic Parameters: Color, pH, Conductivity, Acidity, Alkalinity, Chloride, Total Residual Chlorine, Fluoride, Total Hardness, Silica, Sulfate, Sulfide, Ammonia, Kjeldahl Nitrogen, Nitrate, Nitrite, O-Phosphate, Total Phosphorus, Aluminum, Antimony, Arsenic, Barium, Beryllium, Boron, Cadmium, Calcium, Chromium, Hexavalent Chromium, Cobalt, Copper, Iron, Lead, Magnesium, Manganese, Mercury, Molybdenum, Nickel, Potassium, Selenium, Silver, Sodium, Strontium, Thallium, Tin, Titanium, Vanadium, Zinc, Total Residue (Solids), Total Dissolved Solids, Total Suspended Solids (non-filterable), BOD, CBOD, COD, TOC, Total Cyanide, Phenolics, Foaming Agents (MBAS), Bromide, Oil and Grease. Organic Parameters: PCBs, Organochlorine Pesticides, Technical Chlordane, Toxaphene, 2,4-D, 2,4,5-T, 2,4,5-TP(Silvex), Acid Extractables (Phenols), Benzidines, Phthalate Esters, Nitrosamines, Nitroaromatics & Isophorone, Polynuclear Aromatic Hydrocarbons, Haloethers, Chlorinated Hydrocarbons, Volatile Organics, TPH (HEM/SGT), Extractable Petroleum Hydrocarbons (ETPH), MA-EPH, MA-VPH. Microbiology Parameters: Total Coliform – MF mEndo (SM9222B), Total Coliform – MTF (SM9221B), HPC – Pour Plate (SM9215B), Fecal Coliform – MF m-FC (SM9222D), Fecal Coliform – A-1 Broth (SM9221E).)

Solid Waste/Soil (Inorganic Parameters: pH, Sulfide, Aluminum, Antimony, Arsenic, Barium, Beryllium, Boron, Cadmium, Calcium, Chromium, Hexavalent Chromium, Cobalt, Copper, Iron, Lead, Magnesium, Manganese, Mercury, Molybdenum, Nickel, Potassium, Selenium, Silver, Sodium, Thallium, Tin, Vanadium, Zinc, Total Cyanide, Ignitability, Phenolics, Corrosivity, TCLP Leach (1311), SPLP Leach (1312 metals only), Reactivity. Organic Parameters: PCBs, PCBs in Oil, Organochlorine Pesticides, Technical Chlordane, Toxaphene, Extractable Petroleum Hydrocarbons (ETPH), MA-EPH, MA-VPH, Dicamba, 2,4-D, 2,4,5-T, 2,4,5-TP(Silvex), Volatile Organics, Acid Extractables (Phenols), 3.3'-Dichlorobenzidine, Phthalates, Nitrosamines, Nitroaromatics & Cyclic Ketones, PAHs, Haloethers, Chlorinated Hydrocarbons.)

Maine Department of Human Services Certificate/Lab ID: 2009024.

Drinking Water (Inorganic Parameters: SM9215B, 9222D, 9223B, EPA 180.1, 353.2, SM2130B, 2320B, 4500Cl-D, 4500CN-C, 4500CN-E, 4500F-C, 4500H+B, 4500NO3-F, EPA 200.7, EPA 200.8, 245.1, EPA 300.0. Organic Parameters: 504.1, 524.2.)

Wastewater/Non-Potable Water (Inorganic Parameters: EPA 120.1, 1664A, 350.1, 351.1, 353.2, 410.4, 420.1, SM2320B, 2510B, 2540C, 2540D, 426C, 4500Cl-D, 4500Cl-E, 4500CN-C, 4500CN-E, 4500F-B, 4500F-C, 4500H+B, 4500Norg-B, 4500Norg-C, 4500NH3-B, 4500NH3-H, 4500NO3-F, 4500P-B, 4500P-B, 5210B, 5220D, 5310C, EPA 200.7, 200.8, 245.1. Organic Parameters: 608, 624, ME-DRO, ME-GRO, MA-EPH, MA-VPH.)

Solid Waste/Soil (Organic Parameters: ME-DRO, ME-GRO, MA-EPH, MA-VPH.)

Massachusetts Department of Environmental Protection Certificate/Lab ID: M-MA086.

Drinking Water (Inorganic Parameters: (EPA 200.8 for: Sb,As,Ba,Be,Cd,Cr,Cu,Pb,Ni,Se,TI) (EPA 200.7 for: Ba,Be,Ca,Cd,Cr,Cu,Na,Ni) 245.1, (300.0 for: Nitrate-N, Fluoride, Sulfate); (EPA 353.2 for: Nitrate-N, Nitrite-N); (SM4500NO3-F for: Nitrate-N and Nitrite-N); 4500F-C, 4500CN-CE, EPA 180.1, SM2130B, SM4500Cl-D, 2320B, SM2540C, SM4500H-B. Organic Parameters: (EPA 524.2 for: Trihalomethanes, Volatile Organics); (504.1 for: 1,2-Dibromoethane, 1,2-Dibromo-3-Chloropropane), EPA 332. Microbiology Parameters: SM9215B; ENZ. SUB. SM9223; ColilertQT SM9223B; MF-SM9222D.)

Non-Potable Water (Inorganic Parameters:, (EPA 200.8 for: Al,Sb,As,Be,Cd,Cr,Cu,Pb,Mn,Ni,Se,Ag,Tl,Zn); (EPA 200.7 for: Al,Sb,As,Be,Cd,Ca,Cr,Co,Cu,Fe,Pb,Mg,Mn,Mo,Ni,K,Se,Ag,Na,Sr,Ti,Tl, V,Zn); 245.1, SM4500H,B, EPA 120.1, SM2510B, 2540C, 2340B, 2320B, 4500CL-E, 4500F-BC, 426C, SM4500NH3-BH, (EPA 350.1 for: Ammonia-N), LACHAT 10-107-06-1-B for Ammonia-N, SM4500NO3-F, 353.2 for Nitrate-N, SM4500NH3-BC-NES, EPA 351.1, SM4500P-E, 4500P-B,E, 5220D, EPA 410.4, SM 5210B, 5310C, 4500CL-D, EPA 1664, SM14 510AC, EPA 420.1, SM4500-CN-CE, SM2540D.

Organic Parameters: (EPA 624 for Volatile Halocarbons, Volatile Aromatics),(608 for: Chlordane, Aldrin, Dieldrin, DDD, DDE, DDT, Heptachlor, Heptachlor Epoxide, PCBs-Water), (EPA 625 for SVOC Acid Extractables and SVOC Base/Neutral Extractables), 600/4-81-045-PCB-Oil. Microbiology Parameters: (ColilertQT SM9223B;Enterolert-QT: SM9222D-MF.)

New Hampshire Department of Environmental Services Certificate/Lab ID: 200307. NELAP Accredited.

Drinking Water (Inorganic Parameters: SM 9222B, 9223B, 9215B, EPA 200.7, 200.8, 245.2, 300.0, SM4500CN-E, 4500H+B, 4500NO3-F, 2320B, 2510B, 2540C, 4500F-C, 5310C, 2120B, EPA 332.0. Organic Parameters: 504.1, 524.2.)

Non-Potable Water (Inorganic Parameters: SM9222D, 9221B, 9222B, 9221E-EC, EPA 3005A, 200.7, 200.8, 245.1, 245.2, SW-846 6010B, 6020, 7196A, 7470A, SM3500-CR-D, EPA 120.1, 300.0, 350.1, 351.1, 353.2, 410.4, 420.1, 1664A, SW-846 9010, 9030, 9040B, 9050A, SM426C, SM2120B, 2310B, 2320B, 2540B, 2540D, 4500H+B, 4500CL-E, 4500CN-E, 4500NH3-H, 4500NO3-F, 4500NO2-B, 4500P-E, 4500-S2-D, 5210B, 5220D, 2510B, 2540C, 4500F-C, 5310C, 5540C, LACHAT 10-204-00-1-A, LACHAT 10-107-06-2-D. Organic Parameters: SW-846 3510C, 5030B, 8260B, 8270C, 8330, EPA 624, 625, 608, SW-846 8082, 8081A, 8151A.)

Solid & Chemical Materials (Inorganic Parameters: SW-846 6010B, 7196A, 7471A, 1010, 1030, 9010, 9012A, 9014, 9030B, 9040B, 9045C, 9050C, 9065,1311, 1312, 3005A, 3050B. Organic Parameters: SW-846 3540C, 3546, 3580A, 5030B, 5035, 8260B, 8270C, 8330, 8151A, 8015B, 8082, 8081A.)

New Jersey Department of Environmental Protection Certificate/Lab ID: MA935. NELAP Accredited.

Drinking Water (Inorganic Parameters: SM9222B, 9221E, 9223B, 9215B, 4500CN-CE, 4500NO3-F, 4500F-C, EPA 300.0, 200.7, 200.8, 245.2, 2540C, SM2120B, 2320B, 2510B, 5310C, SM4500H-B. Organic Parameters: EPA 332, 504.1, 524.2.)

Non-Potable Water (Inorganic Parameters: SM5210B, EPA 410.4, SM5220D, 4500Cl-E, EPA 300.0, SM2120B, SM4500F-BC, EPA 200.7, 351.1, LACHAT 10-107-06-2-D, EPA 353.2, SM4500NO3-F, 4500NO2-B, EPA 1664A, SM5310B, C or D, 4500-PE, EPA 420.1, SM510ABC, SM4500P-B5+E, 2540B, 2540C, 2540D, EPA 120.1, SM2510B, SM15 426C, 9222D, 9221B, 9221C, 9221E, 9222B, 9215B, 2310B, 2320B, 4500NH3-H, 4500-S D, EPA 350.1, 350.2, SW-846 1312, 6020, 7470A, 5540C, 4500H-B, EPA 200.8, SM3500Cr-D, 4500CN-CE, EPA 245.1, 245.2, SW-846 9040B, 3005A, EPA 6010B, 7196A, SW-846 9010B, 9030B. Organic Parameters: SW-846 8260B, 8270C, 8270C-SIM, 3510C, EPA 608, 624, 625, SW-846 3630C, 5030B, 8081A, 8082, 8151A, 8330, NJ OQA-QAM-025 Rev.7, NJ EPH.)

Solid & Chemical Materials (Inorganic Parameters: SW-846, 6010B, 7196A, 9010B, 9030B, 1010, 1030, 1311, 1312, 3005A, 3050B, 7471A, 9014, 9012A, 9040B, 9045C, 9050A, 9065. Organic Parameters: SW-846 8015B, 8081A, 8082, 8151A, 8330, 8260B, 8270C, 8270C-SIM, 3540C, 3545, 3546, 3550B, 3580A, 3630C, 5030B, 5035L, 5035H, NJ OQA-QAM-025 Rev.7, NJ EPH.)

New York Department of Health Certificate/Lab ID: 11148. NELAP Accredited.

Drinking Water (Inorganic Parameters: SM9223B, 9222B, 9215B, EPA 200.8, 200.7, 245.2, SM5310C, EPA 332.0, SM2320B, EPA 300.0, SM2120B, 4500CN-E, 4500F-C, 4500H-B, 4500NO3-F, 2540C, SM 2510B. Organic Parameters: EPA 524.2, 504.1.)

Non-Potable Water (Inorganic Parameters: SM9221E, 9222D, 9221B, 9222B, 9215B, 5210B, 5310C, EPA 410.4, SM5220D, 2310B-4a, 2320B, EPA 200.7, 300.0, SM4500CL-E, 4500F-C, SM15 426C, EPA 350.1, SM4500NH3-BH, EPA 351.1, LACHAT 10-107-06-2, EPA 353.2, LACHAT 10-107-04-1-C, SM4500-NO3-F, 4500-NO2-B, 4500P-E, 2540C, 2540B, 2540D, EPA 200.8, EPA 6010B, 6020, EPA 7196A, SM3500Cr-D, EPA 245.1, 245.2, 7470A, SM2120B, LACHAT 10-204-00-1-A, EPA 9040B, SM4500-HB, EPA 1664A, EPA 420.1, SM14 510C, EPA 120.1, SM2510B, SM4500S-D, SM5540C, EPA 3005A, 9010B, 9030B.. Organic Parameters: EPA 624, 8260B, 8270C, 625, 608, 8081A, 8151A, 8330, 8082, EPA 3510C, 5030B.)

Solid & Hazardous Waste (Inorganic Parameters: 1010, 1030, EPA 6010B, 7196A, 7471A, 9012A, 9014, 9040B, 9045C, 9065, 9050, EPA 1311, 1312, 3005A, 3050B, 9010B, 9030B. Organic Parameters: EPA 8260B, 8270C, 8015B, 8081A, 8151A, 8330, 8082, 3540C, 3545, 3546, 3580, 5030B, 5035.)

North Carolina Department of the Environment and Natural Resources <u>Certificate/Lab ID</u>: 666. <u>Organic</u> Parameters: MA-EPH, MA-VPH.

Pennsylvania Department of Environmental Protection <u>Certificate/Lab ID</u>: 68-03671. *NELAP Accredited. Drinking Water* (Organic Parameters: EPA 524.2)

Non-Potable Water (Inorganic Parameters: EPA 1312. Organic Parameters: EPA 3510C, 5030B, 625, 624, 608, 8081A, 8082, 8151A, 8260B, 8270C, 8330)

Solid & Hazardous Waste (Inorganic Parameters: EPA 350.1, 1010, 1030, 1311, 1312, 3050B, 6010B, 7196A, 7471A, 9010B, 9012A, 9014, 9040B, 9045C, 9050, 9065, SM 4500NH3-H. Organic Parameters: 3540C, 3545, 3546, 3550B,

3580A, 3630C, 5035, 8015B, 8081A, 8082, 8151A, 8260B, 8270C, 8330)

Rhode Island Department of Health <u>Certificate/Lab ID</u>: LAO00065. *NELAP Accredited via NY-DOH*. Refer to MA-DEP Certificate for Potable and Non-Potable Water. Refer to NJ-DEP Certificate for Potable and Non-Potable Water.

Texas Commisson on Environmental Quality <u>Certificate/Lab ID</u>: T104704476-09-1. **NELAP Accredited.** Non-Potable Water (<u>Inorganic Parameters</u>: EPA 120.1, 1664, 200.7, 200.8, 245.1, 245.2, 300.0, 350.1, 351.1, 353.2, 376.2, 410.4, 420.1, 6010, 6020, 7196, 7470, 9040, SM 2120B, 2310B, 2320B, 2510B, 2540B, 2540C, 2540D, 426C, 4500CL-E, 4500CN-E, 4500F-C, 4500H+B, 4500NH3-H, 4500NO2B, 4500P-E, 4500 S2⁻ D, 510C, 5210B, 5220D, 5310C, 5540C. Organic Parameters: EPA 608, 624, 625, 8081, 8082, 8151, 8260, 8270, 8330.)

Solid & Hazardous Waste (Inorganic Parameters: EPA 1311, 1312, 9012, 9014, 9040, 9045, 9050, 9065.)

Department of Defense Certificate/Lab ID: L2217.

Drinking Water (Inorganic Parameters: SM 4500H-B. Organic Parameters: EPA 524.2, 504.1.)

Non-Potable Water (Inorganic Parameters: EPA 200.7, 200.8, 6010B, 6020, 245.1, 245.2, 7470A, 9040B, 300.0, 332.0, 6860, 353.2, 410.4, 9060, 1664A, SM 4500CN-E, 4500H-B, 4500NO3-F, 5220D, 5310C, 2320B, 2540C, 3005A, 3015, 9010B, 9056. Organic Parameters: EPA 8260B, 8270C, 8330A, 625, 8082, 8081A, 3510C, 5030B, MassDEP EPH, MassDEP VPH.)

Solid & Hazardous Waste (Inorganic Parameters: EPA 200.7, 6010B, 7471A, 9010, 9012A, 6860, 1311, 1312, 3050B, 7196A, 9010B, 3500-CR-D, 4500CN-CE, 2540G, Organic Parameters: EPA 8260B, 8270C, 8330A/B-prep, 8082, 8081A, 3540C, 3546, 3580A, 5035A, MassDEP EPH, MassDEP VPH.)

Analytes Not Accredited by NELAP

Certification is not available by NELAP for the following analytes: **EPA 8260B**: Freon-113, 1,2,4,5-Tetramethylbenzene, 4-Ethyltoluene. **EPA 8330A**: PETN, Picric Acid, Nitroglycerine, 2,6-DANT, 2,4-DANT. **EPA 8270C**: Methyl naphthalene, Dimethyl naphthalene, Total Methylnapthalenes, Total Dimethylnaphthalenes, 1,4-Diphenylhydrazine (Azobenzene). **EPA 625**: 4-Chloroaniline. **EPA 350.1** for Ammonia in a Soil matrix.

Pa	11811 0°80	the same	" 950 T	19/11	With	COMMINCTORUL (text. 10-OC 1-03)
See reverse side	4/4/1/	1 of the	0000 11/2	4	Marko	FORM NO. 01-01 (per 10-001-05)
resolved. All sar	4/8/11 0900	William John	8/11/900		Driel.	MA MCP or CT RCP?
will not start until any ambiguities and will not start until any ambiguities and will not start until any ambiguities.	Date/Time	Received Rv.	Date/Time	shed By:	Relinguished By:	TO YOUR TROJEC
completely. Samples can not be			Preservative		Á	
Please print clearly, legibly and			Container Type		ABOVE	PLEASE ANSWER QUESTIONS ABOVE
-						

		85	GW SMC	0840	RUSSWELL-2011040 -014/7-	4712-01 RUSSW
Sample Specific Comments			Matrix Initials	ime	Sample IU	(Lab Use Only)
			Sample	Collection Sa		ALPHA Lab ID
☐ Lab to do Preservation		A ST				•
Done		NAL) (824)		ection Limits:	uirements/Comments/Det	-
SAMPLEHANDLING		(SIS	Time:	<u>V</u> F		Email: Jason, Elaten @ Com These samples have been previously analyzed by Alpha
Protocols) Required?	Are CT RCP (Reasonable Confidence Protocols) Required?		firmed if pre-approved!)	d □ RUSH (only confirmed if pre-approved!)	2107-6447 A Standard	Fax: (417) 247-
7	Are MCP Analytical Methods Required?	DEYes □ No Are MCP Analyt		Turn-Around Time		(414)
ABLECONFIDENC	NITYCTREASON/	MAMODERESUMPTIVE CERTAINTY CTREASONABLE CONFIDENCE PROTOCOLS		uote #:	-	1, to 1) (x/ 10,00
	(2 1N-1	M A MACA		Project Manager: Jason Flatton		Address: 399 BM ISTON ST.
	Citatio	femenæ/kepo		0131386.01	Project #:	Client: ERM
	ables	ADEX Add'I Delivers		Project Location: Way lowe	Project Lo	Client Information
Same as Client info PO#:	1.	□ FAX € EMAIL		Project Name: Rowyhoon Wou Icha		TEL: 508-898-9220 TEL: 508-822-9300 FAX: 508-898-9193 FAX: 508-822-3288
Billing Information		Report Information - Data Deliverables		Project Information	À	ä
ALPHA JOB#: 11104712		Date Recid in Lab: 円割)	OF	STODY PAGE_	CHAIN OF CUSTODY	Prairie C
			62			rijaris

7A VOLATILE CONTINUING CALIBRATION CHECK

Lab Name: Alpha Analytical Labs

SDG No.: L1104712

Instrument ID: Elaine.i Calibration Date: 14-APR-2011 Time: 08:03

Lab File ID: 0414A01 Init. Calib. Date(s): 02-MAR-2 02-MAR-2

Compound	RRF	RRF	MIN RRF	%D	MAX %D	
dichlorodifluoromethane chloromethane vinyl chloride bromomethane chloroethane chloroethane chlorofluoromethane chloroethane trichlorofluoromethane ethyl ether acetone 1,1,-dichloroethene methylene chloride carbon disulfide methyl tert butyl ether trans-1,2-dichloroethene Diisopropyl Ether 1,1-dichloroethane Ethyl-Tert-Butyl-Ether 2-butanone 2,2-dichloropropane cis-1,2-dichloroethene chloroform bromochloromethane tetrahydrofuran 1,1,1-trichloroethane 1,1-dichloropropene carbontetrachloride Tertiary-Amyl Methyl Ether 1,2-dichloroethane benzene trichloroethene 1,2-dichloropropane bromodichloromethane 1,4-Dioxane dibromomethane dibromomethane 4-methyl-2-pentanone cis-1,3-dichloropropene toluene trans-1,3-dichloropropene	===== .28289 .24925 .13187 .100 .12647 .31877 .14644 .100 .22801 .26678 .73893 .67115 .25462 1.0026 .47793 .76715 .11017 .100 .27823 .45304 .10531 .06674 .100 .36773 .100 .36773 .100 .36773 .100 .3674 .100 .3674 .100 .3674 .100 .36773 .100 .3674 .100 .36773 .100 .36773 .100 .36773 .100 .36773 .100 .36773 .100 .36773 .100 .36773 .100 .36773 .100 .36773 .100 .36773 .100 .36773 .3	===== .14629 .13346 .15271 60.237 .13954 .39807 .13548 97.064 .20833 .26881 .61242 .56241 .24363 .88843 .47948 .71204 .10386 98.956 .29395 .477 .12213 .06771 92.975 .36052 103 .56257 .37413 1.1075 .271 .27199	===== .05 .05 .05 .05 .05 .05 .05 .05 .05 .05	===== 48 46 -16 40 -10 -25 7 3 9 -1 17 16 4 11 0 7 6 1 -5 -16 -17 2 -3 9 -2 -2 -2 -2 -2 -2 -2 -2 -2 -2	==== 20 20 20 20 20 20	F

FORM VII MCP-8260-10

7A CONTINUING CALIBRATION CHECK

Lab Name: Alpha Analytical Labs

SDG No.: L1104712

Instrument ID: Elaine.i Calibration Date: 14-APR-2011 Time: 08:03

Lab File ID: 0414A01 Init. Calib. Date(s): 02-MAR-2 02-MAR-2

Compound	RRF	RRF	MIN RRF	%D	MAX %D
	.24604	===== .24238 .53686	.05	2	20 20
tetrachloroethenechlorodibromomethane1,2-dibromoethane	100 100	104 92.776	.05	-4 7	20 20 20
chlorobenzene	100	1.9153	.05	-8 -6	20 20 20
p/m xylene o xylene	.6479 1.0832	.73518 .71449 1.2353	.05	-10 -10 -14	20 20 20
styreneisopropylbenzenebromoform	100	.54605	.05 .05 .05		20 20 20
1,2,3-trichloropropanen-propylbenzenebromobenzene		.46193 3.7378 .82008	.05	15 4 -3	20 20 20
1,3,5-trimethybenzene	2.6154 2.7058	2.6840 2.6101 2.4214	.05	-3 4 5	20 20 20
4-chorotoluene tert-butylbenzene 1,2,4-trimethylbenzene sec-butylbenzene	2.2436 2.5074	2.1883 2.6688 3.2395	.05	2 -6 3	20 20 20 20
p-isopropyltoluene	2.5250	2.7073 1.4830 1.5443	.05	-7 -4 -7	20 20 20 20
n-butylbenzene 1,2-dichlorobenzene	2.7218	2.8539	.05	-7 -5 -5 -19	20 20 20 20
1,2-dibromo-3-chloropropane 1,2,4-trichlorobenzene hexachlorobutadiene	.67012 .40664	.87006 .48286 1.2667	.05	-19 -30 -19 -17	20 20 20 20
naphthalene 1,2,3-trichlorobenzene ===================================	.54585	.75017	.05	-37 ====	20
dibromofluoromethane			.05	-4	20 20 20 20

FORM VII MCP-8260-10