


**Environmental
Resources
Management**

One Beacon Street, 5th Floor
Boston, MA 02108
+1 617 646 7800
+1 617 267 6447 (fax)

<http://www.erm.com>

15 April 2013
Reference: 0167058

Mr. Tim Skehan
c/o Russell's Garden Center
397 Boston Post Road
Wayland, MA 01778



RE: Transmittal of Groundwater Analytical Data
Former Raytheon Facility
430 Boston Post Road, Wayland, Massachusetts

Dear Mr. Skehan:


On behalf of Raytheon Company (Raytheon), Environmental Resources Management (ERM) is submitting the results of groundwater sample analyses related to the Former Raytheon Facility located at 430 Boston Post Road in Wayland, Massachusetts (Site). These results are submitted pursuant to 310 CMR 40.1403(10) of the Massachusetts Contingency Plan (MCP).

ERM collected groundwater samples from monitoring wells on your property on 21 March 2013. Samples were submitted to TestAmerica Laboratories, Inc. of Westfield, Massachusetts. Analytical results are attached to this letter. These analytical data will be provided to the Massachusetts Department of Environmental Protection in the next MCP submittal.

Raytheon has implemented the Public Involvement Process in accordance with 310 CMR 40.1405. Documents pertaining to the Site can be found at the Board of Health Public Involvement Plan files, or at www.ermne.com (username = raytheon, password = wayland).

If you have any questions or comments, please contact the undersigned at (617) 646-7800 or Jonathan Hone, Raytheon Company, at (978) 436-8298.

Sincerely,



John C. Drobinski, P.G., LSP
Principal-in-Charge



Jason D. Flattery, P.E.
Project Manager

enclosures: BWSC-123 – Notice of Environmental Sampling
Laboratory Analytical Reports

cc: Jonathan Hone, Raytheon Company
Ben Gould, CMG Environmental
PIP Repositories



NOTICE OF ENVIRONMENTAL SAMPLING

As required by 310 CMR 40.1403(10) of the Massachusetts Contingency Plan

BWSC 123

This Notice is Related to
Release Tracking Number

3 13302

A. The address of the disposal site related to this Notice and Release Tracking Number (provided above):

1. Street Address: 430 Boston Post Road
City/Town: Wayland Zip Code: 01778

B. This notice is being provided to the following party:

1. Name: Russell's Garden Center
2. Street Address: 397 Boston Post Road
City/Town: Wayland Zip Code: 02903

C. This notice is being given to inform its recipient (the party listed in Section B):

- 1. That environmental sampling will be/has been conducted at property owned by the recipient of this notice.
- 2. Of the results of environmental sampling conducted at property owned by the recipient of this notice.
- 3. Check to indicate if the analytical results are attached. (If item 2. above is checked, the analytical results from the environmental sampling must be attached to this notice.)

D. Location of the property where the environmental sampling will be/has been conducted:

1. Street Address: 430 Boston Post Road
City/Town: Wayland Zip Code: 01778

2. MCP phase of work during which the sampling will be/has been conducted:

- | | |
|---|---|
| <input type="checkbox"/> Immediate Response Action | <input type="checkbox"/> Phase III Feasibility Evaluation |
| <input type="checkbox"/> Release Abatement Measure | <input type="checkbox"/> Phase IV Remedy Implementation Plan |
| <input type="checkbox"/> Utility-related Abatement Measure | <input checked="" type="checkbox"/> Phase V/Remedy Operation Status |
| <input type="checkbox"/> Phase I Initial Site Investigation | <input type="checkbox"/> Post-Class C Operation, Maintenance and Monitoring |
| <input type="checkbox"/> Phase II Comprehensive Site Assessment | <input type="checkbox"/> Other _____
(specify) |

3. Description of property where sampling will be/has been conducted:

- residential commercial industrial school/playground Other _____
(specify)

4. Description of the sampling locations and types (e.g., soil, groundwater) to the extent known at the time of this notice.

Collection of groundwater samples from existing monitoring wells.

E. Contact information related to the party providing this notice:

Contact Name: Louis J. Burkhardt
Street Address: 880 Technology Park Drive, T-3033
City/Town: Billerica Zip Code: 01821
Telephone: (978) 436-8238 Email: louis_j_burkhardt@raytheon.com

NOTICE OF ENVIRONMENTAL SAMPLING

As required by 310 CMR 40.1403(10) of the Massachusetts Contingency Plan

MASSACHUSETTS REGULATIONS THAT REQUIRE THIS NOTICE

This notice is being provided pursuant to the Massachusetts Contingency Plan and the notification requirement at 310 CMR 40.1403(10). The Massachusetts Contingency Plan is a state regulation that specifies requirements for parties who are taking actions to address releases of chemicals (oil or hazardous material) to the environment.

THE PERSON(S) PROVIDING THIS NOTICE

This notice has been sent to you by the party who is addressing a release of oil or hazardous material to the environment at the location listed in **Section A** on the reverse side of this form. (The regulations refer to the area where the oil or hazardous material is present as the “disposal site”.)

PURPOSE OF THIS NOTICE

When environmental samples are taken as part of an investigation under the Massachusetts Contingency Plan at a property on behalf of someone other than the owner of the property, the regulations require that the property owner (listed in **Section B** on the reverse side of this form) be given notice of the environmental sampling. The regulations also require that the property owner subsequently receive the analytical results following the analysis of the environmental samples.

Section C on the reverse side of this form indicates the circumstance under which you are receiving this notice at this time. If you are receiving this notice to inform you of the analytical results following the analysis of the environmental samples, you should also have received, as an attachment, a copy of analytical results. These results should indicate the number and type(s) of samples (e.g., soil, groundwater) analyzed, any chemicals identified, and the measured concentrations of those chemicals.

Section D on the reverse side of this form identifies the property where the environmental sampling will be/has been conducted, provides a description of the sampling locations within the property, and indicates the phase of work under the Massachusetts Contingency Plan regulatory process during which the samples will be/were collected.

FOR MORE INFORMATION

Information about the general process for addressing releases of oil or hazardous material under the Massachusetts Contingency Plan and related public involvement opportunities may be found at <http://www.mass.gov/dep/cleanup/oview.htm>. For more information regarding this notice, you may contact the party listed in **Section E** on the reverse side of this form. Information about the disposal site identified in Section A is also available in files at the Massachusetts Department of Environmental Protection. See <http://mass.gov/dep/about/region/schedule.htm> if you would like to make an appointment to see these files. Please reference the **Release Tracking Number** listed in the upper right hand corner on the reverse side of this form when making file review appointments.

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

TestAmerica Laboratories, Inc.

TestAmerica Buffalo

10 Hazelwood Drive

Amherst, NY 14228-2298

Tel: (716)691-2600

TestAmerica Job ID: 480-34804-1

Client Project/Site: IDS Wayland

For:

ERM-Northeast

One Beacon Steet

5th Floor

Boston, Massachusetts 02108

Attn: Jason Flattery



Authorized for release by:

3/29/2013 4:07:44 PM

Brian Fischer

Project Manager II

brian.fischer@testamericainc.com

Designee for

Becky Mason

Project Manager II

becky.mason@testamericainc.com

LINKS

Review your project
results through

TotalAccess

Have a Question?



Visit us at:

www.testamericainc.com

The test results in this report meet all 2003 NELAC and 2009 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15



Table of Contents

Cover Page	1
Table of Contents	2
Definitions/Glossary	3
Case Narrative	4
Detection Summary	6
Client Sample Results	7
Surrogate Summary	13
QC Sample Results	14
QC Association Summary	24
Lab Chronicle	25
Certification Summary	26
Method Summary	27
Sample Summary	28
Receipt Checklists	29
Chain of Custody	30

Definitions/Glossary

Client: ERM-Northeast
Project/Site: IDS Wayland

TestAmerica Job ID: 480-34804-1

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
*	LCS or LCSD exceeds the control limits

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
□	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CNF	Contains no Free Liquid
DER	Duplicate error ratio (normalized absolute difference)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision level concentration
MDA	Minimum detectable activity
EDL	Estimated Detection Limit
MDC	Minimum detectable concentration
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
ND	Not detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative error ratio
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

Case Narrative

Client: ERM-Northeast
Project/Site: IDS Wayland

TestAmerica Job ID: 480-34804-1

Job ID: 480-34804-1

Laboratory: TestAmerica Buffalo

Narrative

Job Narrative 480-34804-1

With the exceptions noted as flags or footnotes, standard analytical protocols were followed in the analysis of the samples and no problems were encountered or anomalies observed. In addition all laboratory quality control samples were within established control limits, with any exceptions noted below. Each sample was analyzed to achieve the lowest possible reporting limit within the constraints of the method. In some cases, due to interference or analytes present at high concentrations, samples were diluted. For diluted samples, the reporting limits are adjusted relative to the dilution required.

Calculations are performed before rounding to avoid round-off errors in calculated results.

All holding times were met and proper preservation noted for the methods performed on these samples, unless otherwise detailed in the individual sections below.

TestAmerica's Reporting Limits (RLs) for this report may not always meet client specified method reporting limits due to various reasons such as methodology, dilutions, matrix or moisture content (soils). TestAmerica's pivot table EDD documents which compound(s) exceed certain regulatory standards. If not included with your deliverables, please contact your Project Manager about the availability of this EDD for your report.

Receipt

The samples were received on 3/22/2013 12:30 PM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 0.8° C.

Note: All samples that require thermal preservation are considered acceptable if the arrival temperature is within the method's specified temperature range or for general analysis, ranging from 6°C to just above the freezing temperature of water. Samples that are hand delivered, immediately following collection, may not meet these criteria; however, they will be considered acceptable according to NELAC and State standards, if there is evidence that the chilling process has begun, such as stored and transported to the laboratory on ice

GC/MS VOA


Method(s) 8260C: The continuing calibration verification (CCV) for Bromoform associated with batch 108684 recovered above the MCP upper control limit. MCP protocol allows for 20% of the target compounds to be outside the 20% difference but not over 40% difference.

Method(s) 8260C: The laboratory control sample (LCS) and / or the laboratory control sample duplicate (LCSD) for batch 108684 exceeded control limits for the following analytes: 2-Butanone. This is due to the coelution with Ethyl Acetate in the mega mix spike solution.

Method(s) 8260C: The following samples were diluted to bring the concentration of target analytes within the calibration range: MW217M-20130321-01 (480-34804-3). Elevated reporting limits (RLs) are provided.

Method(s) 8260, 8260C: The laboratory control sample (LCS) and / or the laboratory control sample duplicate (LCSD) for batch 108964 exceeded control limits for the following analyte: 2-Butanone (MEK). This is due to the coelution with Ethyl acetate in the mega mix spike solution.

No other analytical or quality issues were noted.

MassDEP Analytical Protocol Certification Form					
Laboratory Name: TestAmerica Buffalo		Project #: 480-34804-1			
Project Location: IDS Wayland			RTN:		
This form provides certifications for the following data set: list Laboratory Sample ID Number(s):					
1 thru 3					
Matrices: <input checked="" type="checkbox"/> Groundwater/Surface Water <input type="checkbox"/> Soil/Sediment <input type="checkbox"/> Drinking Water <input type="checkbox"/> Air <input type="checkbox"/> Other:					
CAM Protocols (check all that apply below):					
8260 VOC CAM II A <input checked="" type="checkbox"/>	7470/7471 Hg CAM III B <input type="checkbox"/>	Mass DEP VPH CAM IV A <input type="checkbox"/>	8081 Pesticides CAM V B <input type="checkbox"/>	7196 Hex Cr CAM VI B <input type="checkbox"/>	Mass DEP APH CAM IX A <input type="checkbox"/>
8270 SVOC CAM II B <input type="checkbox"/>	7010 Metals CAM III C <input type="checkbox"/>	Mass DEP EPH CAM IV B <input type="checkbox"/>	8151 Herbicides CAM V C <input type="checkbox"/>	8330 Explosives CAM VIII A <input type="checkbox"/>	TO-15 VOC CAM IX B <input type="checkbox"/>
6010 Metals CAM III A <input type="checkbox"/>	6020 Metals CAM III D <input type="checkbox"/>	8082 PCB CAM V A <input type="checkbox"/>	9014 Total Cyanide/PAC CAM VI A <input type="checkbox"/>	6860 Perchlorate CAM VIII B <input type="checkbox"/>	
Affirmative Responses to Questions A through F are required for "Presumptive Certainty" status					
A	Were all samples received in a condition consistent with those described on the Chain-of-Custody, properly preserved (including temperature) in the field or laboratory, and prepared/analyzed within method holding time.				<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
B	Were the analytical method(s) and all associated QC requirements specified in the selected CAM protocol(s) followed?				<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
C	Were all required corrective actions and analytical response actions specified in the selected CAM protocol(s) implemented for all identified performance standard non-conformances?				<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
D	Does the laboratory report comply with all the reporting requirements specified in CAM VII A, "Quality Assurance and Quality Control Guidelines for the Acquisition and Reporting of Analytical Data"?				<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
E	a. VPH, EPH and APH Methods only: Was each method conducted without significant modification(s)? (Refer to the individual method(s) for a list of significant modifications). b. APH and TO-15 Methods only: Was the complete analyte list reported for each method?				<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Yes <input type="checkbox"/> No
F	Were all applicable CAM protocol QC and performance standard non-conformances identified and evaluated in a laboratory narrative (including all "No" responses to Questions A through E)?				<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
Responses to Questions G, H and I below are required for "Presumptive Certainty" status					
G	Were the reporting limits at or below all CAM reporting limits specified in the selected CAM protocol(s)?				<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No ¹
Data User Note: Data that achieve "Presumptive Certainty" status may not necessarily meet the data usability and representativeness requirements described in 310 CMR 40. 1056 (2)(k) and WCS-07-350					
H	Were all QC performance standards specified in the CAM protocol(s) achieved?				<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No ¹
I	Were results reported for the complete analyte list specified in the selected CAM protocol(s) ?				<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No ¹
¹ All negative responses must be addressed in an attached laboratory narrative.					
I, the undersigned, attest under the pains and penalties of perjury that, based upon my personal inquiry of those responsible for obtaining the information, the material contained in this analytical report is, to the best of my knowledge and belief, is accurate and complete.					
Signature: 		Position: Project Manager			
Printed Name: Brian J. Fischer		Date: 3/29/2013			

Detection Summary

Client: ERM-Northeast
Project/Site: IDS Wayland

TestAmerica Job ID: 480-34804-1

Client Sample ID: MW217D-20130321-01

Lab Sample ID: 480-34804-1

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Trichloroethene	1.9		1.0		ug/L	1		8260C	Total/NA

Client Sample ID: MW217S-20130321-01

Lab Sample ID: 480-34804-2

No Detections.

Client Sample ID: MW217M-20130321-01

Lab Sample ID: 480-34804-3

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
1,1-Dichloroethane	2.0		1.0		ug/L	1		8260C	Total/NA
1,2-Dichlorobenzene	1.4		1.0		ug/L	1		8260C	Total/NA
Tert-amyl methyl ether	86		5.0		ug/L	1		8260C	Total/NA
Trichloroethene	6.4		1.0		ug/L	1		8260C	Total/NA
Methyl tert-butyl ether - DL	250		4.0		ug/L	4		8260C	Total/NA

This Detection Summary does not include radiochemical test results.

TestAmerica Buffalo

Client Sample Results

Client: ERM-Northeast
Project/Site: IDS Wayland

TestAmerica Job ID: 480-34804-1

Client Sample ID: MW217D-20130321-01

Lab Sample ID: 480-34804-1

Date Collected: 03/21/13 09:20

Matrix: Water

Date Received: 03/22/13 12:30

Method: 8260C - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1,2-Tetrachloroethane	ND		1.0		ug/L			03/22/13 15:41	1
1,1,1-Trichloroethane	ND		1.0		ug/L			03/22/13 15:41	1
1,1,2,2-Tetrachloroethane	ND		0.50		ug/L			03/22/13 15:41	1
1,1,2-Trichloroethane	ND		1.0		ug/L			03/22/13 15:41	1
1,1-Dichloroethane	ND		1.0		ug/L			03/22/13 15:41	1
1,1-Dichloroethene	ND		1.0		ug/L			03/22/13 15:41	1
1,1-Dichloropropene	ND		1.0		ug/L			03/22/13 15:41	1
1,2,3-Trichlorobenzene	ND		1.0		ug/L			03/22/13 15:41	1
1,2,3-Trichloropropane	ND		1.0		ug/L			03/22/13 15:41	1
1,2,4-Trichlorobenzene	ND		1.0		ug/L			03/22/13 15:41	1
1,2,4-Trimethylbenzene	ND		1.0		ug/L			03/22/13 15:41	1
1,2-Dibromo-3-Chloropropane	ND		5.0		ug/L			03/22/13 15:41	1
1,2-Dichlorobenzene	ND		1.0		ug/L			03/22/13 15:41	1
1,2-Dichloroethane	ND		1.0		ug/L			03/22/13 15:41	1
1,2-Dichloropropane	ND		1.0		ug/L			03/22/13 15:41	1
1,3,5-Trimethylbenzene	ND		1.0		ug/L			03/22/13 15:41	1
1,3-Dichlorobenzene	ND		1.0		ug/L			03/22/13 15:41	1
1,3-Dichloropropane	ND		1.0		ug/L			03/22/13 15:41	1
1,4-Dichlorobenzene	ND		1.0		ug/L			03/22/13 15:41	1
1,4-Dioxane	ND		50		ug/L			03/22/13 15:41	1
2,2-Dichloropropane	ND		1.0		ug/L			03/22/13 15:41	1
2-Butanone (MEK)	ND	*	10		ug/L			03/22/13 15:41	1
2-Chlorotoluene	ND		1.0		ug/L			03/22/13 15:41	1
2-Hexanone	ND		10		ug/L			03/22/13 15:41	1
4-Chlorotoluene	ND		1.0		ug/L			03/22/13 15:41	1
4-Isopropyltoluene	ND		1.0		ug/L			03/22/13 15:41	1
4-Methyl-2-pentanone (MIBK)	ND		10		ug/L			03/22/13 15:41	1
Acetone	ND		50		ug/L			03/22/13 15:41	1
Benzene	ND		1.0		ug/L			03/22/13 15:41	1
Bromobenzene	ND		1.0		ug/L			03/22/13 15:41	1
Bromoform	ND		1.0		ug/L			03/22/13 15:41	1
Bromomethane	ND		2.0		ug/L			03/22/13 15:41	1
Carbon disulfide	ND		10		ug/L			03/22/13 15:41	1
Carbon tetrachloride	ND		1.0		ug/L			03/22/13 15:41	1
Chlorobenzene	ND		1.0		ug/L			03/22/13 15:41	1
Chlorobromomethane	ND		1.0		ug/L			03/22/13 15:41	1
Chlorodibromomethane	ND		0.50		ug/L			03/22/13 15:41	1
Chloroethane	ND		2.0		ug/L			03/22/13 15:41	1
Chloroform	ND		1.0		ug/L			03/22/13 15:41	1
Chloromethane	ND		2.0		ug/L			03/22/13 15:41	1
cis-1,2-Dichloroethene	ND		1.0		ug/L			03/22/13 15:41	1
cis-1,3-Dichloropropene	ND		0.40		ug/L			03/22/13 15:41	1
Dichlorobromomethane	ND		0.50		ug/L			03/22/13 15:41	1
Dichlorodifluoromethane	ND		1.0		ug/L			03/22/13 15:41	1
Ethyl ether	ND		1.0		ug/L			03/22/13 15:41	1
Ethylbenzene	ND		1.0		ug/L			03/22/13 15:41	1
Ethylene Dibromide	ND		1.0		ug/L			03/22/13 15:41	1
Hexachlorobutadiene	ND		0.40		ug/L			03/22/13 15:41	1
Isopropyl ether	ND		10		ug/L			03/22/13 15:41	1

TestAmerica Buffalo

Client Sample Results

Client: ERM-Northeast
Project/Site: IDS Wayland

TestAmerica Job ID: 480-34804-1

Client Sample ID: MW217D-20130321-01

Lab Sample ID: 480-34804-1

Date Collected: 03/21/13 09:20

Matrix: Water

Date Received: 03/22/13 12:30

Method: 8260C - Volatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Isopropylbenzene	ND		1.0		ug/L			03/22/13 15:41	1
Methyl tert-butyl ether	ND		1.0		ug/L			03/22/13 15:41	1
Methylene Chloride	ND		1.0		ug/L			03/22/13 15:41	1
m-Xylene & p-Xylene	ND		2.0		ug/L			03/22/13 15:41	1
Naphthalene	ND		5.0		ug/L			03/22/13 15:41	1
n-Butylbenzene	ND		1.0		ug/L			03/22/13 15:41	1
N-Propylbenzene	ND		1.0		ug/L			03/22/13 15:41	1
o-Xylene	ND		1.0		ug/L			03/22/13 15:41	1
sec-Butylbenzene	ND		1.0		ug/L			03/22/13 15:41	1
Styrene	ND		1.0		ug/L			03/22/13 15:41	1
Tert-amyl methyl ether	ND		5.0		ug/L			03/22/13 15:41	1
Tert-butyl ethyl ether	ND		5.0		ug/L			03/22/13 15:41	1
tert-Butylbenzene	ND		1.0		ug/L			03/22/13 15:41	1
Tetrachloroethene	ND		1.0		ug/L			03/22/13 15:41	1
Tetrahydrofuran	ND		10		ug/L			03/22/13 15:41	1
Toluene	ND		1.0		ug/L			03/22/13 15:41	1
trans-1,2-Dichloroethene	ND		1.0		ug/L			03/22/13 15:41	1
trans-1,3-Dichloropropene	ND		0.40		ug/L			03/22/13 15:41	1
Trichloroethene	1.9		1.0		ug/L			03/22/13 15:41	1
Trichlorofluoromethane	ND		1.0		ug/L			03/22/13 15:41	1
Vinyl chloride	ND		0.50		ug/L			03/22/13 15:41	1
Dibromomethane	ND		1.0		ug/L			03/22/13 15:41	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)	98		70 - 130		03/22/13 15:41	1
1,2-Dichloroethane-d4 (Surr)	96		70 - 130		03/22/13 15:41	1
4-Bromofluorobenzene (Surr)	102		70 - 130		03/22/13 15:41	1

Client Sample ID: MW217S-20130321-01

Lab Sample ID: 480-34804-2

Date Collected: 03/21/13 11:45

Matrix: Water

Date Received: 03/22/13 12:30

Method: 8260C - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1,2-Tetrachloroethane	ND		1.0		ug/L			03/22/13 16:05	1
1,1,1,1-Trichloroethane	ND		1.0		ug/L			03/22/13 16:05	1
1,1,1,2-Tetrachloroethane	ND		0.50		ug/L			03/22/13 16:05	1
1,1,2-Trichloroethane	ND		1.0		ug/L			03/22/13 16:05	1
1,1-Dichloroethane	ND		1.0		ug/L			03/22/13 16:05	1
1,1-Dichloroethane	ND		1.0		ug/L			03/22/13 16:05	1
1,1-Dichloropropene	ND		1.0		ug/L			03/22/13 16:05	1
1,2,3-Trichlorobenzene	ND		1.0		ug/L			03/22/13 16:05	1
1,2,3-Trichloropropane	ND		1.0		ug/L			03/22/13 16:05	1
1,2,4-Trichlorobenzene	ND		1.0		ug/L			03/22/13 16:05	1
1,2,4-Trimethylbenzene	ND		1.0		ug/L			03/22/13 16:05	1
1,2-Dibromo-3-Chloropropane	ND		5.0		ug/L			03/22/13 16:05	1
1,2-Dichlorobenzene	ND		1.0		ug/L			03/22/13 16:05	1
1,2-Dichloroethane	ND		1.0		ug/L			03/22/13 16:05	1
1,2-Dichloropropane	ND		1.0		ug/L			03/22/13 16:05	1
1,3,5-Trimethylbenzene	ND		1.0		ug/L			03/22/13 16:05	1

TestAmerica Buffalo

Client Sample Results

Client: ERM-Northeast
Project/Site: IDS Wayland

TestAmerica Job ID: 480-34804-1

Client Sample ID: MW217S-20130321-01

Lab Sample ID: 480-34804-2

Date Collected: 03/21/13 11:45

Matrix: Water

Date Received: 03/22/13 12:30

Method: 8260C - Volatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,3-Dichlorobenzene	ND		1.0		ug/L			03/22/13 16:05	1
1,3-Dichloropropane	ND		1.0		ug/L			03/22/13 16:05	1
1,4-Dichlorobenzene	ND		1.0		ug/L			03/22/13 16:05	1
1,4-Dioxane	ND		50		ug/L			03/22/13 16:05	1
2,2-Dichloropropane	ND		1.0		ug/L			03/22/13 16:05	1
2-Butanone (MEK)	ND	*	10		ug/L			03/22/13 16:05	1
2-Chlorotoluene	ND		1.0		ug/L			03/22/13 16:05	1
2-Hexanone	ND		10		ug/L			03/22/13 16:05	1
4-Chlorotoluene	ND		1.0		ug/L			03/22/13 16:05	1
4-Isopropyltoluene	ND		1.0		ug/L			03/22/13 16:05	1
4-Methyl-2-pentanone (MIBK)	ND		10		ug/L			03/22/13 16:05	1
Acetone	ND		50		ug/L			03/22/13 16:05	1
Benzene	ND		1.0		ug/L			03/22/13 16:05	1
Bromobenzene	ND		1.0		ug/L			03/22/13 16:05	1
Bromoform	ND		1.0		ug/L			03/22/13 16:05	1
Bromomethane	ND		2.0		ug/L			03/22/13 16:05	1
Carbon disulfide	ND		10		ug/L			03/22/13 16:05	1
Carbon tetrachloride	ND		1.0		ug/L			03/22/13 16:05	1
Chlorobenzene	ND		1.0		ug/L			03/22/13 16:05	1
Chlorobromomethane	ND		1.0		ug/L			03/22/13 16:05	1
Chlorodibromomethane	ND		0.50		ug/L			03/22/13 16:05	1
Chloroethane	ND		2.0		ug/L			03/22/13 16:05	1
Chloroform	ND		1.0		ug/L			03/22/13 16:05	1
Chloromethane	ND		2.0		ug/L			03/22/13 16:05	1
cis-1,2-Dichloroethene	ND		1.0		ug/L			03/22/13 16:05	1
cis-1,3-Dichloropropene	ND		0.40		ug/L			03/22/13 16:05	1
Dichlorobromomethane	ND		0.50		ug/L			03/22/13 16:05	1
Dichlorodifluoromethane	ND		1.0		ug/L			03/22/13 16:05	1
Ethyl ether	ND		1.0		ug/L			03/22/13 16:05	1
Ethylbenzene	ND		1.0		ug/L			03/22/13 16:05	1
Ethylene Dibromide	ND		1.0		ug/L			03/22/13 16:05	1
Hexachlorobutadiene	ND		0.40		ug/L			03/22/13 16:05	1
Isopropyl ether	ND		10		ug/L			03/22/13 16:05	1
Isopropylbenzene	ND		1.0		ug/L			03/22/13 16:05	1
Methyl tert-butyl ether	ND		1.0		ug/L			03/22/13 16:05	1
Methylene Chloride	ND		1.0		ug/L			03/22/13 16:05	1
m-Xylene & p-Xylene	ND		2.0		ug/L			03/22/13 16:05	1
Naphthalene	ND		5.0		ug/L			03/22/13 16:05	1
n-Butylbenzene	ND		1.0		ug/L			03/22/13 16:05	1
N-Propylbenzene	ND		1.0		ug/L			03/22/13 16:05	1
o-Xylene	ND		1.0		ug/L			03/22/13 16:05	1
sec-Butylbenzene	ND		1.0		ug/L			03/22/13 16:05	1
Styrene	ND		1.0		ug/L			03/22/13 16:05	1
Tert-amyl methyl ether	ND		5.0		ug/L			03/22/13 16:05	1
Tert-butyl ethyl ether	ND		5.0		ug/L			03/22/13 16:05	1
tert-Butylbenzene	ND		1.0		ug/L			03/22/13 16:05	1
Tetrachloroethene	ND		1.0		ug/L			03/22/13 16:05	1
Tetrahydrofuran	ND		10		ug/L			03/22/13 16:05	1
Toluene	ND		1.0		ug/L			03/22/13 16:05	1

TestAmerica Buffalo

Client Sample Results

Client: ERM-Northeast
Project/Site: IDS Wayland

TestAmerica Job ID: 480-34804-1

Client Sample ID: MW217S-20130321-01

Lab Sample ID: 480-34804-2

Date Collected: 03/21/13 11:45

Matrix: Water

Date Received: 03/22/13 12:30

Method: 8260C - Volatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
trans-1,2-Dichloroethene	ND		1.0		ug/L			03/22/13 16:05	1
trans-1,3-Dichloropropene	ND		0.40		ug/L			03/22/13 16:05	1
Trichloroethene	ND		1.0		ug/L			03/22/13 16:05	1
Trichlorofluoromethane	ND		1.0		ug/L			03/22/13 16:05	1
Vinyl chloride	ND		0.50		ug/L			03/22/13 16:05	1
Dibromomethane	ND		1.0		ug/L			03/22/13 16:05	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)	97		70 - 130					03/22/13 16:05	1
1,2-Dichloroethane-d4 (Surr)	95		70 - 130					03/22/13 16:05	1
4-Bromofluorobenzene (Surr)	101		70 - 130					03/22/13 16:05	1

Client Sample ID: MW217M-20130321-01

Lab Sample ID: 480-34804-3

Date Collected: 03/21/13 10:30

Matrix: Water

Date Received: 03/22/13 12:30

Method: 8260C - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1,2-Tetrachloroethane	ND		1.0		ug/L			03/22/13 16:29	1
1,1,1-Trichloroethane	ND		1.0		ug/L			03/22/13 16:29	1
1,1,2,2-Tetrachloroethane	ND		0.50		ug/L			03/22/13 16:29	1
1,1,2-Trichloroethane	ND		1.0		ug/L			03/22/13 16:29	1
1,1-Dichloroethane	2.0		1.0		ug/L			03/22/13 16:29	1
1,1-Dichloroethene	ND		1.0		ug/L			03/22/13 16:29	1
1,1-Dichloropropene	ND		1.0		ug/L			03/22/13 16:29	1
1,2,3-Trichlorobenzene	ND		1.0		ug/L			03/22/13 16:29	1
1,2,3-Trichloropropane	ND		1.0		ug/L			03/22/13 16:29	1
1,2,4-Trichlorobenzene	ND		1.0		ug/L			03/22/13 16:29	1
1,2,4-Trimethylbenzene	ND		1.0		ug/L			03/22/13 16:29	1
1,2-Dibromo-3-Chloropropane	ND		5.0		ug/L			03/22/13 16:29	1
1,2-Dichlorobenzene	1.4		1.0		ug/L			03/22/13 16:29	1
1,2-Dichloroethane	ND		1.0		ug/L			03/22/13 16:29	1
1,2-Dichloropropane	ND		1.0		ug/L			03/22/13 16:29	1
1,3,5-Trimethylbenzene	ND		1.0		ug/L			03/22/13 16:29	1
1,3-Dichlorobenzene	ND		1.0		ug/L			03/22/13 16:29	1
1,3-Dichloropropane	ND		1.0		ug/L			03/22/13 16:29	1
1,4-Dichlorobenzene	ND		1.0		ug/L			03/22/13 16:29	1
1,4-Dioxane	ND		50		ug/L			03/22/13 16:29	1
2,2-Dichloropropane	ND		1.0		ug/L			03/22/13 16:29	1
2-Butanone (MEK)	ND	*	10		ug/L			03/22/13 16:29	1
2-Chlorotoluene	ND		1.0		ug/L			03/22/13 16:29	1
2-Hexanone	ND		10		ug/L			03/22/13 16:29	1
4-Chlorotoluene	ND		1.0		ug/L			03/22/13 16:29	1
4-Isopropyltoluene	ND		1.0		ug/L			03/22/13 16:29	1
4-Methyl-2-pentanone (MIBK)	ND		10		ug/L			03/22/13 16:29	1
Acetone	ND		50		ug/L			03/22/13 16:29	1
Benzene	ND		1.0		ug/L			03/22/13 16:29	1
Bromobenzene	ND		1.0		ug/L			03/22/13 16:29	1
Bromoform	ND		1.0		ug/L			03/22/13 16:29	1
Bromomethane	ND		2.0		ug/L			03/22/13 16:29	1

TestAmerica Buffalo

Client Sample Results

Client: ERM-Northeast
Project/Site: IDS Wayland

TestAmerica Job ID: 480-34804-1

Client Sample ID: MW217M-20130321-01

Lab Sample ID: 480-34804-3

Date Collected: 03/21/13 10:30

Matrix: Water

Date Received: 03/22/13 12:30

Method: 8260C - Volatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Carbon disulfide	ND		10		ug/L			03/22/13 16:29	1
Carbon tetrachloride	ND		1.0		ug/L			03/22/13 16:29	1
Chlorobenzene	ND		1.0		ug/L			03/22/13 16:29	1
Chlorobromomethane	ND		1.0		ug/L			03/22/13 16:29	1
Chlorodibromomethane	ND		0.50		ug/L			03/22/13 16:29	1
Chloroethane	ND		2.0		ug/L			03/22/13 16:29	1
Chloroform	ND		1.0		ug/L			03/22/13 16:29	1
Chloromethane	ND		2.0		ug/L			03/22/13 16:29	1
cis-1,2-Dichloroethene	ND		1.0		ug/L			03/22/13 16:29	1
cis-1,3-Dichloropropene	ND		0.40		ug/L			03/22/13 16:29	1
Dichlorobromomethane	ND		0.50		ug/L			03/22/13 16:29	1
Dichlorodifluoromethane	ND		1.0		ug/L			03/22/13 16:29	1
Ethyl ether	ND		1.0		ug/L			03/22/13 16:29	1
Ethylbenzene	ND		1.0		ug/L			03/22/13 16:29	1
Ethylene Dibromide	ND		1.0		ug/L			03/22/13 16:29	1
Hexachlorobutadiene	ND		0.40		ug/L			03/22/13 16:29	1
Isopropyl ether	ND		10		ug/L			03/22/13 16:29	1
Isopropylbenzene	ND		1.0		ug/L			03/22/13 16:29	1
Methylene Chloride	ND		1.0		ug/L			03/22/13 16:29	1
m-Xylene & p-Xylene	ND		2.0		ug/L			03/22/13 16:29	1
Naphthalene	ND		5.0		ug/L			03/22/13 16:29	1
n-Butylbenzene	ND		1.0		ug/L			03/22/13 16:29	1
N-Propylbenzene	ND		1.0		ug/L			03/22/13 16:29	1
o-Xylene	ND		1.0		ug/L			03/22/13 16:29	1
sec-Butylbenzene	ND		1.0		ug/L			03/22/13 16:29	1
Styrene	ND		1.0		ug/L			03/22/13 16:29	1
Tert-amyl methyl ether	86		5.0		ug/L			03/22/13 16:29	1
Tert-butyl ethyl ether	ND		5.0		ug/L			03/22/13 16:29	1
tert-Butylbenzene	ND		1.0		ug/L			03/22/13 16:29	1
Tetrachloroethene	ND		1.0		ug/L			03/22/13 16:29	1
Tetrahydrofuran	ND		10		ug/L			03/22/13 16:29	1
Toluene	ND		1.0		ug/L			03/22/13 16:29	1
trans-1,2-Dichloroethene	ND		1.0		ug/L			03/22/13 16:29	1
trans-1,3-Dichloropropene	ND		0.40		ug/L			03/22/13 16:29	1
Trichloroethene	6.4		1.0		ug/L			03/22/13 16:29	1
Trichlorofluoromethane	ND		1.0		ug/L			03/22/13 16:29	1
Vinyl chloride	ND		0.50		ug/L			03/22/13 16:29	1
Dibromomethane	ND		1.0		ug/L			03/22/13 16:29	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)	96		70 - 130		03/22/13 16:29	1
1,2-Dichloroethane-d4 (Surr)	94		70 - 130		03/22/13 16:29	1
4-Bromofluorobenzene (Surr)	98		70 - 130		03/22/13 16:29	1

Method: 8260C - Volatile Organic Compounds (GC/MS) - DL

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Methyl tert-butyl ether	250		4.0		ug/L			03/25/13 12:34	4

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)	98		70 - 130		03/25/13 12:34	4

TestAmerica Buffalo

Client Sample Results

Client: ERM-Northeast
Project/Site: IDS Wayland

TestAmerica Job ID: 480-34804-1

Client Sample ID: MW217M-20130321-01

Lab Sample ID: 480-34804-3

Date Collected: 03/21/13 10:30

Matrix: Water

Date Received: 03/22/13 12:30

Method: 8260C - Volatile Organic Compounds (GC/MS) - DL (Continued)

<i>Surrogate</i>	<i>%Recovery</i>	<i>Qualifier</i>	<i>Limits</i>	<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
1,2-Dichloroethane-d4 (Surr)	92		70 - 130		03/25/13 12:34	4
4-Bromofluorobenzene (Surr)	99		70 - 130		03/25/13 12:34	4

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15

Surrogate Summary

Client: ERM-Northeast
Project/Site: IDS Wayland

TestAmerica Job ID: 480-34804-1

Method: 8260C - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	TOL	12DCE	BFB
		(70-130)	(70-130)	(70-130)
480-34804-1	MW217D-20130321-01	98	96	102
480-34804-2	MW217S-20130321-01	97	95	101
480-34804-3	MW217M-20130321-01	96	94	98
480-34804-3 - DL	MW217M-20130321-01	98	92	99
LCS 480-108684/4	Lab Control Sample	97	93	102
LCS 480-108964/4	Lab Control Sample	96	90	102
LCSD 480-108684/5	Lab Control Sample Dup	98	92	103
LCSD 480-108964/5	Lab Control Sample Dup	96	92	102
MB 480-108684/7	Method Blank	96	94	99
MB 480-108964/7	Method Blank	96	94	99

Surrogate Legend

TOL = Toluene-d8 (Surr)

12DCE = 1,2-Dichloroethane-d4 (Surr)

BFB = 4-Bromofluorobenzene (Surr)

QC Sample Results

Client: ERM-Northeast
Project/Site: IDS Wayland

TestAmerica Job ID: 480-34804-1

Method: 8260C - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 480-108684/7

Matrix: Water

Analysis Batch: 108684

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1,2-Tetrachloroethane	ND		1.0		ug/L			03/22/13 11:37	1
1,1,1-Trichloroethane	ND		1.0		ug/L			03/22/13 11:37	1
1,1,2,2-Tetrachloroethane	ND		0.50		ug/L			03/22/13 11:37	1
1,1,2-Trichloroethane	ND		1.0		ug/L			03/22/13 11:37	1
1,1-Dichloroethane	ND		1.0		ug/L			03/22/13 11:37	1
1,1-Dichloroethene	ND		1.0		ug/L			03/22/13 11:37	1
1,1-Dichloropropene	ND		1.0		ug/L			03/22/13 11:37	1
1,2,3-Trichlorobenzene	ND		1.0		ug/L			03/22/13 11:37	1
1,2,3-Trichloropropane	ND		1.0		ug/L			03/22/13 11:37	1
1,2,4-Trichlorobenzene	ND		1.0		ug/L			03/22/13 11:37	1
1,2,4-Trimethylbenzene	ND		1.0		ug/L			03/22/13 11:37	1
1,2-Dibromo-3-Chloropropane	ND		5.0		ug/L			03/22/13 11:37	1
1,2-Dichlorobenzene	ND		1.0		ug/L			03/22/13 11:37	1
1,2-Dichloroethane	ND		1.0		ug/L			03/22/13 11:37	1
1,2-Dichloropropane	ND		1.0		ug/L			03/22/13 11:37	1
1,3,5-Trimethylbenzene	ND		1.0		ug/L			03/22/13 11:37	1
1,3-Dichlorobenzene	ND		1.0		ug/L			03/22/13 11:37	1
1,3-Dichloropropane	ND		1.0		ug/L			03/22/13 11:37	1
1,4-Dichlorobenzene	ND		1.0		ug/L			03/22/13 11:37	1
1,4-Dioxane	ND		50		ug/L			03/22/13 11:37	1
2,2-Dichloropropane	ND		1.0		ug/L			03/22/13 11:37	1
2-Butanone (MEK)	ND		10		ug/L			03/22/13 11:37	1
2-Chlorotoluene	ND		1.0		ug/L			03/22/13 11:37	1
2-Hexanone	ND		10		ug/L			03/22/13 11:37	1
4-Chlorotoluene	ND		1.0		ug/L			03/22/13 11:37	1
4-Isopropyltoluene	ND		1.0		ug/L			03/22/13 11:37	1
4-Methyl-2-pentanone (MIBK)	ND		10		ug/L			03/22/13 11:37	1
Acetone	ND		50		ug/L			03/22/13 11:37	1
Benzene	ND		1.0		ug/L			03/22/13 11:37	1
Bromobenzene	ND		1.0		ug/L			03/22/13 11:37	1
Bromoform	ND		1.0		ug/L			03/22/13 11:37	1
Bromomethane	ND		2.0		ug/L			03/22/13 11:37	1
Carbon disulfide	ND		10		ug/L			03/22/13 11:37	1
Carbon tetrachloride	ND		1.0		ug/L			03/22/13 11:37	1
Chlorobenzene	ND		1.0		ug/L			03/22/13 11:37	1
Chlorobromomethane	ND		1.0		ug/L			03/22/13 11:37	1
Chlorodibromomethane	ND		0.50		ug/L			03/22/13 11:37	1
Chloroethane	ND		2.0		ug/L			03/22/13 11:37	1
Chloroform	ND		1.0		ug/L			03/22/13 11:37	1
Chloromethane	ND		2.0		ug/L			03/22/13 11:37	1
cis-1,2-Dichloroethene	ND		1.0		ug/L			03/22/13 11:37	1
cis-1,3-Dichloropropene	ND		0.40		ug/L			03/22/13 11:37	1
Dichlorobromomethane	ND		0.50		ug/L			03/22/13 11:37	1
Dichlorodifluoromethane	ND		1.0		ug/L			03/22/13 11:37	1
Ethyl ether	ND		1.0		ug/L			03/22/13 11:37	1
Ethylbenzene	ND		1.0		ug/L			03/22/13 11:37	1
Ethylene Dibromide	ND		1.0		ug/L			03/22/13 11:37	1
Hexachlorobutadiene	ND		0.40		ug/L			03/22/13 11:37	1

TestAmerica Buffalo

QC Sample Results

Client: ERM-Northeast
Project/Site: IDS Wayland

TestAmerica Job ID: 480-34804-1

Method: 8260C - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 480-108684/7

Matrix: Water

Analysis Batch: 108684

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Isopropyl ether	ND		10		ug/L			03/22/13 11:37	1
Isopropylbenzene	ND		1.0		ug/L			03/22/13 11:37	1
Methyl tert-butyl ether	ND		1.0		ug/L			03/22/13 11:37	1
Methylene Chloride	ND		1.0		ug/L			03/22/13 11:37	1
m-Xylene & p-Xylene	ND		2.0		ug/L			03/22/13 11:37	1
Naphthalene	ND		5.0		ug/L			03/22/13 11:37	1
n-Butylbenzene	ND		1.0		ug/L			03/22/13 11:37	1
N-Propylbenzene	ND		1.0		ug/L			03/22/13 11:37	1
o-Xylene	ND		1.0		ug/L			03/22/13 11:37	1
sec-Butylbenzene	ND		1.0		ug/L			03/22/13 11:37	1
Styrene	ND		1.0		ug/L			03/22/13 11:37	1
Tert-amyl methyl ether	ND		5.0		ug/L			03/22/13 11:37	1
Tert-butyl ethyl ether	ND		5.0		ug/L			03/22/13 11:37	1
tert-Butylbenzene	ND		1.0		ug/L			03/22/13 11:37	1
Tetrachloroethene	ND		1.0		ug/L			03/22/13 11:37	1
Tetrahydrofuran	ND		10		ug/L			03/22/13 11:37	1
Toluene	ND		1.0		ug/L			03/22/13 11:37	1
trans-1,2-Dichloroethene	ND		1.0		ug/L			03/22/13 11:37	1
trans-1,3-Dichloropropene	ND		0.40		ug/L			03/22/13 11:37	1
Trichloroethene	ND		1.0		ug/L			03/22/13 11:37	1
Trichlorofluoromethane	ND		1.0		ug/L			03/22/13 11:37	1
Vinyl chloride	ND		0.50		ug/L			03/22/13 11:37	1
Dibromomethane	ND		1.0		ug/L			03/22/13 11:37	1

Surrogate	MB	MB	Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
Toluene-d8 (Surr)	96		70 - 130		03/22/13 11:37	1
1,2-Dichloroethane-d4 (Surr)	94		70 - 130		03/22/13 11:37	1
4-Bromofluorobenzene (Surr)	99		70 - 130		03/22/13 11:37	1

Lab Sample ID: LCS 480-108684/4

Matrix: Water

Analysis Batch: 108684

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS	LCS	Unit	D	%Rec	%Rec. Limits
		Result	Qualifier				
1,1,1,2-Tetrachloroethane	25.0	23.8		ug/L		95	70 - 130
1,1,1-Trichloroethane	25.0	21.8		ug/L		87	70 - 130
1,1,2,2-Tetrachloroethane	25.0	24.3		ug/L		97	70 - 130
1,1,2-Trichloroethane	25.0	23.8		ug/L		95	70 - 130
1,1-Dichloroethane	25.0	22.7		ug/L		91	70 - 130
1,1-Dichloroethane	25.0	24.1		ug/L		96	70 - 130
1,1-Dichloropropene	25.0	23.4		ug/L		93	70 - 130
1,2,3-Trichlorobenzene	25.0	25.4		ug/L		102	70 - 130
1,2,3-Trichloropropane	25.0	24.8		ug/L		99	70 - 130
1,2,4-Trichlorobenzene	25.0	26.2		ug/L		105	70 - 130
1,2,4-Trimethylbenzene	25.0	23.6		ug/L		95	70 - 130
1,2-Dibromo-3-Chloropropane	25.0	23.7		ug/L		95	70 - 130
1,2-Dichlorobenzene	25.0	24.6		ug/L		98	70 - 130
1,2-Dichloroethane	25.0	22.6		ug/L		90	70 - 130

TestAmerica Buffalo

QC Sample Results

Client: ERM-Northeast
Project/Site: IDS Wayland

TestAmerica Job ID: 480-34804-1

Method: 8260C - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 480-108684/4

Matrix: Water

Analysis Batch: 108684

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
1,2-Dichloropropane	25.0	23.3		ug/L		93	70 - 130
1,3,5-Trimethylbenzene	25.0	23.5		ug/L		94	70 - 130
1,3-Dichlorobenzene	25.0	24.3		ug/L		97	70 - 130
1,3-Dichloropropane	25.0	23.2		ug/L		93	70 - 130
1,4-Dichlorobenzene	25.0	24.7		ug/L		99	70 - 130
1,4-Dioxane	1000	920		ug/L		92	70 - 130
2,2-Dichloropropane	25.0	21.5		ug/L		86	70 - 130
2-Butanone (MEK)	125	167	*	ug/L		133	70 - 130
2-Chlorotoluene	25.0	23.3		ug/L		93	70 - 130
2-Hexanone	125	117		ug/L		94	70 - 130
4-Chlorotoluene	25.0	20.7		ug/L		83	70 - 130
4-Isopropyltoluene	25.0	24.1		ug/L		97	70 - 130
4-Methyl-2-pentanone (MIBK)	125	116		ug/L		93	70 - 130
Acetone	125	124		ug/L		99	70 - 130
Benzene	25.0	23.2		ug/L		93	70 - 130
Bromobenzene	25.0	24.1		ug/L		96	70 - 130
Bromoform	25.0	22.1		ug/L		89	70 - 130
Bromomethane	25.0	21.7		ug/L		87	70 - 130
Carbon disulfide	25.0	23.4		ug/L		94	70 - 130
Carbon tetrachloride	25.0	22.1		ug/L		88	70 - 130
Chlorobenzene	25.0	23.4		ug/L		94	70 - 130
Chlorobromomethane	25.0	25.4		ug/L		102	70 - 130
Chlorodibromomethane	25.0	22.9		ug/L		92	70 - 130
Chloroethane	25.0	22.5		ug/L		90	70 - 130
Chloroform	25.0	22.5		ug/L		90	70 - 130
Chloromethane	25.0	24.2		ug/L		97	70 - 130
cis-1,2-Dichloroethene	25.0	23.4		ug/L		93	70 - 130
cis-1,3-Dichloropropene	25.0	23.4		ug/L		94	70 - 130
Dichlorobromomethane	25.0	22.7		ug/L		91	70 - 130
Dichlorodifluoromethane	50.0	60.5		ug/L		121	70 - 130
Ethyl ether	25.0	24.6		ug/L		98	70 - 130
Ethylbenzene	25.0	22.8		ug/L		91	70 - 130
Ethylene Dibromide	25.0	23.8		ug/L		95	70 - 130
Hexachlorobutadiene	25.0	24.4		ug/L		98	70 - 130
Isopropyl ether	25.0	24.7		ug/L		99	70 - 130
Isopropylbenzene	25.0	23.2		ug/L		93	70 - 130
Methyl tert-butyl ether	25.0	24.0		ug/L		96	70 - 130
Methylene Chloride	25.0	22.4		ug/L		90	70 - 130
m-Xylene & p-Xylene	50.0	46.9		ug/L		94	70 - 130
Naphthalene	25.0	24.7		ug/L		99	70 - 130
n-Butylbenzene	25.0	23.4		ug/L		94	70 - 130
N-Propylbenzene	25.0	23.1		ug/L		92	70 - 130
o-Xylene	25.0	23.4		ug/L		94	70 - 130
sec-Butylbenzene	25.0	23.8		ug/L		95	70 - 130
Styrene	25.0	23.5		ug/L		94	70 - 130
Tert-amyl methyl ether	25.0	24.2		ug/L		97	70 - 130
Tert-butyl ethyl ether	25.0	23.8		ug/L		95	70 - 130
tert-Butylbenzene	25.0	24.9		ug/L		100	70 - 130

TestAmerica Buffalo

QC Sample Results

Client: ERM-Northeast
Project/Site: IDS Wayland

TestAmerica Job ID: 480-34804-1

Method: 8260C - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 480-108684/4

Matrix: Water

Analysis Batch: 108684

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits	
Tetrachloroethene	25.0	24.9		ug/L		100	70 - 130	
Tetrahydrofuran	125	122		ug/L		98	70 - 130	
Toluene	25.0	23.2		ug/L		93	70 - 130	
trans-1,2-Dichloroethene	25.0	24.2		ug/L		97	70 - 130	
trans-1,3-Dichloropropene	25.0	22.5		ug/L		90	70 - 130	
Trichloroethene	25.0	23.8		ug/L		95	70 - 130	
Trichlorofluoromethane	25.0	24.6		ug/L		99	70 - 130	
Vinyl chloride	25.0	22.4		ug/L		90	70 - 130	
Dibromomethane	25.0	24.0		ug/L		96	70 - 130	

Surrogate	LCS LCS		Limits
	%Recovery	Qualifier	
Toluene-d8 (Surr)	97		70 - 130
1,2-Dichloroethane-d4 (Surr)	93		70 - 130
4-Bromofluorobenzene (Surr)	102		70 - 130

Lab Sample ID: LCSD 480-108684/5

Matrix: Water

Analysis Batch: 108684

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits		RPD	Limit
1,1,1,2-Tetrachloroethane	25.0	25.3		ug/L		101	70 - 130	6	20	
1,1,1-Trichloroethane	25.0	23.4		ug/L		94	70 - 130	7	20	
1,1,1,2,2-Tetrachloroethane	25.0	24.3		ug/L		97	70 - 130	0	20	
1,1,1,2-Trichloroethane	25.0	24.6		ug/L		98	70 - 130	3	20	
1,1-Dichloroethane	25.0	23.6		ug/L		94	70 - 130	4	20	
1,1-Dichloroethene	25.0	23.5		ug/L		94	70 - 130	2	20	
1,1-Dichloropropene	25.0	24.2		ug/L		97	70 - 130	4	20	
1,2,3-Trichlorobenzene	25.0	25.7		ug/L		103	70 - 130	1	20	
1,2,3-Trichloropropane	25.0	24.5		ug/L		98	70 - 130	1	20	
1,2,4-Trichlorobenzene	25.0	26.7		ug/L		107	70 - 130	2	20	
1,2,4-Trimethylbenzene	25.0	24.0		ug/L		96	70 - 130	1	20	
1,2-Dibromo-3-Chloropropane	25.0	23.3		ug/L		93	70 - 130	1	20	
1,2-Dichlorobenzene	25.0	24.6		ug/L		98	70 - 130	0	20	
1,2-Dichloroethane	25.0	22.3		ug/L		89	70 - 130	1	20	
1,2-Dichloropropane	25.0	23.3		ug/L		93	70 - 130	0	20	
1,3,5-Trimethylbenzene	25.0	24.0		ug/L		96	70 - 130	2	20	
1,3-Dichlorobenzene	25.0	24.8		ug/L		99	70 - 130	2	20	
1,3-Dichloropropane	25.0	23.3		ug/L		93	70 - 130	0	20	
1,4-Dichlorobenzene	25.0	24.9		ug/L		100	70 - 130	1	20	
1,4-Dioxane	1000	907		ug/L		91	70 - 130	1	20	
2,2-Dichloropropane	25.0	22.5		ug/L		90	70 - 130	5	20	
2-Butanone (MEK)	125	164	*	ug/L		131	70 - 130	2	20	
2-Chlorotoluene	25.0	24.4		ug/L		98	70 - 130	5	20	
2-Hexanone	125	117		ug/L		93	70 - 130	0	20	
4-Chlorotoluene	25.0	21.2		ug/L		85	70 - 130	2	20	
4-Isopropyltoluene	25.0	24.8		ug/L		99	70 - 130	3	20	
4-Methyl-2-pentanone (MIBK)	125	117		ug/L		93	70 - 130	1	20	
Acetone	125	123		ug/L		99	70 - 130	1	20	

TestAmerica Buffalo

QC Sample Results

Client: ERM-Northeast
Project/Site: IDS Wayland

TestAmerica Job ID: 480-34804-1

Method: 8260C - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCSD 480-108684/5

Matrix: Water

Analysis Batch: 108684

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits		RPD	
							RPD	Limit		
Benzene	25.0	23.7		ug/L		95	70 - 130	2	20	
Bromobenzene	25.0	24.8		ug/L		99	70 - 130	3	20	
Bromoform	25.0	23.3		ug/L		93	70 - 130	5	20	
Bromomethane	25.0	23.7		ug/L		95	70 - 130	9	20	
Carbon disulfide	25.0	24.3		ug/L		97	70 - 130	4	20	
Carbon tetrachloride	25.0	23.2		ug/L		93	70 - 130	5	20	
Chlorobenzene	25.0	24.4		ug/L		98	70 - 130	4	20	
Chlorobromomethane	25.0	25.5		ug/L		102	70 - 130	0	20	
Chlorodibromomethane	25.0	24.2		ug/L		97	70 - 130	6	20	
Chloroethane	25.0	23.4		ug/L		94	70 - 130	4	20	
Chloroform	25.0	22.9		ug/L		92	70 - 130	2	20	
Chloromethane	25.0	23.6		ug/L		95	70 - 130	2	20	
cis-1,2-Dichloroethene	25.0	24.8		ug/L		99	70 - 130	6	20	
cis-1,3-Dichloropropene	25.0	24.0		ug/L		96	70 - 130	2	20	
Dichlorobromomethane	25.0	22.7		ug/L		91	70 - 130	0	20	
Dichlorodifluoromethane	50.0	62.6		ug/L		125	70 - 130	3	20	
Ethyl ether	25.0	24.7		ug/L		99	70 - 130	1	20	
Ethylbenzene	25.0	23.9		ug/L		95	70 - 130	5	20	
Ethylene Dibromide	25.0	24.5		ug/L		98	70 - 130	3	20	
Hexachlorobutadiene	25.0	25.8		ug/L		103	70 - 130	6	20	
Isopropyl ether	25.0	25.1		ug/L		101	70 - 130	2	20	
Isopropylbenzene	25.0	24.3		ug/L		97	70 - 130	4	20	
Methyl tert-butyl ether	25.0	24.0		ug/L		96	70 - 130	0	20	
Methylene Chloride	25.0	22.4		ug/L		89	70 - 130	0	20	
m-Xylene & p-Xylene	50.0	48.3		ug/L		97	70 - 130	3	20	
Naphthalene	25.0	24.8		ug/L		99	70 - 130	0	20	
n-Butylbenzene	25.0	24.0		ug/L		96	70 - 130	2	20	
N-Propylbenzene	25.0	24.1		ug/L		96	70 - 130	4	20	
o-Xylene	25.0	24.5		ug/L		98	70 - 130	5	20	
sec-Butylbenzene	25.0	24.5		ug/L		98	70 - 130	3	20	
Styrene	25.0	24.3		ug/L		97	70 - 130	3	20	
Tert-amyl methyl ether	25.0	24.3		ug/L		97	70 - 130	0	20	
Tert-butyl ethyl ether	25.0	24.0		ug/L		96	70 - 130	1	20	
tert-Butylbenzene	25.0	25.2		ug/L		101	70 - 130	1	20	
Tetrachloroethene	25.0	26.3		ug/L		105	70 - 130	5	20	
Tetrahydrofuran	125	119		ug/L		95	70 - 130	3	20	
Toluene	25.0	24.2		ug/L		97	70 - 130	4	20	
trans-1,2-Dichloroethene	25.0	24.0		ug/L		96	70 - 130	1	20	
trans-1,3-Dichloropropene	25.0	23.4		ug/L		94	70 - 130	4	20	
Trichloroethene	25.0	24.2		ug/L		97	70 - 130	2	20	
Trichlorofluoromethane	25.0	25.2		ug/L		101	70 - 130	2	20	
Vinyl chloride	25.0	22.8		ug/L		91	70 - 130	2	20	
Dibromomethane	25.0	23.9		ug/L		95	70 - 130	1	20	

Surrogate	LCSD		Limits
	%Recovery	Qualifier	
Toluene-d8 (Surr)	98		70 - 130
1,2-Dichloroethane-d4 (Surr)	92		70 - 130
4-Bromofluorobenzene (Surr)	103		70 - 130

TestAmerica Buffalo

QC Sample Results

Client: ERM-Northeast
Project/Site: IDS Wayland

TestAmerica Job ID: 480-34804-1

Method: 8260C - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 480-108964/7

Matrix: Water

Analysis Batch: 108964

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1,2-Tetrachloroethane	ND		1.0		ug/L			03/25/13 11:16	1
1,1,1-Trichloroethane	ND		1.0		ug/L			03/25/13 11:16	1
1,1,2,2-Tetrachloroethane	ND		0.50		ug/L			03/25/13 11:16	1
1,1,2-Trichloroethane	ND		1.0		ug/L			03/25/13 11:16	1
1,1-Dichloroethane	ND		1.0		ug/L			03/25/13 11:16	1
1,1-Dichloroethene	ND		1.0		ug/L			03/25/13 11:16	1
1,1-Dichloropropene	ND		1.0		ug/L			03/25/13 11:16	1
1,2,3-Trichlorobenzene	ND		1.0		ug/L			03/25/13 11:16	1
1,2,3-Trichloropropane	ND		1.0		ug/L			03/25/13 11:16	1
1,2,4-Trichlorobenzene	ND		1.0		ug/L			03/25/13 11:16	1
1,2,4-Trimethylbenzene	ND		1.0		ug/L			03/25/13 11:16	1
1,2-Dibromo-3-Chloropropane	ND		5.0		ug/L			03/25/13 11:16	1
1,2-Dichlorobenzene	ND		1.0		ug/L			03/25/13 11:16	1
1,2-Dichloroethane	ND		1.0		ug/L			03/25/13 11:16	1
1,2-Dichloropropane	ND		1.0		ug/L			03/25/13 11:16	1
1,3,5-Trimethylbenzene	ND		1.0		ug/L			03/25/13 11:16	1
1,3-Dichlorobenzene	ND		1.0		ug/L			03/25/13 11:16	1
1,3-Dichloropropane	ND		1.0		ug/L			03/25/13 11:16	1
1,4-Dichlorobenzene	ND		1.0		ug/L			03/25/13 11:16	1
1,4-Dioxane	ND		50		ug/L			03/25/13 11:16	1
2,2-Dichloropropane	ND		1.0		ug/L			03/25/13 11:16	1
2-Butanone (MEK)	ND		10		ug/L			03/25/13 11:16	1
2-Chlorotoluene	ND		1.0		ug/L			03/25/13 11:16	1
2-Hexanone	ND		10		ug/L			03/25/13 11:16	1
4-Chlorotoluene	ND		1.0		ug/L			03/25/13 11:16	1
4-Isopropyltoluene	ND		1.0		ug/L			03/25/13 11:16	1
4-Methyl-2-pentanone (MIBK)	ND		10		ug/L			03/25/13 11:16	1
Acetone	ND		50		ug/L			03/25/13 11:16	1
Benzene	ND		1.0		ug/L			03/25/13 11:16	1
Bromobenzene	ND		1.0		ug/L			03/25/13 11:16	1
Bromoform	ND		1.0		ug/L			03/25/13 11:16	1
Bromomethane	ND		2.0		ug/L			03/25/13 11:16	1
Carbon disulfide	ND		10		ug/L			03/25/13 11:16	1
Carbon tetrachloride	ND		1.0		ug/L			03/25/13 11:16	1
Chlorobenzene	ND		1.0		ug/L			03/25/13 11:16	1
Chlorobromomethane	ND		1.0		ug/L			03/25/13 11:16	1
Chlorodibromomethane	ND		0.50		ug/L			03/25/13 11:16	1
Chloroethane	ND		2.0		ug/L			03/25/13 11:16	1
Chloroform	ND		1.0		ug/L			03/25/13 11:16	1
Chloromethane	ND		2.0		ug/L			03/25/13 11:16	1
cis-1,2-Dichloroethene	ND		1.0		ug/L			03/25/13 11:16	1
cis-1,3-Dichloropropene	ND		0.40		ug/L			03/25/13 11:16	1
Dichlorobromomethane	ND		0.50		ug/L			03/25/13 11:16	1
Dichlorodifluoromethane	ND		1.0		ug/L			03/25/13 11:16	1
Ethyl ether	ND		1.0		ug/L			03/25/13 11:16	1
Ethylbenzene	ND		1.0		ug/L			03/25/13 11:16	1
Ethylene Dibromide	ND		1.0		ug/L			03/25/13 11:16	1
Hexachlorobutadiene	ND		0.40		ug/L			03/25/13 11:16	1

TestAmerica Buffalo

QC Sample Results

Client: ERM-Northeast
Project/Site: IDS Wayland

TestAmerica Job ID: 480-34804-1

Method: 8260C - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 480-108964/7

Matrix: Water

Analysis Batch: 108964

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Isopropyl ether	ND		10		ug/L			03/25/13 11:16	1
Isopropylbenzene	ND		1.0		ug/L			03/25/13 11:16	1
Methyl tert-butyl ether	ND		1.0		ug/L			03/25/13 11:16	1
Methylene Chloride	ND		1.0		ug/L			03/25/13 11:16	1
m-Xylene & p-Xylene	ND		2.0		ug/L			03/25/13 11:16	1
Naphthalene	ND		5.0		ug/L			03/25/13 11:16	1
n-Butylbenzene	ND		1.0		ug/L			03/25/13 11:16	1
N-Propylbenzene	ND		1.0		ug/L			03/25/13 11:16	1
o-Xylene	ND		1.0		ug/L			03/25/13 11:16	1
sec-Butylbenzene	ND		1.0		ug/L			03/25/13 11:16	1
Styrene	ND		1.0		ug/L			03/25/13 11:16	1
Tert-amyl methyl ether	ND		5.0		ug/L			03/25/13 11:16	1
Tert-butyl ethyl ether	ND		5.0		ug/L			03/25/13 11:16	1
tert-Butylbenzene	ND		1.0		ug/L			03/25/13 11:16	1
Tetrachloroethene	ND		1.0		ug/L			03/25/13 11:16	1
Tetrahydrofuran	ND		10		ug/L			03/25/13 11:16	1
Toluene	ND		1.0		ug/L			03/25/13 11:16	1
trans-1,2-Dichloroethene	ND		1.0		ug/L			03/25/13 11:16	1
trans-1,3-Dichloropropene	ND		0.40		ug/L			03/25/13 11:16	1
Trichloroethene	ND		1.0		ug/L			03/25/13 11:16	1
Trichlorofluoromethane	ND		1.0		ug/L			03/25/13 11:16	1
Vinyl chloride	ND		0.50		ug/L			03/25/13 11:16	1
Dibromomethane	ND		1.0		ug/L			03/25/13 11:16	1

Surrogate	MB	MB	Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
Toluene-d8 (Surr)	96		70 - 130		03/25/13 11:16	1
1,2-Dichloroethane-d4 (Surr)	94		70 - 130		03/25/13 11:16	1
4-Bromofluorobenzene (Surr)	99		70 - 130		03/25/13 11:16	1

Lab Sample ID: LCS 480-108964/4

Matrix: Water

Analysis Batch: 108964

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS	LCS	Unit	D	%Rec	%Rec. Limits
		Result	Qualifier				
1,1,1,2-Tetrachloroethane	25.0	25.4		ug/L		102	70 - 130
1,1,1-Trichloroethane	25.0	23.3		ug/L		93	70 - 130
1,1,2,2-Tetrachloroethane	25.0	25.2		ug/L		101	70 - 130
1,1,2-Trichloroethane	25.0	24.4		ug/L		98	70 - 130
1,1-Dichloroethane	25.0	24.0		ug/L		96	70 - 130
1,1-Dichloroethane	25.0	25.3		ug/L		101	70 - 130
1,1-Dichloropropene	25.0	24.8		ug/L		99	70 - 130
1,2,3-Trichlorobenzene	25.0	25.8		ug/L		103	70 - 130
1,2,3-Trichloropropane	25.0	25.3		ug/L		101	70 - 130
1,2,4-Trichlorobenzene	25.0	26.7		ug/L		107	70 - 130
1,2,4-Trimethylbenzene	25.0	24.5		ug/L		98	70 - 130
1,2-Dibromo-3-Chloropropane	25.0	27.4		ug/L		110	70 - 130
1,2-Dichlorobenzene	25.0	24.6		ug/L		98	70 - 130
1,2-Dichloroethane	25.0	22.7		ug/L		91	70 - 130

TestAmerica Buffalo

QC Sample Results

Client: ERM-Northeast
Project/Site: IDS Wayland

TestAmerica Job ID: 480-34804-1

Method: 8260C - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 480-108964/4

Matrix: Water

Analysis Batch: 108964

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
1,2-Dichloropropane	25.0	23.9		ug/L		96	70 - 130
1,3,5-Trimethylbenzene	25.0	24.1		ug/L		97	70 - 130
1,3-Dichlorobenzene	25.0	24.7		ug/L		99	70 - 130
1,3-Dichloropropane	25.0	23.7		ug/L		95	70 - 130
1,4-Dichlorobenzene	25.0	24.8		ug/L		99	70 - 130
1,4-Dioxane	1000	977		ug/L		98	70 - 130
2,2-Dichloropropane	25.0	22.9		ug/L		92	70 - 130
2-Butanone (MEK)	125	173	*	ug/L		138	70 - 130
2-Chlorotoluene	25.0	24.3		ug/L		97	70 - 130
2-Hexanone	125	118		ug/L		94	70 - 130
4-Chlorotoluene	25.0	21.5		ug/L		86	70 - 130
4-Isopropyltoluene	25.0	25.2		ug/L		101	70 - 130
4-Methyl-2-pentanone (MIBK)	125	119		ug/L		95	70 - 130
Acetone	125	116		ug/L		92	70 - 130
Benzene	25.0	24.2		ug/L		97	70 - 130
Bromobenzene	25.0	24.6		ug/L		98	70 - 130
Bromoform	25.0	27.0		ug/L		108	70 - 130
Bromomethane	25.0	21.4		ug/L		86	70 - 130
Carbon disulfide	25.0	24.9		ug/L		100	70 - 130
Carbon tetrachloride	25.0	24.3		ug/L		97	70 - 130
Chlorobenzene	25.0	24.8		ug/L		99	70 - 130
Chlorobromomethane	25.0	26.4		ug/L		106	70 - 130
Chlorodibromomethane	25.0	26.2		ug/L		105	70 - 130
Chloroethane	25.0	23.1		ug/L		92	70 - 130
Chloroform	25.0	23.9		ug/L		96	70 - 130
Chloromethane	25.0	25.2		ug/L		101	70 - 130
cis-1,2-Dichloroethene	25.0	24.4		ug/L		98	70 - 130
cis-1,3-Dichloropropene	25.0	25.3		ug/L		101	70 - 130
Dichlorobromomethane	25.0	24.4		ug/L		98	70 - 130
Dichlorodifluoromethane	50.0	63.9		ug/L		128	70 - 130
Ethyl ether	25.0	25.1		ug/L		101	70 - 130
Ethylbenzene	25.0	23.8		ug/L		95	70 - 130
Ethylene Dibromide	25.0	24.9		ug/L		100	70 - 130
Hexachlorobutadiene	25.0	26.2		ug/L		105	70 - 130
Isopropyl ether	25.0	25.4		ug/L		102	70 - 130
Isopropylbenzene	25.0	24.1		ug/L		96	70 - 130
Methyl tert-butyl ether	25.0	24.8		ug/L		99	70 - 130
Methylene Chloride	25.0	22.9		ug/L		92	70 - 130
m-Xylene & p-Xylene	50.0	49.2		ug/L		98	70 - 130
Naphthalene	25.0	25.2		ug/L		101	70 - 130
n-Butylbenzene	25.0	24.5		ug/L		98	70 - 130
N-Propylbenzene	25.0	24.3		ug/L		97	70 - 130
o-Xylene	25.0	24.2		ug/L		97	70 - 130
sec-Butylbenzene	25.0	25.0		ug/L		100	70 - 130
Styrene	25.0	24.3		ug/L		97	70 - 130
Tert-amyl methyl ether	25.0	25.2		ug/L		101	70 - 130
Tert-butyl ethyl ether	25.0	24.5		ug/L		98	70 - 130
tert-Butylbenzene	25.0	25.5		ug/L		102	70 - 130

TestAmerica Buffalo

QC Sample Results

Client: ERM-Northeast
Project/Site: IDS Wayland

TestAmerica Job ID: 480-34804-1

Method: 8260C - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 480-108964/4

Matrix: Water

Analysis Batch: 108964

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Tetrachloroethene	25.0	26.4		ug/L		105	70 - 130
Tetrahydrofuran	125	127		ug/L		101	70 - 130
Toluene	25.0	24.1		ug/L		96	70 - 130
trans-1,2-Dichloroethene	25.0	24.8		ug/L		99	70 - 130
trans-1,3-Dichloropropene	25.0	24.7		ug/L		99	70 - 130
Trichloroethene	25.0	25.1		ug/L		100	70 - 130
Trichlorofluoromethane	25.0	25.5		ug/L		102	70 - 130
Vinyl chloride	25.0	23.7		ug/L		95	70 - 130
Dibromomethane	25.0	24.6		ug/L		98	70 - 130

Surrogate	LCS %Recovery	LCS Qualifier	Limits
Toluene-d8 (Surr)	96		70 - 130
1,2-Dichloroethane-d4 (Surr)	90		70 - 130
4-Bromofluorobenzene (Surr)	102		70 - 130

Lab Sample ID: LCSD 480-108964/5

Matrix: Water

Analysis Batch: 108964

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
1,1,1,2-Tetrachloroethane	25.0	24.3		ug/L		97	70 - 130	4	20
1,1,1-Trichloroethane	25.0	23.0		ug/L		92	70 - 130	1	20
1,1,1,2,2-Tetrachloroethane	25.0	25.1		ug/L		100	70 - 130	0	20
1,1,1,2-Trichloroethane	25.0	23.5		ug/L		94	70 - 130	4	20
1,1-Dichloroethane	25.0	23.2		ug/L		93	70 - 130	3	20
1,1-Dichloroethene	25.0	23.2		ug/L		93	70 - 130	9	20
1,1-Dichloropropene	25.0	23.8		ug/L		95	70 - 130	4	20
1,2,3-Trichlorobenzene	25.0	26.5		ug/L		106	70 - 130	3	20
1,2,3-Trichloropropane	25.0	24.4		ug/L		98	70 - 130	4	20
1,2,4-Trichlorobenzene	25.0	26.8		ug/L		107	70 - 130	0	20
1,2,4-Trimethylbenzene	25.0	23.4		ug/L		94	70 - 130	4	20
1,2-Dibromo-3-Chloropropane	25.0	26.4		ug/L		105	70 - 130	4	20
1,2-Dichlorobenzene	25.0	24.5		ug/L		98	70 - 130	0	20
1,2-Dichloroethane	25.0	22.6		ug/L		90	70 - 130	0	20
1,2-Dichloropropane	25.0	24.0		ug/L		96	70 - 130	0	20
1,3,5-Trimethylbenzene	25.0	23.6		ug/L		94	70 - 130	2	20
1,3-Dichlorobenzene	25.0	24.4		ug/L		98	70 - 130	1	20
1,3-Dichloropropane	25.0	23.0		ug/L		92	70 - 130	3	20
1,4-Dichlorobenzene	25.0	24.6		ug/L		98	70 - 130	1	20
1,4-Dioxane	1000	992		ug/L		99	70 - 130	2	20
2,2-Dichloropropane	25.0	23.0		ug/L		92	70 - 130	0	20
2-Butanone (MEK)	125	172	*	ug/L		138	70 - 130	1	20
2-Chlorotoluene	25.0	23.5		ug/L		94	70 - 130	3	20
2-Hexanone	125	116		ug/L		93	70 - 130	2	20
4-Chlorotoluene	25.0	20.9		ug/L		83	70 - 130	3	20
4-Isopropyltoluene	25.0	24.3		ug/L		97	70 - 130	3	20
4-Methyl-2-pentanone (MIBK)	125	116		ug/L		93	70 - 130	2	20
Acetone	125	114		ug/L		92	70 - 130	1	20

TestAmerica Buffalo

QC Sample Results

Client: ERM-Northeast
Project/Site: IDS Wayland

TestAmerica Job ID: 480-34804-1

Method: 8260C - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCSD 480-108964/5

Matrix: Water

Analysis Batch: 108964

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec.		RPD	Limit
							Limits	RPD		
Benzene	25.0	23.7		ug/L		95	70 - 130	2	20	
Bromobenzene	25.0	24.3		ug/L		97	70 - 130	1	20	
Bromoform	25.0	26.7		ug/L		107	70 - 130	1	20	
Bromomethane	25.0	24.0		ug/L		96	70 - 130	11	20	
Carbon disulfide	25.0	24.0		ug/L		96	70 - 130	4	20	
Carbon tetrachloride	25.0	23.8		ug/L		95	70 - 130	2	20	
Chlorobenzene	25.0	24.0		ug/L		96	70 - 130	3	20	
Chlorobromomethane	25.0	25.6		ug/L		102	70 - 130	3	20	
Chlorodibromomethane	25.0	25.1		ug/L		100	70 - 130	4	20	
Chloroethane	25.0	23.4		ug/L		94	70 - 130	2	20	
Chloroform	25.0	23.0		ug/L		92	70 - 130	4	20	
Chloromethane	25.0	23.7		ug/L		95	70 - 130	6	20	
cis-1,2-Dichloroethene	25.0	24.6		ug/L		98	70 - 130	1	20	
cis-1,3-Dichloropropene	25.0	25.0		ug/L		100	70 - 130	1	20	
Dichlorobromomethane	25.0	24.1		ug/L		96	70 - 130	1	20	
Dichlorodifluoromethane	50.0	59.8		ug/L		120	70 - 130	7	20	
Ethyl ether	25.0	25.0		ug/L		100	70 - 130	1	20	
Ethylbenzene	25.0	23.0		ug/L		92	70 - 130	4	20	
Ethylene Dibromide	25.0	24.3		ug/L		97	70 - 130	2	20	
Hexachlorobutadiene	25.0	26.3		ug/L		105	70 - 130	0	20	
Isopropyl ether	25.0	25.4		ug/L		102	70 - 130	0	20	
Isopropylbenzene	25.0	23.5		ug/L		94	70 - 130	2	20	
Methyl tert-butyl ether	25.0	24.7		ug/L		99	70 - 130	0	20	
Methylene Chloride	25.0	22.7		ug/L		91	70 - 130	1	20	
m-Xylene & p-Xylene	50.0	46.9		ug/L		94	70 - 130	5	20	
Naphthalene	25.0	25.7		ug/L		103	70 - 130	2	20	
n-Butylbenzene	25.0	23.8		ug/L		95	70 - 130	3	20	
N-Propylbenzene	25.0	23.5		ug/L		94	70 - 130	4	20	
o-Xylene	25.0	23.7		ug/L		95	70 - 130	2	20	
sec-Butylbenzene	25.0	23.8		ug/L		95	70 - 130	5	20	
Styrene	25.0	23.7		ug/L		95	70 - 130	2	20	
Tert-amyl methyl ether	25.0	25.0		ug/L		100	70 - 130	1	20	
Tert-butyl ethyl ether	25.0	24.2		ug/L		97	70 - 130	2	20	
tert-Butylbenzene	25.0	24.8		ug/L		99	70 - 130	3	20	
Tetrachloroethene	25.0	25.6		ug/L		102	70 - 130	3	20	
Tetrahydrofuran	125	127		ug/L		102	70 - 130	1	20	
Toluene	25.0	23.5		ug/L		94	70 - 130	2	20	
trans-1,2-Dichloroethene	25.0	24.2		ug/L		97	70 - 130	3	20	
trans-1,3-Dichloropropene	25.0	23.8		ug/L		95	70 - 130	4	20	
Trichloroethene	25.0	24.3		ug/L		97	70 - 130	3	20	
Trichlorofluoromethane	25.0	24.8		ug/L		99	70 - 130	3	20	
Vinyl chloride	25.0	23.0		ug/L		92	70 - 130	3	20	
Dibromomethane	25.0	24.8		ug/L		99	70 - 130	1	20	

Surrogate	LCSD		Limits
	%Recovery	Qualifier	
Toluene-d8 (Surr)	96		70 - 130
1,2-Dichloroethane-d4 (Surr)	92		70 - 130
4-Bromofluorobenzene (Surr)	102		70 - 130

TestAmerica Buffalo

QC Association Summary

Client: ERM-Northeast
Project/Site: IDS Wayland

TestAmerica Job ID: 480-34804-1

GC/MS VOA

Analysis Batch: 108684

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-34804-1	MW217D-20130321-01	Total/NA	Water	8260C	
480-34804-2	MW217S-20130321-01	Total/NA	Water	8260C	
480-34804-3	MW217M-20130321-01	Total/NA	Water	8260C	
LCS 480-108684/4	Lab Control Sample	Total/NA	Water	8260C	
LCSD 480-108684/5	Lab Control Sample Dup	Total/NA	Water	8260C	
MB 480-108684/7	Method Blank	Total/NA	Water	8260C	

Analysis Batch: 108964

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-34804-3 - DL	MW217M-20130321-01	Total/NA	Water	8260C	
LCS 480-108964/4	Lab Control Sample	Total/NA	Water	8260C	
LCSD 480-108964/5	Lab Control Sample Dup	Total/NA	Water	8260C	
MB 480-108964/7	Method Blank	Total/NA	Water	8260C	

Lab Chronicle

Client: ERM-Northeast
Project/Site: IDS Wayland

TestAmerica Job ID: 480-34804-1

Client Sample ID: MW217D-20130321-01

Lab Sample ID: 480-34804-1

Date Collected: 03/21/13 09:20

Matrix: Water

Date Received: 03/22/13 12:30

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		1	108684	03/22/13 15:41	LH	TAL BUF

Client Sample ID: MW217S-20130321-01

Lab Sample ID: 480-34804-2

Date Collected: 03/21/13 11:45

Matrix: Water

Date Received: 03/22/13 12:30

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		1	108684	03/22/13 16:05	LH	TAL BUF

Client Sample ID: MW217M-20130321-01

Lab Sample ID: 480-34804-3

Date Collected: 03/21/13 10:30

Matrix: Water

Date Received: 03/22/13 12:30

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		1	108684	03/22/13 16:29	LH	TAL BUF
Total/NA	Analysis	8260C	DL	4	108964	03/25/13 12:34	RL	TAL BUF

Laboratory References:

TAL BUF = TestAmerica Buffalo, 10 Hazelwood Drive, Amherst, NY 14228-2298, TEL (716)691-2600

Certification Summary

Client: ERM-Northeast
Project/Site: IDS Wayland

TestAmerica Job ID: 480-34804-1

Laboratory: TestAmerica Buffalo

All certifications held by this laboratory are listed. Not all certifications are applicable to this report.

Authority	Program	EPA Region	Certification ID	Expiration Date
Arkansas DEQ	State Program	6	88-0686	07-06-13
California	NELAP	9	1169CA	09-30-13
Connecticut	State Program	1	PH-0568	09-30-14
Florida	NELAP	4	E87672	06-30-13
Georgia	State Program	4	N/A	03-31-13
Georgia	State Program	4	956	06-30-13
Georgia	State Program	4	956	06-30-13
Illinois	NELAP	5	200003	09-30-13
Iowa	State Program	7	374	03-01-13
Kansas	NELAP	7	E-10187	01-31-14
Kentucky	State Program	4	90029	12-31-13
Kentucky (UST)	State Program	4	30	04-01-13
Louisiana	NELAP	6	02031	06-30-13
Maine	State Program	1	NY00044	12-04-13
Maryland	State Program	3	294	03-31-13
Massachusetts	State Program	1	M-NY044	06-30-13
Michigan	State Program	5	9937	04-01-13
Minnesota	NELAP	5	036-999-337	12-31-13
New Hampshire	NELAP	1	2973	09-11-13
New Hampshire	NELAP	1	2337	11-17-13
New Jersey	NELAP	2	NY455	06-30-13
New York	NELAP	2	10026	03-31-13
North Dakota	State Program	8	R-176	03-31-13
Oklahoma	State Program	6	9421	08-31-13
Oregon	NELAP	10	NY200003	06-09-13
Pennsylvania	NELAP	3	68-00281	07-31-13
Rhode Island	State Program	1	LAO00328	12-31-13
Tennessee	State Program	4	TN02970	04-01-13
Texas	NELAP	6	T104704412-11-2	07-31-13
USDA	Federal		P330-11-00386	11-22-14
Virginia	NELAP	3	460185	09-14-13
Washington	State Program	10	C784	02-10-14
West Virginia DEP	State Program	3	252	09-30-13
Wisconsin	State Program	5	998310390	08-31-13

Method Summary

Client: ERM-Northeast
Project/Site: IDS Wayland

TestAmerica Job ID: 480-34804-1

Method	Method Description	Protocol	Laboratory
8260C	Volatile Organic Compounds (GC/MS)	MA DEP	TAL BUF

Protocol References:

MA DEP = Massachusetts Department Of Environmental Protection

Laboratory References:

TAL BUF = TestAmerica Buffalo, 10 Hazelwood Drive, Amherst, NY 14228-2298, TEL (716)691-2600



Sample Summary

Client: ERM-Northeast
Project/Site: IDS Wayland

TestAmerica Job ID: 480-34804-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
480-34804-1	MW217D-20130321-01	Water	03/21/13 09:20	03/22/13 12:30
480-34804-2	MW217S-20130321-01	Water	03/21/13 11:45	03/22/13 12:30
480-34804-3	MW217M-20130321-01	Water	03/21/13 10:30	03/22/13 12:30

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

Login Sample Receipt Checklist

Client: ERM-Northeast

Job Number: 480-34804-1

Login Number: 34804

List Number: 1

Creator: Kolb, Chris M

List Source: TestAmerica Buffalo

Question	Answer	Comment
Radioactivity either was not measured or, if measured, is at or below background	N/A	
The cooler's custody seal, if present, is intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the sample IDs on the containers and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter.	True	
If necessary, staff have been informed of any short hold time or quick TAT needs	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Sampling Company provided.	True	
Samples received within 48 hours of sampling.	True	
Samples requiring field filtration have been filtered in the field.	True	
Chlorine Residual checked.	N/A	



Chain of Custody Record

Boston Service Center
240 Bear Hill Rd. Suite 104
Waltham, MA 02451
Phone (781) 466-6900 Fax (781) 466-6901

TestAmerica Westfield
Westfield Executive Park 53 Southampton Road
Westfield, MA 01085
Phone (413) 572-4000 Fax (413) 572-3707

Client Information		Lab PM		Carrier Tracking No(s):	
Client Contact: <u>Saxon Flattery</u>		E-Mail:		COC No: <u>22859</u>	
Company: <u>ERM</u>		Sampler: <u>Stacey Bragg</u>		Page: <u>1/1</u>	
Address: <u>1 Beacon St, 5th Floor</u>		Phone: <u>978-875-0426</u>		Job #: <u>480-348061</u>	
City: <u>Boston</u>		Quote #:		Preservation Codes:	
State, Zip: <u>MA 02108</u>		PO #:		A - HCL J - DI Water B - NaOH M - Hexane C - Zn Acetate N - None D - Nitric Acid P - Na2O4S E - NaHSO4 Q - Na2SO3 F - MeOH R - Na2S2O3 H - Ascorbic Acid S - H2SO4 I - Ice Z - other (specify)	
Email: <u>1-617-4147-0757</u>		WO #:		Regulatory programs:	
Project Name/number: <u>Saxon Flattery@erm.com</u>		SSOW#:		MCP <input checked="" type="checkbox"/> GW1/51 RCP <input type="checkbox"/> CT RSR DEP Form <input type="checkbox"/> EDD Required <input type="checkbox"/>	
Site: <u>Wayland</u>				Special Instructions/Note:	
Sample Identification		Matrix (W=water, S=solid, O=soil, BT=tissue, A=air)		Total Number of containers	
Sample ID	Sample Date	Sample Time	Sample Type (C=comp, G=grab)	Field Filtered Sample?	Perform MS/MSD?
MW 217 D - 20130321-01	3/21/13	9:20	W	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
MW 217 S - 20130321-01	3/21/13	11:45	W	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
MW 217 M - 20130321-01	3/21/13	10:30	W	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Possible Hazard Identification		Disposal By Lab		Archive For	
<input checked="" type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown <input type="checkbox"/> Radiological		Return To Client <input type="checkbox"/>		Months	
Deliverable Requested: I, II, III, IV, Other (specify)		Special Instructions/QC Requirements:			
Relinquished by: <u>Stacey Bragg</u>		Received by: <u>MA WAWKOW</u>		Date/Time: <u>3/21/13 15:20</u>	
Relinquished by: <u>MA C</u>		Received by: <u>MA WAWKOW</u>		Date/Time: <u>3/22/13 12:30</u>	
Relinquished by:		Received by:		Date/Time:	
Custody Seals Intact: <input type="checkbox"/> Yes <input type="checkbox"/> No		Cooler Temperature(s) °C and Other Remarks: <u>0.8°F #</u>		Company: <u>TAL</u>	

