


**Environmental
Resources
Management**

One Beacon Street, 5th Floor
Boston, MA 02108
+1 617 646 7800
+1 617 267 6447 (fax)

<http://www.erm.com>



18 November 2014

Mr. Robert Schelmerdeine
Wayland Meadows Development Inc.
145 Rosemary Street, Suite E
Needham, MA 02494

RE: Transmittal of Groundwater Analytical Data
Former Raytheon Facility
430 Boston Post Road, Wayland, Massachusetts

Dear Mr. Schelmerdeine:


On behalf of Raytheon Company (Raytheon), Environmental Resources Management (ERM) is submitting the results of groundwater sample analyses related to the Former Raytheon Facility located at 430 Boston Post Road in Wayland, Massachusetts (Site). These results are submitted pursuant to 310 CMR 40.1403(10) of the Massachusetts Contingency Plan (MCP).

Innovative Engineering Solutions, Inc. collected groundwater samples from two wells (MW-263M and MW-264M) within the boundaries of your property on 21 September 2014. The sample was submitted to TestAmerica Laboratories, Inc. of Westfield, Massachusetts. Analytical results are attached to this letter. These analytical data will be provided to the Massachusetts Department of Environmental Protection in the next required MCP submittal.

Raytheon has implemented the Public Involvement Process in accordance with 310 CMR 40.1405. Documents pertaining to the Site can be found at the Board of Health, the Wayland Public Library Public Involvement Plan files, or at <http://raytheon.erm.com/home.htm>.

If you have any questions or comments, please contact the undersigned at (617) 646-7800 or Jonathan Hone, Raytheon Company, at (978) 436-8298.

Sincerely,



John C. Drobinski, P.G., LSP
Principal-in-Charge



Lyndsey Colburn, P.G.
Project Manager

enclosures: BWSC-123 – Notice of Environmental Sampling
Laboratory Analytical Reports

cc: Jonathan Hone, Raytheon Company
Ben Gould, CMG Environmental
PIP Repositories



NOTICE OF ENVIRONMENTAL SAMPLING

As required by 310 CMR 40.1403(10) of the Massachusetts Contingency Plan

3 - 13302

A. The address of the disposal site related to this Notice and Release Tracking Number (provided above):

1. Street Address: 430 Boston Post Road
City/Town: Wayland Zip Code: 01778

B. This notice is being provided to the following party:

1. Name: Wayland Meadows Limited Partnership
2. Street Address: 145 Rosemary Street
City/Town: Needham Zip Code: 02494

C. This notice is being given to inform its recipient (the party listed in Section B):

- 1. That environmental sampling will be/has been conducted at property owned by the recipient of this notice.
- 2. Of the results of environmental sampling conducted at property owned by the recipient of this notice.
- 3. Check to indicate if the analytical results are attached. (If item 2. above is checked, the analytical results from the environmental sampling must be attached to this notice.)

D. Location of the property where the environmental sampling will be/has been conducted:

1. Street Address: 430 Boston Post Road
City/Town: Wayland Zip Code: 01778

2. MCP phase of work during which the sampling will be/has been conducted:

- | | |
|---|--|
| <input type="checkbox"/> Immediate Response Action | <input type="checkbox"/> Phase III Feasibility Evaluation |
| <input type="checkbox"/> Release Abatement Measure | <input type="checkbox"/> Phase IV Remedy Implementation Plan |
| <input type="checkbox"/> Utility-related Abatement Measure | <input checked="" type="checkbox"/> Phase V/Remedy Operation Status |
| <input type="checkbox"/> Phase I Initial Site Investigation | <input type="checkbox"/> Post-Temporary Solution Operation, Maintenance and Monitoring |
| <input type="checkbox"/> Phase II Comprehensive Site Assessment | <input type="checkbox"/> Other _____ |
- (specify)

3. Description of property where sampling will be/has been conducted:

- residential commercial industrial school/playground Other _____
- (specify)

4. Description of the sampling locations and types (e.g., soil, groundwater, indoor air, soil gas) to the extent known at the time of this notice.

Collection of groundwater samples from existing monitoring wells.

E. Contact information related to the party providing this notice:

Contact Name: Louis J. Burkhardt
Street Address: 50 Apple Hill Drive
City/Town: Tewksbury Zip Code: 01876
Telephone: (978) 858-1885 Email: louis_j_burkhardt@raytheon.com



Massachusetts Department of Environmental Protection
Bureau of Waste Site Cleanup

BWSC123

This Notice is Related to:
Release Tracking Number

NOTICE OF ENVIRONMENTAL SAMPLING

3 - 13302

As required by 310 CMR 40.1403(10) of the Massachusetts Contingency Plan

MASSACHUSETTS REGULATIONS THAT REQUIRE THIS NOTICE

This notice is being provided pursuant to the Massachusetts Contingency Plan and the notification requirement at 310 CMR 40.1403(10). The Massachusetts Contingency Plan is a state regulation that specifies requirements for parties who are taking actions to address releases of chemicals (oil or hazardous material) to the environment.

THE PERSON(S) PROVIDING THIS NOTICE

This notice has been sent to you by the party who is addressing a release of oil or hazardous material to the environment at the location listed in **Section A** on the reverse side of this form. (The regulations refer to the area where the oil or hazardous material is present as the "disposal site".)

PURPOSE OF THIS NOTICE

When environmental samples are taken as part of an investigation of a release for which a notification to MassDEP has been made under the Massachusetts Contingency Plan (310 CMR 40.0300) on behalf of someone other than the owner of the property, the regulations require that the property owner (listed in **Section B** on the reverse side of this form) be given notice of the environmental sampling. The regulations also require that the property owner subsequently receive the analytical results following the analysis of the environmental samples.

Section C on the reverse side of this form indicates the circumstance under which you are receiving this notice at this time. If you are receiving this notice to inform you of the analytical results following the analysis of the environmental samples, you should also have received, as an attachment, a copy of analytical results. These results should indicate the number and type(s) of samples (e.g., soil, groundwater) analyzed, any chemicals identified, and the measured concentrations of those chemicals.

Section D on the reverse side of this form identifies the property where the environmental sampling will be/has been conducted, provides a description of the sampling locations within the property, and indicates the phase of work under the Massachusetts Contingency Plan regulatory process during which the samples will be/were collected.

FOR MORE INFORMATION

Information about the general process for addressing releases of oil or hazardous material under the Massachusetts Contingency Plan and related public involvement opportunities may be found at <http://www.mass.gov/eea/agencies/massdep/cleanup>. For more information regarding this notice, you may contact the party listed in **Section E** on the reverse side of this form. Information about the disposal site identified in Section A is also available in files at the Massachusetts Department of Environmental Protection. See <http://public.dep.state.ma.us/SearchableSites2/Search.aspx> to view site-specific files on-line or <http://mass.gov/eea/agencies/massdep/about/contacts/conduct-a-file-review.html> if you would like to make an appointment to see these files in person. Please reference the **Release Tracking Number** listed in the upper right hand corner on the reverse side of this form when making file review appointments.

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

TestAmerica Laboratories, Inc.
TestAmerica Buffalo
10 Hazelwood Drive
Amherst, NY 14228-2298
Tel: (716)691-2600

TestAmerica Job ID: 480-67875-1
Client Project/Site: IDS Wayland

For:
Innovative Engineering Solutions, Inc
25 Spring Street
Walpole, Massachusetts 02081

Attn: Vicki Pariyar



Authorized for release by:
10/6/2014 3:47:43 PM

Becky Mason, Project Manager II
(413)572-4000
becky.mason@testamericainc.com

Two samples (MW-263M and MW-264M) were collected from the Town of Wayland Conservation Commission Property. All other samples were grayed out for ease of review.

LINKS

Review your project results through
TotalAccess

Have a Question?



Visit us at:
www.testamericainc.com

The test results in this report meet all 2003 NELAC and 2009 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15



Table of Contents

Cover Page	1
Table of Contents	2
Definitions/Glossary	3
Case Narrative	4
Detection Summary	6
Client Sample Results	13
Surrogate Summary	78
QC Sample Results	81
QC Association Summary	128
Lab Chronicle	131
Certification Summary	138
Method Summary	140
Sample Summary	141
Receipt Checklists	142
Chain of Custody	146

Definitions/Glossary

Client: Innovative Engineering Solutions, Inc
Project/Site: IDS Wayland

TestAmerica Job ID: 480-67875-1

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
*	LCS or LCSD exceeds the control limits
*	RPD of the LCS and LCSD exceeds the control limits

GC/MS Semi VOA

Qualifier	Qualifier Description
X	Surrogate is outside control limits
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains no Free Liquid
DER	Duplicate error ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision level concentration
MDA	Minimum detectable activity
EDL	Estimated Detection Limit
MDC	Minimum detectable concentration
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative error ratio
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

Case Narrative

Client: Innovative Engineering Solutions, Inc
Project/Site: IDS Wayland

TestAmerica Job ID: 480-67875-1

Job ID: 480-67875-1

Laboratory: TestAmerica Buffalo

Narrative

Receipt

The samples were received on 9/24/2014 1:00 AM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperatures of the 2 coolers at receipt time were 3.2° C and 4.0° C.

The following sample was received with two vials ,out of three, having headspace: MW-264M-20140921 (480-67875-5), (vials B&C), the following samples were received with a single vial, out of three, having headspace: MW-266Mb-20140920 (480-67875-10), (vial A), MW-268D-20140920 (480-67875-15) (vial C), REW-8-20140922 (480-67875-29) (vial A) and DUP1-20140920 (480-67875-34), (vial A).

GC/MS VOA

With the exception of diluted samples, per question G on the MassDEP Analytical Protocol Certification Form, TestAmerica's routine reporting limits do not achieve the CAM reporting limits specified in this CAM protocol for 1,2-dibromo-3-chloropropane, Carbon Disulfide, Isopropyl Ether, Naphthalene, tert-Butyl Ethyl Ether, tert-Amyl Methyl Ether and Tetrahydrofuran.

Method 8260C: The laboratory control sample (LCS) and / or laboratory control sample duplicate (LCSD) for batch 194457 recovered outside control limits for the following analytes: 1,4-Dioxane. These analytes were biased high in the LCS and were not detected in the associated samples; therefore, the data have been reported.

Method 8260C: Massachusetts response factor requirements in batch 194717 were not met for the following analytes: 1,4-dioxane and tetrahydrofuran.

Method 8260C: Massachusetts response factor requirements in batch 194871 were not met for the following analytes: 1,4-dioxane and tetrahydrofuran.

Method 8260C: The laboratory control sample (LCS) and / or laboratory control sample duplicate (LCSD) for batch 194754 recovered outside control limits for the following analytes: 1,4-Dioxane. These analytes were biased high in the LCS and were not detected in the associated samples; therefore, the data have been reported.

Method 8260C: The %RPD of the laboratory control sample (LCS) and laboratory control standard duplicate (LCSD) for preparation batch 195033 recovered outside control limits for the following analytes: 1,4-Dioxane.

Method 8260C: Massachusetts response factor requirements in batch 195081 were not met for the following analytes: 1,4-dioxane, acetone, and tetrahydrofuran.

Method 8260C: Massachusetts response factor requirements in batch 195227 were not met for the following analytes: 1,4-dioxane, acetone, and tetrahydrofuran.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

GC/MS Semi VOA

Method 522 MOD: Surrogate recovery for the following sample was outside control limits: (480-67875-7), MW-265M-20140923 (480-67875-7). The sample was re-analyzed at a dilution for matrix interference, but still had matrix interference and surrogate recovery outside control limits. Because evidence of matrix interference is present, re-extraction was not performed. The original, undiluted, analysis is reported.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

Organic Prep

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

VOA Prep

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

MassDEP Analytical Protocol Certification Form

Laboratory Name: **TestAmerica Buffalo** Project #: **480-67875-1**

Project Location: **Wayland** RTN:

This form provides certifications for the data set for the following Laboratory Sample ID Number(s):
480-67875-1[1-37]

Matrices: Groundwater/Surface Water Soil/Sediment Drinking Water Air Other:

CAM Protocols (check all that apply below):

8260 VOC CAM II A <input checked="" type="checkbox"/>	7470/7471 Hg CAM III B <input type="checkbox"/>	Mass DEP VPH CAM IV A <input type="checkbox"/>	8081 Pesticides CAM V B <input type="checkbox"/>	7196 Hex Cr CAM VI B <input type="checkbox"/>	Mass DEP APH CAM IX A <input type="checkbox"/>
8270 SVOC CAM II B <input type="checkbox"/>	7010 Metals CAM III C <input type="checkbox"/>	Mass DEP EPH CAM IV B <input type="checkbox"/>	8151 Herbicides CAM V C <input type="checkbox"/>	8330 Explosives CAM VIII A <input type="checkbox"/>	TO-15 VOC CAM IX B <input type="checkbox"/>
6010 Metals CAM III A <input type="checkbox"/>	6020 Metals CAM III D <input type="checkbox"/>	8082 PCB CAM V A <input type="checkbox"/>	9012 / 9014/ 4500CN Total Cyanide/PAC CAM VI A <input type="checkbox"/>	6860 Perchlorate CAM VIII B <input type="checkbox"/>	

Affirmative Responses to Questions A through F are required for "Presumptive Certainty" status

A	Were all samples received in a condition consistent with those described on the Chain-of-Custody, properly preserved (including temperature) in the field or laboratory, and prepared/analyzed within method holding time.	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
B	Were the analytical method(s) and all associated QC requirements specified in the selected CAM protocol(s) followed?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
C	Were all required corrective actions and analytical response actions specified in the selected CAM protocol(s) implemented for all identified performance standard non-conformances?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
D	Does the laboratory report comply with all the reporting requirements specified in CAM VII A, "Quality Assurance and Quality Control Guidelines for the Acquisition and Reporting of Analytical Data"?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
E	a. VPH, EPH and APH Methods only: Was each method conducted without significant modification(s)? (Refer to the individual method(s) for a list of significant modifications). b. APH and TO-15 Methods only: Was the complete analyte list reported for each method?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Yes <input type="checkbox"/> No
F	Were all applicable CAM protocol QC and performance standard non-conformances identified and evaluated in a laboratory narrative (including all "No" responses to Questions A through E)?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No

Responses to Questions G, H and I below are required for "Presumptive Certainty" status

G	Were the reporting limits at or below all CAM reporting limits specified in the selected CAM protocol(s)?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No ¹
----------	---	--

Data User Note: Data that achieve "Presumptive Certainty" status may not necessarily meet the data usability and representativeness requirements described in 310 CMR 40. 1056 (2)(k) and WCS-07-350

H	Were all QC performance standards specified in the CAM protocol(s) achieved?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No ¹
I	Were results reported for the complete analyte list specified in the selected CAM protocol(s) ?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No ¹

¹ All negative responses must be addressed in an attached laboratory narrative.

I, the undersigned, attest under the pains and penalties of perjury that, based upon my personal inquiry of those responsible for obtaining the information, the material contained in this analytical report is, to the best of my knowledge and belief, is accurate and complete.

Signature:  Position: Project Manager
 Printed Name: Becky Mason Date: 10/6/14 15:44

This form has been electronically signed and approved

Detection Summary

Client: Innovative Engineering Solutions, Inc
Project/Site: IDS Wayland

TestAmerica Job ID: 480-67875-1



Client Sample ID: MW-263M-20140921

Lab Sample ID: 480-67875-4

No Detections.

Client Sample ID: MW-264M-20140921

Lab Sample ID: 480-67875-5

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	10		1.0		ug/L	1		8260C	Total/NA
Tetrachloroethene	3.8		1.0		ug/L	1		8260C	Total/NA
Trichloroethene	16		1.0		ug/L	1		8260C	Total/NA



This Detection Summary does not include radiochemical test results.

TestAmerica Buffalo

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15

Detection Summary

Client: Innovative Engineering Solutions, Inc
Project/Site: IDS Wayland

TestAmerica Job ID: 480-67875-1

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

This Detection Summary does not include radiochemical test results.

TestAmerica Buffalo

Detection Summary

Client: Innovative Engineering Solutions, Inc
Project/Site: IDS Wayland

TestAmerica Job ID: 480-67875-1

1

2

3

4

5

6

7

8

9

10


11

12

13

14

15



This Detection Summary does not include radiochemical test results.

TestAmerica Buffalo

Detection Summary

Client: Innovative Engineering Solutions, Inc
Project/Site: IDS Wayland

TestAmerica Job ID: 480-67875-1

1

2

3

4

5

6

7

8

9

10


11

12

13

14

15



This Detection Summary does not include radiochemical test results.

TestAmerica Buffalo

Detection Summary

Client: Innovative Engineering Solutions, Inc
Project/Site: IDS Wayland

TestAmerica Job ID: 480-67875-1

1

2

3

4

5

6

7

8

9

10


11

12

13

14

15



This Detection Summary does not include radiochemical test results.

TestAmerica Buffalo

Detection Summary

Client: Innovative Engineering Solutions, Inc
Project/Site: IDS Wayland

TestAmerica Job ID: 480-67875-1

1

2

3

4

5

6

7

8

9

10


11

12

13

14

15



This Detection Summary does not include radiochemical test results.

TestAmerica Buffalo

Detection Summary

Client: Innovative Engineering Solutions, Inc
Project/Site: IDS Wayland

TestAmerica Job ID: 480-67875-1

1

2

3

4

5

6

7

8

9

10


11

12

13

14

15



This Detection Summary does not include radiochemical test results.

TestAmerica Buffalo

Client Sample Results

Client: Innovative Engineering Solutions, Inc
Project/Site: IDS Wayland

TestAmerica Job ID: 480-67875-1

1

2

3

4

5

6

7

8

9

10


11

12

13

14

15



Client Sample Results

Client: Innovative Engineering Solutions, Inc
Project/Site: IDS Wayland

TestAmerica Job ID: 480-67875-1




- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15

TestAmerica Buffalo

Client Sample Results

Client: Innovative Engineering Solutions, Inc
Project/Site: IDS Wayland

TestAmerica Job ID: 480-67875-1



- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15

Client Sample Results

Client: Innovative Engineering Solutions, Inc
Project/Site: IDS Wayland

TestAmerica Job ID: 480-67875-1

1

2

3

4

5

6

7

8

9

10


11

12

13

14

15




TestAmerica Buffalo

Client Sample Results

Client: Innovative Engineering Solutions, Inc
Project/Site: IDS Wayland

TestAmerica Job ID: 480-67875-1



- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15

Client Sample Results

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15

Client Sample ID: MW-263M-20140921

Lab Sample ID: 480-67875-4

Date Collected: 09/21/14 12:20

Matrix: Water

Date Received: 09/24/14 01:00

Method: 8260C - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1,2-Tetrachloroethane	ND		1.0		ug/L			10/01/14 22:24	1
1,1,1-Trichloroethane	ND		1.0		ug/L			10/01/14 22:24	1
1,1,2,2-Tetrachloroethane	ND		1.0		ug/L			10/01/14 22:24	1
1,1,2-Trichloroethane	ND		1.0		ug/L			10/01/14 22:24	1
1,1-Dichloroethane	ND		1.0		ug/L			10/01/14 22:24	1
1,1-Dichloroethene	ND		1.0		ug/L			10/01/14 22:24	1
1,1-Dichloropropene	ND		1.0		ug/L			10/01/14 22:24	1
1,2,3-Trichlorobenzene	ND		1.0		ug/L			10/01/14 22:24	1
1,2,3-Trichloropropane	ND		1.0		ug/L			10/01/14 22:24	1
1,2,4-Trichlorobenzene	ND		1.0		ug/L			10/01/14 22:24	1
1,2,4-Trimethylbenzene	ND		1.0		ug/L			10/01/14 22:24	1
1,2-Dibromo-3-Chloropropane	ND		10		ug/L			10/01/14 22:24	1
1,2-Dichlorobenzene	ND		1.0		ug/L			10/01/14 22:24	1
1,2-Dichloroethane	ND		1.0		ug/L			10/01/14 22:24	1
1,2-Dichloropropane	ND		1.0		ug/L			10/01/14 22:24	1
1,3,5-Trimethylbenzene	ND		1.0		ug/L			10/01/14 22:24	1
1,3-Dichlorobenzene	ND		1.0		ug/L			10/01/14 22:24	1
1,3-Dichloropropane	ND		1.0		ug/L			10/01/14 22:24	1
1,4-Dichlorobenzene	ND		1.0		ug/L			10/01/14 22:24	1
1,4-Dioxane	ND *		200		ug/L			10/01/14 22:24	1
2,2-Dichloropropane	ND		1.0		ug/L			10/01/14 22:24	1
2-Butanone (MEK)	ND		50		ug/L			10/01/14 22:24	1
2-Chlorotoluene	ND		1.0		ug/L			10/01/14 22:24	1
2-Hexanone	ND		10		ug/L			10/01/14 22:24	1
4-Chlorotoluene	ND		1.0		ug/L			10/01/14 22:24	1
4-Isopropyltoluene	ND		1.0		ug/L			10/01/14 22:24	1
4-Methyl-2-pentanone (MIBK)	ND		10		ug/L			10/01/14 22:24	1
Acetone	ND		25		ug/L			10/01/14 22:24	1
Benzene	ND		1.0		ug/L			10/01/14 22:24	1
Bromobenzene	ND		1.0		ug/L			10/01/14 22:24	1
Bromoform	ND		1.0		ug/L			10/01/14 22:24	1
Bromomethane	ND		1.0		ug/L			10/01/14 22:24	1
Carbon disulfide	ND		1.0		ug/L			10/01/14 22:24	1
Carbon tetrachloride	ND		1.0		ug/L			10/01/14 22:24	1
Chlorobenzene	ND		1.0		ug/L			10/01/14 22:24	1

TestAmerica Buffalo

Client Sample Results

Client: Innovative Engineering Solutions, Inc
Project/Site: IDS Wayland

TestAmerica Job ID: 480-67875-1

Client Sample ID: MW-263M-20140921

Lab Sample ID: 480-67875-4

Date Collected: 09/21/14 12:20

Matrix: Water

Date Received: 09/24/14 01:00

Method: 8260C - Volatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chlorobromomethane	ND		1.0		ug/L			10/01/14 22:24	1
Chlorodibromomethane	ND		1.0		ug/L			10/01/14 22:24	1
Chloroethane	ND		1.0		ug/L			10/01/14 22:24	1
Chloroform	ND		1.0		ug/L			10/01/14 22:24	1
Chloromethane	ND		1.0		ug/L			10/01/14 22:24	1
cis-1,2-Dichloroethene	ND		1.0		ug/L			10/01/14 22:24	1
cis-1,3-Dichloropropene	ND		1.0		ug/L			10/01/14 22:24	1
Dibromomethane	ND		1.0		ug/L			10/01/14 22:24	1
Dichlorobromomethane	ND		1.0		ug/L			10/01/14 22:24	1
Dichlorodifluoromethane	ND		1.0		ug/L			10/01/14 22:24	1
Ethyl ether	ND		5.0		ug/L			10/01/14 22:24	1
Ethylbenzene	ND		1.0		ug/L			10/01/14 22:24	1
Ethylene Dibromide	ND		1.0		ug/L			10/01/14 22:24	1
Hexachlorobutadiene	ND		2.0		ug/L			10/01/14 22:24	1
Isopropyl ether	ND		2.0		ug/L			10/01/14 22:24	1
Isopropylbenzene	ND		1.0		ug/L			10/01/14 22:24	1
Methyl tert-butyl ether	ND		1.0		ug/L			10/01/14 22:24	1
Methylene Chloride	ND		5.0		ug/L			10/01/14 22:24	1
m-Xylene & p-Xylene	ND		2.0		ug/L			10/01/14 22:24	1
Naphthalene	ND		5.0		ug/L			10/01/14 22:24	1
n-Butylbenzene	ND		1.0		ug/L			10/01/14 22:24	1
N-Propylbenzene	ND		1.0		ug/L			10/01/14 22:24	1
o-Xylene	ND		1.0		ug/L			10/01/14 22:24	1
sec-Butylbenzene	ND		1.0		ug/L			10/01/14 22:24	1
Styrene	ND		1.0		ug/L			10/01/14 22:24	1
Tert-amyl methyl ether	ND		1.0		ug/L			10/01/14 22:24	1
Tert-butyl ethyl ether	ND		1.0		ug/L			10/01/14 22:24	1
tert-Butylbenzene	ND		1.0		ug/L			10/01/14 22:24	1
Tetrachloroethene	ND		1.0		ug/L			10/01/14 22:24	1
Tetrahydrofuran	ND		10		ug/L			10/01/14 22:24	1
Toluene	ND		1.0		ug/L			10/01/14 22:24	1
trans-1,2-Dichloroethene	ND		1.0		ug/L			10/01/14 22:24	1
trans-1,3-Dichloropropene	ND		1.0		ug/L			10/01/14 22:24	1
Trichloroethene	ND		1.0		ug/L			10/01/14 22:24	1
Trichlorofluoromethane	ND		1.0		ug/L			10/01/14 22:24	1
Vinyl chloride	ND		1.0		ug/L			10/01/14 22:24	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Dibromofluoromethane (Surr)	96		70 - 130		10/01/14 22:24	1
Toluene-d8 (Surr)	95		70 - 130		10/01/14 22:24	1
1,2-Dichloroethane-d4 (Surr)	99		70 - 130		10/01/14 22:24	1
4-Bromofluorobenzene (Surr)	96		70 - 130		10/01/14 22:24	1

Client Sample ID: MW-264M-20140921

Lab Sample ID: 480-67875-5

Date Collected: 09/21/14 11:15

Matrix: Water

Date Received: 09/24/14 01:00

Method: 8260C - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1,2-Tetrachloroethane	ND		1.0		ug/L			10/02/14 20:23	1

TestAmerica Buffalo

Client Sample Results

Client: Innovative Engineering Solutions, Inc
Project/Site: IDS Wayland

TestAmerica Job ID: 480-67875-1

Client Sample ID: MW-264M-20140921

Lab Sample ID: 480-67875-5

Date Collected: 09/21/14 11:15

Matrix: Water

Date Received: 09/24/14 01:00

Method: 8260C - Volatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		1.0		ug/L			10/02/14 20:23	1
1,1,2,2-Tetrachloroethane	ND		1.0		ug/L			10/02/14 20:23	1
1,1,2-Trichloroethane	ND		1.0		ug/L			10/02/14 20:23	1
1,1-Dichloroethane	ND		1.0		ug/L			10/02/14 20:23	1
1,1-Dichloroethene	ND		1.0		ug/L			10/02/14 20:23	1
1,1-Dichloropropene	ND		1.0		ug/L			10/02/14 20:23	1
1,2,3-Trichlorobenzene	ND		1.0		ug/L			10/02/14 20:23	1
1,2,3-Trichloropropane	ND		1.0		ug/L			10/02/14 20:23	1
1,2,4-Trichlorobenzene	ND		1.0		ug/L			10/02/14 20:23	1
1,2,4-Trimethylbenzene	ND		1.0		ug/L			10/02/14 20:23	1
1,2-Dibromo-3-Chloropropane	ND		10		ug/L			10/02/14 20:23	1
1,2-Dichlorobenzene	ND		1.0		ug/L			10/02/14 20:23	1
1,2-Dichloroethane	ND		1.0		ug/L			10/02/14 20:23	1
1,2-Dichloropropane	ND		1.0		ug/L			10/02/14 20:23	1
1,3,5-Trimethylbenzene	ND		1.0		ug/L			10/02/14 20:23	1
1,3-Dichlorobenzene	ND		1.0		ug/L			10/02/14 20:23	1
1,3-Dichloropropane	ND		1.0		ug/L			10/02/14 20:23	1
1,4-Dichlorobenzene	ND		1.0		ug/L			10/02/14 20:23	1
1,4-Dioxane	ND *		200		ug/L			10/02/14 20:23	1
2,2-Dichloropropane	ND		1.0		ug/L			10/02/14 20:23	1
2-Butanone (MEK)	ND		50		ug/L			10/02/14 20:23	1
2-Chlorotoluene	ND		1.0		ug/L			10/02/14 20:23	1
2-Hexanone	ND		10		ug/L			10/02/14 20:23	1
4-Chlorotoluene	ND		1.0		ug/L			10/02/14 20:23	1
4-Isopropyltoluene	ND		1.0		ug/L			10/02/14 20:23	1
4-Methyl-2-pentanone (MIBK)	ND		10		ug/L			10/02/14 20:23	1
Acetone	ND		25		ug/L			10/02/14 20:23	1
Benzene	ND		1.0		ug/L			10/02/14 20:23	1
Bromobenzene	ND		1.0		ug/L			10/02/14 20:23	1
Bromoform	ND		1.0		ug/L			10/02/14 20:23	1
Bromomethane	ND		1.0		ug/L			10/02/14 20:23	1
Carbon disulfide	ND		1.0		ug/L			10/02/14 20:23	1
Carbon tetrachloride	ND		1.0		ug/L			10/02/14 20:23	1
Chlorobenzene	ND		1.0		ug/L			10/02/14 20:23	1
Chlorobromomethane	ND		1.0		ug/L			10/02/14 20:23	1
Chlorodibromomethane	ND		1.0		ug/L			10/02/14 20:23	1
Chloroethane	ND		1.0		ug/L			10/02/14 20:23	1
Chloroform	ND		1.0		ug/L			10/02/14 20:23	1
Chloromethane	ND		1.0		ug/L			10/02/14 20:23	1
cis-1,2-Dichloroethene	10		1.0		ug/L			10/02/14 20:23	1
cis-1,3-Dichloropropene	ND		1.0		ug/L			10/02/14 20:23	1
Dibromomethane	ND		1.0		ug/L			10/02/14 20:23	1
Dichlorobromomethane	ND		1.0		ug/L			10/02/14 20:23	1
Dichlorodifluoromethane	ND		1.0		ug/L			10/02/14 20:23	1
Ethyl ether	ND		5.0		ug/L			10/02/14 20:23	1
Ethylbenzene	ND		1.0		ug/L			10/02/14 20:23	1
Ethylene Dibromide	ND		1.0		ug/L			10/02/14 20:23	1
Hexachlorobutadiene	ND		2.0		ug/L			10/02/14 20:23	1
Isopropyl ether	ND		2.0		ug/L			10/02/14 20:23	1

TestAmerica Buffalo

Client Sample Results

Client: Innovative Engineering Solutions, Inc
 Project/Site: IDS Wayland

TestAmerica Job ID: 480-67875-1

Client Sample ID: MW-264M-20140921

Lab Sample ID: 480-67875-5

Date Collected: 09/21/14 11:15

Matrix: Water

Date Received: 09/24/14 01:00


Method: 8260C - Volatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Isopropylbenzene	ND		1.0		ug/L			10/02/14 20:23	1
Methyl tert-butyl ether	ND		1.0		ug/L			10/02/14 20:23	1
Methylene Chloride	ND		5.0		ug/L			10/02/14 20:23	1
m-Xylene & p-Xylene	ND		2.0		ug/L			10/02/14 20:23	1
Naphthalene	ND		5.0		ug/L			10/02/14 20:23	1
n-Butylbenzene	ND		1.0		ug/L			10/02/14 20:23	1
N-Propylbenzene	ND		1.0		ug/L			10/02/14 20:23	1
o-Xylene	ND		1.0		ug/L			10/02/14 20:23	1
sec-Butylbenzene	ND		1.0		ug/L			10/02/14 20:23	1
Styrene	ND		1.0		ug/L			10/02/14 20:23	1
Tert-amyl methyl ether	ND		1.0		ug/L			10/02/14 20:23	1
Tert-butyl ethyl ether	ND		1.0		ug/L			10/02/14 20:23	1
tert-Butylbenzene	ND		1.0		ug/L			10/02/14 20:23	1
Tetrachloroethene	3.8		1.0		ug/L			10/02/14 20:23	1
Tetrahydrofuran	ND		10		ug/L			10/02/14 20:23	1
Toluene	ND		1.0		ug/L			10/02/14 20:23	1
trans-1,2-Dichloroethene	ND		1.0		ug/L			10/02/14 20:23	1
trans-1,3-Dichloropropene	ND		1.0		ug/L			10/02/14 20:23	1
Trichloroethene	16		1.0		ug/L			10/02/14 20:23	1
Trichlorofluoromethane	ND		1.0		ug/L			10/02/14 20:23	1
Vinyl chloride	ND		1.0		ug/L			10/02/14 20:23	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Dibromofluoromethane (Surr)	94		70 - 130					10/02/14 20:23	1
Toluene-d8 (Surr)	100		70 - 130					10/02/14 20:23	1
1,2-Dichloroethane-d4 (Surr)	105		70 - 130					10/02/14 20:23	1
4-Bromofluorobenzene (Surr)	97		70 - 130					10/02/14 20:23	1

Client Sample Results

Client: Innovative Engineering Solutions, Inc
Project/Site: IDS Wayland

TestAmerica Job ID: 480-67875-1




- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15

Client Sample Results

Client: Innovative Engineering Solutions, Inc
Project/Site: IDS Wayland

TestAmerica Job ID: 480-67875-1




- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15

Client Sample Results

Client: Innovative Engineering Solutions, Inc
Project/Site: IDS Wayland

TestAmerica Job ID: 480-67875-1




- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15

Client Sample Results

Client: Innovative Engineering Solutions, Inc
Project/Site: IDS Wayland

TestAmerica Job ID: 480-67875-1




- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15

TestAmerica Buffalo

Client Sample Results

Client: Innovative Engineering Solutions, Inc
Project/Site: IDS Wayland

TestAmerica Job ID: 480-67875-1




- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15

Client Sample Results

Client: Innovative Engineering Solutions, Inc
Project/Site: IDS Wayland

TestAmerica Job ID: 480-67875-1




- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15

TestAmerica Buffalo

Client Sample Results

Client: Innovative Engineering Solutions, Inc
Project/Site: IDS Wayland

TestAmerica Job ID: 480-67875-1




- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15

Client Sample Results

Client: Innovative Engineering Solutions, Inc
Project/Site: IDS Wayland

TestAmerica Job ID: 480-67875-1




- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15

Client Sample Results

Client: Innovative Engineering Solutions, Inc
Project/Site: IDS Wayland

TestAmerica Job ID: 480-67875-1




- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15

Client Sample Results

Client: Innovative Engineering Solutions, Inc
Project/Site: IDS Wayland

TestAmerica Job ID: 480-67875-1




- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15

Client Sample Results

Client: Innovative Engineering Solutions, Inc
Project/Site: IDS Wayland

TestAmerica Job ID: 480-67875-1




- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15

Client Sample Results

Client: Innovative Engineering Solutions, Inc
Project/Site: IDS Wayland

TestAmerica Job ID: 480-67875-1




- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15

Client Sample Results

Client: Innovative Engineering Solutions, Inc
Project/Site: IDS Wayland

TestAmerica Job ID: 480-67875-1




- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15

Client Sample Results

Client: Innovative Engineering Solutions, Inc
Project/Site: IDS Wayland

TestAmerica Job ID: 480-67875-1




- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15

Client Sample Results

Client: Innovative Engineering Solutions, Inc
Project/Site: IDS Wayland

TestAmerica Job ID: 480-67875-1




- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15

Client Sample Results

Client: Innovative Engineering Solutions, Inc
Project/Site: IDS Wayland

TestAmerica Job ID: 480-67875-1




- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15

Client Sample Results

Client: Innovative Engineering Solutions, Inc
Project/Site: IDS Wayland

TestAmerica Job ID: 480-67875-1




- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15

Client Sample Results

Client: Innovative Engineering Solutions, Inc
Project/Site: IDS Wayland

TestAmerica Job ID: 480-67875-1




- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15

Client Sample Results

Client: Innovative Engineering Solutions, Inc
Project/Site: IDS Wavland

TestAmerica Job ID: 480-67875-1




- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15

Client Sample Results

Client: Innovative Engineering Solutions, Inc
Project/Site: IDS Wayland

TestAmerica Job ID: 480-67875-1




- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15

Client Sample Results

Client: Innovative Engineering Solutions, Inc
Project/Site: IDS Wayland

TestAmerica Job ID: 480-67875-1




- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15

Client Sample Results

Client: Innovative Engineering Solutions, Inc
Project/Site: IDS Wayland

TestAmerica Job ID: 480-67875-1



- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15

Client Sample Results

Client: Innovative Engineering Solutions, Inc
Project/Site: IDS Wayland

TestAmerica Job ID: 480-67875-1

1

2

3

4

5

6

7

8

9

10

11

12

13


14

15

Client Sample Results

Client: Innovative Engineering Solutions, Inc
Project/Site: IDS Wayland

TestAmerica Job ID: 480-67875-1




- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15

Client Sample Results

Client: Innovative Engineering Solutions, Inc
Project/Site: IDS Wayland

TestAmerica Job ID: 480-67875-1




- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15

Client Sample Results

Client: Innovative Engineering Solutions, Inc
Project/Site: IDS Wayland

TestAmerica Job ID: 480-67875-1




- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15

Client Sample Results

Client: Innovative Engineering Solutions, Inc
Project/Site: IDS Wayland

TestAmerica Job ID: 480-67875-1




- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15

Client Sample Results

Client: Innovative Engineering Solutions, Inc
Project/Site: IDS Wayland

TestAmerica Job ID: 480-67875-1




- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15

Client Sample Results

Client: Innovative Engineering Solutions, Inc
Project/Site: IDS Wayland

TestAmerica Job ID: 480-67875-1




- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15

Client Sample Results

Client: Innovative Engineering Solutions, Inc
Project/Site: IDS Wayland

TestAmerica Job ID: 480-67875-1



- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15

Client Sample Results

Client: Innovative Engineering Solutions, Inc
Project/Site: IDS Wayland

TestAmerica Job ID: 480-67875-1

1

2

3

4

5

6

7

8

9

10


11

12

13

14

15




TestAmerica Buffalo

Client Sample Results

Client: Innovative Engineering Solutions, Inc
Project/Site: IDS Wayland

TestAmerica Job ID: 480-67875-1




- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15

Client Sample Results

Client: Innovative Engineering Solutions, Inc
Project/Site: IDS Wayland

TestAmerica Job ID: 480-67875-1




- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15

Client Sample Results

Client: Innovative Engineering Solutions, Inc
Project/Site: IDS Wayland

TestAmerica Job ID: 480-67875-1




- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15

Client Sample Results

Client: Innovative Engineering Solutions, Inc
Project/Site: IDS Wayland

TestAmerica Job ID: 480-67875-1




- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15

Client Sample Results

Client: Innovative Engineering Solutions, Inc
Project/Site: IDS Wayland

TestAmerica Job ID: 480-67875-1




- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15

Client Sample Results

Client: Innovative Engineering Solutions, Inc
Project/Site: IDS Wayland

TestAmerica Job ID: 480-67875-1




- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15

Client Sample Results

Client: Innovative Engineering Solutions, Inc
Project/Site: IDS Wayland

TestAmerica Job ID: 480-67875-1




- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15

Client Sample Results

Client: Innovative Engineering Solutions, Inc
Project/Site: IDS Wayland

TestAmerica Job ID: 480-67875-1



- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15

TestAmerica Buffalo

Client Sample Results

Client: Innovative Engineering Solutions, Inc
Project/Site: IDS Wayland

TestAmerica Job ID: 480-67875-1



- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15

Client Sample Results

Client: Innovative Engineering Solutions, Inc
Project/Site: IDS Wayland

TestAmerica Job ID: 480-67875-1

1

2

3

4

5

6

7

8

9

10


11

12

13

14

15




TestAmerica Buffalo

Client Sample Results

Client: Innovative Engineering Solutions, Inc
Project/Site: IDS Wayland

TestAmerica Job ID: 480-67875-1




- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15

Client Sample Results

Client: Innovative Engineering Solutions, Inc
Project/Site: IDS Wayland

TestAmerica Job ID: 480-67875-1




- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15

Client Sample Results

Client: Innovative Engineering Solutions, Inc
Project/Site: IDS Wayland

TestAmerica Job ID: 480-67875-1



- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15

Client Sample Results

Client: Innovative Engineering Solutions, Inc
Project/Site: IDS Wayland

TestAmerica Job ID: 480-67875-1

1

2

3

4

5

6

7

8

9

10


11

12

13

14


15



Client Sample Results

Client: Innovative Engineering Solutions, Inc
Project/Site: IDS Wayland

TestAmerica Job ID: 480-67875-1




- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15

Client Sample Results

Client: Innovative Engineering Solutions, Inc
Project/Site: IDS Wayland

TestAmerica Job ID: 480-67875-1



- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15

Client Sample Results

Client: Innovative Engineering Solutions, Inc
Project/Site: IDS Wayland

TestAmerica Job ID: 480-67875-1

1

2

3

4

5

6

7

8

9

10


11

12

13

14

15




TestAmerica Buffalo

Client Sample Results

Client: Innovative Engineering Solutions, Inc
Project/Site: IDS Wayland

TestAmerica Job ID: 480-67875-1




- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15

Client Sample Results

Client: Innovative Engineering Solutions, Inc
Project/Site: IDS Wayland

TestAmerica Job ID: 480-67875-1




- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15

Client Sample Results

Client: Innovative Engineering Solutions, Inc
Project/Site: IDS Wayland

TestAmerica Job ID: 480-67875-1




- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15

Client Sample Results

Client: Innovative Engineering Solutions, Inc
Project/Site: IDS Wayland

TestAmerica Job ID: 480-67875-1



- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15

Client Sample Results

Client: Innovative Engineering Solutions, Inc
Project/Site: IDS Wayland

TestAmerica Job ID: 480-67875-1

1

2

3

4

5

6

7

8

9

10

11

12

13


14

15

Client Sample Results

Client: Innovative Engineering Solutions, Inc
Project/Site: IDS Wayland

TestAmerica Job ID: 480-67875-1




- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15

Client Sample Results

Client: Innovative Engineering Solutions, Inc
Project/Site: IDS Wayland

TestAmerica Job ID: 480-67875-1




- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15

Client Sample Results

Client: Innovative Engineering Solutions, Inc
Project/Site: IDS Wayland

TestAmerica Job ID: 480-67875-1



- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15

Surrogate Summary

Client: Innovative Engineering Solutions, Inc
Project/Site: IDS Wayland

TestAmerica Job ID: 480-67875-1

Method: 8260C - Volatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)			
		DBFM (70-130)	TOL (70-130)	12DCE (70-130)	BFB (70-130)
480-67875-1	DEP-19M-20140921	106	91	106	93
480-67875-1	DEP-19M-20140921	97	96	105	96
480-67875-2	DEP-21-20140921	95	94	104	94
480-67875-3	MW-261S-20140923	94	96	102	95
480-67875-4	MW-263M-20140921	96	95	99	96
480-67875-5	MW-264M-20140921	94	100	105	97
480-67875-6	MW-265S-20140920	96	100	104	94
480-67875-7	MW-265M-20140923	103	95	116	96
480-67875-8	MW-265D-20140920	99	99	105	98
480-67875-9	MW-266Ma-20140920	97	101	106	98
480-67875-10	MW-266Mb-20140920	101	98	109	97
480-67875-11	MW-267S-20140920	101	99	111	96
480-67875-11	MW-267S-20140920	95	102	100	95
480-67875-12	MW-267M-20140920	99	99	113	97
480-67875-13	MW-268S-20140923	98	97	111	97
480-67875-14	MW-268M-20140923	100	101	111	97
480-67875-14	MW-268M-20140923	100	101	108	95
480-67875-15	MW-268D-20140920	99	98	110	94
480-67875-15	MW-268D-20140920	98	101	102	94
480-67875-16	MW-269Ma-20140920	101	96	109	96
480-67875-17	MW-551-20140920	95	97	110	101
480-67875-18	MW-552-20140923	109	98	112	95
480-67875-18	MW-552-20140923	96	103	106	94
480-67875-19	MW-553-20140922	101	98	109	96
480-67875-19	MW-553-20140922	94	100	100	100
480-67875-20	MW-560-20140922	111	92	119	95
480-67875-21	MW-561-20140922	99	114	110	98
480-67875-21	MW-561-20140922	103	99	106	94
480-67875-22	MW-562-20140922	100	112	114	95
480-67875-23	MW-563-20140922	101	114	113	99
480-67875-24	REW-1-20140923	102	112	113	96
480-67875-25	REW-4-20140923	102	113	112	96
480-67875-26	REW-5-20140923	103	113	112	96
480-67875-27	REW-6-20140922	102	115	111	97
480-67875-27	REW-6-20140922	102	114	109	94
480-67875-28	REW-7-20140922	103	114	112	96
480-67875-28	REW-7-20140922	107	100	105	96
480-67875-29	REW-8-20140922	102	114	112	98
480-67875-30	REW-9-20140922	104	114	114	93
480-67875-31	REW-10-20140923	102	114	112	99
480-67875-32	REW-11-20140922	103	113	111	95
480-67875-32	REW-11-20140922	104	113	114	94
480-67875-33	REW-12-20140922	104	115	112	95
480-67875-33	REW-12-20140922	105	98	107	88
480-67875-34	DUP1-20140920	102	113	112	97
480-67875-35	DUP2-20140922	102	114	112	95
480-67875-35	DUP2-20140922	106	100	108	96
480-67875-36	DUP3-20140923	102	113	109	99
480-67875-37	TRIP BLANKS	102	113	112	95

TestAmerica Buffalo

Surrogate Summary

Client: Innovative Engineering Solutions, Inc
Project/Site: IDS Wayland

TestAmerica Job ID: 480-67875-1

Method: 8260C - Volatile Organic Compounds (GC/MS) (Continued)

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)			
		DBFM (70-130)	TOL (70-130)	12DCE (70-130)	BFB (70-130)
LCS 490-194457/3	Lab Control Sample	110	93	116	92
LCS 490-194717/3	Lab Control Sample	101	107	107	93
LCS 490-194754/3	Lab Control Sample	97	97	124	94
LCS 490-194871/3	Lab Control Sample	104	112	110	92
LCS 490-194946/3	Lab Control Sample	104	96	116	95
LCS 490-195016/3	Lab Control Sample	99	100	98	97
LCS 490-195033/3	Lab Control Sample	100	100	107	95
LCS 490-195081/3	Lab Control Sample	101	109	106	93
LCS 490-195227/3	Lab Control Sample	104	109	108	94
LCSD 490-194457/4	Lab Control Sample Dup	98	96	111	98
LCSD 490-194717/4	Lab Control Sample Dup	101	107	108	93
LCSD 490-194754/4	Lab Control Sample Dup	103	96	116	95
LCSD 490-194871/4	Lab Control Sample Dup	102	109	110	92
LCSD 490-194946/4	Lab Control Sample Dup	98	98	105	95
LCSD 490-195016/4	Lab Control Sample Dup	100	99	96	102
LCSD 490-195033/4	Lab Control Sample Dup	94	101	98	96
LCSD 490-195081/4	Lab Control Sample Dup	100	109	106	94
LCSD 490-195227/4	Lab Control Sample Dup	101	108	105	93
MB 490-194457/7	Method Blank	102	96	108	92
MB 490-194717/7	Method Blank	102	112	112	92
MB 490-194754/7	Method Blank	99	98	104	98
MB 490-194871/7	Method Blank	102	114	113	94
MB 490-194946/7	Method Blank	98	99	103	93
MB 490-195016/7	Method Blank	105	99	107	92
MB 490-195033/7	Method Blank	99	102	105	95
MB 490-195081/7	Method Blank	101	111	108	97
MB 490-195227/7	Method Blank	101	114	109	97

Surrogate Legend

DBFM = Dibromofluoromethane (Surr)

TOL = Toluene-d8 (Surr)

12DCE = 1,2-Dichloroethane-d4 (Surr)

BFB = 4-Bromofluorobenzene (Surr)

Method: 522 MOD - 1,4 Dioxane (GC/MS SIM)

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)
		14DD8 (70-130)
480-67875-3	MW-261S-20140923	78
480-67875-7	MW-265M-20140923	49 X
480-67875-9	MW-266Ma-20140920	93
480-67875-11	MW-267S-20140920	91
480-67875-12	MW-267M-20140920	94
480-67875-13	MW-268S-20140923	87
480-67875-14	MW-268M-20140923	90
480-67875-16	MW-269Ma-20140920	88
480-67875-18	MW-552-20140923	86

TestAmerica Buffalo

Surrogate Summary

Client: Innovative Engineering Solutions, Inc
Project/Site: IDS Wayland

TestAmerica Job ID: 480-67875-1

Method: 522 MOD - 1,4 Dioxane (GC/MS SIM) (Continued)

Matrix: Water

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	14DD8 (70-130)
480-67875-36	DUP3-20140923	83
LCS 200-77937/2-A	Lab Control Sample	79
MB 200-77937/1-A	Method Blank	86

Surrogate Legend

14DD8 = 1,4-Dioxane-d8 (Surr)

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15

QC Sample Results

Client: Innovative Engineering Solutions, Inc
Project/Site: IDS Wayland

TestAmerica Job ID: 480-67875-1

Method: 8260C - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 490-194457/7

Matrix: Water

Analysis Batch: 194457

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1,2-Tetrachloroethane	ND		1.0		ug/L			10/01/14 13:44	1
1,1,1-Trichloroethane	ND		1.0		ug/L			10/01/14 13:44	1
1,1,2,2-Tetrachloroethane	ND		1.0		ug/L			10/01/14 13:44	1
1,1,2-Trichloroethane	ND		1.0		ug/L			10/01/14 13:44	1
1,1-Dichloroethane	ND		1.0		ug/L			10/01/14 13:44	1
1,1-Dichloroethene	ND		1.0		ug/L			10/01/14 13:44	1
1,1-Dichloropropene	ND		1.0		ug/L			10/01/14 13:44	1
1,2,3-Trichlorobenzene	ND		1.0		ug/L			10/01/14 13:44	1
1,2,3-Trichloropropane	ND		1.0		ug/L			10/01/14 13:44	1
1,2,4-Trichlorobenzene	ND		1.0		ug/L			10/01/14 13:44	1
1,2,4-Trimethylbenzene	ND		1.0		ug/L			10/01/14 13:44	1
1,2-Dibromo-3-Chloropropane	ND		10		ug/L			10/01/14 13:44	1
1,2-Dichlorobenzene	ND		1.0		ug/L			10/01/14 13:44	1
1,2-Dichloroethane	ND		1.0		ug/L			10/01/14 13:44	1
1,2-Dichloropropane	ND		1.0		ug/L			10/01/14 13:44	1
1,3,5-Trimethylbenzene	ND		1.0		ug/L			10/01/14 13:44	1
1,3-Dichlorobenzene	ND		1.0		ug/L			10/01/14 13:44	1
1,3-Dichloropropane	ND		1.0		ug/L			10/01/14 13:44	1
1,4-Dichlorobenzene	ND		1.0		ug/L			10/01/14 13:44	1
1,4-Dioxane	ND		200		ug/L			10/01/14 13:44	1
2,2-Dichloropropane	ND		1.0		ug/L			10/01/14 13:44	1
2-Butanone (MEK)	ND		50		ug/L			10/01/14 13:44	1
2-Chlorotoluene	ND		1.0		ug/L			10/01/14 13:44	1
2-Hexanone	ND		10		ug/L			10/01/14 13:44	1
4-Chlorotoluene	ND		1.0		ug/L			10/01/14 13:44	1
4-Isopropyltoluene	ND		1.0		ug/L			10/01/14 13:44	1
4-Methyl-2-pentanone (MIBK)	ND		10		ug/L			10/01/14 13:44	1
Acetone	ND		25		ug/L			10/01/14 13:44	1
Benzene	ND		1.0		ug/L			10/01/14 13:44	1
Bromobenzene	ND		1.0		ug/L			10/01/14 13:44	1
Bromoform	ND		1.0		ug/L			10/01/14 13:44	1
Bromomethane	ND		1.0		ug/L			10/01/14 13:44	1
Carbon disulfide	ND		1.0		ug/L			10/01/14 13:44	1
Carbon tetrachloride	ND		1.0		ug/L			10/01/14 13:44	1
Chlorobenzene	ND		1.0		ug/L			10/01/14 13:44	1
Chlorobromomethane	ND		1.0		ug/L			10/01/14 13:44	1
Chlorodibromomethane	ND		1.0		ug/L			10/01/14 13:44	1
Chloroethane	ND		1.0		ug/L			10/01/14 13:44	1
Chloroform	ND		1.0		ug/L			10/01/14 13:44	1
Chloromethane	ND		1.0		ug/L			10/01/14 13:44	1
cis-1,2-Dichloroethene	ND		1.0		ug/L			10/01/14 13:44	1
cis-1,3-Dichloropropene	ND		1.0		ug/L			10/01/14 13:44	1
Dibromomethane	ND		1.0		ug/L			10/01/14 13:44	1
Dichlorobromomethane	ND		1.0		ug/L			10/01/14 13:44	1
Dichlorodifluoromethane	ND		1.0		ug/L			10/01/14 13:44	1
Ethyl ether	ND		5.0		ug/L			10/01/14 13:44	1
Ethylbenzene	ND		1.0		ug/L			10/01/14 13:44	1
Ethylene Dibromide	ND		1.0		ug/L			10/01/14 13:44	1

TestAmerica Buffalo

QC Sample Results

Client: Innovative Engineering Solutions, Inc
Project/Site: IDS Wayland

TestAmerica Job ID: 480-67875-1

Method: 8260C - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 490-194457/7

Matrix: Water

Analysis Batch: 194457

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Hexachlorobutadiene	ND		2.0		ug/L			10/01/14 13:44	1
Isopropyl ether	ND		2.0		ug/L			10/01/14 13:44	1
Isopropylbenzene	ND		1.0		ug/L			10/01/14 13:44	1
Methyl tert-butyl ether	ND		1.0		ug/L			10/01/14 13:44	1
Methylene Chloride	ND		5.0		ug/L			10/01/14 13:44	1
m-Xylene & p-Xylene	ND		2.0		ug/L			10/01/14 13:44	1
Naphthalene	ND		5.0		ug/L			10/01/14 13:44	1
n-Butylbenzene	ND		1.0		ug/L			10/01/14 13:44	1
N-Propylbenzene	ND		1.0		ug/L			10/01/14 13:44	1
o-Xylene	ND		1.0		ug/L			10/01/14 13:44	1
sec-Butylbenzene	ND		1.0		ug/L			10/01/14 13:44	1
Styrene	ND		1.0		ug/L			10/01/14 13:44	1
Tert-amyl methyl ether	ND		1.0		ug/L			10/01/14 13:44	1
Tert-butyl ethyl ether	ND		1.0		ug/L			10/01/14 13:44	1
tert-Butylbenzene	ND		1.0		ug/L			10/01/14 13:44	1
Tetrachloroethene	ND		1.0		ug/L			10/01/14 13:44	1
Tetrahydrofuran	ND		10		ug/L			10/01/14 13:44	1
Toluene	ND		1.0		ug/L			10/01/14 13:44	1
trans-1,2-Dichloroethene	ND		1.0		ug/L			10/01/14 13:44	1
trans-1,3-Dichloropropene	ND		1.0		ug/L			10/01/14 13:44	1
Trichloroethene	ND		1.0		ug/L			10/01/14 13:44	1
Trichlorofluoromethane	ND		1.0		ug/L			10/01/14 13:44	1
Vinyl chloride	ND		1.0		ug/L			10/01/14 13:44	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
Dibromofluoromethane (Surr)	102		70 - 130		10/01/14 13:44	1
Toluene-d8 (Surr)	96		70 - 130		10/01/14 13:44	1
1,2-Dichloroethane-d4 (Surr)	108		70 - 130		10/01/14 13:44	1
4-Bromofluorobenzene (Surr)	92		70 - 130		10/01/14 13:44	1

Lab Sample ID: LCS 490-194457/3

Matrix: Water

Analysis Batch: 194457

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
1,1,1,2-Tetrachloroethane	50.0	49.2		ug/L		98	70 - 130
1,1,1-Trichloroethane	50.0	59.3		ug/L		119	70 - 130
1,1,2,2-Tetrachloroethane	50.0	43.0		ug/L		86	70 - 130
1,1,2-Trichloroethane	50.0	45.8		ug/L		92	70 - 130
1,1-Dichloroethane	50.0	51.7		ug/L		103	70 - 130
1,1-Dichloroethane	50.0	54.7		ug/L		109	70 - 130
1,1-Dichloropropene	50.0	54.7		ug/L		109	70 - 130
1,2,3-Trichlorobenzene	50.0	51.5		ug/L		103	70 - 130
1,2,3-Trichloropropane	50.0	47.8		ug/L		96	70 - 130
1,2,4-Trichlorobenzene	50.0	51.4		ug/L		103	70 - 130
1,2,4-Trimethylbenzene	50.0	45.7		ug/L		91	70 - 130
1,2-Dibromo-3-Chloropropane	50.0	49.1		ug/L		98	70 - 130
1,2-Dichlorobenzene	50.0	46.9		ug/L		94	70 - 130

TestAmerica Buffalo

QC Sample Results

Client: Innovative Engineering Solutions, Inc
Project/Site: IDS Wayland

TestAmerica Job ID: 480-67875-1

Method: 8260C - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 490-194457/3

Matrix: Water

Analysis Batch: 194457

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
1,2-Dichloroethane	50.0	61.9		ug/L		124	70 - 130
1,2-Dichloropropane	50.0	45.6		ug/L		91	70 - 130
1,3,5-Trimethylbenzene	50.0	46.2		ug/L		92	70 - 130
1,3-Dichlorobenzene	50.0	46.6		ug/L		93	70 - 130
1,3-Dichloropropane	50.0	48.1		ug/L		96	70 - 130
1,4-Dichlorobenzene	50.0	44.3		ug/L		89	70 - 130
1,4-Dioxane	1000	1490 *		ug/L		149	70 - 130
2,2-Dichloropropane	50.0	57.3		ug/L		115	70 - 130
2-Butanone (MEK)	250	265		ug/L		106	70 - 130
2-Chlorotoluene	50.0	46.1		ug/L		92	70 - 130
2-Hexanone	250	220		ug/L		88	70 - 130
4-Chlorotoluene	50.0	47.0		ug/L		94	70 - 130
4-Isopropyltoluene	50.0	47.0		ug/L		94	70 - 130
4-Methyl-2-pentanone (MIBK)	250	218		ug/L		87	70 - 130
Acetone	250	258		ug/L		103	70 - 130
Benzene	50.0	47.2		ug/L		94	70 - 130
Bromobenzene	50.0	43.2		ug/L		86	70 - 130
Bromoform	50.0	53.7		ug/L		107	70 - 130
Bromomethane	50.0	56.5		ug/L		113	70 - 130
Carbon disulfide	50.0	51.6		ug/L		103	70 - 130
Carbon tetrachloride	50.0	59.7		ug/L		119	70 - 130
Chlorobenzene	50.0	47.5		ug/L		95	70 - 130
Chlorobromomethane	50.0	53.1		ug/L		106	70 - 130
Chlorodibromomethane	50.0	50.2		ug/L		100	70 - 130
Chloroethane	50.0	50.0		ug/L		100	70 - 130
Chloroform	50.0	56.9		ug/L		114	70 - 130
Chloromethane	50.0	46.4		ug/L		93	70 - 130
cis-1,2-Dichloroethene	50.0	51.3		ug/L		103	70 - 130
cis-1,3-Dichloropropene	50.0	46.7		ug/L		93	70 - 130
Dibromomethane	50.0	52.1		ug/L		104	70 - 130
Dichlorobromomethane	50.0	54.3		ug/L		109	70 - 130
Dichlorodifluoromethane	50.0	57.8		ug/L		116	70 - 130
Ethyl ether	50.0	47.0		ug/L		94	70 - 130
Ethylbenzene	50.0	47.5		ug/L		95	70 - 130
Ethylene Dibromide	50.0	46.4		ug/L		93	70 - 130
Hexachlorobutadiene	50.0	51.3		ug/L		103	70 - 130
Isopropyl ether	50.0	43.1		ug/L		86	70 - 130
Isopropylbenzene	50.0	48.7		ug/L		97	70 - 130
Methyl tert-butyl ether	50.0	51.4		ug/L		103	70 - 130
Methylene Chloride	50.0	45.9		ug/L		92	70 - 130
m-Xylene & p-Xylene	50.0	48.0		ug/L		96	70 - 130
Naphthalene	50.0	50.4		ug/L		101	70 - 130
n-Butylbenzene	50.0	45.7		ug/L		91	70 - 130
N-Propylbenzene	50.0	45.8		ug/L		92	70 - 130
o-Xylene	50.0	46.8		ug/L		94	70 - 130
sec-Butylbenzene	50.0	46.6		ug/L		93	70 - 130
Styrene	50.0	46.7		ug/L		93	70 - 130
Tert-amyl methyl ether	50.0	48.6		ug/L		97	70 - 130

TestAmerica Buffalo

QC Sample Results

Client: Innovative Engineering Solutions, Inc
Project/Site: IDS Wayland

TestAmerica Job ID: 480-67875-1

Method: 8260C - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 490-194457/3

Matrix: Water

Analysis Batch: 194457

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Tert-butyl ethyl ether	50.0	48.7		ug/L		97	70 - 130
tert-Butylbenzene	50.0	47.6		ug/L		95	70 - 130
Tetrachloroethene	50.0	49.6		ug/L		99	70 - 130
Tetrahydrofuran	100	99.7		ug/L		100	70 - 130
Toluene	50.0	45.8		ug/L		92	70 - 130
trans-1,2-Dichloroethene	50.0	51.8		ug/L		104	70 - 130
trans-1,3-Dichloropropene	50.0	48.7		ug/L		97	70 - 130
Trichloroethene	50.0	51.9		ug/L		104	70 - 130
Trichlorofluoromethane	50.0	62.7		ug/L		125	70 - 130
Vinyl chloride	50.0	49.6		ug/L		99	70 - 130

Surrogate	LCS %Recovery	LCS Qualifier	Limits
Dibromofluoromethane (Surr)	110		70 - 130
Toluene-d8 (Surr)	93		70 - 130
1,2-Dichloroethane-d4 (Surr)	116		70 - 130
4-Bromofluorobenzene (Surr)	92		70 - 130

Lab Sample ID: LCSD 490-194457/4

Matrix: Water

Analysis Batch: 194457

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
1,1,1,2-Tetrachloroethane	50.0	46.4		ug/L		93	70 - 130	6	20
1,1,1-Trichloroethane	50.0	53.3		ug/L		107	70 - 130	11	20
1,1,1,2,2-Tetrachloroethane	50.0	41.8		ug/L		84	70 - 130	3	20
1,1,1,2-Trichloroethane	50.0	45.7		ug/L		91	70 - 130	0	20
1,1-Dichloroethane	50.0	45.8		ug/L		92	70 - 130	12	20
1,1-Dichloroethene	50.0	48.3		ug/L		97	70 - 130	12	20
1,1-Dichloropropene	50.0	50.2		ug/L		100	70 - 130	9	20
1,2,3-Trichlorobenzene	50.0	49.3		ug/L		99	70 - 130	4	20
1,2,3-Trichloropropene	50.0	47.5		ug/L		95	70 - 130	1	20
1,2,4-Trichlorobenzene	50.0	49.6		ug/L		99	70 - 130	4	20
1,2,4-Trimethylbenzene	50.0	43.8		ug/L		88	70 - 130	4	20
1,2-Dibromo-3-Chloropropane	50.0	48.2		ug/L		96	70 - 130	2	20
1,2-Dichlorobenzene	50.0	45.2		ug/L		90	70 - 130	4	20
1,2-Dichloroethane	50.0	55.7		ug/L		111	70 - 130	11	20
1,2-Dichloropropane	50.0	42.1		ug/L		84	70 - 130	8	20
1,3,5-Trimethylbenzene	50.0	44.6		ug/L		89	70 - 130	3	20
1,3-Dichlorobenzene	50.0	44.6		ug/L		89	70 - 130	4	20
1,3-Dichloropropane	50.0	47.5		ug/L		95	70 - 130	1	20
1,4-Dichlorobenzene	50.0	42.6		ug/L		85	70 - 130	4	20
1,4-Dioxane	1000	1380	*	ug/L		138	70 - 130	7	20
2,2-Dichloropropane	50.0	52.4		ug/L		105	70 - 130	9	20
2-Butanone (MEK)	250	246		ug/L		98	70 - 130	8	20
2-Chlorotoluene	50.0	45.1		ug/L		90	70 - 130	2	20
2-Hexanone	250	215		ug/L		86	70 - 130	3	20
4-Chlorotoluene	50.0	45.3		ug/L		91	70 - 130	4	20
4-Isopropyltoluene	50.0	45.4		ug/L		91	70 - 130	3	20

TestAmerica Buffalo

QC Sample Results

Client: Innovative Engineering Solutions, Inc
Project/Site: IDS Wayland

TestAmerica Job ID: 480-67875-1

Method: 8260C - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCSD 490-194457/4

Matrix: Water

Analysis Batch: 194457

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike	LCSD	LCSD	Unit	D	%Rec	%Rec.	RPD	Limit
	Added	Result	Qualifier				Limits		
4-Methyl-2-pentanone (MIBK)	250	222		ug/L		89	70 - 130	2	20
Acetone	250	214		ug/L		85	70 - 130	19	20
Benzene	50.0	45.3		ug/L		91	70 - 130	4	20
Bromobenzene	50.0	42.5		ug/L		85	70 - 130	2	20
Bromoform	50.0	50.2		ug/L		100	70 - 130	7	20
Bromomethane	50.0	50.3		ug/L		101	70 - 130	12	20
Carbon disulfide	50.0	47.0		ug/L		94	70 - 130	9	20
Carbon tetrachloride	50.0	54.9		ug/L		110	70 - 130	8	20
Chlorobenzene	50.0	45.4		ug/L		91	70 - 130	4	20
Chlorobromomethane	50.0	48.8		ug/L		98	70 - 130	9	20
Chlorodibromomethane	50.0	48.4		ug/L		97	70 - 130	4	20
Chloroethane	50.0	44.2		ug/L		88	70 - 130	12	20
Chloroform	50.0	50.7		ug/L		101	70 - 130	12	20
Chloromethane	50.0	39.8		ug/L		80	70 - 130	15	20
cis-1,2-Dichloroethene	50.0	46.7		ug/L		93	70 - 130	9	20
cis-1,3-Dichloropropene	50.0	47.6		ug/L		95	70 - 130	2	20
Dibromomethane	50.0	47.5		ug/L		95	70 - 130	9	20
Dichlorobromomethane	50.0	48.8		ug/L		98	70 - 130	11	20
Dichlorodifluoromethane	50.0	50.8		ug/L		102	70 - 130	13	20
Ethyl ether	50.0	46.5		ug/L		93	70 - 130	1	20
Ethylbenzene	50.0	45.1		ug/L		90	70 - 130	5	20
Ethylene Dibromide	50.0	45.3		ug/L		91	70 - 130	2	20
Hexachlorobutadiene	50.0	48.0		ug/L		96	70 - 130	7	20
Isopropyl ether	50.0	43.8		ug/L		88	70 - 130	2	20
Isopropylbenzene	50.0	46.2		ug/L		92	70 - 130	5	20
Methyl tert-butyl ether	50.0	50.6		ug/L		101	70 - 130	2	20
Methylene Chloride	50.0	43.6		ug/L		87	70 - 130	5	20
m-Xylene & p-Xylene	50.0	45.6		ug/L		91	70 - 130	5	20
Naphthalene	50.0	48.1		ug/L		96	70 - 130	5	20
n-Butylbenzene	50.0	44.2		ug/L		88	70 - 130	4	20
N-Propylbenzene	50.0	45.5		ug/L		91	70 - 130	0	20
o-Xylene	50.0	44.5		ug/L		89	70 - 130	5	20
sec-Butylbenzene	50.0	45.4		ug/L		91	70 - 130	3	20
Styrene	50.0	43.6		ug/L		87	70 - 130	7	20
Tert-amyl methyl ether	50.0	47.1		ug/L		94	70 - 130	3	20
Tert-butyl ethyl ether	50.0	48.2		ug/L		96	70 - 130	1	20
tert-Butylbenzene	50.0	47.0		ug/L		94	70 - 130	1	20
Tetrachloroethene	50.0	48.2		ug/L		96	70 - 130	3	20
Tetrahydrofuran	100	87.6		ug/L		88	70 - 130	13	20
Toluene	50.0	44.3		ug/L		89	70 - 130	3	20
trans-1,2-Dichloroethene	50.0	45.9		ug/L		92	70 - 130	12	20
trans-1,3-Dichloropropene	50.0	47.9		ug/L		96	70 - 130	1	20
Trichloroethene	50.0	47.5		ug/L		95	70 - 130	9	20
Trichlorofluoromethane	50.0	54.2		ug/L		108	70 - 130	14	20
Vinyl chloride	50.0	45.2		ug/L		90	70 - 130	9	20

Surrogate	LCSD	LCSD	Limits
	%Recovery	Qualifier	
Dibromofluoromethane (Surr)	98		70 - 130

TestAmerica Buffalo

QC Sample Results

Client: Innovative Engineering Solutions, Inc
Project/Site: IDS Wayland

TestAmerica Job ID: 480-67875-1

Method: 8260C - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCSD 490-194457/4

Matrix: Water

Analysis Batch: 194457

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Surrogate	LCSD		Limits
	%Recovery	Qualifier	
Toluene-d8 (Surr)	96		70 - 130
1,2-Dichloroethane-d4 (Surr)	111		70 - 130
4-Bromofluorobenzene (Surr)	98		70 - 130

Lab Sample ID: MB 490-194717/7

Matrix: Water

Analysis Batch: 194717

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,1,1,2-Tetrachloroethane	ND		1.0		ug/L			10/02/14 14:05	1
1,1,1-Trichloroethane	ND		1.0		ug/L			10/02/14 14:05	1
1,1,1,2-Tetrachloroethane	ND		1.0		ug/L			10/02/14 14:05	1
1,1,2-Trichloroethane	ND		1.0		ug/L			10/02/14 14:05	1
1,1-Dichloroethane	ND		1.0		ug/L			10/02/14 14:05	1
1,1-Dichloroethene	ND		1.0		ug/L			10/02/14 14:05	1
1,1-Dichloropropene	ND		1.0		ug/L			10/02/14 14:05	1
1,2,3-Trichlorobenzene	ND		1.0		ug/L			10/02/14 14:05	1
1,2,3-Trichloropropane	ND		1.0		ug/L			10/02/14 14:05	1
1,2,4-Trichlorobenzene	ND		1.0		ug/L			10/02/14 14:05	1
1,2,4-Trimethylbenzene	ND		1.0		ug/L			10/02/14 14:05	1
1,2-Dibromo-3-Chloropropane	ND		10		ug/L			10/02/14 14:05	1
1,2-Dichlorobenzene	ND		1.0		ug/L			10/02/14 14:05	1
1,2-Dichloroethane	ND		1.0		ug/L			10/02/14 14:05	1
1,2-Dichloropropane	ND		1.0		ug/L			10/02/14 14:05	1
1,3,5-Trimethylbenzene	ND		1.0		ug/L			10/02/14 14:05	1
1,3-Dichlorobenzene	ND		1.0		ug/L			10/02/14 14:05	1
1,3-Dichloropropane	ND		1.0		ug/L			10/02/14 14:05	1
1,4-Dichlorobenzene	ND		1.0		ug/L			10/02/14 14:05	1
1,4-Dioxane	ND		200		ug/L			10/02/14 14:05	1
2,2-Dichloropropane	ND		1.0		ug/L			10/02/14 14:05	1
2-Butanone (MEK)	ND		50		ug/L			10/02/14 14:05	1
2-Chlorotoluene	ND		1.0		ug/L			10/02/14 14:05	1
2-Hexanone	ND		10		ug/L			10/02/14 14:05	1
4-Chlorotoluene	ND		1.0		ug/L			10/02/14 14:05	1
4-Isopropyltoluene	ND		1.0		ug/L			10/02/14 14:05	1
4-Methyl-2-pentanone (MIBK)	ND		10		ug/L			10/02/14 14:05	1
Acetone	ND		25		ug/L			10/02/14 14:05	1
Benzene	ND		1.0		ug/L			10/02/14 14:05	1
Bromobenzene	ND		1.0		ug/L			10/02/14 14:05	1
Bromoform	ND		1.0		ug/L			10/02/14 14:05	1
Bromomethane	ND		1.0		ug/L			10/02/14 14:05	1
Carbon disulfide	ND		1.0		ug/L			10/02/14 14:05	1
Carbon tetrachloride	ND		1.0		ug/L			10/02/14 14:05	1
Chlorobenzene	ND		1.0		ug/L			10/02/14 14:05	1
Chlorobromomethane	ND		1.0		ug/L			10/02/14 14:05	1
Chlorodibromomethane	ND		1.0		ug/L			10/02/14 14:05	1
Chloroethane	ND		1.0		ug/L			10/02/14 14:05	1
Chloroform	ND		1.0		ug/L			10/02/14 14:05	1

TestAmerica Buffalo

QC Sample Results

Client: Innovative Engineering Solutions, Inc
Project/Site: IDS Wayland

TestAmerica Job ID: 480-67875-1

Method: 8260C - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 490-194717/7

Matrix: Water

Analysis Batch: 194717

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Chloromethane	ND		1.0		ug/L			10/02/14 14:05	1
cis-1,2-Dichloroethene	ND		1.0		ug/L			10/02/14 14:05	1
cis-1,3-Dichloropropene	ND		1.0		ug/L			10/02/14 14:05	1
Dibromomethane	ND		1.0		ug/L			10/02/14 14:05	1
Dichlorobromomethane	ND		1.0		ug/L			10/02/14 14:05	1
Dichlorodifluoromethane	ND		1.0		ug/L			10/02/14 14:05	1
Ethyl ether	ND		5.0		ug/L			10/02/14 14:05	1
Ethylbenzene	ND		1.0		ug/L			10/02/14 14:05	1
Ethylene Dibromide	ND		1.0		ug/L			10/02/14 14:05	1
Hexachlorobutadiene	ND		2.0		ug/L			10/02/14 14:05	1
Isopropyl ether	ND		2.0		ug/L			10/02/14 14:05	1
Isopropylbenzene	ND		1.0		ug/L			10/02/14 14:05	1
Methyl tert-butyl ether	ND		1.0		ug/L			10/02/14 14:05	1
Methylene Chloride	ND		5.0		ug/L			10/02/14 14:05	1
m-Xylene & p-Xylene	ND		2.0		ug/L			10/02/14 14:05	1
Naphthalene	ND		5.0		ug/L			10/02/14 14:05	1
n-Butylbenzene	ND		1.0		ug/L			10/02/14 14:05	1
N-Propylbenzene	ND		1.0		ug/L			10/02/14 14:05	1
o-Xylene	ND		1.0		ug/L			10/02/14 14:05	1
sec-Butylbenzene	ND		1.0		ug/L			10/02/14 14:05	1
Styrene	ND		1.0		ug/L			10/02/14 14:05	1
Tert-amyl methyl ether	ND		1.0		ug/L			10/02/14 14:05	1
Tert-butyl ethyl ether	ND		1.0		ug/L			10/02/14 14:05	1
tert-Butylbenzene	ND		1.0		ug/L			10/02/14 14:05	1
Tetrachloroethene	ND		1.0		ug/L			10/02/14 14:05	1
Tetrahydrofuran	ND		10		ug/L			10/02/14 14:05	1
Toluene	ND		1.0		ug/L			10/02/14 14:05	1
trans-1,2-Dichloroethene	ND		1.0		ug/L			10/02/14 14:05	1
trans-1,3-Dichloropropene	ND		1.0		ug/L			10/02/14 14:05	1
Trichloroethene	ND		1.0		ug/L			10/02/14 14:05	1
Trichlorofluoromethane	ND		1.0		ug/L			10/02/14 14:05	1
Vinyl chloride	ND		1.0		ug/L			10/02/14 14:05	1

Surrogate	MB	MB	Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
Dibromofluoromethane (Surr)	102		70 - 130		10/02/14 14:05	1
Toluene-d8 (Surr)	112		70 - 130		10/02/14 14:05	1
1,2-Dichloroethane-d4 (Surr)	112		70 - 130		10/02/14 14:05	1
4-Bromofluorobenzene (Surr)	92		70 - 130		10/02/14 14:05	1

Lab Sample ID: LCS 490-194717/3

Matrix: Water

Analysis Batch: 194717

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS	LCS	Unit	D	%Rec	%Rec. Limits
		Result	Qualifier				
1,1,1,2-Tetrachloroethane	50.0	51.8		ug/L		104	70 - 130
1,1,1-Trichloroethane	50.0	51.0		ug/L		102	70 - 130
1,1,2,2-Tetrachloroethane	50.0	51.5		ug/L		103	70 - 130
1,1,2-Trichloroethane	50.0	54.9		ug/L		110	70 - 130

TestAmerica Buffalo

QC Sample Results

Client: Innovative Engineering Solutions, Inc
 Project/Site: IDS Wayland

TestAmerica Job ID: 480-67875-1

Method: 8260C - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 490-194717/3

Matrix: Water

Analysis Batch: 194717

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
1,1-Dichloroethane	50.0	51.1		ug/L		102	70 - 130
1,1-Dichloroethene	50.0	50.1		ug/L		100	70 - 130
1,1-Dichloropropene	50.0	50.2		ug/L		100	70 - 130
1,2,3-Trichlorobenzene	50.0	52.6		ug/L		105	70 - 130
1,2,3-Trichloropropane	50.0	51.4		ug/L		103	70 - 130
1,2,4-Trichlorobenzene	50.0	54.5		ug/L		109	70 - 130
1,2,4-Trimethylbenzene	50.0	50.9		ug/L		102	70 - 130
1,2-Dibromo-3-Chloropropane	50.0	49.7		ug/L		99	70 - 130
1,2-Dichlorobenzene	50.0	53.0		ug/L		106	70 - 130
1,2-Dichloroethane	50.0	54.8		ug/L		110	70 - 130
1,2-Dichloropropane	50.0	50.2		ug/L		100	70 - 130
1,3,5-Trimethylbenzene	50.0	51.7		ug/L		103	70 - 130
1,3-Dichlorobenzene	50.0	51.4		ug/L		103	70 - 130
1,3-Dichloropropane	50.0	58.1		ug/L		116	70 - 130
1,4-Dichlorobenzene	50.0	50.3		ug/L		101	70 - 130
1,4-Dioxane	1000	869		ug/L		87	70 - 130
2,2-Dichloropropane	50.0	51.0		ug/L		102	70 - 130
2-Butanone (MEK)	250	268		ug/L		107	70 - 130
2-Chlorotoluene	50.0	48.9		ug/L		98	70 - 130
2-Hexanone	250	296		ug/L		118	70 - 130
4-Chlorotoluene	50.0	52.3		ug/L		105	70 - 130
4-Isopropyltoluene	50.0	50.0		ug/L		100	70 - 130
4-Methyl-2-pentanone (MIBK)	250	309		ug/L		124	70 - 130
Acetone	250	260		ug/L		104	70 - 130
Benzene	50.0	50.8		ug/L		102	70 - 130
Bromobenzene	50.0	49.3		ug/L		99	70 - 130
Bromoform	50.0	53.6		ug/L		107	70 - 130
Bromomethane	50.0	55.4		ug/L		111	70 - 130
Carbon disulfide	50.0	51.7		ug/L		103	70 - 130
Carbon tetrachloride	50.0	50.6		ug/L		101	70 - 130
Chlorobenzene	50.0	50.6		ug/L		101	70 - 130
Chlorobromomethane	50.0	52.5		ug/L		105	70 - 130
Chlorodibromomethane	50.0	52.6		ug/L		105	70 - 130
Chloroethane	50.0	52.0		ug/L		104	70 - 130
Chloroform	50.0	50.7		ug/L		101	70 - 130
Chloromethane	50.0	50.5		ug/L		101	70 - 130
cis-1,2-Dichloroethene	50.0	52.3		ug/L		105	70 - 130
cis-1,3-Dichloropropene	50.0	55.4		ug/L		111	70 - 130
Dibromomethane	50.0	51.3		ug/L		103	70 - 130
Dichlorobromomethane	50.0	49.9		ug/L		100	70 - 130
Dichlorodifluoromethane	50.0	54.8		ug/L		110	70 - 130
Ethyl ether	50.0	53.8		ug/L		108	70 - 130
Ethylbenzene	50.0	50.9		ug/L		102	70 - 130
Ethylene Dibromide	50.0	54.6		ug/L		109	70 - 130
Hexachlorobutadiene	50.0	46.2		ug/L		92	70 - 130
Isopropyl ether	50.0	55.8		ug/L		112	70 - 130
Isopropylbenzene	50.0	51.4		ug/L		103	70 - 130
Methyl tert-butyl ether	50.0	53.3		ug/L		107	70 - 130

TestAmerica Buffalo

QC Sample Results

Client: Innovative Engineering Solutions, Inc
Project/Site: IDS Wayland

TestAmerica Job ID: 480-67875-1

Method: 8260C - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 490-194717/3

Matrix: Water

Analysis Batch: 194717

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Methylene Chloride	50.0	52.7		ug/L		105	70 - 130
m-Xylene & p-Xylene	50.0	50.9		ug/L		102	70 - 130
Naphthalene	50.0	56.5		ug/L		113	70 - 130
n-Butylbenzene	50.0	53.6		ug/L		107	70 - 130
N-Propylbenzene	50.0	51.8		ug/L		104	70 - 130
o-Xylene	50.0	51.3		ug/L		103	70 - 130
sec-Butylbenzene	50.0	50.6		ug/L		101	70 - 130
Styrene	50.0	53.3		ug/L		107	70 - 130
Tert-amyl methyl ether	50.0	50.5		ug/L		101	70 - 130
Tert-butyl ethyl ether	50.0	51.8		ug/L		104	70 - 130
tert-Butylbenzene	50.0	48.9		ug/L		98	70 - 130
Tetrachloroethene	50.0	53.4		ug/L		107	70 - 130
Tetrahydrofuran	100	117		ug/L		117	70 - 130
Toluene	50.0	55.9		ug/L		112	70 - 130
trans-1,2-Dichloroethene	50.0	52.8		ug/L		106	70 - 130
trans-1,3-Dichloropropene	50.0	54.1		ug/L		108	70 - 130
Trichloroethene	50.0	49.8		ug/L		100	70 - 130
Trichlorofluoromethane	50.0	56.5		ug/L		113	70 - 130
Vinyl chloride	50.0	51.7		ug/L		103	70 - 130

Surrogate	LCS %Recovery	LCS Qualifier	Limits
Dibromofluoromethane (Surr)	101		70 - 130
Toluene-d8 (Surr)	107		70 - 130
1,2-Dichloroethane-d4 (Surr)	107		70 - 130
4-Bromofluorobenzene (Surr)	93		70 - 130

Lab Sample ID: LCSD 490-194717/4

Matrix: Water

Analysis Batch: 194717

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
1,1,1,2-Tetrachloroethane	50.0	49.4		ug/L		99	70 - 130	5	20
1,1,1-Trichloroethane	50.0	47.8		ug/L		96	70 - 130	6	20
1,1,2,2-Tetrachloroethane	50.0	51.6		ug/L		103	70 - 130	0	20
1,1,2-Trichloroethane	50.0	53.4		ug/L		107	70 - 130	3	20
1,1-Dichloroethane	50.0	48.8		ug/L		98	70 - 130	5	20
1,1-Dichloroethene	50.0	47.4		ug/L		95	70 - 130	6	20
1,1-Dichloropropene	50.0	47.3		ug/L		95	70 - 130	6	20
1,2,3-Trichlorobenzene	50.0	51.3		ug/L		103	70 - 130	3	20
1,2,3-Trichloropropane	50.0	51.6		ug/L		103	70 - 130	0	20
1,2,4-Trichlorobenzene	50.0	51.2		ug/L		102	70 - 130	6	20
1,2,4-Trimethylbenzene	50.0	48.8		ug/L		98	70 - 130	4	20
1,2-Dibromo-3-Chloropropane	50.0	49.8		ug/L		100	70 - 130	0	20
1,2-Dichlorobenzene	50.0	51.3		ug/L		103	70 - 130	3	20
1,2-Dichloroethane	50.0	53.6		ug/L		107	70 - 130	2	20
1,2-Dichloropropane	50.0	48.8		ug/L		98	70 - 130	3	20
1,3,5-Trimethylbenzene	50.0	49.3		ug/L		99	70 - 130	5	20
1,3-Dichlorobenzene	50.0	49.4		ug/L		99	70 - 130	4	20

TestAmerica Buffalo

QC Sample Results

Client: Innovative Engineering Solutions, Inc
 Project/Site: IDS Wayland

TestAmerica Job ID: 480-67875-1

Method: 8260C - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCSD 490-194717/4

Matrix: Water

Analysis Batch: 194717

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike	LCSD	LCSD	Unit	D	%Rec	%Rec.	RPD	Limit
	Added	Result	Qualifier				Limits		
1,3-Dichloropropane	50.0	56.0		ug/L		112	70 - 130	4	20
1,4-Dichlorobenzene	50.0	48.9		ug/L		98	70 - 130	3	20
1,4-Dioxane	1000	930		ug/L		93	70 - 130	7	20
2,2-Dichloropropane	50.0	48.0		ug/L		96	70 - 130	6	20
2-Butanone (MEK)	250	271		ug/L		108	70 - 130	1	20
2-Chlorotoluene	50.0	46.8		ug/L		94	70 - 130	4	20
2-Hexanone	250	296		ug/L		119	70 - 130	0	20
4-Chlorotoluene	50.0	50.1		ug/L		100	70 - 130	4	20
4-Isopropyltoluene	50.0	47.6		ug/L		95	70 - 130	5	20
4-Methyl-2-pentanone (MIBK)	250	305		ug/L		122	70 - 130	1	20
Acetone	250	277		ug/L		111	70 - 130	6	20
Benzene	50.0	48.1		ug/L		96	70 - 130	5	20
Bromobenzene	50.0	47.2		ug/L		94	70 - 130	4	20
Bromoform	50.0	52.4		ug/L		105	70 - 130	2	20
Bromomethane	50.0	51.7		ug/L		103	70 - 130	7	20
Carbon disulfide	50.0	48.1		ug/L		96	70 - 130	7	20
Carbon tetrachloride	50.0	47.8		ug/L		96	70 - 130	6	20
Chlorobenzene	50.0	48.3		ug/L		97	70 - 130	5	20
Chlorobromomethane	50.0	50.1		ug/L		100	70 - 130	5	20
Chlorodibromomethane	50.0	51.6		ug/L		103	70 - 130	2	20
Chloroethane	50.0	49.1		ug/L		98	70 - 130	6	20
Chloroform	50.0	48.0		ug/L		96	70 - 130	5	20
Chloromethane	50.0	47.7		ug/L		95	70 - 130	6	20
cis-1,2-Dichloroethene	50.0	49.9		ug/L		100	70 - 130	5	20
cis-1,3-Dichloropropene	50.0	53.5		ug/L		107	70 - 130	3	20
Dibromomethane	50.0	50.4		ug/L		101	70 - 130	2	20
Dichlorobromomethane	50.0	47.9		ug/L		96	70 - 130	4	20
Dichlorodifluoromethane	50.0	51.4		ug/L		103	70 - 130	6	20
Ethyl ether	50.0	52.6		ug/L		105	70 - 130	2	20
Ethylbenzene	50.0	48.6		ug/L		97	70 - 130	5	20
Ethylene Dibromide	50.0	53.7		ug/L		107	70 - 130	2	20
Hexachlorobutadiene	50.0	43.8		ug/L		88	70 - 130	5	20
Isopropyl ether	50.0	54.1		ug/L		108	70 - 130	3	20
Isopropylbenzene	50.0	48.6		ug/L		97	70 - 130	5	20
Methyl tert-butyl ether	50.0	52.2		ug/L		104	70 - 130	2	20
Methylene Chloride	50.0	50.7		ug/L		101	70 - 130	4	20
m-Xylene & p-Xylene	50.0	47.6		ug/L		95	70 - 130	7	20
Naphthalene	50.0	56.2		ug/L		112	70 - 130	1	20
n-Butylbenzene	50.0	50.4		ug/L		101	70 - 130	6	20
N-Propylbenzene	50.0	49.4		ug/L		99	70 - 130	5	20
o-Xylene	50.0	48.6		ug/L		97	70 - 130	5	20
sec-Butylbenzene	50.0	48.6		ug/L		97	70 - 130	4	20
Styrene	50.0	51.5		ug/L		103	70 - 130	4	20
Tert-amyl methyl ether	50.0	49.7		ug/L		99	70 - 130	2	20
Tert-butyl ethyl ether	50.0	50.8		ug/L		102	70 - 130	2	20
tert-Butylbenzene	50.0	46.6		ug/L		93	70 - 130	5	20
Tetrachloroethene	50.0	50.7		ug/L		101	70 - 130	5	20
Tetrahydrofuran	100	119		ug/L		119	70 - 130	2	20

TestAmerica Buffalo

QC Sample Results

Client: Innovative Engineering Solutions, Inc
Project/Site: IDS Wayland

TestAmerica Job ID: 480-67875-1

Method: 8260C - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCSD 490-194717/4

Matrix: Water

Analysis Batch: 194717

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Toluene	50.0	53.4		ug/L		107	70 - 130	5	20
trans-1,2-Dichloroethene	50.0	49.4		ug/L		99	70 - 130	7	20
trans-1,3-Dichloropropene	50.0	52.6		ug/L		105	70 - 130	3	20
Trichloroethene	50.0	46.6		ug/L		93	70 - 130	7	20
Trichlorofluoromethane	50.0	53.0		ug/L		106	70 - 130	6	20
Vinyl chloride	50.0	48.7		ug/L		97	70 - 130	6	20

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
Dibromofluoromethane (Surr)	101		70 - 130
Toluene-d8 (Surr)	107		70 - 130
1,2-Dichloroethane-d4 (Surr)	108		70 - 130
4-Bromofluorobenzene (Surr)	93		70 - 130

Lab Sample ID: MB 490-194754/7

Matrix: Water

Analysis Batch: 194754

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1,2-Tetrachloroethane	ND		1.0		ug/L			10/02/14 14:09	1
1,1,1-Trichloroethane	ND		1.0		ug/L			10/02/14 14:09	1
1,1,2,2-Tetrachloroethane	ND		1.0		ug/L			10/02/14 14:09	1
1,1,2-Trichloroethane	ND		1.0		ug/L			10/02/14 14:09	1
1,1-Dichloroethane	ND		1.0		ug/L			10/02/14 14:09	1
1,1-Dichloroethene	ND		1.0		ug/L			10/02/14 14:09	1
1,1-Dichloropropene	ND		1.0		ug/L			10/02/14 14:09	1
1,2,3-Trichlorobenzene	ND		1.0		ug/L			10/02/14 14:09	1
1,2,3-Trichloropropane	ND		1.0		ug/L			10/02/14 14:09	1
1,2,4-Trichlorobenzene	ND		1.0		ug/L			10/02/14 14:09	1
1,2,4-Trimethylbenzene	ND		1.0		ug/L			10/02/14 14:09	1
1,2-Dibromo-3-Chloropropane	ND		10		ug/L			10/02/14 14:09	1
1,2-Dichlorobenzene	ND		1.0		ug/L			10/02/14 14:09	1
1,2-Dichloroethane	ND		1.0		ug/L			10/02/14 14:09	1
1,2-Dichloropropane	ND		1.0		ug/L			10/02/14 14:09	1
1,3,5-Trimethylbenzene	ND		1.0		ug/L			10/02/14 14:09	1
1,3-Dichlorobenzene	ND		1.0		ug/L			10/02/14 14:09	1
1,3-Dichloropropane	ND		1.0		ug/L			10/02/14 14:09	1
1,4-Dichlorobenzene	ND		1.0		ug/L			10/02/14 14:09	1
1,4-Dioxane	ND		200		ug/L			10/02/14 14:09	1
2,2-Dichloropropane	ND		1.0		ug/L			10/02/14 14:09	1
2-Butanone (MEK)	ND		50		ug/L			10/02/14 14:09	1
2-Chlorotoluene	ND		1.0		ug/L			10/02/14 14:09	1
2-Hexanone	ND		10		ug/L			10/02/14 14:09	1
4-Chlorotoluene	ND		1.0		ug/L			10/02/14 14:09	1
4-Isopropyltoluene	ND		1.0		ug/L			10/02/14 14:09	1
4-Methyl-2-pentanone (MIBK)	ND		10		ug/L			10/02/14 14:09	1
Acetone	ND		25		ug/L			10/02/14 14:09	1
Benzene	ND		1.0		ug/L			10/02/14 14:09	1
Bromobenzene	ND		1.0		ug/L			10/02/14 14:09	1

TestAmerica Buffalo

QC Sample Results

Client: Innovative Engineering Solutions, Inc
Project/Site: IDS Wayland

TestAmerica Job ID: 480-67875-1

Method: 8260C - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 490-194754/7

Matrix: Water

Analysis Batch: 194754

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Bromoform	ND		1.0		ug/L			10/02/14 14:09	1
Bromomethane	ND		1.0		ug/L			10/02/14 14:09	1
Carbon disulfide	ND		1.0		ug/L			10/02/14 14:09	1
Carbon tetrachloride	ND		1.0		ug/L			10/02/14 14:09	1
Chlorobenzene	ND		1.0		ug/L			10/02/14 14:09	1
Chlorobromomethane	ND		1.0		ug/L			10/02/14 14:09	1
Chlorodibromomethane	ND		1.0		ug/L			10/02/14 14:09	1
Chloroethane	ND		1.0		ug/L			10/02/14 14:09	1
Chloroform	ND		1.0		ug/L			10/02/14 14:09	1
Chloromethane	ND		1.0		ug/L			10/02/14 14:09	1
cis-1,2-Dichloroethene	ND		1.0		ug/L			10/02/14 14:09	1
cis-1,3-Dichloropropene	ND		1.0		ug/L			10/02/14 14:09	1
Dibromomethane	ND		1.0		ug/L			10/02/14 14:09	1
Dichlorobromomethane	ND		1.0		ug/L			10/02/14 14:09	1
Dichlorodifluoromethane	ND		1.0		ug/L			10/02/14 14:09	1
Ethyl ether	ND		5.0		ug/L			10/02/14 14:09	1
Ethylbenzene	ND		1.0		ug/L			10/02/14 14:09	1
Ethylene Dibromide	ND		1.0		ug/L			10/02/14 14:09	1
Hexachlorobutadiene	ND		2.0		ug/L			10/02/14 14:09	1
Isopropyl ether	ND		2.0		ug/L			10/02/14 14:09	1
Isopropylbenzene	ND		1.0		ug/L			10/02/14 14:09	1
Methyl tert-butyl ether	ND		1.0		ug/L			10/02/14 14:09	1
Methylene Chloride	ND		5.0		ug/L			10/02/14 14:09	1
m-Xylene & p-Xylene	ND		2.0		ug/L			10/02/14 14:09	1
Naphthalene	ND		5.0		ug/L			10/02/14 14:09	1
n-Butylbenzene	ND		1.0		ug/L			10/02/14 14:09	1
N-Propylbenzene	ND		1.0		ug/L			10/02/14 14:09	1
o-Xylene	ND		1.0		ug/L			10/02/14 14:09	1
sec-Butylbenzene	ND		1.0		ug/L			10/02/14 14:09	1
Styrene	ND		1.0		ug/L			10/02/14 14:09	1
Tert-amyl methyl ether	ND		1.0		ug/L			10/02/14 14:09	1
Tert-butyl ethyl ether	ND		1.0		ug/L			10/02/14 14:09	1
tert-Butylbenzene	ND		1.0		ug/L			10/02/14 14:09	1
Tetrachloroethene	ND		1.0		ug/L			10/02/14 14:09	1
Tetrahydrofuran	ND		10		ug/L			10/02/14 14:09	1
Toluene	ND		1.0		ug/L			10/02/14 14:09	1
trans-1,2-Dichloroethene	ND		1.0		ug/L			10/02/14 14:09	1
trans-1,3-Dichloropropene	ND		1.0		ug/L			10/02/14 14:09	1
Trichloroethene	ND		1.0		ug/L			10/02/14 14:09	1
Trichlorofluoromethane	ND		1.0		ug/L			10/02/14 14:09	1
Vinyl chloride	ND		1.0		ug/L			10/02/14 14:09	1

Surrogate	MB	MB	Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
Dibromofluoromethane (Surr)	99		70 - 130		10/02/14 14:09	1
Toluene-d8 (Surr)	98		70 - 130		10/02/14 14:09	1
1,2-Dichloroethane-d4 (Surr)	104		70 - 130		10/02/14 14:09	1
4-Bromofluorobenzene (Surr)	98		70 - 130		10/02/14 14:09	1

TestAmerica Buffalo

QC Sample Results

Client: Innovative Engineering Solutions, Inc
Project/Site: IDS Wayland

TestAmerica Job ID: 480-67875-1

Method: 8260C - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 490-194754/3

Matrix: Water

Analysis Batch: 194754

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
1,1,1,2-Tetrachloroethane	50.0	48.1		ug/L		96	70 - 130
1,1,1-Trichloroethane	50.0	54.6		ug/L		109	70 - 130
1,1,2,2-Tetrachloroethane	50.0	42.7		ug/L		85	70 - 130
1,1,2-Trichloroethane	50.0	45.5		ug/L		91	70 - 130
1,1-Dichloroethane	50.0	46.9		ug/L		94	70 - 130
1,1-Dichloroethene	50.0	53.0		ug/L		106	70 - 130
1,1-Dichloropropene	50.0	52.5		ug/L		105	70 - 130
1,2,3-Trichlorobenzene	50.0	47.9		ug/L		96	70 - 130
1,2,3-Trichloropropane	50.0	45.0		ug/L		90	70 - 130
1,2,4-Trichlorobenzene	50.0	47.5		ug/L		95	70 - 130
1,2,4-Trimethylbenzene	50.0	45.4		ug/L		91	70 - 130
1,2-Dibromo-3-Chloropropane	50.0	47.9		ug/L		96	70 - 130
1,2-Dichlorobenzene	50.0	45.0		ug/L		90	70 - 130
1,2-Dichloroethane	50.0	53.9		ug/L		108	70 - 130
1,2-Dichloropropane	50.0	43.9		ug/L		88	70 - 130
1,3,5-Trimethylbenzene	50.0	45.7		ug/L		91	70 - 130
1,3-Dichlorobenzene	50.0	45.6		ug/L		91	70 - 130
1,3-Dichloropropane	50.0	47.5		ug/L		95	70 - 130
1,4-Dichlorobenzene	50.0	42.9		ug/L		86	70 - 130
1,4-Dioxane	1000	1390 *		ug/L		139	70 - 130
2,2-Dichloropropane	50.0	53.8		ug/L		108	70 - 130
2-Butanone (MEK)	250	257		ug/L		103	70 - 130
2-Chlorotoluene	50.0	45.9		ug/L		92	70 - 130
2-Hexanone	250	219		ug/L		88	70 - 130
4-Chlorotoluene	50.0	46.4		ug/L		93	70 - 130
4-Isopropyltoluene	50.0	46.4		ug/L		93	70 - 130
4-Methyl-2-pentanone (MIBK)	250	225		ug/L		90	70 - 130
Acetone	250	243		ug/L		97	70 - 130
Benzene	50.0	46.9		ug/L		94	70 - 130
Bromobenzene	50.0	44.0		ug/L		88	70 - 130
Bromoform	50.0	48.2		ug/L		96	70 - 130
Bromomethane	50.0	50.4		ug/L		101	70 - 130
Carbon disulfide	50.0	48.8		ug/L		98	70 - 130
Carbon tetrachloride	50.0	55.8		ug/L		112	70 - 130
Chlorobenzene	50.0	46.4		ug/L		93	70 - 130
Chlorobromomethane	50.0	50.2		ug/L		100	70 - 130
Chlorodibromomethane	50.0	47.9		ug/L		96	70 - 130
Chloroethane	50.0	47.7		ug/L		95	70 - 130
Chloroform	50.0	51.3		ug/L		103	70 - 130
Chloromethane	50.0	41.8		ug/L		84	70 - 130
cis-1,2-Dichloroethene	50.0	48.1		ug/L		96	70 - 130
cis-1,3-Dichloropropene	50.0	47.5		ug/L		95	70 - 130
Dibromomethane	50.0	47.1		ug/L		94	70 - 130
Dichlorobromomethane	50.0	49.6		ug/L		99	70 - 130
Dichlorodifluoromethane	50.0	58.2		ug/L		116	70 - 130
Ethyl ether	50.0	43.4		ug/L		87	70 - 130
Ethylbenzene	50.0	46.4		ug/L		93	70 - 130
Ethylene Dibromide	50.0	44.7		ug/L		89	70 - 130

TestAmerica Buffalo

QC Sample Results

Client: Innovative Engineering Solutions, Inc
Project/Site: IDS Wayland

TestAmerica Job ID: 480-67875-1

Method: 8260C - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 490-194754/3

Matrix: Water

Analysis Batch: 194754

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Hexachlorobutadiene	50.0	48.6		ug/L		97	70 - 130
Isopropyl ether	50.0	44.2		ug/L		88	70 - 130
Isopropylbenzene	50.0	47.4		ug/L		95	70 - 130
Methyl tert-butyl ether	50.0	52.3		ug/L		105	70 - 130
Methylene Chloride	50.0	45.1		ug/L		90	70 - 130
m-Xylene & p-Xylene	50.0	46.0		ug/L		92	70 - 130
Naphthalene	50.0	47.6		ug/L		95	70 - 130
n-Butylbenzene	50.0	44.7		ug/L		89	70 - 130
N-Propylbenzene	50.0	47.0		ug/L		94	70 - 130
o-Xylene	50.0	44.5		ug/L		89	70 - 130
sec-Butylbenzene	50.0	46.4		ug/L		93	70 - 130
Styrene	50.0	44.3		ug/L		89	70 - 130
Tert-amyl methyl ether	50.0	47.7		ug/L		95	70 - 130
Tert-butyl ethyl ether	50.0	48.6		ug/L		97	70 - 130
tert-Butylbenzene	50.0	48.3		ug/L		97	70 - 130
Tetrachloroethene	50.0	49.1		ug/L		98	70 - 130
Tetrahydrofuran	100	91.0		ug/L		91	70 - 130
Toluene	50.0	46.1		ug/L		92	70 - 130
trans-1,2-Dichloroethene	50.0	47.9		ug/L		96	70 - 130
trans-1,3-Dichloropropene	50.0	48.0		ug/L		96	70 - 130
Trichloroethene	50.0	48.3		ug/L		97	70 - 130
Trichlorofluoromethane	50.0	60.2		ug/L		120	70 - 130
Vinyl chloride	50.0	48.3		ug/L		97	70 - 130

Surrogate	LCS %Recovery	LCS Qualifier	Limits
Dibromofluoromethane (Surr)	97		70 - 130
Toluene-d8 (Surr)	97		70 - 130
1,2-Dichloroethane-d4 (Surr)	124		70 - 130
4-Bromofluorobenzene (Surr)	94		70 - 130

Lab Sample ID: LCSD 490-194754/4

Matrix: Water

Analysis Batch: 194754

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
1,1,1,2-Tetrachloroethane	50.0	47.6		ug/L		95	70 - 130	1	20
1,1,1-Trichloroethane	50.0	54.2		ug/L		108	70 - 130	1	20
1,1,1,2-Tetrachloroethane	50.0	44.7		ug/L		89	70 - 130	4	20
1,1,2-Trichloroethane	50.0	44.9		ug/L		90	70 - 130	1	20
1,1-Dichloroethane	50.0	47.4		ug/L		95	70 - 130	1	20
1,1-Dichloroethane	50.0	49.2		ug/L		98	70 - 130	7	20
1,1-Dichloropropene	50.0	51.7		ug/L		103	70 - 130	2	20
1,2,3-Trichlorobenzene	50.0	50.5		ug/L		101	70 - 130	5	20
1,2,3-Trichloropropane	50.0	48.7		ug/L		97	70 - 130	8	20
1,2,4-Trichlorobenzene	50.0	50.1		ug/L		100	70 - 130	5	20
1,2,4-Trimethylbenzene	50.0	44.7		ug/L		89	70 - 130	2	20
1,2-Dibromo-3-Chloropropane	50.0	51.0		ug/L		102	70 - 130	6	20
1,2-Dichlorobenzene	50.0	46.1		ug/L		92	70 - 130	2	20

TestAmerica Buffalo

QC Sample Results

Client: Innovative Engineering Solutions, Inc
Project/Site: IDS Wayland

TestAmerica Job ID: 480-67875-1

Method: 8260C - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCSD 490-194754/4

Matrix: Water

Analysis Batch: 194754

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike	LCSD	LCSD	Unit	D	%Rec	%Rec.	RPD	RPD
	Added	Result	Qualifier				Limits		Limit
1,2-Dichloroethane	50.0	55.3		ug/L		111	70 - 130	3	20
1,2-Dichloropropane	50.0	43.8		ug/L		88	70 - 130	0	20
1,3,5-Trimethylbenzene	50.0	45.3		ug/L		91	70 - 130	1	20
1,3-Dichlorobenzene	50.0	46.2		ug/L		92	70 - 130	1	20
1,3-Dichloropropane	50.0	47.9		ug/L		96	70 - 130	1	20
1,4-Dichlorobenzene	50.0	43.6		ug/L		87	70 - 130	2	20
1,4-Dioxane	1000	1320	*	ug/L		132	70 - 130	5	20
2,2-Dichloropropane	50.0	53.5		ug/L		107	70 - 130	0	20
2-Butanone (MEK)	250	252		ug/L		101	70 - 130	2	20
2-Chlorotoluene	50.0	46.3		ug/L		93	70 - 130	1	20
2-Hexanone	250	219		ug/L		88	70 - 130	0	20
4-Chlorotoluene	50.0	46.3		ug/L		93	70 - 130	0	20
4-Isopropyltoluene	50.0	46.4		ug/L		93	70 - 130	0	20
4-Methyl-2-pentanone (MIBK)	250	227		ug/L		91	70 - 130	1	20
Acetone	250	231		ug/L		92	70 - 130	5	20
Benzene	50.0	45.8		ug/L		92	70 - 130	3	20
Bromobenzene	50.0	44.2		ug/L		88	70 - 130	0	20
Bromoform	50.0	51.3		ug/L		103	70 - 130	6	20
Bromomethane	50.0	52.1		ug/L		104	70 - 130	3	20
Carbon disulfide	50.0	47.6		ug/L		95	70 - 130	2	20
Carbon tetrachloride	50.0	55.9		ug/L		112	70 - 130	0	20
Chlorobenzene	50.0	45.8		ug/L		92	70 - 130	1	20
Chlorobromomethane	50.0	49.5		ug/L		99	70 - 130	1	20
Chlorodibromomethane	50.0	48.8		ug/L		98	70 - 130	2	20
Chloroethane	50.0	44.9		ug/L		90	70 - 130	6	20
Chloroform	50.0	52.5		ug/L		105	70 - 130	2	20
Chloromethane	50.0	42.7		ug/L		85	70 - 130	2	20
cis-1,2-Dichloroethene	50.0	48.3		ug/L		97	70 - 130	0	20
cis-1,3-Dichloropropene	50.0	47.6		ug/L		95	70 - 130	0	20
Dibromomethane	50.0	47.8		ug/L		96	70 - 130	1	20
Dichlorobromomethane	50.0	50.2		ug/L		100	70 - 130	1	20
Dichlorodifluoromethane	50.0	56.6		ug/L		113	70 - 130	3	20
Ethyl ether	50.0	42.6		ug/L		85	70 - 130	2	20
Ethylbenzene	50.0	46.1		ug/L		92	70 - 130	1	20
Ethylene Dibromide	50.0	45.9		ug/L		92	70 - 130	3	20
Hexachlorobutadiene	50.0	49.9		ug/L		100	70 - 130	3	20
Isopropyl ether	50.0	43.7		ug/L		87	70 - 130	1	20
Isopropylbenzene	50.0	47.0		ug/L		94	70 - 130	1	20
Methyl tert-butyl ether	50.0	51.5		ug/L		103	70 - 130	1	20
Methylene Chloride	50.0	43.8		ug/L		88	70 - 130	3	20
m-Xylene & p-Xylene	50.0	46.0		ug/L		92	70 - 130	0	20
Naphthalene	50.0	50.3		ug/L		101	70 - 130	6	20
n-Butylbenzene	50.0	45.0		ug/L		90	70 - 130	1	20
N-Propylbenzene	50.0	46.4		ug/L		93	70 - 130	1	20
o-Xylene	50.0	44.4		ug/L		89	70 - 130	0	20
sec-Butylbenzene	50.0	46.4		ug/L		93	70 - 130	0	20
Styrene	50.0	44.3		ug/L		89	70 - 130	0	20
Tert-amyl methyl ether	50.0	48.6		ug/L		97	70 - 130	2	20

TestAmerica Buffalo

QC Sample Results

Client: Innovative Engineering Solutions, Inc
Project/Site: IDS Wayland

TestAmerica Job ID: 480-67875-1

Method: 8260C - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCSD 490-194754/4

Matrix: Water

Analysis Batch: 194754

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Tert-butyl ethyl ether	50.0	48.8		ug/L		98	70 - 130	1	20
tert-Butylbenzene	50.0	48.2		ug/L		96	70 - 130	0	20
Tetrachloroethene	50.0	48.7		ug/L		97	70 - 130	1	20
Tetrahydrofuran	100	103		ug/L		103	70 - 130	12	20
Toluene	50.0	44.9		ug/L		90	70 - 130	3	20
trans-1,2-Dichloroethene	50.0	47.9		ug/L		96	70 - 130	0	20
trans-1,3-Dichloropropene	50.0	48.7		ug/L		97	70 - 130	2	20
Trichloroethene	50.0	48.3		ug/L		97	70 - 130	0	20
Trichlorofluoromethane	50.0	60.8		ug/L		122	70 - 130	1	20
Vinyl chloride	50.0	47.3		ug/L		95	70 - 130	2	20

Surrogate	LCSD		Limits
	%Recovery	Qualifier	
Dibromofluoromethane (Surr)	103		70 - 130
Toluene-d8 (Surr)	96		70 - 130
1,2-Dichloroethane-d4 (Surr)	116		70 - 130
4-Bromofluorobenzene (Surr)	95		70 - 130

Lab Sample ID: MB 490-194871/7

Matrix: Water

Analysis Batch: 194871

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,1,1,2-Tetrachloroethane	ND		1.0		ug/L			10/03/14 02:13	1
1,1,1-Trichloroethane	ND		1.0		ug/L			10/03/14 02:13	1
1,1,2,2-Tetrachloroethane	ND		1.0		ug/L			10/03/14 02:13	1
1,1,2-Trichloroethane	ND		1.0		ug/L			10/03/14 02:13	1
1,1-Dichloroethane	ND		1.0		ug/L			10/03/14 02:13	1
1,1-Dichloroethene	ND		1.0		ug/L			10/03/14 02:13	1
1,1-Dichloropropene	ND		1.0		ug/L			10/03/14 02:13	1
1,2,3-Trichlorobenzene	ND		1.0		ug/L			10/03/14 02:13	1
1,2,3-Trichloropropane	ND		1.0		ug/L			10/03/14 02:13	1
1,2,4-Trichlorobenzene	ND		1.0		ug/L			10/03/14 02:13	1
1,2,4-Trimethylbenzene	ND		1.0		ug/L			10/03/14 02:13	1
1,2-Dibromo-3-Chloropropane	ND		10		ug/L			10/03/14 02:13	1
1,2-Dichlorobenzene	ND		1.0		ug/L			10/03/14 02:13	1
1,2-Dichloroethane	ND		1.0		ug/L			10/03/14 02:13	1
1,2-Dichloropropane	ND		1.0		ug/L			10/03/14 02:13	1
1,3,5-Trimethylbenzene	ND		1.0		ug/L			10/03/14 02:13	1
1,3-Dichlorobenzene	ND		1.0		ug/L			10/03/14 02:13	1
1,3-Dichloropropane	ND		1.0		ug/L			10/03/14 02:13	1
1,4-Dichlorobenzene	ND		1.0		ug/L			10/03/14 02:13	1
1,4-Dioxane	ND		200		ug/L			10/03/14 02:13	1
2,2-Dichloropropane	ND		1.0		ug/L			10/03/14 02:13	1
2-Butanone (MEK)	ND		50		ug/L			10/03/14 02:13	1
2-Chlorotoluene	ND		1.0		ug/L			10/03/14 02:13	1
2-Hexanone	ND		10		ug/L			10/03/14 02:13	1
4-Chlorotoluene	ND		1.0		ug/L			10/03/14 02:13	1
4-Isopropyltoluene	ND		1.0		ug/L			10/03/14 02:13	1

TestAmerica Buffalo

QC Sample Results

Client: Innovative Engineering Solutions, Inc
Project/Site: IDS Wayland

TestAmerica Job ID: 480-67875-1

Method: 8260C - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 490-194871/7

Matrix: Water

Analysis Batch: 194871

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
4-Methyl-2-pentanone (MIBK)	ND		10		ug/L			10/03/14 02:13	1
Acetone	ND		25		ug/L			10/03/14 02:13	1
Benzene	ND		1.0		ug/L			10/03/14 02:13	1
Bromobenzene	ND		1.0		ug/L			10/03/14 02:13	1
Bromoform	ND		1.0		ug/L			10/03/14 02:13	1
Bromomethane	ND		1.0		ug/L			10/03/14 02:13	1
Carbon disulfide	ND		1.0		ug/L			10/03/14 02:13	1
Carbon tetrachloride	ND		1.0		ug/L			10/03/14 02:13	1
Chlorobenzene	ND		1.0		ug/L			10/03/14 02:13	1
Chlorobromomethane	ND		1.0		ug/L			10/03/14 02:13	1
Chlorodibromomethane	ND		1.0		ug/L			10/03/14 02:13	1
Chloroethane	ND		1.0		ug/L			10/03/14 02:13	1
Chloroform	ND		1.0		ug/L			10/03/14 02:13	1
Chloromethane	ND		1.0		ug/L			10/03/14 02:13	1
cis-1,2-Dichloroethene	ND		1.0		ug/L			10/03/14 02:13	1
cis-1,3-Dichloropropene	ND		1.0		ug/L			10/03/14 02:13	1
Dibromomethane	ND		1.0		ug/L			10/03/14 02:13	1
Dichlorobromomethane	ND		1.0		ug/L			10/03/14 02:13	1
Dichlorodifluoromethane	ND		1.0		ug/L			10/03/14 02:13	1
Ethyl ether	ND		5.0		ug/L			10/03/14 02:13	1
Ethylbenzene	ND		1.0		ug/L			10/03/14 02:13	1
Ethylene Dibromide	ND		1.0		ug/L			10/03/14 02:13	1
Hexachlorobutadiene	ND		2.0		ug/L			10/03/14 02:13	1
Isopropyl ether	ND		2.0		ug/L			10/03/14 02:13	1
Isopropylbenzene	ND		1.0		ug/L			10/03/14 02:13	1
Methyl tert-butyl ether	ND		1.0		ug/L			10/03/14 02:13	1
Methylene Chloride	ND		5.0		ug/L			10/03/14 02:13	1
m-Xylene & p-Xylene	ND		2.0		ug/L			10/03/14 02:13	1
Naphthalene	ND		5.0		ug/L			10/03/14 02:13	1
n-Butylbenzene	ND		1.0		ug/L			10/03/14 02:13	1
N-Propylbenzene	ND		1.0		ug/L			10/03/14 02:13	1
o-Xylene	ND		1.0		ug/L			10/03/14 02:13	1
sec-Butylbenzene	ND		1.0		ug/L			10/03/14 02:13	1
Styrene	ND		1.0		ug/L			10/03/14 02:13	1
Tert-amyl methyl ether	ND		1.0		ug/L			10/03/14 02:13	1
Tert-butyl ethyl ether	ND		1.0		ug/L			10/03/14 02:13	1
tert-Butylbenzene	ND		1.0		ug/L			10/03/14 02:13	1
Tetrachloroethene	ND		1.0		ug/L			10/03/14 02:13	1
Tetrahydrofuran	ND		10		ug/L			10/03/14 02:13	1
Toluene	ND		1.0		ug/L			10/03/14 02:13	1
trans-1,2-Dichloroethene	ND		1.0		ug/L			10/03/14 02:13	1
trans-1,3-Dichloropropene	ND		1.0		ug/L			10/03/14 02:13	1
Trichloroethene	ND		1.0		ug/L			10/03/14 02:13	1
Trichlorofluoromethane	ND		1.0		ug/L			10/03/14 02:13	1
Vinyl chloride	ND		1.0		ug/L			10/03/14 02:13	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
Dibromofluoromethane (Surr)	102		70 - 130		10/03/14 02:13	1

TestAmerica Buffalo

QC Sample Results

Client: Innovative Engineering Solutions, Inc
Project/Site: IDS Wayland

TestAmerica Job ID: 480-67875-1

Method: 8260C - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 490-194871/7

Matrix: Water

Analysis Batch: 194871

Client Sample ID: Method Blank

Prep Type: Total/NA

Surrogate	MB MB		Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
Toluene-d8 (Surr)	114		70 - 130		10/03/14 02:13	1
1,2-Dichloroethane-d4 (Surr)	113		70 - 130		10/03/14 02:13	1
4-Bromofluorobenzene (Surr)	94		70 - 130		10/03/14 02:13	1

Lab Sample ID: LCS 490-194871/3

Matrix: Water

Analysis Batch: 194871

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec.
							Limits
1,1,1,2-Tetrachloroethane	50.0	52.0		ug/L		104	70 - 130
1,1,1-Trichloroethane	50.0	50.1		ug/L		100	70 - 130
1,1,2,2-Tetrachloroethane	50.0	51.7		ug/L		103	70 - 130
1,1,2-Trichloroethane	50.0	56.5		ug/L		113	70 - 130
1,1-Dichloroethane	50.0	50.4		ug/L		101	70 - 130
1,1-Dichloroethene	50.0	49.6		ug/L		99	70 - 130
1,1-Dichloropropene	50.0	49.2		ug/L		98	70 - 130
1,2,3-Trichlorobenzene	50.0	54.7		ug/L		109	70 - 130
1,2,3-Trichloropropane	50.0	53.1		ug/L		106	70 - 130
1,2,4-Trichlorobenzene	50.0	53.4		ug/L		107	70 - 130
1,2,4-Trimethylbenzene	50.0	50.7		ug/L		101	70 - 130
1,2-Dibromo-3-Chloropropane	50.0	51.1		ug/L		102	70 - 130
1,2-Dichlorobenzene	50.0	52.3		ug/L		105	70 - 130
1,2-Dichloroethane	50.0	55.6		ug/L		111	70 - 130
1,2-Dichloropropane	50.0	50.5		ug/L		101	70 - 130
1,3,5-Trimethylbenzene	50.0	51.2		ug/L		102	70 - 130
1,3-Dichlorobenzene	50.0	51.1		ug/L		102	70 - 130
1,3-Dichloropropane	50.0	59.7		ug/L		119	70 - 130
1,4-Dichlorobenzene	50.0	50.4		ug/L		101	70 - 130
1,4-Dioxane	1000	1030		ug/L		103	70 - 130
2,2-Dichloropropane	50.0	44.5		ug/L		89	70 - 130
2-Butanone (MEK)	250	283		ug/L		113	70 - 130
2-Chlorotoluene	50.0	48.4		ug/L		97	70 - 130
2-Hexanone	250	314		ug/L		126	70 - 130
4-Chlorotoluene	50.0	52.6		ug/L		105	70 - 130
4-Isopropyltoluene	50.0	49.4		ug/L		99	70 - 130
4-Methyl-2-pentanone (MIBK)	250	326		ug/L		130	70 - 130
Acetone	250	283		ug/L		113	70 - 130
Benzene	50.0	49.7		ug/L		99	70 - 130
Bromobenzene	50.0	49.6		ug/L		99	70 - 130
Bromoform	50.0	54.1		ug/L		108	70 - 130
Bromomethane	50.0	45.1		ug/L		90	70 - 130
Carbon disulfide	50.0	51.1		ug/L		102	70 - 130
Carbon tetrachloride	50.0	50.1		ug/L		100	70 - 130
Chlorobenzene	50.0	50.7		ug/L		101	70 - 130
Chlorobromomethane	50.0	52.1		ug/L		104	70 - 130
Chlorodibromomethane	50.0	54.4		ug/L		109	70 - 130
Chloroethane	50.0	51.8		ug/L		104	70 - 130
Chloroform	50.0	50.1		ug/L		100	70 - 130

TestAmerica Buffalo

QC Sample Results

Client: Innovative Engineering Solutions, Inc
Project/Site: IDS Wayland

TestAmerica Job ID: 480-67875-1

Method: 8260C - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 490-194871/3

Matrix: Water

Analysis Batch: 194871

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Chloromethane	50.0	50.0		ug/L		100	70 - 130
cis-1,2-Dichloroethene	50.0	50.7		ug/L		101	70 - 130
cis-1,3-Dichloropropene	50.0	55.3		ug/L		111	70 - 130
Dibromomethane	50.0	51.9		ug/L		104	70 - 130
Dichlorobromomethane	50.0	50.5		ug/L		101	70 - 130
Dichlorodifluoromethane	50.0	54.5		ug/L		109	70 - 130
Ethyl ether	50.0	54.6		ug/L		109	70 - 130
Ethylbenzene	50.0	51.1		ug/L		102	70 - 130
Ethylene Dibromide	50.0	56.7		ug/L		113	70 - 130
Hexachlorobutadiene	50.0	45.7		ug/L		91	70 - 130
Isopropyl ether	50.0	56.2		ug/L		112	70 - 130
Isopropylbenzene	50.0	51.3		ug/L		103	70 - 130
Methyl tert-butyl ether	50.0	53.8		ug/L		108	70 - 130
Methylene Chloride	50.0	51.7		ug/L		103	70 - 130
m-Xylene & p-Xylene	50.0	50.2		ug/L		100	70 - 130
Naphthalene	50.0	58.0		ug/L		116	70 - 130
n-Butylbenzene	50.0	53.0		ug/L		106	70 - 130
N-Propylbenzene	50.0	51.3		ug/L		103	70 - 130
o-Xylene	50.0	51.3		ug/L		103	70 - 130
sec-Butylbenzene	50.0	50.5		ug/L		101	70 - 130
Styrene	50.0	53.9		ug/L		108	70 - 130
Tert-amyl methyl ether	50.0	50.8		ug/L		102	70 - 130
Tert-butyl ethyl ether	50.0	52.4		ug/L		105	70 - 130
tert-Butylbenzene	50.0	48.8		ug/L		98	70 - 130
Tetrachloroethene	50.0	53.2		ug/L		106	70 - 130
Tetrahydrofuran	100	124		ug/L		124	70 - 130
Toluene	50.0	56.4		ug/L		113	70 - 130
trans-1,2-Dichloroethene	50.0	51.7		ug/L		103	70 - 130
trans-1,3-Dichloropropene	50.0	55.2		ug/L		110	70 - 130
Trichloroethene	50.0	49.8		ug/L		100	70 - 130
Trichlorofluoromethane	50.0	53.6		ug/L		107	70 - 130
Vinyl chloride	50.0	50.9		ug/L		102	70 - 130

Surrogate	LCS %Recovery	LCS Qualifier	Limits
Dibromofluoromethane (Surr)	104		70 - 130
Toluene-d8 (Surr)	112		70 - 130
1,2-Dichloroethane-d4 (Surr)	110		70 - 130
4-Bromofluorobenzene (Surr)	92		70 - 130

Lab Sample ID: LCSD 490-194871/4

Matrix: Water

Analysis Batch: 194871

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
1,1,1,2-Tetrachloroethane	50.0	52.0		ug/L		104	70 - 130	0	20
1,1,1-Trichloroethane	50.0	51.6		ug/L		103	70 - 130	3	20
1,1,2,2-Tetrachloroethane	50.0	49.6		ug/L		99	70 - 130	4	20
1,1,2-Trichloroethane	50.0	56.1		ug/L		112	70 - 130	1	20

TestAmerica Buffalo

QC Sample Results

Client: Innovative Engineering Solutions, Inc
Project/Site: IDS Wayland

TestAmerica Job ID: 480-67875-1

Method: 8260C - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCSD 490-194871/4

Matrix: Water

Analysis Batch: 194871

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike	LCSD	LCSD	Unit	D	%Rec	%Rec.	RPD	RPD
	Added	Result	Qualifier				Limits		Limit
1,1-Dichloroethane	50.0	52.0		ug/L		104	70 - 130	3	20
1,1-Dichloroethene	50.0	51.3		ug/L		103	70 - 130	3	20
1,1-Dichloropropene	50.0	50.7		ug/L		101	70 - 130	3	20
1,2,3-Trichlorobenzene	50.0	55.2		ug/L		110	70 - 130	1	20
1,2,3-Trichloropropane	50.0	54.5		ug/L		109	70 - 130	3	20
1,2,4-Trichlorobenzene	50.0	54.1		ug/L		108	70 - 130	1	20
1,2,4-Trimethylbenzene	50.0	51.9		ug/L		104	70 - 130	2	20
1,2-Dibromo-3-Chloropropane	50.0	53.3		ug/L		107	70 - 130	4	20
1,2-Dichlorobenzene	50.0	53.8		ug/L		108	70 - 130	3	20
1,2-Dichloroethane	50.0	56.9		ug/L		114	70 - 130	2	20
1,2-Dichloropropane	50.0	51.5		ug/L		103	70 - 130	2	20
1,3,5-Trimethylbenzene	50.0	52.4		ug/L		105	70 - 130	2	20
1,3-Dichlorobenzene	50.0	52.4		ug/L		105	70 - 130	3	20
1,3-Dichloropropane	50.0	59.8		ug/L		120	70 - 130	0	20
1,4-Dichlorobenzene	50.0	51.8		ug/L		104	70 - 130	3	20
1,4-Dioxane	1000	1040		ug/L		104	70 - 130	1	20
2,2-Dichloropropane	50.0	44.6		ug/L		89	70 - 130	0	20
2-Butanone (MEK)	250	281		ug/L		112	70 - 130	1	20
2-Chlorotoluene	50.0	49.8		ug/L		100	70 - 130	3	20
2-Hexanone	250	314		ug/L		126	70 - 130	0	20
4-Chlorotoluene	50.0	53.4		ug/L		107	70 - 130	2	20
4-Isopropyltoluene	50.0	50.5		ug/L		101	70 - 130	2	20
4-Methyl-2-pentanone (MIBK)	250	321		ug/L		128	70 - 130	1	20
Acetone	250	281		ug/L		112	70 - 130	1	20
Benzene	50.0	51.3		ug/L		103	70 - 130	3	20
Bromobenzene	50.0	50.4		ug/L		101	70 - 130	2	20
Bromoform	50.0	54.1		ug/L		108	70 - 130	0	20
Bromomethane	50.0	50.7		ug/L		101	70 - 130	12	20
Carbon disulfide	50.0	52.3		ug/L		105	70 - 130	2	20
Carbon tetrachloride	50.0	51.0		ug/L		102	70 - 130	2	20
Chlorobenzene	50.0	51.3		ug/L		103	70 - 130	1	20
Chlorobromomethane	50.0	52.8		ug/L		106	70 - 130	1	20
Chlorodibromomethane	50.0	54.2		ug/L		108	70 - 130	0	20
Chloroethane	50.0	52.4		ug/L		105	70 - 130	1	20
Chloroform	50.0	51.8		ug/L		104	70 - 130	3	20
Chloromethane	50.0	50.7		ug/L		101	70 - 130	1	20
cis-1,2-Dichloroethene	50.0	52.1		ug/L		104	70 - 130	3	20
cis-1,3-Dichloropropene	50.0	55.4		ug/L		111	70 - 130	0	20
Dibromomethane	50.0	52.5		ug/L		105	70 - 130	1	20
Dichlorobromomethane	50.0	51.5		ug/L		103	70 - 130	2	20
Dichlorodifluoromethane	50.0	56.8		ug/L		114	70 - 130	4	20
Ethyl ether	50.0	55.2		ug/L		110	70 - 130	1	20
Ethylbenzene	50.0	51.9		ug/L		104	70 - 130	2	20
Ethylene Dibromide	50.0	56.5		ug/L		113	70 - 130	0	20
Hexachlorobutadiene	50.0	46.7		ug/L		93	70 - 130	2	20
Isopropyl ether	50.0	57.0		ug/L		114	70 - 130	1	20
Isopropylbenzene	50.0	52.2		ug/L		104	70 - 130	2	20
Methyl tert-butyl ether	50.0	54.7		ug/L		109	70 - 130	2	20

TestAmerica Buffalo

QC Sample Results

Client: Innovative Engineering Solutions, Inc
Project/Site: IDS Wayland

TestAmerica Job ID: 480-67875-1

Method: 8260C - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCSD 490-194871/4

Matrix: Water

Analysis Batch: 194871

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Methylene Chloride	50.0	53.4		ug/L		107	70 - 130	3	20
m-Xylene & p-Xylene	50.0	51.5		ug/L		103	70 - 130	3	20
Naphthalene	50.0	58.6		ug/L		117	70 - 130	1	20
n-Butylbenzene	50.0	54.5		ug/L		109	70 - 130	3	20
N-Propylbenzene	50.0	52.7		ug/L		105	70 - 130	3	20
o-Xylene	50.0	52.3		ug/L		105	70 - 130	2	20
sec-Butylbenzene	50.0	51.6		ug/L		103	70 - 130	2	20
Styrene	50.0	54.7		ug/L		109	70 - 130	2	20
Tert-amyl methyl ether	50.0	51.9		ug/L		104	70 - 130	2	20
Tert-butyl ethyl ether	50.0	53.2		ug/L		106	70 - 130	2	20
tert-Butylbenzene	50.0	49.8		ug/L		100	70 - 130	2	20
Tetrachloroethene	50.0	54.5		ug/L		109	70 - 130	2	20
Tetrahydrofuran	100	126		ug/L		126	70 - 130	1	20
Toluene	50.0	57.0		ug/L		114	70 - 130	1	20
trans-1,2-Dichloroethene	50.0	53.0		ug/L		106	70 - 130	3	20
trans-1,3-Dichloropropene	50.0	54.9		ug/L		110	70 - 130	1	20
Trichloroethene	50.0	53.0		ug/L		106	70 - 130	6	20
Trichlorofluoromethane	50.0	55.3		ug/L		111	70 - 130	3	20
Vinyl chloride	50.0	52.0		ug/L		104	70 - 130	2	20

Surrogate	LCSD %Recovery	LCSD Qualifier	LCSD Limits
Dibromofluoromethane (Surr)	102		70 - 130
Toluene-d8 (Surr)	109		70 - 130
1,2-Dichloroethane-d4 (Surr)	110		70 - 130
4-Bromofluorobenzene (Surr)	92		70 - 130

Lab Sample ID: MB 490-194946/7

Matrix: Water

Analysis Batch: 194946

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1,2-Tetrachloroethane	ND		1.0		ug/L			10/03/14 01:58	1
1,1,1-Trichloroethane	ND		1.0		ug/L			10/03/14 01:58	1
1,1,1,2-Tetrachloroethane	ND		1.0		ug/L			10/03/14 01:58	1
1,1,2-Trichloroethane	ND		1.0		ug/L			10/03/14 01:58	1
1,1-Dichloroethane	ND		1.0		ug/L			10/03/14 01:58	1
1,1-Dichloroethene	ND		1.0		ug/L			10/03/14 01:58	1
1,1-Dichloropropene	ND		1.0		ug/L			10/03/14 01:58	1
1,2,3-Trichlorobenzene	ND		1.0		ug/L			10/03/14 01:58	1
1,2,3-Trichloropropane	ND		1.0		ug/L			10/03/14 01:58	1
1,2,4-Trichlorobenzene	ND		1.0		ug/L			10/03/14 01:58	1
1,2,4-Trimethylbenzene	ND		1.0		ug/L			10/03/14 01:58	1
1,2-Dibromo-3-Chloropropane	ND		10		ug/L			10/03/14 01:58	1
1,2-Dichlorobenzene	ND		1.0		ug/L			10/03/14 01:58	1
1,2-Dichloroethane	ND		1.0		ug/L			10/03/14 01:58	1
1,2-Dichloropropane	ND		1.0		ug/L			10/03/14 01:58	1
1,3,5-Trimethylbenzene	ND		1.0		ug/L			10/03/14 01:58	1
1,3-Dichlorobenzene	ND		1.0		ug/L			10/03/14 01:58	1

TestAmerica Buffalo

QC Sample Results

Client: Innovative Engineering Solutions, Inc
 Project/Site: IDS Wayland

TestAmerica Job ID: 480-67875-1

Method: 8260C - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 490-194946/7

Matrix: Water

Analysis Batch: 194946

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,3-Dichloropropane	ND		1.0		ug/L			10/03/14 01:58	1
1,4-Dichlorobenzene	ND		1.0		ug/L			10/03/14 01:58	1
1,4-Dioxane	ND		200		ug/L			10/03/14 01:58	1
2,2-Dichloropropane	ND		1.0		ug/L			10/03/14 01:58	1
2-Butanone (MEK)	ND		50		ug/L			10/03/14 01:58	1
2-Chlorotoluene	ND		1.0		ug/L			10/03/14 01:58	1
2-Hexanone	ND		10		ug/L			10/03/14 01:58	1
4-Chlorotoluene	ND		1.0		ug/L			10/03/14 01:58	1
4-Isopropyltoluene	ND		1.0		ug/L			10/03/14 01:58	1
4-Methyl-2-pentanone (MIBK)	ND		10		ug/L			10/03/14 01:58	1
Acetone	ND		25		ug/L			10/03/14 01:58	1
Benzene	ND		1.0		ug/L			10/03/14 01:58	1
Bromobenzene	ND		1.0		ug/L			10/03/14 01:58	1
Bromoform	ND		1.0		ug/L			10/03/14 01:58	1
Bromomethane	ND		1.0		ug/L			10/03/14 01:58	1
Carbon disulfide	ND		1.0		ug/L			10/03/14 01:58	1
Carbon tetrachloride	ND		1.0		ug/L			10/03/14 01:58	1
Chlorobenzene	ND		1.0		ug/L			10/03/14 01:58	1
Chlorobromomethane	ND		1.0		ug/L			10/03/14 01:58	1
Chlorodibromomethane	ND		1.0		ug/L			10/03/14 01:58	1
Chloroethane	ND		1.0		ug/L			10/03/14 01:58	1
Chloroform	ND		1.0		ug/L			10/03/14 01:58	1
Chloromethane	ND		1.0		ug/L			10/03/14 01:58	1
cis-1,2-Dichloroethene	ND		1.0		ug/L			10/03/14 01:58	1
cis-1,3-Dichloropropene	ND		1.0		ug/L			10/03/14 01:58	1
Dibromomethane	ND		1.0		ug/L			10/03/14 01:58	1
Dichlorobromomethane	ND		1.0		ug/L			10/03/14 01:58	1
Dichlorodifluoromethane	ND		1.0		ug/L			10/03/14 01:58	1
Ethyl ether	ND		5.0		ug/L			10/03/14 01:58	1
Ethylbenzene	ND		1.0		ug/L			10/03/14 01:58	1
Ethylene Dibromide	ND		1.0		ug/L			10/03/14 01:58	1
Hexachlorobutadiene	ND		2.0		ug/L			10/03/14 01:58	1
Isopropyl ether	ND		2.0		ug/L			10/03/14 01:58	1
Isopropylbenzene	ND		1.0		ug/L			10/03/14 01:58	1
Methyl tert-butyl ether	ND		1.0		ug/L			10/03/14 01:58	1
Methylene Chloride	ND		5.0		ug/L			10/03/14 01:58	1
m-Xylene & p-Xylene	ND		2.0		ug/L			10/03/14 01:58	1
Naphthalene	ND		5.0		ug/L			10/03/14 01:58	1
n-Butylbenzene	ND		1.0		ug/L			10/03/14 01:58	1
N-Propylbenzene	ND		1.0		ug/L			10/03/14 01:58	1
o-Xylene	ND		1.0		ug/L			10/03/14 01:58	1
sec-Butylbenzene	ND		1.0		ug/L			10/03/14 01:58	1
Styrene	ND		1.0		ug/L			10/03/14 01:58	1
Tert-amyl methyl ether	ND		1.0		ug/L			10/03/14 01:58	1
Tert-butyl ethyl ether	ND		1.0		ug/L			10/03/14 01:58	1
tert-Butylbenzene	ND		1.0		ug/L			10/03/14 01:58	1
Tetrachloroethene	ND		1.0		ug/L			10/03/14 01:58	1
Tetrahydrofuran	ND		10		ug/L			10/03/14 01:58	1

TestAmerica Buffalo

QC Sample Results

Client: Innovative Engineering Solutions, Inc
Project/Site: IDS Wayland

TestAmerica Job ID: 480-67875-1

Method: 8260C - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 490-194946/7

Matrix: Water

Analysis Batch: 194946

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Toluene	ND		1.0		ug/L			10/03/14 01:58	1
trans-1,2-Dichloroethene	ND		1.0		ug/L			10/03/14 01:58	1
trans-1,3-Dichloropropene	ND		1.0		ug/L			10/03/14 01:58	1
Trichloroethene	ND		1.0		ug/L			10/03/14 01:58	1
Trichlorofluoromethane	ND		1.0		ug/L			10/03/14 01:58	1
Vinyl chloride	ND		1.0		ug/L			10/03/14 01:58	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
Dibromofluoromethane (Surr)	98		70 - 130		10/03/14 01:58	1
Toluene-d8 (Surr)	99		70 - 130		10/03/14 01:58	1
1,2-Dichloroethane-d4 (Surr)	103		70 - 130		10/03/14 01:58	1
4-Bromofluorobenzene (Surr)	93		70 - 130		10/03/14 01:58	1

Lab Sample ID: LCS 490-194946/3

Matrix: Water

Analysis Batch: 194946

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
1,1,1,2-Tetrachloroethane	50.0	48.6		ug/L		97	70 - 130
1,1,1-Trichloroethane	50.0	53.6		ug/L		107	70 - 130
1,1,2,2-Tetrachloroethane	50.0	44.9		ug/L		90	70 - 130
1,1,2-Trichloroethane	50.0	44.7		ug/L		89	70 - 130
1,1-Dichloroethane	50.0	46.9		ug/L		94	70 - 130
1,1-Dichloroethene	50.0	49.6		ug/L		99	70 - 130
1,1-Dichloropropene	50.0	48.6		ug/L		97	70 - 130
1,2,3-Trichlorobenzene	50.0	52.2		ug/L		104	70 - 130
1,2,3-Trichloropropane	50.0	49.0		ug/L		98	70 - 130
1,2,4-Trichlorobenzene	50.0	51.6		ug/L		103	70 - 130
1,2,4-Trimethylbenzene	50.0	46.7		ug/L		93	70 - 130
1,2-Dibromo-3-Chloropropane	50.0	51.9		ug/L		104	70 - 130
1,2-Dichlorobenzene	50.0	47.9		ug/L		96	70 - 130
1,2-Dichloroethane	50.0	55.1		ug/L		110	70 - 130
1,2-Dichloropropane	50.0	41.7		ug/L		83	70 - 130
1,3,5-Trimethylbenzene	50.0	47.0		ug/L		94	70 - 130
1,3-Dichlorobenzene	50.0	48.1		ug/L		96	70 - 130
1,3-Dichloropropane	50.0	45.5		ug/L		91	70 - 130
1,4-Dichlorobenzene	50.0	45.3		ug/L		91	70 - 130
1,4-Dioxane	1000	1240		ug/L		124	70 - 130
2,2-Dichloropropane	50.0	49.4		ug/L		99	70 - 130
2-Butanone (MEK)	250	230		ug/L		92	70 - 130
2-Chlorotoluene	50.0	47.4		ug/L		95	70 - 130
2-Hexanone	250	207		ug/L		83	70 - 130
4-Chlorotoluene	50.0	47.8		ug/L		96	70 - 130
4-Isopropyltoluene	50.0	47.8		ug/L		96	70 - 130
4-Methyl-2-pentanone (MIBK)	250	209		ug/L		84	70 - 130
Acetone	250	219		ug/L		88	70 - 130
Benzene	50.0	43.9		ug/L		88	70 - 130
Bromobenzene	50.0	45.2		ug/L		90	70 - 130

TestAmerica Buffalo

QC Sample Results

Client: Innovative Engineering Solutions, Inc
Project/Site: IDS Wayland

TestAmerica Job ID: 480-67875-1

Method: 8260C - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 490-194946/3

Matrix: Water

Analysis Batch: 194946

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Bromoform	50.0	50.7		ug/L		101	70 - 130
Bromomethane	50.0	50.3		ug/L		101	70 - 130
Carbon disulfide	50.0	45.8		ug/L		92	70 - 130
Carbon tetrachloride	50.0	53.5		ug/L		107	70 - 130
Chlorobenzene	50.0	47.5		ug/L		95	70 - 130
Chlorobromomethane	50.0	48.0		ug/L		96	70 - 130
Chlorodibromomethane	50.0	47.9		ug/L		96	70 - 130
Chloroethane	50.0	42.6		ug/L		85	70 - 130
Chloroform	50.0	51.9		ug/L		104	70 - 130
Chloromethane	50.0	38.7		ug/L		77	70 - 130
cis-1,2-Dichloroethene	50.0	46.2		ug/L		92	70 - 130
cis-1,3-Dichloropropene	50.0	45.8		ug/L		92	70 - 130
Dibromomethane	50.0	46.7		ug/L		93	70 - 130
Dichlorobromomethane	50.0	48.8		ug/L		98	70 - 130
Dichlorodifluoromethane	50.0	51.2		ug/L		102	70 - 130
Ethyl ether	50.0	40.9		ug/L		82	70 - 130
Ethylbenzene	50.0	46.9		ug/L		94	70 - 130
Ethylene Dibromide	50.0	45.2		ug/L		90	70 - 130
Hexachlorobutadiene	50.0	51.5		ug/L		103	70 - 130
Isopropyl ether	50.0	39.0		ug/L		78	70 - 130
Isopropylbenzene	50.0	48.5		ug/L		97	70 - 130
Methyl tert-butyl ether	50.0	45.5		ug/L		91	70 - 130
Methylene Chloride	50.0	41.8		ug/L		84	70 - 130
m-Xylene & p-Xylene	50.0	47.1		ug/L		94	70 - 130
Naphthalene	50.0	51.6		ug/L		103	70 - 130
n-Butylbenzene	50.0	46.2		ug/L		92	70 - 130
N-Propylbenzene	50.0	47.0		ug/L		94	70 - 130
o-Xylene	50.0	45.3		ug/L		91	70 - 130
sec-Butylbenzene	50.0	47.8		ug/L		96	70 - 130
Styrene	50.0	45.0		ug/L		90	70 - 130
Tert-amyl methyl ether	50.0	43.8		ug/L		88	70 - 130
Tert-butyl ethyl ether	50.0	43.7		ug/L		87	70 - 130
tert-Butylbenzene	50.0	49.6		ug/L		99	70 - 130
Tetrachloroethene	50.0	48.9		ug/L		98	70 - 130
Tetrahydrofuran	100	92.0		ug/L		92	70 - 130
Toluene	50.0	45.4		ug/L		91	70 - 130
trans-1,2-Dichloroethene	50.0	47.5		ug/L		95	70 - 130
trans-1,3-Dichloropropene	50.0	46.3		ug/L		93	70 - 130
Trichloroethene	50.0	46.2		ug/L		92	70 - 130
Trichlorofluoromethane	50.0	57.8		ug/L		116	70 - 130
Vinyl chloride	50.0	43.2		ug/L		86	70 - 130

Surrogate	LCS %Recovery	LCS Qualifier	Limits
Dibromofluoromethane (Surr)	104		70 - 130
Toluene-d8 (Surr)	96		70 - 130
1,2-Dichloroethane-d4 (Surr)	116		70 - 130
4-Bromofluorobenzene (Surr)	95		70 - 130

TestAmerica Buffalo

QC Sample Results

Client: Innovative Engineering Solutions, Inc
Project/Site: IDS Wayland

TestAmerica Job ID: 480-67875-1

Method: 8260C - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCSD 490-194946/4

Matrix: Water

Analysis Batch: 194946

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
1,1,1,2-Tetrachloroethane	50.0	46.7		ug/L		93	70 - 130	4	20
1,1,1-Trichloroethane	50.0	50.1		ug/L		100	70 - 130	7	20
1,1,2,2-Tetrachloroethane	50.0	42.9		ug/L		86	70 - 130	5	20
1,1,2-Trichloroethane	50.0	44.9		ug/L		90	70 - 130	0	20
1,1-Dichloroethane	50.0	44.0		ug/L		88	70 - 130	6	20
1,1-Dichloroethene	50.0	48.1		ug/L		96	70 - 130	3	20
1,1-Dichloropropene	50.0	47.0		ug/L		94	70 - 130	3	20
1,2,3-Trichlorobenzene	50.0	49.9		ug/L		100	70 - 130	4	20
1,2,3-Trichloropropane	50.0	48.9		ug/L		98	70 - 130	0	20
1,2,4-Trichlorobenzene	50.0	50.2		ug/L		100	70 - 130	3	20
1,2,4-Trimethylbenzene	50.0	46.7		ug/L		93	70 - 130	0	20
1,2-Dibromo-3-Chloropropane	50.0	50.6		ug/L		101	70 - 130	2	20
1,2-Dichlorobenzene	50.0	47.1		ug/L		94	70 - 130	2	20
1,2-Dichloroethane	50.0	53.7		ug/L		107	70 - 130	3	20
1,2-Dichloropropane	50.0	40.4		ug/L		81	70 - 130	3	20
1,3,5-Trimethylbenzene	50.0	47.4		ug/L		95	70 - 130	1	20
1,3-Dichlorobenzene	50.0	47.3		ug/L		95	70 - 130	2	20
1,3-Dichloropropane	50.0	46.6		ug/L		93	70 - 130	3	20
1,4-Dichlorobenzene	50.0	44.5		ug/L		89	70 - 130	2	20
1,4-Dioxane	1000	1230		ug/L		123	70 - 130	1	20
2,2-Dichloropropane	50.0	47.3		ug/L		95	70 - 130	4	20
2-Butanone (MEK)	250	234		ug/L		93	70 - 130	1	20
2-Chlorotoluene	50.0	46.7		ug/L		93	70 - 130	1	20
2-Hexanone	250	209		ug/L		84	70 - 130	1	20
4-Chlorotoluene	50.0	47.5		ug/L		95	70 - 130	1	20
4-Isopropyltoluene	50.0	47.1		ug/L		94	70 - 130	2	20
4-Methyl-2-pentanone (MIBK)	250	222		ug/L		89	70 - 130	6	20
Acetone	250	215		ug/L		86	70 - 130	2	20
Benzene	50.0	43.1		ug/L		86	70 - 130	2	20
Bromobenzene	50.0	43.4		ug/L		87	70 - 130	4	20
Bromoform	50.0	49.2		ug/L		98	70 - 130	3	20
Bromomethane	50.0	46.6		ug/L		93	70 - 130	8	20
Carbon disulfide	50.0	44.1		ug/L		88	70 - 130	4	20
Carbon tetrachloride	50.0	49.6		ug/L		99	70 - 130	8	20
Chlorobenzene	50.0	45.1		ug/L		90	70 - 130	5	20
Chlorobromomethane	50.0	47.1		ug/L		94	70 - 130	2	20
Chlorodibromomethane	50.0	46.7		ug/L		93	70 - 130	3	20
Chloroethane	50.0	41.5		ug/L		83	70 - 130	3	20
Chloroform	50.0	48.2		ug/L		96	70 - 130	7	20
Chloromethane	50.0	36.7		ug/L		73	70 - 130	5	20
cis-1,2-Dichloroethene	50.0	43.8		ug/L		88	70 - 130	5	20
cis-1,3-Dichloropropene	50.0	46.7		ug/L		93	70 - 130	2	20
Dibromomethane	50.0	45.2		ug/L		90	70 - 130	3	20
Dichlorobromomethane	50.0	46.8		ug/L		94	70 - 130	4	20
Dichlorodifluoromethane	50.0	49.6		ug/L		99	70 - 130	3	20
Ethyl ether	50.0	43.9		ug/L		88	70 - 130	7	20
Ethylbenzene	50.0	44.7		ug/L		89	70 - 130	5	20
Ethylene Dibromide	50.0	45.4		ug/L		91	70 - 130	0	20

TestAmerica Buffalo

QC Sample Results

Client: Innovative Engineering Solutions, Inc
Project/Site: IDS Wayland

TestAmerica Job ID: 480-67875-1

Method: 8260C - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCSD 490-194946/4

Matrix: Water

Analysis Batch: 194946

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits		RPD	Limit
							RPD	Limit		
Hexachlorobutadiene	50.0	49.2		ug/L		98	70 - 130	5	20	
Isopropyl ether	50.0	40.6		ug/L		81	70 - 130	4	20	
Isopropylbenzene	50.0	46.3		ug/L		93	70 - 130	5	20	
Methyl tert-butyl ether	50.0	47.8		ug/L		96	70 - 130	5	20	
Methylene Chloride	50.0	40.3		ug/L		81	70 - 130	4	20	
m-Xylene & p-Xylene	50.0	45.8		ug/L		92	70 - 130	3	20	
Naphthalene	50.0	50.3		ug/L		101	70 - 130	3	20	
n-Butylbenzene	50.0	45.2		ug/L		90	70 - 130	2	20	
N-Propylbenzene	50.0	46.6		ug/L		93	70 - 130	1	20	
o-Xylene	50.0	44.8		ug/L		90	70 - 130	1	20	
sec-Butylbenzene	50.0	47.2		ug/L		94	70 - 130	1	20	
Styrene	50.0	43.9		ug/L		88	70 - 130	2	20	
Tert-amyl methyl ether	50.0	44.6		ug/L		89	70 - 130	2	20	
Tert-butyl ethyl ether	50.0	45.6		ug/L		91	70 - 130	4	20	
tert-Butylbenzene	50.0	49.5		ug/L		99	70 - 130	0	20	
Tetrachloroethene	50.0	48.0		ug/L		96	70 - 130	2	20	
Tetrahydrofuran	100	87.2		ug/L		87	70 - 130	5	20	
Toluene	50.0	44.5		ug/L		89	70 - 130	2	20	
trans-1,2-Dichloroethene	50.0	44.5		ug/L		89	70 - 130	7	20	
trans-1,3-Dichloropropene	50.0	46.4		ug/L		93	70 - 130	0	20	
Trichloroethene	50.0	45.4		ug/L		91	70 - 130	2	20	
Trichlorofluoromethane	50.0	51.8		ug/L		104	70 - 130	11	20	
Vinyl chloride	50.0	41.4		ug/L		83	70 - 130	4	20	

Surrogate	LCSD %Recovery	LCSD Qualifier	LCSD Limits
Dibromofluoromethane (Surr)	98		70 - 130
Toluene-d8 (Surr)	98		70 - 130
1,2-Dichloroethane-d4 (Surr)	105		70 - 130
4-Bromofluorobenzene (Surr)	95		70 - 130

Lab Sample ID: MB 490-195016/7

Matrix: Water

Analysis Batch: 195016

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB MB		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,1,1,2-Tetrachloroethane	ND		1.0		ug/L			10/03/14 13:09	1
1,1,1-Trichloroethane	ND		1.0		ug/L			10/03/14 13:09	1
1,1,2,2-Tetrachloroethane	ND		1.0		ug/L			10/03/14 13:09	1
1,1,2-Trichloroethane	ND		1.0		ug/L			10/03/14 13:09	1
1,1-Dichloroethane	ND		1.0		ug/L			10/03/14 13:09	1
1,1-Dichloroethene	ND		1.0		ug/L			10/03/14 13:09	1
1,1-Dichloropropene	ND		1.0		ug/L			10/03/14 13:09	1
1,2,3-Trichlorobenzene	ND		1.0		ug/L			10/03/14 13:09	1
1,2,3-Trichloropropene	ND		1.0		ug/L			10/03/14 13:09	1
1,2,4-Trichlorobenzene	ND		1.0		ug/L			10/03/14 13:09	1
1,2,4-Trimethylbenzene	ND		1.0		ug/L			10/03/14 13:09	1
1,2-Dibromo-3-Chloropropane	ND		10		ug/L			10/03/14 13:09	1
1,2-Dichlorobenzene	ND		1.0		ug/L			10/03/14 13:09	1

TestAmerica Buffalo

QC Sample Results

Client: Innovative Engineering Solutions, Inc
Project/Site: IDS Wayland

TestAmerica Job ID: 480-67875-1

Method: 8260C - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 490-195016/7

Matrix: Water

Analysis Batch: 195016

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,2-Dichloroethane	ND		1.0		ug/L			10/03/14 13:09	1
1,2-Dichloropropane	ND		1.0		ug/L			10/03/14 13:09	1
1,3,5-Trimethylbenzene	ND		1.0		ug/L			10/03/14 13:09	1
1,3-Dichlorobenzene	ND		1.0		ug/L			10/03/14 13:09	1
1,3-Dichloropropane	ND		1.0		ug/L			10/03/14 13:09	1
1,4-Dichlorobenzene	ND		1.0		ug/L			10/03/14 13:09	1
1,4-Dioxane	ND		200		ug/L			10/03/14 13:09	1
2,2-Dichloropropane	ND		1.0		ug/L			10/03/14 13:09	1
2-Butanone (MEK)	ND		50		ug/L			10/03/14 13:09	1
2-Chlorotoluene	ND		1.0		ug/L			10/03/14 13:09	1
2-Hexanone	ND		10		ug/L			10/03/14 13:09	1
4-Chlorotoluene	ND		1.0		ug/L			10/03/14 13:09	1
4-Isopropyltoluene	ND		1.0		ug/L			10/03/14 13:09	1
4-Methyl-2-pentanone (MIBK)	ND		10		ug/L			10/03/14 13:09	1
Acetone	ND		25		ug/L			10/03/14 13:09	1
Benzene	ND		1.0		ug/L			10/03/14 13:09	1
Bromobenzene	ND		1.0		ug/L			10/03/14 13:09	1
Bromoform	ND		1.0		ug/L			10/03/14 13:09	1
Bromomethane	ND		1.0		ug/L			10/03/14 13:09	1
Carbon disulfide	ND		1.0		ug/L			10/03/14 13:09	1
Carbon tetrachloride	ND		1.0		ug/L			10/03/14 13:09	1
Chlorobenzene	ND		1.0		ug/L			10/03/14 13:09	1
Chlorobromomethane	ND		1.0		ug/L			10/03/14 13:09	1
Chlorodibromomethane	ND		1.0		ug/L			10/03/14 13:09	1
Chloroethane	ND		1.0		ug/L			10/03/14 13:09	1
Chloroform	ND		1.0		ug/L			10/03/14 13:09	1
Chloromethane	ND		1.0		ug/L			10/03/14 13:09	1
cis-1,2-Dichloroethene	ND		1.0		ug/L			10/03/14 13:09	1
cis-1,3-Dichloropropene	ND		1.0		ug/L			10/03/14 13:09	1
Dibromomethane	ND		1.0		ug/L			10/03/14 13:09	1
Dichlorobromomethane	ND		1.0		ug/L			10/03/14 13:09	1
Dichlorodifluoromethane	ND		1.0		ug/L			10/03/14 13:09	1
Ethyl ether	ND		5.0		ug/L			10/03/14 13:09	1
Ethylbenzene	ND		1.0		ug/L			10/03/14 13:09	1
Ethylene Dibromide	ND		1.0		ug/L			10/03/14 13:09	1
Hexachlorobutadiene	ND		2.0		ug/L			10/03/14 13:09	1
Isopropyl ether	ND		2.0		ug/L			10/03/14 13:09	1
Isopropylbenzene	ND		1.0		ug/L			10/03/14 13:09	1
Methyl tert-butyl ether	ND		1.0		ug/L			10/03/14 13:09	1
Methylene Chloride	ND		5.0		ug/L			10/03/14 13:09	1
m-Xylene & p-Xylene	ND		2.0		ug/L			10/03/14 13:09	1
Naphthalene	ND		5.0		ug/L			10/03/14 13:09	1
n-Butylbenzene	ND		1.0		ug/L			10/03/14 13:09	1
N-Propylbenzene	ND		1.0		ug/L			10/03/14 13:09	1
o-Xylene	ND		1.0		ug/L			10/03/14 13:09	1
sec-Butylbenzene	ND		1.0		ug/L			10/03/14 13:09	1
Styrene	ND		1.0		ug/L			10/03/14 13:09	1
Tert-amyl methyl ether	ND		1.0		ug/L			10/03/14 13:09	1

TestAmerica Buffalo

QC Sample Results

Client: Innovative Engineering Solutions, Inc
Project/Site: IDS Wayland

TestAmerica Job ID: 480-67875-1

Method: 8260C - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 490-195016/7

Matrix: Water

Analysis Batch: 195016

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Tert-butyl ethyl ether	ND		1.0		ug/L			10/03/14 13:09	1
tert-Butylbenzene	ND		1.0		ug/L			10/03/14 13:09	1
Tetrachloroethene	ND		1.0		ug/L			10/03/14 13:09	1
Tetrahydrofuran	ND		10		ug/L			10/03/14 13:09	1
Toluene	ND		1.0		ug/L			10/03/14 13:09	1
trans-1,2-Dichloroethene	ND		1.0		ug/L			10/03/14 13:09	1
trans-1,3-Dichloropropene	ND		1.0		ug/L			10/03/14 13:09	1
Trichloroethene	ND		1.0		ug/L			10/03/14 13:09	1
Trichlorofluoromethane	ND		1.0		ug/L			10/03/14 13:09	1
Vinyl chloride	ND		1.0		ug/L			10/03/14 13:09	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
Dibromofluoromethane (Surr)	105		70 - 130		10/03/14 13:09	1
Toluene-d8 (Surr)	99		70 - 130		10/03/14 13:09	1
1,2-Dichloroethane-d4 (Surr)	107		70 - 130		10/03/14 13:09	1
4-Bromofluorobenzene (Surr)	92		70 - 130		10/03/14 13:09	1

Lab Sample ID: LCS 490-195016/3

Matrix: Water

Analysis Batch: 195016

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
1,1,1,2-Tetrachloroethane	50.0	47.4		ug/L		95	70 - 130
1,1,1-Trichloroethane	50.0	45.4		ug/L		91	70 - 130
1,1,1,2,2-Tetrachloroethane	50.0	51.8		ug/L		104	70 - 130
1,1,2-Trichloroethane	50.0	48.1		ug/L		96	70 - 130
1,1-Dichloroethane	50.0	52.2		ug/L		104	70 - 130
1,1-Dichloroethene	50.0	51.9		ug/L		104	70 - 130
1,1-Dichloropropene	50.0	48.3		ug/L		97	70 - 130
1,2,3-Trichlorobenzene	50.0	52.3		ug/L		105	70 - 130
1,2,3-Trichloropropene	50.0	51.8		ug/L		104	70 - 130
1,2,4-Trichlorobenzene	50.0	47.7		ug/L		95	70 - 130
1,2,4-Trimethylbenzene	50.0	50.1		ug/L		100	70 - 130
1,2-Dibromo-3-Chloropropane	50.0	46.4		ug/L		93	70 - 130
1,2-Dichlorobenzene	50.0	48.7		ug/L		97	70 - 130
1,2-Dichloroethane	50.0	47.2		ug/L		94	70 - 130
1,2-Dichloropropane	50.0	48.9		ug/L		98	70 - 130
1,3,5-Trimethylbenzene	50.0	49.8		ug/L		100	70 - 130
1,3-Dichlorobenzene	50.0	48.4		ug/L		97	70 - 130
1,3-Dichloropropane	50.0	50.8		ug/L		102	70 - 130
1,4-Dichlorobenzene	50.0	47.7		ug/L		95	70 - 130
1,4-Dioxane	1000	1200		ug/L		120	70 - 130
2,2-Dichloropropane	50.0	51.6		ug/L		103	70 - 130
2-Butanone (MEK)	250	274		ug/L		109	70 - 130
2-Chlorotoluene	50.0	47.3		ug/L		95	70 - 130
2-Hexanone	250	262		ug/L		105	70 - 130
4-Chlorotoluene	50.0	50.5		ug/L		101	70 - 130
4-Isopropyltoluene	50.0	51.9		ug/L		104	70 - 130

TestAmerica Buffalo

QC Sample Results

Client: Innovative Engineering Solutions, Inc
Project/Site: IDS Wayland

TestAmerica Job ID: 480-67875-1

Method: 8260C - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 490-195016/3

Matrix: Water

Analysis Batch: 195016

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
4-Methyl-2-pentanone (MIBK)	250	283		ug/L		113	70 - 130
Acetone	250	283		ug/L		113	70 - 130
Benzene	50.0	45.9		ug/L		92	70 - 130
Bromobenzene	50.0	48.4		ug/L		97	70 - 130
Bromoform	50.0	49.4		ug/L		99	70 - 130
Bromomethane	50.0	53.1		ug/L		106	70 - 130
Carbon disulfide	50.0	55.1		ug/L		110	70 - 130
Carbon tetrachloride	50.0	45.8		ug/L		92	70 - 130
Chlorobenzene	50.0	47.2		ug/L		94	70 - 130
Chlorobromomethane	50.0	47.5		ug/L		95	70 - 130
Chlorodibromomethane	50.0	49.2		ug/L		98	70 - 130
Chloroethane	50.0	54.0		ug/L		108	70 - 130
Chloroform	50.0	44.5		ug/L		89	70 - 130
Chloromethane	50.0	55.7		ug/L		111	70 - 130
cis-1,2-Dichloroethene	50.0	50.2		ug/L		100	70 - 130
cis-1,3-Dichloropropene	50.0	51.7		ug/L		103	70 - 130
Dibromomethane	50.0	48.9		ug/L		98	70 - 130
Dichlorobromomethane	50.0	47.4		ug/L		95	70 - 130
Dichlorodifluoromethane	50.0	57.7		ug/L		115	70 - 130
Ethyl ether	50.0	56.0		ug/L		112	70 - 130
Ethylbenzene	50.0	49.5		ug/L		99	70 - 130
Ethylene Dibromide	50.0	51.1		ug/L		102	70 - 130
Hexachlorobutadiene	50.0	48.3		ug/L		97	70 - 130
Isopropyl ether	50.0	55.0		ug/L		110	70 - 130
Isopropylbenzene	50.0	51.1		ug/L		102	70 - 130
Methyl tert-butyl ether	50.0	48.3		ug/L		97	70 - 130
Methylene Chloride	50.0	49.0		ug/L		98	70 - 130
m-Xylene & p-Xylene	50.0	49.0		ug/L		98	70 - 130
Naphthalene	50.0	46.6		ug/L		93	70 - 130
n-Butylbenzene	50.0	51.6		ug/L		103	70 - 130
N-Propylbenzene	50.0	52.5		ug/L		105	70 - 130
o-Xylene	50.0	49.3		ug/L		99	70 - 130
sec-Butylbenzene	50.0	52.2		ug/L		104	70 - 130
Styrene	50.0	51.0		ug/L		102	70 - 130
Tert-amyl methyl ether	50.0	46.1		ug/L		92	70 - 130
Tert-butyl ethyl ether	50.0	50.3		ug/L		101	70 - 130
tert-Butylbenzene	50.0	51.6		ug/L		103	70 - 130
Tetrachloroethene	50.0	47.5		ug/L		95	70 - 130
Tetrahydrofuran	100	109		ug/L		109	70 - 130
Toluene	50.0	47.5		ug/L		95	70 - 130
trans-1,2-Dichloroethene	50.0	50.2		ug/L		100	70 - 130
trans-1,3-Dichloropropene	50.0	51.5		ug/L		103	70 - 130
Trichloroethene	50.0	45.5		ug/L		91	70 - 130
Trichlorofluoromethane	50.0	48.3		ug/L		97	70 - 130
Vinyl chloride	50.0	55.9		ug/L		112	70 - 130

Surrogate	LCS %Recovery	LCS Qualifier	Limits
Dibromofluoromethane (Surr)	99		70 - 130

TestAmerica Buffalo

QC Sample Results

Client: Innovative Engineering Solutions, Inc
Project/Site: IDS Wayland

TestAmerica Job ID: 480-67875-1

Method: 8260C - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 490-195016/3

Matrix: Water

Analysis Batch: 195016

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Surrogate	LCS LCS		Limits
	%Recovery	Qualifier	
Toluene-d8 (Surr)	100		70 - 130
1,2-Dichloroethane-d4 (Surr)	98		70 - 130
4-Bromofluorobenzene (Surr)	97		70 - 130

Lab Sample ID: LCSD 490-195016/4

Matrix: Water

Analysis Batch: 195016

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec.	RPD	Limit
							Limits		
1,1,1,2-Tetrachloroethane	50.0	47.8		ug/L		96	70 - 130	1	20
1,1,1-Trichloroethane	50.0	46.2		ug/L		92	70 - 130	2	20
1,1,1,2-Tetrachloroethane	50.0	50.2		ug/L		100	70 - 130	3	20
1,1,2-Trichloroethane	50.0	47.3		ug/L		95	70 - 130	2	20
1,1-Dichloroethane	50.0	52.6		ug/L		105	70 - 130	1	20
1,1-Dichloroethene	50.0	52.4		ug/L		105	70 - 130	1	20
1,1-Dichloropropene	50.0	49.2		ug/L		98	70 - 130	2	20
1,2,3-Trichlorobenzene	50.0	54.4		ug/L		109	70 - 130	4	20
1,2,3-Trichloropropane	50.0	51.5		ug/L		103	70 - 130	1	20
1,2,4-Trichlorobenzene	50.0	50.2		ug/L		100	70 - 130	5	20
1,2,4-Trimethylbenzene	50.0	52.2		ug/L		104	70 - 130	4	20
1,2-Dibromo-3-Chloropropane	50.0	44.8		ug/L		90	70 - 130	4	20
1,2-Dichlorobenzene	50.0	51.0		ug/L		102	70 - 130	5	20
1,2-Dichloroethane	50.0	46.2		ug/L		92	70 - 130	2	20
1,2-Dichloropropane	50.0	49.8		ug/L		100	70 - 130	2	20
1,3,5-Trimethylbenzene	50.0	51.8		ug/L		104	70 - 130	4	20
1,3-Dichlorobenzene	50.0	50.6		ug/L		101	70 - 130	5	20
1,3-Dichloropropane	50.0	49.3		ug/L		99	70 - 130	3	20
1,4-Dichlorobenzene	50.0	49.1		ug/L		98	70 - 130	3	20
1,4-Dioxane	1000	1150		ug/L		115	70 - 130	4	20
2,2-Dichloropropane	50.0	51.5		ug/L		103	70 - 130	0	20
2-Butanone (MEK)	250	279		ug/L		112	70 - 130	2	20
2-Chlorotoluene	50.0	50.4		ug/L		101	70 - 130	6	20
2-Hexanone	250	246		ug/L		98	70 - 130	7	20
4-Chlorotoluene	50.0	52.1		ug/L		104	70 - 130	3	20
4-Isopropyltoluene	50.0	54.5		ug/L		109	70 - 130	5	20
4-Methyl-2-pentanone (MIBK)	250	265		ug/L		106	70 - 130	7	20
Acetone	250	269		ug/L		108	70 - 130	5	20
Benzene	50.0	46.7		ug/L		93	70 - 130	2	20
Bromobenzene	50.0	49.9		ug/L		100	70 - 130	3	20
Bromoform	50.0	47.9		ug/L		96	70 - 130	3	20
Bromomethane	50.0	56.3		ug/L		113	70 - 130	6	20
Carbon disulfide	50.0	56.4		ug/L		113	70 - 130	2	20
Carbon tetrachloride	50.0	46.5		ug/L		93	70 - 130	2	20
Chlorobenzene	50.0	48.1		ug/L		96	70 - 130	2	20
Chlorobromomethane	50.0	46.0		ug/L		92	70 - 130	3	20
Chlorodibromomethane	50.0	48.9		ug/L		98	70 - 130	1	20
Chloroethane	50.0	54.7		ug/L		109	70 - 130	1	20
Chloroform	50.0	45.4		ug/L		91	70 - 130	2	20

TestAmerica Buffalo

QC Sample Results

Client: Innovative Engineering Solutions, Inc
Project/Site: IDS Wayland

TestAmerica Job ID: 480-67875-1

Method: 8260C - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCSD 490-195016/4

Matrix: Water

Analysis Batch: 195016

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits		RPD	
							RPD	Limit		
Chloromethane	50.0	55.2		ug/L		110	70 - 130	1	20	
cis-1,2-Dichloroethene	50.0	51.0		ug/L		102	70 - 130	2	20	
cis-1,3-Dichloropropene	50.0	51.8		ug/L		104	70 - 130	0	20	
Dibromomethane	50.0	47.6		ug/L		95	70 - 130	3	20	
Dichlorobromomethane	50.0	47.4		ug/L		95	70 - 130	0	20	
Dichlorodifluoromethane	50.0	57.4		ug/L		115	70 - 130	1	20	
Ethyl ether	50.0	53.8		ug/L		108	70 - 130	4	20	
Ethylbenzene	50.0	50.3		ug/L		101	70 - 130	1	20	
Ethylene Dibromide	50.0	50.0		ug/L		100	70 - 130	2	20	
Hexachlorobutadiene	50.0	52.9		ug/L		106	70 - 130	9	20	
Isopropyl ether	50.0	55.0		ug/L		110	70 - 130	0	20	
Isopropylbenzene	50.0	51.5		ug/L		103	70 - 130	1	20	
Methyl tert-butyl ether	50.0	46.7		ug/L		93	70 - 130	3	20	
Methylene Chloride	50.0	49.5		ug/L		99	70 - 130	1	20	
m-Xylene & p-Xylene	50.0	49.2		ug/L		98	70 - 130	0	20	
Naphthalene	50.0	45.5		ug/L		91	70 - 130	3	20	
n-Butylbenzene	50.0	54.4		ug/L		109	70 - 130	5	20	
N-Propylbenzene	50.0	55.1		ug/L		110	70 - 130	5	20	
o-Xylene	50.0	50.2		ug/L		100	70 - 130	2	20	
sec-Butylbenzene	50.0	54.9		ug/L		110	70 - 130	5	20	
Styrene	50.0	51.9		ug/L		104	70 - 130	2	20	
Tert-amyl methyl ether	50.0	44.8		ug/L		90	70 - 130	3	20	
Tert-butyl ethyl ether	50.0	48.8		ug/L		98	70 - 130	3	20	
tert-Butylbenzene	50.0	54.1		ug/L		108	70 - 130	5	20	
Tetrachloroethene	50.0	48.4		ug/L		97	70 - 130	2	20	
Tetrahydrofuran	100	101		ug/L		101	70 - 130	8	20	
Toluene	50.0	47.7		ug/L		95	70 - 130	0	20	
trans-1,2-Dichloroethene	50.0	51.2		ug/L		102	70 - 130	2	20	
trans-1,3-Dichloropropene	50.0	51.0		ug/L		102	70 - 130	1	20	
Trichloroethene	50.0	47.6		ug/L		95	70 - 130	4	20	
Trichlorofluoromethane	50.0	48.5		ug/L		97	70 - 130	0	20	
Vinyl chloride	50.0	56.1		ug/L		112	70 - 130	0	20	

Surrogate	LCSD		Limits
	%Recovery	Qualifier	
Dibromofluoromethane (Surr)	100		70 - 130
Toluene-d8 (Surr)	99		70 - 130
1,2-Dichloroethane-d4 (Surr)	96		70 - 130
4-Bromofluorobenzene (Surr)	102		70 - 130

Lab Sample ID: MB 490-195033/7

Matrix: Water

Analysis Batch: 195033

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB MB		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,1,1,2-Tetrachloroethane	ND		1.0		ug/L			10/03/14 13:08	1
1,1,1-Trichloroethane	ND		1.0		ug/L			10/03/14 13:08	1
1,1,2,2-Tetrachloroethane	ND		1.0		ug/L			10/03/14 13:08	1
1,1,2-Trichloroethane	ND		1.0		ug/L			10/03/14 13:08	1

TestAmerica Buffalo

QC Sample Results

Client: Innovative Engineering Solutions, Inc
Project/Site: IDS Wayland

TestAmerica Job ID: 480-67875-1

Method: 8260C - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 490-195033/7

Matrix: Water

Analysis Batch: 195033

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,1-Dichloroethane	ND		1.0		ug/L			10/03/14 13:08	1
1,1-Dichloroethene	ND		1.0		ug/L			10/03/14 13:08	1
1,1-Dichloropropene	ND		1.0		ug/L			10/03/14 13:08	1
1,2,3-Trichlorobenzene	ND		1.0		ug/L			10/03/14 13:08	1
1,2,3-Trichloropropane	ND		1.0		ug/L			10/03/14 13:08	1
1,2,4-Trichlorobenzene	ND		1.0		ug/L			10/03/14 13:08	1
1,2,4-Trimethylbenzene	ND		1.0		ug/L			10/03/14 13:08	1
1,2-Dibromo-3-Chloropropane	ND		10		ug/L			10/03/14 13:08	1
1,2-Dichlorobenzene	ND		1.0		ug/L			10/03/14 13:08	1
1,2-Dichloroethane	ND		1.0		ug/L			10/03/14 13:08	1
1,2-Dichloropropane	ND		1.0		ug/L			10/03/14 13:08	1
1,3,5-Trimethylbenzene	ND		1.0		ug/L			10/03/14 13:08	1
1,3-Dichlorobenzene	ND		1.0		ug/L			10/03/14 13:08	1
1,3-Dichloropropane	ND		1.0		ug/L			10/03/14 13:08	1
1,4-Dichlorobenzene	ND		1.0		ug/L			10/03/14 13:08	1
1,4-Dioxane	ND		200		ug/L			10/03/14 13:08	1
2,2-Dichloropropane	ND		1.0		ug/L			10/03/14 13:08	1
2-Butanone (MEK)	ND		50		ug/L			10/03/14 13:08	1
2-Chlorotoluene	ND		1.0		ug/L			10/03/14 13:08	1
2-Hexanone	ND		10		ug/L			10/03/14 13:08	1
4-Chlorotoluene	ND		1.0		ug/L			10/03/14 13:08	1
4-Isopropyltoluene	ND		1.0		ug/L			10/03/14 13:08	1
4-Methyl-2-pentanone (MIBK)	ND		10		ug/L			10/03/14 13:08	1
Acetone	ND		25		ug/L			10/03/14 13:08	1
Benzene	ND		1.0		ug/L			10/03/14 13:08	1
Bromobenzene	ND		1.0		ug/L			10/03/14 13:08	1
Bromoform	ND		1.0		ug/L			10/03/14 13:08	1
Bromomethane	ND		1.0		ug/L			10/03/14 13:08	1
Carbon disulfide	ND		1.0		ug/L			10/03/14 13:08	1
Carbon tetrachloride	ND		1.0		ug/L			10/03/14 13:08	1
Chlorobenzene	ND		1.0		ug/L			10/03/14 13:08	1
Chlorobromomethane	ND		1.0		ug/L			10/03/14 13:08	1
Chlorodibromomethane	ND		1.0		ug/L			10/03/14 13:08	1
Chloroethane	ND		1.0		ug/L			10/03/14 13:08	1
Chloroform	ND		1.0		ug/L			10/03/14 13:08	1
Chloromethane	ND		1.0		ug/L			10/03/14 13:08	1
cis-1,2-Dichloroethene	ND		1.0		ug/L			10/03/14 13:08	1
cis-1,3-Dichloropropene	ND		1.0		ug/L			10/03/14 13:08	1
Dibromomethane	ND		1.0		ug/L			10/03/14 13:08	1
Dichlorobromomethane	ND		1.0		ug/L			10/03/14 13:08	1
Dichlorodifluoromethane	ND		1.0		ug/L			10/03/14 13:08	1
Ethyl ether	ND		5.0		ug/L			10/03/14 13:08	1
Ethylbenzene	ND		1.0		ug/L			10/03/14 13:08	1
Ethylene Dibromide	ND		1.0		ug/L			10/03/14 13:08	1
Hexachlorobutadiene	ND		2.0		ug/L			10/03/14 13:08	1
Isopropyl ether	ND		2.0		ug/L			10/03/14 13:08	1
Isopropylbenzene	ND		1.0		ug/L			10/03/14 13:08	1
Methyl tert-butyl ether	ND		1.0		ug/L			10/03/14 13:08	1

TestAmerica Buffalo

QC Sample Results

Client: Innovative Engineering Solutions, Inc
Project/Site: IDS Wayland

TestAmerica Job ID: 480-67875-1

Method: 8260C - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 490-195033/7

Matrix: Water

Analysis Batch: 195033

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Methylene Chloride	ND		5.0		ug/L			10/03/14 13:08	1
m-Xylene & p-Xylene	ND		2.0		ug/L			10/03/14 13:08	1
Naphthalene	ND		5.0		ug/L			10/03/14 13:08	1
n-Butylbenzene	ND		1.0		ug/L			10/03/14 13:08	1
N-Propylbenzene	ND		1.0		ug/L			10/03/14 13:08	1
o-Xylene	ND		1.0		ug/L			10/03/14 13:08	1
sec-Butylbenzene	ND		1.0		ug/L			10/03/14 13:08	1
Styrene	ND		1.0		ug/L			10/03/14 13:08	1
Tert-amyl methyl ether	ND		1.0		ug/L			10/03/14 13:08	1
Tert-butyl ethyl ether	ND		1.0		ug/L			10/03/14 13:08	1
tert-Butylbenzene	ND		1.0		ug/L			10/03/14 13:08	1
Tetrachloroethene	ND		1.0		ug/L			10/03/14 13:08	1
Toluene	ND		1.0		ug/L			10/03/14 13:08	1
trans-1,2-Dichloroethene	ND		1.0		ug/L			10/03/14 13:08	1
trans-1,3-Dichloropropene	ND		1.0		ug/L			10/03/14 13:08	1
Trichloroethene	ND		1.0		ug/L			10/03/14 13:08	1
Trichlorofluoromethane	ND		1.0		ug/L			10/03/14 13:08	1
Vinyl chloride	ND		1.0		ug/L			10/03/14 13:08	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
Dibromofluoromethane (Surr)	99		70 - 130		10/03/14 13:08	1
Toluene-d8 (Surr)	102		70 - 130		10/03/14 13:08	1
1,2-Dichloroethane-d4 (Surr)	105		70 - 130		10/03/14 13:08	1
4-Bromofluorobenzene (Surr)	95		70 - 130		10/03/14 13:08	1

Lab Sample ID: LCS 490-195033/3

Matrix: Water

Analysis Batch: 195033

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
1,1,1,2-Tetrachloroethane	50.0	47.7		ug/L		95	70 - 130
1,1,1-Trichloroethane	50.0	52.5		ug/L		105	70 - 130
1,1,2,2-Tetrachloroethane	50.0	42.2		ug/L		84	70 - 130
1,1,2-Trichloroethane	50.0	44.1		ug/L		88	70 - 130
1,1-Dichloroethane	50.0	45.4		ug/L		91	70 - 130
1,1-Dichloroethene	50.0	48.2		ug/L		96	70 - 130
1,1-Dichloropropene	50.0	50.3		ug/L		101	70 - 130
1,2,3-Trichlorobenzene	50.0	50.8		ug/L		102	70 - 130
1,2,3-Trichloropropane	50.0	47.1		ug/L		94	70 - 130
1,2,4-Trichlorobenzene	50.0	50.8		ug/L		102	70 - 130
1,2,4-Trimethylbenzene	50.0	47.5		ug/L		95	70 - 130
1,2-Dibromo-3-Chloropropane	50.0	48.0		ug/L		96	70 - 130
1,2-Dichlorobenzene	50.0	46.8		ug/L		94	70 - 130
1,2-Dichloroethane	50.0	54.2		ug/L		108	70 - 130
1,2-Dichloropropane	50.0	41.7		ug/L		83	70 - 130
1,3,5-Trimethylbenzene	50.0	48.3		ug/L		97	70 - 130
1,3-Dichlorobenzene	50.0	48.1		ug/L		96	70 - 130
1,3-Dichloropropane	50.0	46.6		ug/L		93	70 - 130

TestAmerica Buffalo

QC Sample Results

Client: Innovative Engineering Solutions, Inc
Project/Site: IDS Wayland

TestAmerica Job ID: 480-67875-1

Method: 8260C - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 490-195033/3

Matrix: Water

Analysis Batch: 195033

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
1,4-Dichlorobenzene	50.0	45.1		ug/L		90	70 - 130
1,4-Dioxane	1000	1190		ug/L		119	70 - 130
2,2-Dichloropropane	50.0	51.7		ug/L		103	70 - 130
2-Butanone (MEK)	250	231		ug/L		92	70 - 130
2-Chlorotoluene	50.0	48.1		ug/L		96	70 - 130
2-Hexanone	250	209		ug/L		84	70 - 130
4-Chlorotoluene	50.0	48.8		ug/L		98	70 - 130
4-Isopropyltoluene	50.0	48.8		ug/L		98	70 - 130
4-Methyl-2-pentanone (MIBK)	250	213		ug/L		85	70 - 130
Acetone	250	204		ug/L		82	70 - 130
Benzene	50.0	44.3		ug/L		89	70 - 130
Bromobenzene	50.0	44.7		ug/L		89	70 - 130
Bromoform	50.0	48.3		ug/L		97	70 - 130
Bromomethane	50.0	46.4		ug/L		93	70 - 130
Carbon disulfide	50.0	45.3		ug/L		91	70 - 130
Carbon tetrachloride	50.0	53.4		ug/L		107	70 - 130
Chlorobenzene	50.0	46.7		ug/L		93	70 - 130
Chlorobromomethane	50.0	47.1		ug/L		94	70 - 130
Chlorodibromomethane	50.0	47.7		ug/L		95	70 - 130
Chloroethane	50.0	44.9		ug/L		90	70 - 130
Chloroform	50.0	50.5		ug/L		101	70 - 130
Chloromethane	50.0	36.8		ug/L		74	70 - 130
cis-1,2-Dichloroethene	50.0	46.7		ug/L		93	70 - 130
cis-1,3-Dichloropropene	50.0	48.2		ug/L		96	70 - 130
Dibromomethane	50.0	45.0		ug/L		90	70 - 130
Dichlorobromomethane	50.0	48.6		ug/L		97	70 - 130
Dichlorodifluoromethane	50.0	48.9		ug/L		98	70 - 130
Ethyl ether	50.0	40.3		ug/L		81	70 - 130
Ethylbenzene	50.0	46.6		ug/L		93	70 - 130
Ethylene Dibromide	50.0	45.0		ug/L		90	70 - 130
Hexachlorobutadiene	50.0	52.6		ug/L		105	70 - 130
Isopropyl ether	50.0	40.6		ug/L		81	70 - 130
Isopropylbenzene	50.0	47.3		ug/L		95	70 - 130
Methyl tert-butyl ether	50.0	47.4		ug/L		95	70 - 130
Methylene Chloride	50.0	41.6		ug/L		83	70 - 130
m-Xylene & p-Xylene	50.0	46.2		ug/L		92	70 - 130
Naphthalene	50.0	49.4		ug/L		99	70 - 130
n-Butylbenzene	50.0	47.0		ug/L		94	70 - 130
N-Propylbenzene	50.0	48.8		ug/L		98	70 - 130
o-Xylene	50.0	45.1		ug/L		90	70 - 130
sec-Butylbenzene	50.0	49.2		ug/L		98	70 - 130
Styrene	50.0	44.3		ug/L		89	70 - 130
Tert-amyl methyl ether	50.0	43.9		ug/L		88	70 - 130
Tert-butyl ethyl ether	50.0	45.2		ug/L		90	70 - 130
tert-Butylbenzene	50.0	50.7		ug/L		101	70 - 130
Tetrachloroethene	50.0	50.3		ug/L		101	70 - 130
Toluene	50.0	45.6		ug/L		91	70 - 130
trans-1,2-Dichloroethene	50.0	45.6		ug/L		91	70 - 130

TestAmerica Buffalo

QC Sample Results

Client: Innovative Engineering Solutions, Inc
Project/Site: IDS Wayland

TestAmerica Job ID: 480-67875-1

Method: 8260C - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 490-195033/3

Matrix: Water

Analysis Batch: 195033

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
trans-1,3-Dichloropropene	50.0	47.6		ug/L		95	70 - 130
Trichloroethene	50.0	46.8		ug/L		94	70 - 130
Trichlorofluoromethane	50.0	55.9		ug/L		112	70 - 130
Vinyl chloride	50.0	43.6		ug/L		87	70 - 130

Surrogate	LCS %Recovery	LCS Qualifier	Limits
Dibromofluoromethane (Surr)	100		70 - 130
Toluene-d8 (Surr)	100		70 - 130
1,2-Dichloroethane-d4 (Surr)	107		70 - 130
4-Bromofluorobenzene (Surr)	95		70 - 130

Lab Sample ID: LCSD 490-195033/4

Matrix: Water

Analysis Batch: 195033

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
1,1,1,2-Tetrachloroethane	50.0	46.8		ug/L		94	70 - 130	2	20
1,1,1-Trichloroethane	50.0	51.8		ug/L		104	70 - 130	1	20
1,1,1,2,2-Tetrachloroethane	50.0	38.8		ug/L		78	70 - 130	8	20
1,1,2-Trichloroethane	50.0	41.4		ug/L		83	70 - 130	6	20
1,1-Dichloroethane	50.0	44.2		ug/L		88	70 - 130	2	20
1,1-Dichloroethene	50.0	46.6		ug/L		93	70 - 130	3	20
1,1-Dichloropropene	50.0	48.3		ug/L		97	70 - 130	4	20
1,2,3-Trichlorobenzene	50.0	46.8		ug/L		94	70 - 130	8	20
1,2,3-Trichloropropane	50.0	45.8		ug/L		92	70 - 130	3	20
1,2,4-Trichlorobenzene	50.0	47.3		ug/L		95	70 - 130	7	20
1,2,4-Trimethylbenzene	50.0	47.8		ug/L		96	70 - 130	0	20
1,2-Dibromo-3-Chloropropane	50.0	41.8		ug/L		84	70 - 130	14	20
1,2-Dichlorobenzene	50.0	45.5		ug/L		91	70 - 130	3	20
1,2-Dichloroethane	50.0	48.7		ug/L		97	70 - 130	11	20
1,2-Dichloropropane	50.0	40.6		ug/L		81	70 - 130	3	20
1,3,5-Trimethylbenzene	50.0	49.2		ug/L		98	70 - 130	2	20
1,3-Dichlorobenzene	50.0	47.4		ug/L		95	70 - 130	1	20
1,3-Dichloropropane	50.0	43.3		ug/L		87	70 - 130	7	20
1,4-Dichlorobenzene	50.0	44.4		ug/L		89	70 - 130	2	20
1,4-Dioxane	1000	937	*	ug/L		94	70 - 130	24	20
2,2-Dichloropropane	50.0	49.9		ug/L		100	70 - 130	3	20
2-Butanone (MEK)	250	205		ug/L		82	70 - 130	12	20
2-Chlorotoluene	50.0	49.4		ug/L		99	70 - 130	3	20
2-Hexanone	250	179		ug/L		72	70 - 130	15	20
4-Chlorotoluene	50.0	49.6		ug/L		99	70 - 130	2	20
4-Isopropyltoluene	50.0	50.0		ug/L		100	70 - 130	2	20
4-Methyl-2-pentanone (MIBK)	250	187		ug/L		75	70 - 130	13	20
Acetone	250	187		ug/L		75	70 - 130	9	20
Benzene	50.0	43.6		ug/L		87	70 - 130	2	20
Bromobenzene	50.0	44.3		ug/L		89	70 - 130	1	20
Bromoform	50.0	44.5		ug/L		89	70 - 130	8	20
Bromomethane	50.0	44.3		ug/L		89	70 - 130	4	20

TestAmerica Buffalo

QC Sample Results

Client: Innovative Engineering Solutions, Inc
Project/Site: IDS Wayland

TestAmerica Job ID: 480-67875-1

Method: 8260C - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCSD 490-195033/4

Matrix: Water

Analysis Batch: 195033

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits		RPD	
							RPD	Limit		
Carbon disulfide	50.0	46.2		ug/L		92	70 - 130	2	20	
Carbon tetrachloride	50.0	52.5		ug/L		105	70 - 130	2	20	
Chlorobenzene	50.0	46.4		ug/L		93	70 - 130	1	20	
Chlorobromomethane	50.0	44.6		ug/L		89	70 - 130	5	20	
Chlorodibromomethane	50.0	44.8		ug/L		90	70 - 130	6	20	
Chloroethane	50.0	45.3		ug/L		91	70 - 130	1	20	
Chloroform	50.0	48.2		ug/L		96	70 - 130	5	20	
Chloromethane	50.0	35.2		ug/L		70	70 - 130	5	20	
cis-1,2-Dichloroethene	50.0	44.4		ug/L		89	70 - 130	5	20	
cis-1,3-Dichloropropene	50.0	46.1		ug/L		92	70 - 130	5	20	
Dibromomethane	50.0	40.0		ug/L		80	70 - 130	12	20	
Dichlorobromomethane	50.0	45.3		ug/L		91	70 - 130	7	20	
Dichlorodifluoromethane	50.0	46.9		ug/L		94	70 - 130	4	20	
Ethyl ether	50.0	38.9		ug/L		78	70 - 130	4	20	
Ethylbenzene	50.0	47.4		ug/L		95	70 - 130	2	20	
Ethylene Dibromide	50.0	41.7		ug/L		83	70 - 130	8	20	
Hexachlorobutadiene	50.0	51.0		ug/L		102	70 - 130	3	20	
Isopropyl ether	50.0	39.3		ug/L		79	70 - 130	3	20	
Isopropylbenzene	50.0	48.5		ug/L		97	70 - 130	2	20	
Methyl tert-butyl ether	50.0	43.1		ug/L		86	70 - 130	9	20	
Methylene Chloride	50.0	42.3		ug/L		85	70 - 130	2	20	
m-Xylene & p-Xylene	50.0	47.7		ug/L		95	70 - 130	3	20	
Naphthalene	50.0	44.0		ug/L		88	70 - 130	11	20	
n-Butylbenzene	50.0	47.0		ug/L		94	70 - 130	0	20	
N-Propylbenzene	50.0	50.3		ug/L		101	70 - 130	3	20	
o-Xylene	50.0	46.0		ug/L		92	70 - 130	2	20	
sec-Butylbenzene	50.0	49.8		ug/L		100	70 - 130	1	20	
Styrene	50.0	44.6		ug/L		89	70 - 130	1	20	
Tert-amyl methyl ether	50.0	40.0		ug/L		80	70 - 130	9	20	
Tert-butyl ethyl ether	50.0	41.3		ug/L		83	70 - 130	9	20	
tert-Butylbenzene	50.0	51.4		ug/L		103	70 - 130	1	20	
Tetrachloroethene	50.0	50.7		ug/L		101	70 - 130	1	20	
Toluene	50.0	46.4		ug/L		93	70 - 130	2	20	
trans-1,2-Dichloroethene	50.0	46.2		ug/L		92	70 - 130	1	20	
trans-1,3-Dichloropropene	50.0	45.8		ug/L		92	70 - 130	4	20	
Trichloroethene	50.0	45.6		ug/L		91	70 - 130	3	20	
Trichlorofluoromethane	50.0	52.9		ug/L		106	70 - 130	5	20	
Vinyl chloride	50.0	43.6		ug/L		87	70 - 130	0	20	

Surrogate	LCSD LCSD		Limits
	%Recovery	Qualifier	
Dibromofluoromethane (Surr)	94		70 - 130
Toluene-d8 (Surr)	101		70 - 130
1,2-Dichloroethane-d4 (Surr)	98		70 - 130
4-Bromofluorobenzene (Surr)	96		70 - 130

TestAmerica Buffalo

QC Sample Results

Client: Innovative Engineering Solutions, Inc
Project/Site: IDS Wayland

TestAmerica Job ID: 480-67875-1

Method: 8260C - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 490-195081/7

Matrix: Water

Analysis Batch: 195081

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1,2-Tetrachloroethane	ND		1.0		ug/L			10/03/14 14:16	1
1,1,1-Trichloroethane	ND		1.0		ug/L			10/03/14 14:16	1
1,1,2,2-Tetrachloroethane	ND		1.0		ug/L			10/03/14 14:16	1
1,1,2-Trichloroethane	ND		1.0		ug/L			10/03/14 14:16	1
1,1-Dichloroethane	ND		1.0		ug/L			10/03/14 14:16	1
1,1-Dichloroethene	ND		1.0		ug/L			10/03/14 14:16	1
1,1-Dichloropropene	ND		1.0		ug/L			10/03/14 14:16	1
1,2,3-Trichlorobenzene	ND		1.0		ug/L			10/03/14 14:16	1
1,2,3-Trichloropropane	ND		1.0		ug/L			10/03/14 14:16	1
1,2,4-Trichlorobenzene	ND		1.0		ug/L			10/03/14 14:16	1
1,2,4-Trimethylbenzene	ND		1.0		ug/L			10/03/14 14:16	1
1,2-Dibromo-3-Chloropropane	ND		10		ug/L			10/03/14 14:16	1
1,2-Dichlorobenzene	ND		1.0		ug/L			10/03/14 14:16	1
1,2-Dichloroethane	ND		1.0		ug/L			10/03/14 14:16	1
1,2-Dichloropropane	ND		1.0		ug/L			10/03/14 14:16	1
1,3,5-Trimethylbenzene	ND		1.0		ug/L			10/03/14 14:16	1
1,3-Dichlorobenzene	ND		1.0		ug/L			10/03/14 14:16	1
1,3-Dichloropropane	ND		1.0		ug/L			10/03/14 14:16	1
1,4-Dichlorobenzene	ND		1.0		ug/L			10/03/14 14:16	1
1,4-Dioxane	ND		200		ug/L			10/03/14 14:16	1
2,2-Dichloropropane	ND		1.0		ug/L			10/03/14 14:16	1
2-Butanone (MEK)	ND		50		ug/L			10/03/14 14:16	1
2-Chlorotoluene	ND		1.0		ug/L			10/03/14 14:16	1
2-Hexanone	ND		10		ug/L			10/03/14 14:16	1
4-Chlorotoluene	ND		1.0		ug/L			10/03/14 14:16	1
4-Isopropyltoluene	ND		1.0		ug/L			10/03/14 14:16	1
4-Methyl-2-pentanone (MIBK)	ND		10		ug/L			10/03/14 14:16	1
Acetone	ND		25		ug/L			10/03/14 14:16	1
Benzene	ND		1.0		ug/L			10/03/14 14:16	1
Bromobenzene	ND		1.0		ug/L			10/03/14 14:16	1
Bromoform	ND		1.0		ug/L			10/03/14 14:16	1
Bromomethane	ND		1.0		ug/L			10/03/14 14:16	1
Carbon disulfide	ND		1.0		ug/L			10/03/14 14:16	1
Carbon tetrachloride	ND		1.0		ug/L			10/03/14 14:16	1
Chlorobenzene	ND		1.0		ug/L			10/03/14 14:16	1
Chlorobromomethane	ND		1.0		ug/L			10/03/14 14:16	1
Chlorodibromomethane	ND		1.0		ug/L			10/03/14 14:16	1
Chloroethane	ND		1.0		ug/L			10/03/14 14:16	1
Chloroform	ND		1.0		ug/L			10/03/14 14:16	1
Chloromethane	ND		1.0		ug/L			10/03/14 14:16	1
cis-1,2-Dichloroethene	ND		1.0		ug/L			10/03/14 14:16	1
cis-1,3-Dichloropropene	ND		1.0		ug/L			10/03/14 14:16	1
Dibromomethane	ND		1.0		ug/L			10/03/14 14:16	1
Dichlorobromomethane	ND		1.0		ug/L			10/03/14 14:16	1
Dichlorodifluoromethane	ND		1.0		ug/L			10/03/14 14:16	1
Ethyl ether	ND		5.0		ug/L			10/03/14 14:16	1
Ethylbenzene	ND		1.0		ug/L			10/03/14 14:16	1
Ethylene Dibromide	ND		1.0		ug/L			10/03/14 14:16	1

TestAmerica Buffalo

QC Sample Results

Client: Innovative Engineering Solutions, Inc
Project/Site: IDS Wayland

TestAmerica Job ID: 480-67875-1

Method: 8260C - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 490-195081/7

Matrix: Water

Analysis Batch: 195081

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Hexachlorobutadiene	ND		2.0		ug/L			10/03/14 14:16	1
Isopropyl ether	ND		2.0		ug/L			10/03/14 14:16	1
Isopropylbenzene	ND		1.0		ug/L			10/03/14 14:16	1
Methyl tert-butyl ether	ND		1.0		ug/L			10/03/14 14:16	1
Methylene Chloride	ND		5.0		ug/L			10/03/14 14:16	1
m-Xylene & p-Xylene	ND		2.0		ug/L			10/03/14 14:16	1
Naphthalene	ND		5.0		ug/L			10/03/14 14:16	1
n-Butylbenzene	ND		1.0		ug/L			10/03/14 14:16	1
N-Propylbenzene	ND		1.0		ug/L			10/03/14 14:16	1
o-Xylene	ND		1.0		ug/L			10/03/14 14:16	1
sec-Butylbenzene	ND		1.0		ug/L			10/03/14 14:16	1
Styrene	ND		1.0		ug/L			10/03/14 14:16	1
Tert-amyl methyl ether	ND		1.0		ug/L			10/03/14 14:16	1
Tert-butyl ethyl ether	ND		1.0		ug/L			10/03/14 14:16	1
tert-Butylbenzene	ND		1.0		ug/L			10/03/14 14:16	1
Tetrachloroethene	ND		1.0		ug/L			10/03/14 14:16	1
Tetrahydrofuran	ND		10		ug/L			10/03/14 14:16	1
Toluene	ND		1.0		ug/L			10/03/14 14:16	1
trans-1,2-Dichloroethene	ND		1.0		ug/L			10/03/14 14:16	1
trans-1,3-Dichloropropene	ND		1.0		ug/L			10/03/14 14:16	1
Trichloroethene	ND		1.0		ug/L			10/03/14 14:16	1
Trichlorofluoromethane	ND		1.0		ug/L			10/03/14 14:16	1
Vinyl chloride	ND		1.0		ug/L			10/03/14 14:16	1

Surrogate	MB	MB	Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
Dibromofluoromethane (Surr)	101		70 - 130		10/03/14 14:16	1
Toluene-d8 (Surr)	111		70 - 130		10/03/14 14:16	1
1,2-Dichloroethane-d4 (Surr)	108		70 - 130		10/03/14 14:16	1
4-Bromofluorobenzene (Surr)	97		70 - 130		10/03/14 14:16	1

Lab Sample ID: LCS 490-195081/3

Matrix: Water

Analysis Batch: 195081

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
1,1,1-Trichloroethane	50.0	49.7		ug/L		99	70 - 130
1,1,2,2-Tetrachloroethane	50.0	49.6		ug/L		99	70 - 130
1,1,2-Trichloroethane	50.0	53.1		ug/L		106	70 - 130
1,1-Dichloroethane	50.0	49.2		ug/L		98	70 - 130
1,1-Dichloroethane	50.0	49.7		ug/L		99	70 - 130
1,1-Dichloropropene	50.0	49.0		ug/L		98	70 - 130
1,2,3-Trichlorobenzene	50.0	51.7		ug/L		103	70 - 130
1,2,3-Trichloropropane	50.0	50.7		ug/L		101	70 - 130
1,2,4-Trichlorobenzene	50.0	52.4		ug/L		105	70 - 130
1,2,4-Trimethylbenzene	50.0	51.3		ug/L		103	70 - 130
1,2-Dibromo-3-Chloropropane	50.0	48.7		ug/L		97	70 - 130
1,2-Dichlorobenzene	50.0	52.3		ug/L		105	70 - 130

TestAmerica Buffalo

QC Sample Results

Client: Innovative Engineering Solutions, Inc
Project/Site: IDS Wayland

TestAmerica Job ID: 480-67875-1

Method: 8260C - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 490-195081/3

Matrix: Water

Analysis Batch: 195081

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
1,2-Dichloroethane	50.0	52.3		ug/L		105	70 - 130
1,2-Dichloropropane	50.0	48.9		ug/L		98	70 - 130
1,3,5-Trimethylbenzene	50.0	51.8		ug/L		104	70 - 130
1,3-Dichlorobenzene	50.0	51.4		ug/L		103	70 - 130
1,3-Dichloropropane	50.0	56.7		ug/L		113	70 - 130
1,4-Dichlorobenzene	50.0	50.4		ug/L		101	70 - 130
1,4-Dioxane	1000	1020		ug/L		102	70 - 130
2,2-Dichloropropane	50.0	49.4		ug/L		99	70 - 130
2-Butanone (MEK)	250	251		ug/L		100	70 - 130
2-Chlorotoluene	50.0	48.8		ug/L		98	70 - 130
2-Hexanone	250	284		ug/L		114	70 - 130
4-Chlorotoluene	50.0	52.3		ug/L		105	70 - 130
4-Isopropyltoluene	50.0	50.3		ug/L		101	70 - 130
4-Methyl-2-pentanone (MIBK)	250	298		ug/L		119	70 - 130
Acetone	250	270		ug/L		108	70 - 130
Benzene	50.0	49.3		ug/L		99	70 - 130
Bromobenzene	50.0	48.2		ug/L		96	70 - 130
Bromoform	50.0	52.0		ug/L		104	70 - 130
Bromomethane	50.0	52.3		ug/L		105	70 - 130
Carbon disulfide	50.0	51.2		ug/L		102	70 - 130
Carbon tetrachloride	50.0	49.6		ug/L		99	70 - 130
Chlorobenzene	50.0	50.1		ug/L		100	70 - 130
Chlorobromomethane	50.0	50.5		ug/L		101	70 - 130
Chlorodibromomethane	50.0	52.8		ug/L		106	70 - 130
Chloroethane	50.0	49.5		ug/L		99	70 - 130
Chloroform	50.0	48.3		ug/L		97	70 - 130
Chloromethane	50.0	47.1		ug/L		94	70 - 130
cis-1,2-Dichloroethene	50.0	50.3		ug/L		101	70 - 130
cis-1,3-Dichloropropene	50.0	54.9		ug/L		110	70 - 130
Dibromomethane	50.0	48.8		ug/L		98	70 - 130
Dichlorobromomethane	50.0	48.4		ug/L		97	70 - 130
Dichlorodifluoromethane	50.0	53.9		ug/L		108	70 - 130
Ethyl ether	50.0	49.8		ug/L		100	70 - 130
Ethylbenzene	50.0	51.0		ug/L		102	70 - 130
Ethylene Dibromide	50.0	54.2		ug/L		108	70 - 130
Hexachlorobutadiene	50.0	48.5		ug/L		97	70 - 130
Isopropyl ether	50.0	52.6		ug/L		105	70 - 130
Isopropylbenzene	50.0	51.1		ug/L		102	70 - 130
Methyl tert-butyl ether	50.0	50.0		ug/L		100	70 - 130
Methylene Chloride	50.0	49.8		ug/L		100	70 - 130
m-Xylene & p-Xylene	50.0	50.7		ug/L		101	70 - 130
Naphthalene	50.0	54.8		ug/L		110	70 - 130
n-Butylbenzene	50.0	54.2		ug/L		108	70 - 130
N-Propylbenzene	50.0	52.1		ug/L		104	70 - 130
o-Xylene	50.0	50.7		ug/L		101	70 - 130
sec-Butylbenzene	50.0	51.2		ug/L		102	70 - 130
Styrene	50.0	52.7		ug/L		105	70 - 130
Tert-amyl methyl ether	50.0	48.2		ug/L		96	70 - 130

TestAmerica Buffalo

QC Sample Results

Client: Innovative Engineering Solutions, Inc
Project/Site: IDS Wayland

TestAmerica Job ID: 480-67875-1

Method: 8260C - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 490-195081/3

Matrix: Water

Analysis Batch: 195081

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Tert-butyl ethyl ether	50.0	49.3		ug/L		99	70 - 130
tert-Butylbenzene	50.0	50.1		ug/L		100	70 - 130
Tetrachloroethene	50.0	54.9		ug/L		110	70 - 130
Tetrahydrofuran	100	111		ug/L		111	70 - 130
Toluene	50.0	55.2		ug/L		110	70 - 130
trans-1,2-Dichloroethene	50.0	50.6		ug/L		101	70 - 130
trans-1,3-Dichloropropene	50.0	53.8		ug/L		108	70 - 130
Trichloroethene	50.0	48.5		ug/L		97	70 - 130
Trichlorofluoromethane	50.0	52.8		ug/L		106	70 - 130
Vinyl chloride	50.0	49.2		ug/L		98	70 - 130

Surrogate	LCS %Recovery	LCS Qualifier	Limits
Dibromofluoromethane (Surr)	101		70 - 130
Toluene-d8 (Surr)	109		70 - 130
1,2-Dichloroethane-d4 (Surr)	106		70 - 130
4-Bromofluorobenzene (Surr)	93		70 - 130

Lab Sample ID: LCSD 490-195081/4

Matrix: Water

Analysis Batch: 195081

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
1,1,1,2-Tetrachloroethane	50.0	50.9		ug/L		102	70 - 130	1	20
1,1,1-Trichloroethane	50.0	49.3		ug/L		99	70 - 130	1	20
1,1,1,2,2-Tetrachloroethane	50.0	49.9		ug/L		100	70 - 130	1	20
1,1,2-Trichloroethane	50.0	53.1		ug/L		106	70 - 130	0	20
1,1-Dichloroethane	50.0	48.8		ug/L		98	70 - 130	1	20
1,1-Dichloroethene	50.0	49.0		ug/L		98	70 - 130	1	20
1,1-Dichloropropene	50.0	48.6		ug/L		97	70 - 130	1	20
1,2,3-Trichlorobenzene	50.0	51.4		ug/L		103	70 - 130	1	20
1,2,3-Trichloropropane	50.0	49.7		ug/L		99	70 - 130	2	20
1,2,4-Trichlorobenzene	50.0	53.1		ug/L		106	70 - 130	1	20
1,2,4-Trimethylbenzene	50.0	50.2		ug/L		100	70 - 130	2	20
1,2-Dibromo-3-Chloropropane	50.0	47.6		ug/L		95	70 - 130	2	20
1,2-Dichlorobenzene	50.0	52.1		ug/L		104	70 - 130	0	20
1,2-Dichloroethane	50.0	52.0		ug/L		104	70 - 130	0	20
1,2-Dichloropropane	50.0	48.5		ug/L		97	70 - 130	1	20
1,3,5-Trimethylbenzene	50.0	50.9		ug/L		102	70 - 130	2	20
1,3-Dichlorobenzene	50.0	50.9		ug/L		102	70 - 130	1	20
1,3-Dichloropropane	50.0	55.6		ug/L		111	70 - 130	2	20
1,4-Dichlorobenzene	50.0	49.8		ug/L		100	70 - 130	1	20
1,4-Dioxane	1000	948		ug/L		95	70 - 130	7	20
2,2-Dichloropropane	50.0	47.9		ug/L		96	70 - 130	3	20
2-Butanone (MEK)	250	254		ug/L		102	70 - 130	1	20
2-Chlorotoluene	50.0	48.2		ug/L		96	70 - 130	1	20
2-Hexanone	250	279		ug/L		112	70 - 130	2	20
4-Chlorotoluene	50.0	51.4		ug/L		103	70 - 130	2	20
4-Isopropyltoluene	50.0	49.6		ug/L		99	70 - 130	1	20

TestAmerica Buffalo

QC Sample Results

Client: Innovative Engineering Solutions, Inc
Project/Site: IDS Wayland

TestAmerica Job ID: 480-67875-1

Method: 8260C - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCSD 490-195081/4

Matrix: Water

Analysis Batch: 195081

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits		RPD	
							RPD	Limit	RPD	Limit
4-Methyl-2-pentanone (MIBK)	250	292		ug/L		117	70 - 130	2	20	
Acetone	250	265		ug/L		106	70 - 130	2	20	
Benzene	50.0	48.9		ug/L		98	70 - 130	1	20	
Bromobenzene	50.0	48.9		ug/L		98	70 - 130	1	20	
Bromoform	50.0	52.0		ug/L		104	70 - 130	0	20	
Bromomethane	50.0	52.1		ug/L		104	70 - 130	0	20	
Carbon disulfide	50.0	50.4		ug/L		101	70 - 130	2	20	
Carbon tetrachloride	50.0	48.9		ug/L		98	70 - 130	2	20	
Chlorobenzene	50.0	49.3		ug/L		99	70 - 130	2	20	
Chlorobromomethane	50.0	49.9		ug/L		100	70 - 130	1	20	
Chlorodibromomethane	50.0	51.8		ug/L		104	70 - 130	2	20	
Chloroethane	50.0	48.2		ug/L		96	70 - 130	3	20	
Chloroform	50.0	48.4		ug/L		97	70 - 130	0	20	
Chloromethane	50.0	47.0		ug/L		94	70 - 130	0	20	
cis-1,2-Dichloroethene	50.0	50.0		ug/L		100	70 - 130	1	20	
cis-1,3-Dichloropropene	50.0	53.9		ug/L		108	70 - 130	2	20	
Dibromomethane	50.0	49.1		ug/L		98	70 - 130	1	20	
Dichlorobromomethane	50.0	47.9		ug/L		96	70 - 130	1	20	
Dichlorodifluoromethane	50.0	53.1		ug/L		106	70 - 130	1	20	
Ethyl ether	50.0	50.5		ug/L		101	70 - 130	1	20	
Ethylbenzene	50.0	49.6		ug/L		99	70 - 130	3	20	
Ethylene Dibromide	50.0	53.1		ug/L		106	70 - 130	2	20	
Hexachlorobutadiene	50.0	46.9		ug/L		94	70 - 130	3	20	
Isopropyl ether	50.0	52.8		ug/L		106	70 - 130	0	20	
Isopropylbenzene	50.0	49.8		ug/L		100	70 - 130	3	20	
Methyl tert-butyl ether	50.0	50.1		ug/L		100	70 - 130	0	20	
Methylene Chloride	50.0	50.3		ug/L		101	70 - 130	1	20	
m-Xylene & p-Xylene	50.0	49.5		ug/L		99	70 - 130	2	20	
Naphthalene	50.0	53.8		ug/L		108	70 - 130	2	20	
n-Butylbenzene	50.0	52.7		ug/L		105	70 - 130	3	20	
N-Propylbenzene	50.0	51.2		ug/L		102	70 - 130	2	20	
o-Xylene	50.0	49.7		ug/L		99	70 - 130	2	20	
sec-Butylbenzene	50.0	50.3		ug/L		101	70 - 130	2	20	
Styrene	50.0	51.9		ug/L		104	70 - 130	2	20	
Tert-amyl methyl ether	50.0	47.9		ug/L		96	70 - 130	1	20	
Tert-butyl ethyl ether	50.0	49.0		ug/L		98	70 - 130	1	20	
tert-Butylbenzene	50.0	49.3		ug/L		99	70 - 130	2	20	
Tetrachloroethene	50.0	53.2		ug/L		106	70 - 130	3	20	
Tetrahydrofuran	100	111		ug/L		111	70 - 130	1	20	
Toluene	50.0	54.2		ug/L		108	70 - 130	2	20	
trans-1,2-Dichloroethene	50.0	50.1		ug/L		100	70 - 130	1	20	
trans-1,3-Dichloropropene	50.0	52.4		ug/L		105	70 - 130	3	20	
Trichloroethene	50.0	48.2		ug/L		96	70 - 130	1	20	
Trichlorofluoromethane	50.0	52.1		ug/L		104	70 - 130	1	20	
Vinyl chloride	50.0	48.7		ug/L		97	70 - 130	1	20	

Surrogate	LCSD LCSD		Limits
	%Recovery	Qualifier	
Dibromofluoromethane (Surr)	100		70 - 130

TestAmerica Buffalo

QC Sample Results

Client: Innovative Engineering Solutions, Inc
Project/Site: IDS Wayland

TestAmerica Job ID: 480-67875-1

Method: 8260C - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCSD 490-195081/4

Matrix: Water

Analysis Batch: 195081

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Surrogate	LCSD	LCSD	Limits
	%Recovery	Qualifier	
Toluene-d8 (Surr)	109		70 - 130
1,2-Dichloroethane-d4 (Surr)	106		70 - 130
4-Bromofluorobenzene (Surr)	94		70 - 130

Lab Sample ID: MB 490-195227/7

Matrix: Water

Analysis Batch: 195227

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,1,1,2-Tetrachloroethane	ND		1.0		ug/L			10/04/14 02:12	1
1,1,1-Trichloroethane	ND		1.0		ug/L			10/04/14 02:12	1
1,1,2,2-Tetrachloroethane	ND		1.0		ug/L			10/04/14 02:12	1
1,1,2-Trichloroethane	ND		1.0		ug/L			10/04/14 02:12	1
1,1-Dichloroethane	ND		1.0		ug/L			10/04/14 02:12	1
1,1-Dichloroethene	ND		1.0		ug/L			10/04/14 02:12	1
1,1-Dichloropropene	ND		1.0		ug/L			10/04/14 02:12	1
1,2,3-Trichlorobenzene	ND		1.0		ug/L			10/04/14 02:12	1
1,2,3-Trichloropropane	ND		1.0		ug/L			10/04/14 02:12	1
1,2,4-Trichlorobenzene	ND		1.0		ug/L			10/04/14 02:12	1
1,2,4-Trimethylbenzene	ND		1.0		ug/L			10/04/14 02:12	1
1,2-Dibromo-3-Chloropropane	ND		10		ug/L			10/04/14 02:12	1
1,2-Dichlorobenzene	ND		1.0		ug/L			10/04/14 02:12	1
1,2-Dichloroethane	ND		1.0		ug/L			10/04/14 02:12	1
1,2-Dichloropropane	ND		1.0		ug/L			10/04/14 02:12	1
1,3,5-Trimethylbenzene	ND		1.0		ug/L			10/04/14 02:12	1
1,3-Dichlorobenzene	ND		1.0		ug/L			10/04/14 02:12	1
1,3-Dichloropropane	ND		1.0		ug/L			10/04/14 02:12	1
1,4-Dichlorobenzene	ND		1.0		ug/L			10/04/14 02:12	1
1,4-Dioxane	ND		200		ug/L			10/04/14 02:12	1
2,2-Dichloropropane	ND		1.0		ug/L			10/04/14 02:12	1
2-Butanone (MEK)	ND		50		ug/L			10/04/14 02:12	1
2-Chlorotoluene	ND		1.0		ug/L			10/04/14 02:12	1
2-Hexanone	ND		10		ug/L			10/04/14 02:12	1
4-Chlorotoluene	ND		1.0		ug/L			10/04/14 02:12	1
4-Isopropyltoluene	ND		1.0		ug/L			10/04/14 02:12	1
4-Methyl-2-pentanone (MIBK)	ND		10		ug/L			10/04/14 02:12	1
Acetone	ND		25		ug/L			10/04/14 02:12	1
Benzene	ND		1.0		ug/L			10/04/14 02:12	1
Bromobenzene	ND		1.0		ug/L			10/04/14 02:12	1
Bromoform	ND		1.0		ug/L			10/04/14 02:12	1
Bromomethane	ND		1.0		ug/L			10/04/14 02:12	1
Carbon disulfide	ND		1.0		ug/L			10/04/14 02:12	1
Carbon tetrachloride	ND		1.0		ug/L			10/04/14 02:12	1
Chlorobenzene	ND		1.0		ug/L			10/04/14 02:12	1
Chlorobromomethane	ND		1.0		ug/L			10/04/14 02:12	1
Chlorodibromomethane	ND		1.0		ug/L			10/04/14 02:12	1
Chloroethane	ND		1.0		ug/L			10/04/14 02:12	1
Chloroform	ND		1.0		ug/L			10/04/14 02:12	1

TestAmerica Buffalo

QC Sample Results

Client: Innovative Engineering Solutions, Inc
Project/Site: IDS Wayland

TestAmerica Job ID: 480-67875-1

Method: 8260C - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 490-195227/7

Matrix: Water

Analysis Batch: 195227

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloromethane	ND		1.0		ug/L			10/04/14 02:12	1
cis-1,2-Dichloroethene	ND		1.0		ug/L			10/04/14 02:12	1
cis-1,3-Dichloropropene	ND		1.0		ug/L			10/04/14 02:12	1
Dibromomethane	ND		1.0		ug/L			10/04/14 02:12	1
Dichlorobromomethane	ND		1.0		ug/L			10/04/14 02:12	1
Dichlorodifluoromethane	ND		1.0		ug/L			10/04/14 02:12	1
Ethyl ether	ND		5.0		ug/L			10/04/14 02:12	1
Ethylbenzene	ND		1.0		ug/L			10/04/14 02:12	1
Ethylene Dibromide	ND		1.0		ug/L			10/04/14 02:12	1
Hexachlorobutadiene	ND		2.0		ug/L			10/04/14 02:12	1
Isopropyl ether	ND		2.0		ug/L			10/04/14 02:12	1
Isopropylbenzene	ND		1.0		ug/L			10/04/14 02:12	1
Methyl tert-butyl ether	ND		1.0		ug/L			10/04/14 02:12	1
Methylene Chloride	ND		5.0		ug/L			10/04/14 02:12	1
m-Xylene & p-Xylene	ND		2.0		ug/L			10/04/14 02:12	1
Naphthalene	ND		5.0		ug/L			10/04/14 02:12	1
n-Butylbenzene	ND		1.0		ug/L			10/04/14 02:12	1
N-Propylbenzene	ND		1.0		ug/L			10/04/14 02:12	1
o-Xylene	ND		1.0		ug/L			10/04/14 02:12	1
sec-Butylbenzene	ND		1.0		ug/L			10/04/14 02:12	1
Styrene	ND		1.0		ug/L			10/04/14 02:12	1
Tert-amyl methyl ether	ND		1.0		ug/L			10/04/14 02:12	1
Tert-butyl ethyl ether	ND		1.0		ug/L			10/04/14 02:12	1
tert-Butylbenzene	ND		1.0		ug/L			10/04/14 02:12	1
Tetrachloroethene	ND		1.0		ug/L			10/04/14 02:12	1
Tetrahydrofuran	ND		10		ug/L			10/04/14 02:12	1
Toluene	ND		1.0		ug/L			10/04/14 02:12	1
trans-1,2-Dichloroethene	ND		1.0		ug/L			10/04/14 02:12	1
trans-1,3-Dichloropropene	ND		1.0		ug/L			10/04/14 02:12	1
Trichloroethene	ND		1.0		ug/L			10/04/14 02:12	1
Trichlorofluoromethane	ND		1.0		ug/L			10/04/14 02:12	1
Vinyl chloride	ND		1.0		ug/L			10/04/14 02:12	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
Dibromofluoromethane (Surr)	101		70 - 130		10/04/14 02:12	1
Toluene-d8 (Surr)	114		70 - 130		10/04/14 02:12	1
1,2-Dichloroethane-d4 (Surr)	109		70 - 130		10/04/14 02:12	1
4-Bromofluorobenzene (Surr)	97		70 - 130		10/04/14 02:12	1

Lab Sample ID: LCS 490-195227/3

Matrix: Water

Analysis Batch: 195227

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
1,1,1,2-Tetrachloroethane	50.0	51.9		ug/L		104	70 - 130
1,1,1-Trichloroethane	50.0	52.3		ug/L		105	70 - 130
1,1,2,2-Tetrachloroethane	50.0	49.0		ug/L		98	70 - 130
1,1,2-Trichloroethane	50.0	52.9		ug/L		106	70 - 130

TestAmerica Buffalo

QC Sample Results

Client: Innovative Engineering Solutions, Inc
Project/Site: IDS Wayland

TestAmerica Job ID: 480-67875-1

Method: 8260C - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 490-195227/3

Matrix: Water

Analysis Batch: 195227

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
1,1-Dichloroethane	50.0	52.5		ug/L		105	70 - 130
1,1-Dichloroethene	50.0	52.0		ug/L		104	70 - 130
1,1-Dichloropropene	50.0	51.2		ug/L		102	70 - 130
1,2,3-Trichlorobenzene	50.0	51.7		ug/L		103	70 - 130
1,2,3-Trichloropropane	50.0	49.8		ug/L		100	70 - 130
1,2,4-Trichlorobenzene	50.0	54.4		ug/L		109	70 - 130
1,2,4-Trimethylbenzene	50.0	52.6		ug/L		105	70 - 130
1,2-Dibromo-3-Chloropropane	50.0	46.0		ug/L		92	70 - 130
1,2-Dichlorobenzene	50.0	53.2		ug/L		106	70 - 130
1,2-Dichloroethane	50.0	54.8		ug/L		110	70 - 130
1,2-Dichloropropane	50.0	51.4		ug/L		103	70 - 130
1,3,5-Trimethylbenzene	50.0	53.4		ug/L		107	70 - 130
1,3-Dichlorobenzene	50.0	52.3		ug/L		105	70 - 130
1,3-Dichloropropane	50.0	55.9		ug/L		112	70 - 130
1,4-Dichlorobenzene	50.0	51.0		ug/L		102	70 - 130
1,4-Dioxane	1000	974		ug/L		97	70 - 130
2,2-Dichloropropane	50.0	48.4		ug/L		97	70 - 130
2-Butanone (MEK)	250	253		ug/L		101	70 - 130
2-Chlorotoluene	50.0	50.7		ug/L		101	70 - 130
2-Hexanone	250	269		ug/L		108	70 - 130
4-Chlorotoluene	50.0	53.0		ug/L		106	70 - 130
4-Isopropyltoluene	50.0	52.2		ug/L		104	70 - 130
4-Methyl-2-pentanone (MIBK)	250	283		ug/L		113	70 - 130
Acetone	250	251		ug/L		100	70 - 130
Benzene	50.0	51.7		ug/L		103	70 - 130
Bromobenzene	50.0	50.0		ug/L		100	70 - 130
Bromoform	50.0	51.2		ug/L		102	70 - 130
Bromomethane	50.0	53.2		ug/L		106	70 - 130
Carbon disulfide	50.0	55.3		ug/L		111	70 - 130
Carbon tetrachloride	50.0	51.9		ug/L		104	70 - 130
Chlorobenzene	50.0	51.0		ug/L		102	70 - 130
Chlorobromomethane	50.0	52.3		ug/L		105	70 - 130
Chlorodibromomethane	50.0	52.3		ug/L		105	70 - 130
Chloroethane	50.0	52.0		ug/L		104	70 - 130
Chloroform	50.0	51.4		ug/L		103	70 - 130
Chloromethane	50.0	50.7		ug/L		101	70 - 130
cis-1,2-Dichloroethene	50.0	53.9		ug/L		108	70 - 130
cis-1,3-Dichloropropene	50.0	54.5		ug/L		109	70 - 130
Dibromomethane	50.0	50.1		ug/L		100	70 - 130
Dichlorobromomethane	50.0	50.3		ug/L		101	70 - 130
Dichlorodifluoromethane	50.0	54.7		ug/L		109	70 - 130
Ethyl ether	50.0	52.3		ug/L		105	70 - 130
Ethylbenzene	50.0	52.2		ug/L		104	70 - 130
Ethylene Dibromide	50.0	53.0		ug/L		106	70 - 130
Hexachlorobutadiene	50.0	52.4		ug/L		105	70 - 130
Isopropyl ether	50.0	55.3		ug/L		111	70 - 130
Isopropylbenzene	50.0	52.6		ug/L		105	70 - 130
Methyl tert-butyl ether	50.0	50.5		ug/L		101	70 - 130

TestAmerica Buffalo

QC Sample Results

Client: Innovative Engineering Solutions, Inc
Project/Site: IDS Wayland

TestAmerica Job ID: 480-67875-1

Method: 8260C - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 490-195227/3

Matrix: Water

Analysis Batch: 195227

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Methylene Chloride	50.0	53.1		ug/L		106	70 - 130
m-Xylene & p-Xylene	50.0	51.8		ug/L		104	70 - 130
Naphthalene	50.0	51.9		ug/L		104	70 - 130
n-Butylbenzene	50.0	56.7		ug/L		113	70 - 130
N-Propylbenzene	50.0	54.2		ug/L		108	70 - 130
o-Xylene	50.0	52.3		ug/L		105	70 - 130
sec-Butylbenzene	50.0	53.3		ug/L		107	70 - 130
Styrene	50.0	54.5		ug/L		109	70 - 130
Tert-amyl methyl ether	50.0	47.6		ug/L		95	70 - 130
Tert-butyl ethyl ether	50.0	49.9		ug/L		100	70 - 130
tert-Butylbenzene	50.0	51.1		ug/L		102	70 - 130
Tetrachloroethene	50.0	54.1		ug/L		108	70 - 130
Tetrahydrofuran	100	111		ug/L		111	70 - 130
Toluene	50.0	56.7		ug/L		113	70 - 130
trans-1,2-Dichloroethene	50.0	54.2		ug/L		108	70 - 130
trans-1,3-Dichloropropene	50.0	53.2		ug/L		106	70 - 130
Trichloroethene	50.0	51.1		ug/L		102	70 - 130
Trichlorofluoromethane	50.0	56.4		ug/L		113	70 - 130
Vinyl chloride	50.0	52.5		ug/L		105	70 - 130

Surrogate	LCS %Recovery	LCS Qualifier	Limits
Dibromofluoromethane (Surr)	104		70 - 130
Toluene-d8 (Surr)	109		70 - 130
1,2-Dichloroethane-d4 (Surr)	108		70 - 130
4-Bromofluorobenzene (Surr)	94		70 - 130

Lab Sample ID: LCSD 490-195227/4

Matrix: Water

Analysis Batch: 195227

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
1,1,1,2-Tetrachloroethane	50.0	50.2		ug/L		100	70 - 130	3	20
1,1,1-Trichloroethane	50.0	49.5		ug/L		99	70 - 130	6	20
1,1,1,2,2-Tetrachloroethane	50.0	48.0		ug/L		96	70 - 130	2	20
1,1,2-Trichloroethane	50.0	51.8		ug/L		104	70 - 130	2	20
1,1-Dichloroethane	50.0	50.0		ug/L		100	70 - 130	5	20
1,1-Dichloroethene	50.0	49.0		ug/L		98	70 - 130	6	20
1,1-Dichloropropene	50.0	49.3		ug/L		99	70 - 130	4	20
1,2,3-Trichlorobenzene	50.0	50.1		ug/L		100	70 - 130	3	20
1,2,3-Trichloropropane	50.0	48.0		ug/L		96	70 - 130	4	20
1,2,4-Trichlorobenzene	50.0	51.0		ug/L		102	70 - 130	6	20
1,2,4-Trimethylbenzene	50.0	51.6		ug/L		103	70 - 130	2	20
1,2-Dibromo-3-Chloropropane	50.0	44.7		ug/L		89	70 - 130	3	20
1,2-Dichlorobenzene	50.0	52.0		ug/L		104	70 - 130	2	20
1,2-Dichloroethane	50.0	52.7		ug/L		105	70 - 130	4	20
1,2-Dichloropropane	50.0	48.6		ug/L		97	70 - 130	6	20
1,3,5-Trimethylbenzene	50.0	52.2		ug/L		104	70 - 130	2	20
1,3-Dichlorobenzene	50.0	51.3		ug/L		103	70 - 130	2	20

TestAmerica Buffalo

QC Sample Results

Client: Innovative Engineering Solutions, Inc
Project/Site: IDS Wayland

TestAmerica Job ID: 480-67875-1

Method: 8260C - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCSD 490-195227/4

Matrix: Water

Analysis Batch: 195227

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike	LCSD	LCSD	Unit	D	%Rec	%Rec.	RPD	RPD
	Added	Result	Qualifier				Limits		Limit
1,3-Dichloropropane	50.0	55.1		ug/L		110	70 - 130	1	20
1,4-Dichlorobenzene	50.0	50.1		ug/L		100	70 - 130	2	20
1,4-Dioxane	1000	910		ug/L		91	70 - 130	7	20
2,2-Dichloropropane	50.0	45.3		ug/L		91	70 - 130	7	20
2-Butanone (MEK)	250	245		ug/L		98	70 - 130	3	20
2-Chlorotoluene	50.0	49.2		ug/L		98	70 - 130	3	20
2-Hexanone	250	267		ug/L		107	70 - 130	1	20
4-Chlorotoluene	50.0	52.8		ug/L		106	70 - 130	0	20
4-Isopropyltoluene	50.0	50.7		ug/L		101	70 - 130	3	20
4-Methyl-2-pentanone (MIBK)	250	278		ug/L		111	70 - 130	2	20
Acetone	250	259		ug/L		104	70 - 130	3	20
Benzene	50.0	49.5		ug/L		99	70 - 130	4	20
Bromobenzene	50.0	48.9		ug/L		98	70 - 130	2	20
Bromoform	50.0	49.0		ug/L		98	70 - 130	4	20
Bromomethane	50.0	49.6		ug/L		99	70 - 130	7	20
Carbon disulfide	50.0	53.1		ug/L		106	70 - 130	4	20
Carbon tetrachloride	50.0	49.6		ug/L		99	70 - 130	4	20
Chlorobenzene	50.0	49.8		ug/L		100	70 - 130	2	20
Chlorobromomethane	50.0	49.8		ug/L		100	70 - 130	5	20
Chlorodibromomethane	50.0	51.3		ug/L		103	70 - 130	2	20
Chloroethane	50.0	50.0		ug/L		100	70 - 130	4	20
Chloroform	50.0	49.5		ug/L		99	70 - 130	4	20
Chloromethane	50.0	47.5		ug/L		95	70 - 130	6	20
cis-1,2-Dichloroethene	50.0	50.2		ug/L		100	70 - 130	7	20
cis-1,3-Dichloropropene	50.0	52.9		ug/L		106	70 - 130	3	20
Dibromomethane	50.0	48.5		ug/L		97	70 - 130	3	20
Dichlorobromomethane	50.0	48.1		ug/L		96	70 - 130	4	20
Dichlorodifluoromethane	50.0	52.4		ug/L		105	70 - 130	4	20
Ethyl ether	50.0	49.9		ug/L		100	70 - 130	5	20
Ethylbenzene	50.0	50.5		ug/L		101	70 - 130	3	20
Ethylene Dibromide	50.0	51.5		ug/L		103	70 - 130	3	20
Hexachlorobutadiene	50.0	48.1		ug/L		96	70 - 130	9	20
Isopropyl ether	50.0	53.4		ug/L		107	70 - 130	4	20
Isopropylbenzene	50.0	50.8		ug/L		102	70 - 130	3	20
Methyl tert-butyl ether	50.0	48.8		ug/L		98	70 - 130	4	20
Methylene Chloride	50.0	50.6		ug/L		101	70 - 130	5	20
m-Xylene & p-Xylene	50.0	50.2		ug/L		100	70 - 130	3	20
Naphthalene	50.0	51.5		ug/L		103	70 - 130	1	20
n-Butylbenzene	50.0	55.0		ug/L		110	70 - 130	3	20
N-Propylbenzene	50.0	52.6		ug/L		105	70 - 130	3	20
o-Xylene	50.0	50.6		ug/L		101	70 - 130	3	20
sec-Butylbenzene	50.0	51.6		ug/L		103	70 - 130	3	20
Styrene	50.0	52.4		ug/L		105	70 - 130	4	20
Tert-amyl methyl ether	50.0	46.1		ug/L		92	70 - 130	3	20
Tert-butyl ethyl ether	50.0	48.4		ug/L		97	70 - 130	3	20
tert-Butylbenzene	50.0	49.5		ug/L		99	70 - 130	3	20
Tetrachloroethene	50.0	52.5		ug/L		105	70 - 130	3	20
Tetrahydrofuran	100	107		ug/L		107	70 - 130	4	20

TestAmerica Buffalo

QC Sample Results

Client: Innovative Engineering Solutions, Inc
Project/Site: IDS Wayland

TestAmerica Job ID: 480-67875-1

Method: 8260C - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCSD 490-195227/4

Matrix: Water

Analysis Batch: 195227

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Toluene	50.0	54.8		ug/L		110	70 - 130	3	20
trans-1,2-Dichloroethene	50.0	51.2		ug/L		102	70 - 130	6	20
trans-1,3-Dichloropropene	50.0	51.6		ug/L		103	70 - 130	3	20
Trichloroethene	50.0	49.1		ug/L		98	70 - 130	4	20
Trichlorofluoromethane	50.0	53.1		ug/L		106	70 - 130	6	20
Vinyl chloride	50.0	49.6		ug/L		99	70 - 130	6	20

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
Dibromofluoromethane (Surr)	101		70 - 130
Toluene-d8 (Surr)	108		70 - 130
1,2-Dichloroethane-d4 (Surr)	105		70 - 130
4-Bromofluorobenzene (Surr)	93		70 - 130

Method: 522 MOD - 1,4 Dioxane (GC/MS SIM)

Lab Sample ID: MB 200-77937/1-A

Matrix: Water

Analysis Batch: 77976

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 77937

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dioxane	ND		0.20		ug/L		09/29/14 13:02	09/30/14 10:07	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,4-Dioxane-d8 (Surr)	86		70 - 130	09/29/14 13:02	09/30/14 10:07	1

Lab Sample ID: LCS 200-77937/2-A

Matrix: Water

Analysis Batch: 77976

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 77937

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
1,4-Dioxane	0.200	0.180	J	ug/L		90	70 - 130

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1,4-Dioxane-d8 (Surr)	79		70 - 130

TestAmerica Buffalo

QC Association Summary

Client: Innovative Engineering Solutions, Inc
 Project/Site: IDS Wayland

TestAmerica Job ID: 480-67875-1

GC/MS VOA

Analysis Batch: 194457

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-67875-1	DEP-19M-20140921	Total/NA	Water	8260C	
480-67875-2	DEP-21-20140921	Total/NA	Water	8260C	
480-67875-3	MW-261S-20140923	Total/NA	Water	8260C	
480-67875-4	MW-263M-20140921	Total/NA	Water	8260C	
LCS 490-194457/3	Lab Control Sample	Total/NA	Water	8260C	
LCSD 490-194457/4	Lab Control Sample Dup	Total/NA	Water	8260C	
MB 490-194457/7	Method Blank	Total/NA	Water	8260C	

Analysis Batch: 194717

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-67875-21	MW-561-20140922	Total/NA	Water	8260C	
480-67875-22	MW-562-20140922	Total/NA	Water	8260C	
480-67875-23	MW-563-20140922	Total/NA	Water	8260C	
480-67875-24	REW-1-20140923	Total/NA	Water	8260C	
480-67875-25	REW-4-20140923	Total/NA	Water	8260C	
480-67875-26	REW-5-20140923	Total/NA	Water	8260C	
480-67875-27	REW-6-20140922	Total/NA	Water	8260C	
480-67875-28	REW-7-20140922	Total/NA	Water	8260C	
480-67875-29	REW-8-20140922	Total/NA	Water	8260C	
480-67875-30	REW-9-20140922	Total/NA	Water	8260C	
480-67875-31	REW-10-20140923	Total/NA	Water	8260C	
480-67875-32	REW-11-20140922	Total/NA	Water	8260C	
480-67875-33	REW-12-20140922	Total/NA	Water	8260C	
480-67875-34	DUP1-20140920	Total/NA	Water	8260C	
480-67875-37	TRIP BLANKS	Total/NA	Water	8260C	
LCS 490-194717/3	Lab Control Sample	Total/NA	Water	8260C	
LCSD 490-194717/4	Lab Control Sample Dup	Total/NA	Water	8260C	
MB 490-194717/7	Method Blank	Total/NA	Water	8260C	

Analysis Batch: 194754

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-67875-1	DEP-19M-20140921	Total/NA	Water	8260C	
480-67875-5	MW-264M-20140921	Total/NA	Water	8260C	
480-67875-6	MW-265S-20140920	Total/NA	Water	8260C	
480-67875-7	MW-265M-20140923	Total/NA	Water	8260C	
480-67875-8	MW-265D-20140920	Total/NA	Water	8260C	
480-67875-9	MW-266Ma-20140920	Total/NA	Water	8260C	
LCS 490-194754/3	Lab Control Sample	Total/NA	Water	8260C	
LCSD 490-194754/4	Lab Control Sample Dup	Total/NA	Water	8260C	
MB 490-194754/7	Method Blank	Total/NA	Water	8260C	

Analysis Batch: 194871

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-67875-35	DUP2-20140922	Total/NA	Water	8260C	
480-67875-36	DUP3-20140923	Total/NA	Water	8260C	
LCS 490-194871/3	Lab Control Sample	Total/NA	Water	8260C	
LCSD 490-194871/4	Lab Control Sample Dup	Total/NA	Water	8260C	
MB 490-194871/7	Method Blank	Total/NA	Water	8260C	

QC Association Summary

Client: Innovative Engineering Solutions, Inc
 Project/Site: IDS Wayland

TestAmerica Job ID: 480-67875-1

GC/MS VOA (Continued)

Analysis Batch: 194946

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-67875-10	MW-266Mb-20140920	Total/NA	Water	8260C	
480-67875-11	MW-267S-20140920	Total/NA	Water	8260C	
480-67875-12	MW-267M-20140920	Total/NA	Water	8260C	
480-67875-13	MW-268S-20140923	Total/NA	Water	8260C	
480-67875-14	MW-268M-20140923	Total/NA	Water	8260C	
480-67875-15	MW-268D-20140920	Total/NA	Water	8260C	
480-67875-16	MW-269Ma-20140920	Total/NA	Water	8260C	
480-67875-17	MW-551-20140920	Total/NA	Water	8260C	
480-67875-18	MW-552-20140923	Total/NA	Water	8260C	
480-67875-19	MW-553-20140922	Total/NA	Water	8260C	
480-67875-20	MW-560-20140922	Total/NA	Water	8260C	
LCS 490-194946/3	Lab Control Sample	Total/NA	Water	8260C	
LCSD 490-194946/4	Lab Control Sample Dup	Total/NA	Water	8260C	
MB 490-194946/7	Method Blank	Total/NA	Water	8260C	

Analysis Batch: 195016

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-67875-21	MW-561-20140922	Total/NA	Water	8260C	
480-67875-28	REW-7-20140922	Total/NA	Water	8260C	
480-67875-33	REW-12-20140922	Total/NA	Water	8260C	
480-67875-35	DUP2-20140922	Total/NA	Water	8260C	
LCS 490-195016/3	Lab Control Sample	Total/NA	Water	8260C	
LCSD 490-195016/4	Lab Control Sample Dup	Total/NA	Water	8260C	
MB 490-195016/7	Method Blank	Total/NA	Water	8260C	

Analysis Batch: 195033

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-67875-11	MW-267S-20140920	Total/NA	Water	8260C	
480-67875-14	MW-268M-20140923	Total/NA	Water	8260C	
480-67875-15	MW-268D-20140920	Total/NA	Water	8260C	
480-67875-18	MW-552-20140923	Total/NA	Water	8260C	
480-67875-19	MW-553-20140922	Total/NA	Water	8260C	
LCS 490-195033/3	Lab Control Sample	Total/NA	Water	8260C	
LCSD 490-195033/4	Lab Control Sample Dup	Total/NA	Water	8260C	
MB 490-195033/7	Method Blank	Total/NA	Water	8260C	

Analysis Batch: 195081

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-67875-32	REW-11-20140922	Total/NA	Water	8260C	
LCS 490-195081/3	Lab Control Sample	Total/NA	Water	8260C	
LCSD 490-195081/4	Lab Control Sample Dup	Total/NA	Water	8260C	
MB 490-195081/7	Method Blank	Total/NA	Water	8260C	

Analysis Batch: 195227

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-67875-27	REW-6-20140922	Total/NA	Water	8260C	
LCS 490-195227/3	Lab Control Sample	Total/NA	Water	8260C	
LCSD 490-195227/4	Lab Control Sample Dup	Total/NA	Water	8260C	
MB 490-195227/7	Method Blank	Total/NA	Water	8260C	

TestAmerica Buffalo

QC Association Summary

Client: Innovative Engineering Solutions, Inc
 Project/Site: IDS Wayland

TestAmerica Job ID: 480-67875-1

GC/MS Semi VOA

Prep Batch: 77937

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-67875-3	MW-261S-20140923	Total/NA	Water	3535A	
480-67875-7	MW-265M-20140923	Total/NA	Water	3535A	
480-67875-9	MW-266Ma-20140920	Total/NA	Water	3535A	
480-67875-11	MW-267S-20140920	Total/NA	Water	3535A	
480-67875-12	MW-267M-20140920	Total/NA	Water	3535A	
480-67875-13	MW-268S-20140923	Total/NA	Water	3535A	
480-67875-14	MW-268M-20140923	Total/NA	Water	3535A	
480-67875-16	MW-269Ma-20140920	Total/NA	Water	3535A	
480-67875-18	MW-552-20140923	Total/NA	Water	3535A	
480-67875-36	DUP3-20140923	Total/NA	Water	3535A	
LCS 200-77937/2-A	Lab Control Sample	Total/NA	Water	3535A	
MB 200-77937/1-A	Method Blank	Total/NA	Water	3535A	

Analysis Batch: 77976

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-67875-3	MW-261S-20140923	Total/NA	Water	522 MOD	77937
480-67875-7	MW-265M-20140923	Total/NA	Water	522 MOD	77937
480-67875-9	MW-266Ma-20140920	Total/NA	Water	522 MOD	77937
480-67875-11	MW-267S-20140920	Total/NA	Water	522 MOD	77937
480-67875-12	MW-267M-20140920	Total/NA	Water	522 MOD	77937
480-67875-13	MW-268S-20140923	Total/NA	Water	522 MOD	77937
480-67875-14	MW-268M-20140923	Total/NA	Water	522 MOD	77937
480-67875-16	MW-269Ma-20140920	Total/NA	Water	522 MOD	77937
480-67875-18	MW-552-20140923	Total/NA	Water	522 MOD	77937
480-67875-36	DUP3-20140923	Total/NA	Water	522 MOD	77937
LCS 200-77937/2-A	Lab Control Sample	Total/NA	Water	522 MOD	77937
MB 200-77937/1-A	Method Blank	Total/NA	Water	522 MOD	77937

Lab Chronicle

Client: Innovative Engineering Solutions, Inc
Project/Site: IDS Wayland

TestAmerica Job ID: 480-67875-1

Client Sample ID: DEP-19M-20140921

Lab Sample ID: 480-67875-1

Date Collected: 09/21/14 09:50

Matrix: Water

Date Received: 09/24/14 01:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		1	194457	10/01/14 21:00	MJH	TAL NSH
Total/NA	Analysis	8260C		1	194754	10/02/14 18:59	MJH	TAL NSH

Client Sample ID: DEP-21-20140921

Lab Sample ID: 480-67875-2

Date Collected: 09/21/14 09:00

Matrix: Water

Date Received: 09/24/14 01:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		1	194457	10/01/14 21:28	MJH	TAL NSH

Client Sample ID: MW-261S-20140923

Lab Sample ID: 480-67875-3

Date Collected: 09/23/14 07:25

Matrix: Water

Date Received: 09/24/14 01:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		1	194457	10/01/14 21:56	MJH	TAL NSH
Total/NA	Prep	3535A			77937	09/29/14 13:02	EAN	TAL BUR
Total/NA	Analysis	522 MOD		1	77976	09/30/14 12:01	KHW	TAL BUR

Client Sample ID: MW-263M-20140921

Lab Sample ID: 480-67875-4

Date Collected: 09/21/14 12:20

Matrix: Water

Date Received: 09/24/14 01:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		1	194457	10/01/14 22:24	MJH	TAL NSH

Client Sample ID: MW-264M-20140921

Lab Sample ID: 480-67875-5

Date Collected: 09/21/14 11:15

Matrix: Water

Date Received: 09/24/14 01:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		1	194754	10/02/14 20:23	MJH	TAL NSH

Client Sample ID: MW-265S-20140920

Lab Sample ID: 480-67875-6

Date Collected: 09/20/14 09:15

Matrix: Water

Date Received: 09/24/14 01:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		1	194754	10/02/14 20:51	MJH	TAL NSH

Lab Chronicle

Client: Innovative Engineering Solutions, Inc
Project/Site: IDS Wayland

TestAmerica Job ID: 480-67875-1

Client Sample ID: MW-265M-20140923

Lab Sample ID: 480-67875-7

Date Collected: 09/23/14 13:40

Matrix: Water

Date Received: 09/24/14 01:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		1	194754	10/02/14 21:19	MJH	TAL NSH
Total/NA	Prep	3535A			77937	09/29/14 13:02	EAN	TAL BUR
Total/NA	Analysis	522 MOD		1	77976	09/30/14 12:17	KHW	TAL BUR

Client Sample ID: MW-265D-20140920

Lab Sample ID: 480-67875-8

Date Collected: 09/20/14 09:45

Matrix: Water

Date Received: 09/24/14 01:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		1	194754	10/02/14 21:47	MJH	TAL NSH

Client Sample ID: MW-266Ma-20140920

Lab Sample ID: 480-67875-9

Date Collected: 09/20/14 10:15

Matrix: Water

Date Received: 09/24/14 01:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		1	194754	10/02/14 22:15	MJH	TAL NSH
Total/NA	Prep	3535A			77937	09/29/14 13:02	EAN	TAL BUR
Total/NA	Analysis	522 MOD		1	77976	09/30/14 12:33	KHW	TAL BUR

Client Sample ID: MW-266Mb-20140920

Lab Sample ID: 480-67875-10

Date Collected: 09/20/14 10:45

Matrix: Water

Date Received: 09/24/14 01:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		1	194946	10/03/14 02:26	MJH	TAL NSH

Client Sample ID: MW-267S-20140920

Lab Sample ID: 480-67875-11

Date Collected: 09/20/14 11:45

Matrix: Water

Date Received: 09/24/14 01:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		1	194946	10/03/14 02:54	MJH	TAL NSH
Total/NA	Analysis	8260C		10	195033	10/03/14 14:31	MJH	TAL NSH
Total/NA	Prep	3535A			77937	09/29/14 13:02	EAN	TAL BUR
Total/NA	Analysis	522 MOD		1	77976	09/30/14 12:50	KHW	TAL BUR

Lab Chronicle

Client: Innovative Engineering Solutions, Inc
Project/Site: IDS Wayland

TestAmerica Job ID: 480-67875-1

Client Sample ID: MW-267M-20140920

Lab Sample ID: 480-67875-12

Date Collected: 09/20/14 12:15

Matrix: Water

Date Received: 09/24/14 01:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		1	194946	10/03/14 03:22	MJH	TAL NSH
Total/NA	Prep	3535A			77937	09/29/14 13:02	EAN	TAL BUR
Total/NA	Analysis	522 MOD		1	77976	09/30/14 13:06	KHW	TAL BUR

Client Sample ID: MW-268S-20140923

Lab Sample ID: 480-67875-13

Date Collected: 09/23/14 10:35

Matrix: Water

Date Received: 09/24/14 01:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		1	194946	10/03/14 03:50	MJH	TAL NSH
Total/NA	Prep	3535A			77937	09/29/14 13:02	EAN	TAL BUR
Total/NA	Analysis	522 MOD		1	77976	09/30/14 13:22	KHW	TAL BUR

Client Sample ID: MW-268M-20140923

Lab Sample ID: 480-67875-14

Date Collected: 09/23/14 09:40

Matrix: Water

Date Received: 09/24/14 01:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		1	194946	10/03/14 04:18	MJH	TAL NSH
Total/NA	Analysis	8260C		20	195033	10/03/14 14:59	MJH	TAL NSH
Total/NA	Prep	3535A			77937	09/29/14 13:02	EAN	TAL BUR
Total/NA	Analysis	522 MOD		2.5	77976	09/30/14 17:45	KHW	TAL BUR

Client Sample ID: MW-268D-20140920

Lab Sample ID: 480-67875-15

Date Collected: 09/20/14 12:55

Matrix: Water

Date Received: 09/24/14 01:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		1	194946	10/03/14 04:46	MJH	TAL NSH
Total/NA	Analysis	8260C		1	195033	10/03/14 13:36	MJH	TAL NSH

Client Sample ID: MW-269Ma-20140920

Lab Sample ID: 480-67875-16

Date Collected: 09/20/14 14:00

Matrix: Water

Date Received: 09/24/14 01:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		1	194946	10/03/14 05:14	MJH	TAL NSH
Total/NA	Prep	3535A			77937	09/29/14 13:02	EAN	TAL BUR
Total/NA	Analysis	522 MOD		1	77976	09/30/14 13:55	KHW	TAL BUR

Lab Chronicle

Client: Innovative Engineering Solutions, Inc
Project/Site: IDS Wayland

TestAmerica Job ID: 480-67875-1

Client Sample ID: MW-551-20140920

Lab Sample ID: 480-67875-17

Date Collected: 09/20/14 08:40

Matrix: Water

Date Received: 09/24/14 01:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		1	194946	10/03/14 05:42	MJH	TAL NSH

Client Sample ID: MW-552-20140923

Lab Sample ID: 480-67875-18

Date Collected: 09/23/14 08:35

Matrix: Water

Date Received: 09/24/14 01:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		1	194946	10/03/14 06:10	MJH	TAL NSH
Total/NA	Analysis	8260C		20	195033	10/03/14 15:27	MJH	TAL NSH
Total/NA	Prep	3535A			77937	09/29/14 13:02	EAN	TAL BUR
Total/NA	Analysis	522 MOD		1	77976	09/30/14 14:12	KHW	TAL BUR

Client Sample ID: MW-553-20140922

Lab Sample ID: 480-67875-19

Date Collected: 09/22/14 14:10

Matrix: Water

Date Received: 09/24/14 01:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		1	194946	10/03/14 06:38	MJH	TAL NSH
Total/NA	Analysis	8260C		1	195033	10/03/14 14:03	MJH	TAL NSH

Client Sample ID: MW-560-20140922

Lab Sample ID: 480-67875-20

Date Collected: 09/22/14 12:10

Matrix: Water

Date Received: 09/24/14 01:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		1	194946	10/03/14 07:06	MJH	TAL NSH

Client Sample ID: MW-561-20140922

Lab Sample ID: 480-67875-21

Date Collected: 09/22/14 10:50

Matrix: Water

Date Received: 09/24/14 01:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		5	195016	10/03/14 13:37	EML	TAL NSH
Total/NA	Analysis	8260C		1	194717	10/02/14 17:13	EML	TAL NSH

Client Sample ID: MW-562-20140922

Lab Sample ID: 480-67875-22

Date Collected: 09/22/14 09:40

Matrix: Water

Date Received: 09/24/14 01:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		1	194717	10/02/14 17:40	EML	TAL NSH

TestAmerica Buffalo

Lab Chronicle

Client: Innovative Engineering Solutions, Inc
Project/Site: IDS Wayland

TestAmerica Job ID: 480-67875-1

Client Sample ID: MW-563-20140922

Lab Sample ID: 480-67875-23

Date Collected: 09/22/14 13:00

Matrix: Water

Date Received: 09/24/14 01:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		1	194717	10/02/14 18:07	EML	TAL NSH

Client Sample ID: REW-1-20140923

Lab Sample ID: 480-67875-24

Date Collected: 09/23/14 13:40

Matrix: Water

Date Received: 09/24/14 01:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		1	194717	10/02/14 18:34	EML	TAL NSH

Client Sample ID: REW-4-20140923

Lab Sample ID: 480-67875-25

Date Collected: 09/23/14 12:35

Matrix: Water

Date Received: 09/24/14 01:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		1	194717	10/02/14 19:00	EML	TAL NSH

Client Sample ID: REW-5-20140923

Lab Sample ID: 480-67875-26

Date Collected: 09/23/14 11:25

Matrix: Water

Date Received: 09/24/14 01:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		1	194717	10/02/14 19:54	EML	TAL NSH

Client Sample ID: REW-6-20140922

Lab Sample ID: 480-67875-27

Date Collected: 09/22/14 09:50

Matrix: Water

Date Received: 09/24/14 01:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		1	194717	10/02/14 19:27	EML	TAL NSH
Total/NA	Analysis	8260C		5	195227	10/04/14 10:06	EML	TAL NSH

Client Sample ID: REW-7-20140922

Lab Sample ID: 480-67875-28

Date Collected: 09/22/14 14:00

Matrix: Water

Date Received: 09/24/14 01:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		5	195016	10/03/14 14:32	EML	TAL NSH
Total/NA	Analysis	8260C		1	194717	10/02/14 20:20	EML	TAL NSH

TestAmerica Buffalo

Lab Chronicle

Client: Innovative Engineering Solutions, Inc
Project/Site: IDS Wayland

TestAmerica Job ID: 480-67875-1

Client Sample ID: REW-8-20140922

Lab Sample ID: 480-67875-29

Date Collected: 09/22/14 13:15

Matrix: Water

Date Received: 09/24/14 01:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		1	194717	10/02/14 20:47	EML	TAL NSH

Client Sample ID: REW-9-20140922

Lab Sample ID: 480-67875-30

Date Collected: 09/22/14 12:35

Matrix: Water

Date Received: 09/24/14 01:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		1	194717	10/02/14 21:14	EML	TAL NSH

Client Sample ID: REW-10-20140923

Lab Sample ID: 480-67875-31

Date Collected: 09/23/14 12:15

Matrix: Water

Date Received: 09/24/14 01:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		1	194717	10/02/14 21:41	EML	TAL NSH

Client Sample ID: REW-11-20140922

Lab Sample ID: 480-67875-32

Date Collected: 09/22/14 08:15

Matrix: Water

Date Received: 09/24/14 01:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		1	194717	10/02/14 22:08	EML	TAL NSH
Total/NA	Analysis	8260C		10	195081	10/03/14 16:58	EML	TAL NSH

Client Sample ID: REW-12-20140922

Lab Sample ID: 480-67875-33

Date Collected: 09/22/14 11:10

Matrix: Water

Date Received: 09/24/14 01:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		5	195016	10/03/14 15:56	EML	TAL NSH
Total/NA	Analysis	8260C		1	194717	10/02/14 22:35	EML	TAL NSH

Client Sample ID: DUP1-20140920

Lab Sample ID: 480-67875-34

Date Collected: 09/20/14 00:00

Matrix: Water

Date Received: 09/24/14 01:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		1	194717	10/02/14 23:02	EML	TAL NSH

TestAmerica Buffalo

Lab Chronicle

Client: Innovative Engineering Solutions, Inc
Project/Site: IDS Wayland

TestAmerica Job ID: 480-67875-1

Client Sample ID: DUP2-20140922

Lab Sample ID: 480-67875-35

Date Collected: 09/22/14 00:00

Matrix: Water

Date Received: 09/24/14 01:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		5	195016	10/03/14 15:28	EML	TAL NSH
Total/NA	Analysis	8260C		1	194871	10/03/14 03:34	EML	TAL NSH

Client Sample ID: DUP3-20140923

Lab Sample ID: 480-67875-36

Date Collected: 09/23/14 00:00

Matrix: Water

Date Received: 09/24/14 01:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		1	194871	10/03/14 04:00	EML	TAL NSH
Total/NA	Prep	3535A			77937	09/29/14 13:02	EAN	TAL BUR
Total/NA	Analysis	522 MOD		1	77976	09/30/14 11:12	KHW	TAL BUR

Client Sample ID: TRIP BLANKS

Lab Sample ID: 480-67875-37

Date Collected: 09/23/14 00:00

Matrix: Water

Date Received: 09/24/14 01:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		1	194717	10/02/14 14:32	EML	TAL NSH

Laboratory References:

TAL BUR = TestAmerica Burlington, 30 Community Drive, Suite 11, South Burlington, VT 05403, TEL (802)660-1990

TAL NSH = TestAmerica Nashville, 2960 Foster Creighton Drive, Nashville, TN 37204, TEL (615)726-0177

Certification Summary

Client: Innovative Engineering Solutions, Inc
 Project/Site: IDS Wayland

TestAmerica Job ID: 480-67875-1

Laboratory: TestAmerica Buffalo

All certifications held by this laboratory are listed. Not all certifications are applicable to this report.

Authority	Program	EPA Region	Certification ID	Expiration Date
Arkansas DEQ	State Program	6	88-0686	07-06-15
California	State Program	9	1169CA	09-30-14 *
Connecticut	State Program	1	PH-0568	09-30-14 *
Florida	NELAP	4	E87672	06-30-15
Georgia	State Program	4	N/A	03-31-15
Georgia	State Program	4	956	03-31-15
Illinois	NELAP	5	200003	09-30-14 *
Iowa	State Program	7	374	03-01-15
Kansas	NELAP	7	E-10187	01-31-15
Kentucky (DW)	State Program	4	90029	12-31-14
Kentucky (UST)	State Program	4	30	03-31-15
Louisiana	NELAP	6	02031	06-30-14 *
Maine	State Program	1	NY00044	12-04-14
Maryland	State Program	3	294	03-31-15
Massachusetts	State Program	1	M-NY044	06-30-15
Michigan	State Program	5	9937	03-31-15
Minnesota	NELAP	5	036-999-337	12-31-14
New Hampshire	NELAP	1	2337	11-17-14
New Jersey	NELAP	2	NY455	06-30-15
New York	NELAP	2	10026	03-31-15
North Dakota	State Program	8	R-176	03-31-14 *
Oklahoma	State Program	6	9421	08-31-15
Oregon	NELAP	10	NY200003	06-09-15
Pennsylvania	NELAP	3	68-00281	07-31-15
Rhode Island	State Program	1	LAO00328	12-30-14
Tennessee	State Program	4	TN02970	03-31-15
Texas	NELAP	6	T104704412-11-2	07-31-15
USDA	Federal		P330-11-00386	11-22-14
Virginia	NELAP	3	460185	09-14-15
Washington	State Program	10	C784	02-10-15
West Virginia DEP	State Program	3	252	09-30-14 *
Wisconsin	State Program	5	998310390	08-31-15

Laboratory: TestAmerica Burlington

All certifications held by this laboratory are listed. Not all certifications are applicable to this report.

Authority	Program	EPA Region	Certification ID	Expiration Date
Connecticut	State Program	1	PH-0751	09-30-15
DE Haz. Subst. Cleanup Act (HSCA)	State Program	3	NA	02-13-15
Florida	NELAP	4	E87467	06-30-15
L-A-B	DoD ELAP		L2336	02-26-17
Maine	State Program	1	VT00008	04-17-15
Minnesota	NELAP	5	050-999-436	12-31-14
New Hampshire	NELAP	1	2006	12-18-14
New Jersey	NELAP	2	VT972	06-30-15
New York	NELAP	2	10391	03-31-15
Pennsylvania	NELAP	3	68-00489	04-30-15
Rhode Island	State Program	1	LAO00298	12-30-14
US Fish & Wildlife	Federal		LE-058448-0	02-28-15
USDA	Federal		P330-11-00093	10-28-16

* Certification renewal pending - certification considered valid.

TestAmerica Buffalo

Certification Summary

Client: Innovative Engineering Solutions, Inc
Project/Site: IDS Wayland

TestAmerica Job ID: 480-67875-1

Laboratory: TestAmerica Burlington (Continued)

All certifications held by this laboratory are listed. Not all certifications are applicable to this report.

Authority	Program	EPA Region	Certification ID	Expiration Date
Vermont	State Program	1	VT-4000	12-31-14
Virginia	NELAP	3	460209	12-14-14

Laboratory: TestAmerica Nashville

All certifications held by this laboratory are listed. Not all certifications are applicable to this report.

Authority	Program	EPA Region	Certification ID	Expiration Date
A2LA	A2LA		NA: NELAP & A2LA	12-31-15
A2LA	ISO/IEC 17025		0453.07	12-31-15
Alaska (UST)	State Program	10	UST-087	10-31-14
Arizona	State Program	9	AZ0473	05-05-15
Arkansas DEQ	State Program	6	88-0737	04-25-15
California	NELAP	9	1168CA	10-31-14 *
Connecticut	State Program	1	PH-0220	12-31-15
Florida	NELAP	4	E87358	06-30-15
Illinois	NELAP	5	200010	12-09-14
Iowa	State Program	7	131	04-01-16
Kansas	NELAP	7	E-10229	10-31-14 *
Kentucky (UST)	State Program	4	19	06-30-15
Louisiana	NELAP	6	30613	06-30-15
Maryland	State Program	3	316	03-31-15
Massachusetts	State Program	1	M-TN032	06-30-15
Minnesota	NELAP	5	047-999-345	12-31-14
Mississippi	State Program	4	N/A	06-30-15
Montana (UST)	State Program	8	NA	02-24-20
Nevada	State Program	9	TN00032	07-31-15
New Hampshire	NELAP	1	2963	10-09-14 *
New Jersey	NELAP	2	TN965	06-30-15
New York	NELAP	2	11342	03-31-15
North Carolina (WW/SW)	State Program	4	387	12-31-14
North Dakota	State Program	8	R-146	06-30-14 *
Ohio VAP	State Program	5	CL0033	10-16-15
Oklahoma	State Program	6	9412	08-31-15
Oregon	NELAP	10	TN200001	04-29-15
Pennsylvania	NELAP	3	68-00585	06-30-15
Rhode Island	State Program	1	LAO00268	12-30-14
South Carolina	State Program	4	84009 (001)	02-28-15
South Carolina (DW)	State Program	4	84009 (002)	02-23-17
Tennessee	State Program	4	2008	02-23-17
Texas	NELAP	6	T104704077	08-31-15
USDA	Federal		S-48469	10-30-16
Utah	NELAP	8	TN00032	07-31-15
Virginia	NELAP	3	460152	06-14-15
Washington	State Program	10	C789	07-19-15
West Virginia DEP	State Program	3	219	02-28-15
Wisconsin	State Program	5	998020430	08-31-15
Wyoming (UST)	A2LA	8	453.07	12-31-15

* Certification renewal pending - certification considered valid.

TestAmerica Buffalo

Method Summary

Client: Innovative Engineering Solutions, Inc
Project/Site: IDS Wayland

TestAmerica Job ID: 480-67875-1

Method	Method Description	Protocol	Laboratory
8260C	Volatile Organic Compounds (GC/MS)	MA DEP	TAL NSH
522 MOD	1,4 Dioxane (GC/MS SIM)	EPA	TAL BUR

Protocol References:

EPA = US Environmental Protection Agency

MA DEP = Massachusetts Department Of Environmental Protection

Laboratory References:

TAL BUR = TestAmerica Burlington, 30 Community Drive, Suite 11, South Burlington, VT 05403, TEL (802)660-1990

TAL NSH = TestAmerica Nashville, 2960 Foster Creighton Drive, Nashville, TN 37204, TEL (615)726-0177

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

Sample Summary

Client: Innovative Engineering Solutions, Inc
 Project/Site: IDS Wayland

TestAmerica Job ID: 480-67875-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
480-67875-1	DEP-19M-20140921	Water	09/21/14 09:50	09/24/14 01:00
480-67875-2	DEP-21-20140921	Water	09/21/14 09:00	09/24/14 01:00
480-67875-3	MW-261S-20140923	Water	09/23/14 07:25	09/24/14 01:00
480-67875-4	MW-263M-20140921	Water	09/21/14 12:20	09/24/14 01:00
480-67875-5	MW-264M-20140921	Water	09/21/14 11:15	09/24/14 01:00
480-67875-6	MW-265S-20140920	Water	09/20/14 09:15	09/24/14 01:00
480-67875-7	MW-265M-20140923	Water	09/23/14 13:40	09/24/14 01:00
480-67875-8	MW-265D-20140920	Water	09/20/14 09:45	09/24/14 01:00
480-67875-9	MW-266Ma-20140920	Water	09/20/14 10:15	09/24/14 01:00
480-67875-10	MW-266Mb-20140920	Water	09/20/14 10:45	09/24/14 01:00
480-67875-11	MW-267S-20140920	Water	09/20/14 11:45	09/24/14 01:00
480-67875-12	MW-267M-20140920	Water	09/20/14 12:15	09/24/14 01:00
480-67875-13	MW-268S-20140923	Water	09/23/14 10:35	09/24/14 01:00
480-67875-14	MW-268M-20140923	Water	09/23/14 09:40	09/24/14 01:00
480-67875-15	MW-268D-20140920	Water	09/20/14 12:55	09/24/14 01:00
480-67875-16	MW-269Ma-20140920	Water	09/20/14 14:00	09/24/14 01:00
480-67875-17	MW-551-20140920	Water	09/20/14 08:40	09/24/14 01:00
480-67875-18	MW-552-20140923	Water	09/23/14 08:35	09/24/14 01:00
480-67875-19	MW-553-20140922	Water	09/22/14 14:10	09/24/14 01:00
480-67875-20	MW-560-20140922	Water	09/22/14 12:10	09/24/14 01:00
480-67875-21	MW-561-20140922	Water	09/22/14 10:50	09/24/14 01:00
480-67875-22	MW-562-20140922	Water	09/22/14 09:40	09/24/14 01:00
480-67875-23	MW-563-20140922	Water	09/22/14 13:00	09/24/14 01:00
480-67875-24	REW-1-20140923	Water	09/23/14 13:40	09/24/14 01:00
480-67875-25	REW-4-20140923	Water	09/23/14 12:35	09/24/14 01:00
480-67875-26	REW-5-20140923	Water	09/23/14 11:25	09/24/14 01:00
480-67875-27	REW-6-20140922	Water	09/22/14 09:50	09/24/14 01:00
480-67875-28	REW-7-20140922	Water	09/22/14 14:00	09/24/14 01:00
480-67875-29	REW-8-20140922	Water	09/22/14 13:15	09/24/14 01:00
480-67875-30	REW-9-20140922	Water	09/22/14 12:35	09/24/14 01:00
480-67875-31	REW-10-20140923	Water	09/23/14 12:15	09/24/14 01:00
480-67875-32	REW-11-20140922	Water	09/22/14 08:15	09/24/14 01:00
480-67875-33	REW-12-20140922	Water	09/22/14 11:10	09/24/14 01:00
480-67875-34	DUP1-20140920	Water	09/20/14 00:00	09/24/14 01:00
480-67875-35	DUP2-20140922	Water	09/22/14 00:00	09/24/14 01:00
480-67875-36	DUP3-20140923	Water	09/23/14 00:00	09/24/14 01:00
480-67875-37	TRIP BLANKS	Water	09/23/14 00:00	09/24/14 01:00

Login Sample Receipt Checklist

Client: Innovative Engineering Solutions, Inc

Job Number: 480-67875-1

Login Number: 67875

List Source: TestAmerica Buffalo

List Number: 1

Creator: Kolb, Chris M

Question	Answer	Comment
Radioactivity either was not measured or, if measured, is at or below background	True	
The cooler's custody seal, if present, is intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the sample IDs on the containers and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter.	True	
If necessary, staff have been informed of any short hold time or quick TAT needs	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Sampling Company provided.	True	innovative eng.
Samples received within 48 hours of sampling.	False	
Samples requiring field filtration have been filtered in the field.	True	
Chlorine Residual checked.	N/A	

Login Sample Receipt Checklist

Client: Innovative Engineering Solutions, Inc

Job Number: 480-67875-1

Login Number: 67875

List Number: 5

Creator: Atherton, Joel E

List Source: TestAmerica Burlington

List Creation: 09/26/14 02:03 PM

Question	Answer	Comment
Radioactivity wasn't checked or is \leq background as measured by a survey meter.	N/A	Lab does not accept radioactive samples.
The cooler's custody seal, if present, is intact.	True	317008
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	2.0°C IR GUN 181 CF= -0.2
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is $<6\text{mm}$ (1/4").	N/A	
Multiphasic samples are not present.	N/A	
Samples do not require splitting or compositing.	N/A	
Residual Chlorine Checked.	N/A	

Login Sample Receipt Checklist

Client: Innovative Engineering Solutions, Inc

Job Number: 480-67875-1

Login Number: 67875

List Number: 2

Creator: McBride, Mike

List Source: TestAmerica Nashville

List Creation: 09/25/14 12:54 PM

Question	Answer	Comment
Radioactivity wasn't checked or is <=/ background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	False	Headspace larger than 1/4" in one or more vials, one vial with acct. headspace
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

Login Sample Receipt Checklist

Client: Innovative Engineering Solutions, Inc

Job Number: 480-67875-1

Login Number: 67875

List Number: 3

Creator: McBride, Mike

List Source: TestAmerica Nashville

List Creation: 09/25/14 12:58 PM

Question	Answer	Comment
Radioactivity wasn't checked or is <=/ background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	False	Headspace larger than 1/4" in one or more vials, one vial with acct. headspace
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Temperature on Receipt _____
 Drinking Water? Yes No

Chain of Custody Record

TAL-4124 (1007)

Client: **Innovative Engineering Solutions Inc**
 Address: **25 Spaulding St, Woburn, MA 02081**
 Project Name and Location (State): **RA-008 | Woburn, MA**
 Contract/Purchase Order/Quote No.: **RA-008**

Project Manager: **Wicki Peavinos**
 Telephone Number (Area Code)/Fax Number: **508-668-0033 / 508-668-5175**
 Site Contact: **Dustin Jozko**
 Carrier/Waybill Number: _____

Chain of Custody Number: **279431**
 Page **1** of **4**

Sample I.D. No. and Description (Containers for each sample may be combined on one line)	Date	Time	Matrix					Containers & Preservatives					Special Instructions/ Conditions of Receipt		
			Air	Soil	Soil	Aqueous	Unpres.	H2SO4	HNO3	HCl	NaOH	ZnAc/NaOH			
DEP-19M-20140921	9/21/14	0950	X												
DEP-21-20140921	9/21/14	0900	X												
MW-265J-20140923	9/23/14	0725	X												
MW-263M-20140921	9/21/14	1220	X												
MW-264M-20140921	9/21/14	1115	X												
MW-265J-20140920	9/20/14	0915	X												
MW-265M-20140923	9/23/14	1340	X												
MW-265D-20140920	9/20/14	0945	X												
MW-266M-20140920	9/20/14	1015	X												
MW-266M16-20140920	9/20/14	1045	X												
MW-267J-20140920	9/20/14	1145	X												
MW-267M-20140920	9/20/14	1215	X												



Possible Hazard Identification:
 Non-Hazard
 Flammable
 Skin Irritant
 Poison B
 Unknown

Sample Disposal:
 Return To Client
 Disposal By Lab
 Archive For _____ Months

Turn Around Time Required:
 24 Hours
 48 Hours
 7 Days
 14 Days
 21 Days
 Other

1. Relinquished By: **[Signature]** Date: **9/23/14** Time: **1540**
 2. Relinquished By: **[Signature]** Date: **9/23/14** Time: **1600**
 3. Relinquished By: **[Signature]** Date: **9/23/14** Time: **1555**

Comments: **Temp 3, 2, 4.0#1**

DISTRIBUTION: WHITE - Returned to Client with Report; CANARY - Stays with the Sample; PINK - Field Copy



TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Temperature on Receipt _____
 Drinking Water? Yes No

Chain of Custody Record

TAL-4124 (1007)

Client: **Innovative Engineering Solutions Inc**
 Address: **25 Spauld ST**
 City: **Waldpole MA** State: **MA** Zip Code: **02081**
 Project Name and Location (State): **RA-008 (Waldpole MA)**
 Contract/Purchase Order/Quote No.: **RA-008**

Project Manager: **Vicki Peabody**
 Telephone Number (Area Code)/Fax Number: **508-668-0037 / 508-668-5175**
 Site Contact: **Dennis Souza**
 Carrier/Voybill Number: _____

Chain of Custody Number: **279433**
 Page **2** of **4**

Sample I.D. No. and Description (Containers for each sample may be combined on one line)	Date	Time	Matrix					Containers & Preservatives					Date	Lab Number	
			Air	Aqueous	Sed	Soil	Unpres	H2SO4	HNO3	HCl	NaOH	ZnAc			H2O2
MW-2685 - 20140923	9/23/14	1035	X												
MW-2686 - 20140923	9/23/14	0940	X												
MW-2687 - 20140920	9/20/14	1255	X												
MW-2688 - 20140920	9/20/14	1400	X												
MW-531 - 20140920	9/20/14	0840	X												
MW-552 - 20140923	9/23/14	0835	X												
MW-553 - 20140922	9/22/14	1410	X												
MW-560 - 20140922	9/22/14	1210	X												
MW-561 - 20140922	9/22/14	1050	X												
MW-562 - 20140922	9/22/14	0940	X												
MW-563 - 20140922	9/22/14	1300	X												
RAW-1 - 20140923	9/23/14	1340	X												

Possible Hazard Identification:
 Non-Hazard Flammable Skin Irritant Poison B Unknown
 24 Hours 48 Hours 7 Days 14 Days 21 Days Other
 Turn Around Time Required

Disposal By Lab Archive For _____ Months _____ (A fee may be assessed if samples are retained longer than 1 month)
 QC Requirements (Specify): _____

1. Relinquished By: *[Signature]* Date: **9/23/14** Time: **1540**
 2. Relinquished By: *[Signature]* Date: **9/23/14** Time: **1600**
 3. Relinquished By: _____ Date: _____ Time: _____

Special Instructions/Conditions of Receipt: _____

Comments: **Temp 3.24.0#1**

DISTRIBUTION: WHITE - Returned to Client with Report; CANARY - Stays with the Sample; PINK - Field Copy



TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Temperature on Receipt _____

Drinking Water? Yes No

Chain of Custody Record

TAL-4124 (1007)

Client Environmental Engineering Solutions Inc		Project Manager Wicki Pagan		Date	
Address 25 Spring St		Telephone Number (Area Code)/Fax Number 508-648-0033 / 508-648-5175		Chain of Custody Number 279432	
City Woburn		Site Contact Dennis Soles		Page 3 of 4	
State MA		Zip Code 02081		Lab Number	
Project Name and Location (State) RA-008 Woburn MA		Carrier/Waybill Number		Analysis (Attach list if more space is needed)	
Contract/Purchase Order/Quote No. RA-008					

Sample I.D. No. and Description (Containers for each sample may be combined on one line)	Date	Time	Matrix					Containers & Preservatives					Special Instructions/ Conditions of Receipt			
			Air	Aqueous	Sed	Soil	Unpres.	H2SO4	HNO3	HCl	NaOH	ZnAc/NaOH				
REW-4-20140923	9/23/14	1235	X													
REW-5-20140923	9/23/14	1125	X													
REW-6-20140922	9/22/14	0950	X													
REW-7-20140922	9/22/14	1400	X													
REW-8-20140922	9/22/14	1315	X													
REW-9-20140922	9/22/14	1235	X													
REW-10-20140923	9/23/14	1215	X													
REW-11-20140922	9/22/14	0815	X													
REW-12-20140922	9/22/14	1110	X													
Dupa-20140920	9/20/14	-	X													
Dupa-20140922	9/22/14	-	X													
Dup3-20140923	9/23/14	-	X													

Possible Hazard Identification
 Non-Hazard Flammable Skin Irritant Poison B Unknown Return To Client Disposal By Lab Archive For _____ Months (A fee may be assessed if samples are retained longer than 1 month)

Turn Around Time Required
 24 Hours 48 Hours 7 Days 14 Days 21 Days Other _____

QC Requirements (Specify)

1. Relinquished By <i>[Signature]</i>	Date 9/23/14	Time 1540
2. Relinquished By <i>[Signature]</i>	Date 9/23/14	Time 1600
3. Relinquished By <i>[Signature]</i>	Date	Time

1. Received By
[Signature] Date 9/23/14 Time 1555

2. Received By
[Signature] Date 09/24/14 Time 0100

3. Received By

Comments



