

## Clementine Dulieu

---

**From:** Clementine Dulieu  
**Sent:** Monday, November 04, 2019 5:02 PM  
**To:** David Costello; JFrazier@NatDev.com  
**Cc:** Katie Wolf; Roxie Trachtenberg  
**Subject:** Wayland Property Owner Data Transmittal - Oct 2019  
**Attachments:** IESI Lab Reports\_Oct 2019.pdf; National Development BWSC-123 Form.pdf

Hi David and Joanne,

Innovative Engineering Solutions, Inc. (IESI) collected groundwater samples from monitoring wells located on National Development property at the former Raytheon Facility located at 430 Boston Post Road in Wayland, MA in October 2019. The analytical results and BWSC-123 form are attached to this email.

These results are being sent for National Development's records.

Please let me know if you have any questions or require any additional information.

Thanks,

Clementine Dulieu  
Project Geologist

**ERM**  
One Beacon Street, 5<sup>th</sup> Floor | Boston, MA 02108 | USA  
**T** +1 617 646 7860 | **M** +1 774 722 2902  
**E** [clementine.dulieu@erm.com](mailto:clementine.dulieu@erm.com) | **W** [www.erm.com](http://www.erm.com)







**Massachusetts Department of Environmental Protection**  
*Bureau of Waste Site Cleanup*

**BWSC123**

This Notice is Related to:  
Release Tracking Number

<input type="text"/>	-	<input type="text"/>
----------------------	---	----------------------

**NOTICE OF ENVIRONMENTAL SAMPLING**

As required by 310 CMR 40.1403(10) of the Massachusetts Contingency Plan

MASSACHUSETTS REGULATIONS THAT REQUIRE THIS NOTICE

This notice is being provided pursuant to the Massachusetts Contingency Plan and the notification requirement at 310 CMR 40.1403(10). The Massachusetts Contingency Plan is a state regulation that specifies requirements for parties who are taking actions to address releases of chemicals (oil or hazardous material) to the environment.

THE PERSON(S) PROVIDING THIS NOTICE

This notice has been sent to you by the party who is addressing a release of oil or hazardous material to the environment at the location listed in **Section A** on the reverse side of this form. (The regulations refer to the area where the oil or hazardous material is present as the "disposal site".)

PURPOSE OF THIS NOTICE

When environmental samples are taken as part of an investigation of a release for which a notification to MassDEP has been made under the Massachusetts Contingency Plan (310 CMR 40.0300) on behalf of someone other than the owner of the property, the regulations require that the property owner (listed in **Section B** on the reverse side of this form) be given notice of the environmental sampling. The regulations also require that the property owner subsequently receive the analytical results following the analysis of the environmental samples.

**Section C** on the reverse side of this form indicates the circumstance under which you are receiving this notice at this time. If you are receiving this notice to inform you of the analytical results following the analysis of the environmental samples, you should also have received, as an attachment, a copy of analytical results. These results should indicate the number and type(s) of samples (e.g., soil, groundwater) analyzed, any chemicals identified, and the measured concentrations of those chemicals.

**Section D** on the reverse side of this form identifies the property where the environmental sampling will be/has been conducted, provides a description of the sampling locations within the property, and indicates the phase of work under the Massachusetts Contingency Plan regulatory process during which the samples will be/were collected.

FOR MORE INFORMATION

Information about the general process for addressing releases of oil or hazardous material under the Massachusetts Contingency Plan and related public involvement opportunities may be found at <http://www.mass.gov/eea/agencies/massdep/cleanup>. For more information regarding this notice, you may contact the party listed in **Section E** on the reverse side of this form. Information about the disposal site identified in Section A is also available in files at the Massachusetts Department of Environmental Protection. See <http://public.dep.state.ma.us/SearchableSites2/Search.aspx> to view site-specific files on-line or <http://mass.gov/eea/agencies/massdep/about/contacts/conduct-a-file-review.html> if you would like to make an appointment to see these files in person. Please reference the **Release Tracking Number** listed in the upper right hand corner on the reverse side of this form when making file review appointments.



## ANALYTICAL REPORT

Lab Number:	L1945514
Client:	Innovative Engineering Solutions, Inc. 37 Pearl Street #1 Braintree, MA 02184
ATTN:	Vicki Pariyar
Phone:	(508) 623-1224
Project Name:	RAYTHEON WAYLAND
Project Number:	RA-008
Report Date:	10/07/19

The original project report/data package is held by Alpha Analytical. This report/data package is paginated and should be reproduced only in its entirety. Alpha Analytical holds no responsibility for results and/or data that are not consistent with the original.

Certifications & Approvals: MA (M-MA086), NH NELAP (2064), CT (PH-0574), IL (200077), ME (MA00086), MD (348), NJ (MA935), NY (11148), NC (25700/666), PA (68-03671), RI (LAO00065), TX (T104704476), VT (VT-0935), VA (460195), USDA (Permit #P330-17-00196).

---

Eight Walkup Drive, Westborough, MA 01581-1019  
508-898-9220 (Fax) 508-898-9193 800-624-9220 - [www.alphalab.com](http://www.alphalab.com)



**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945514  
**Report Date:** 10/07/19

Alpha Sample ID	Client ID	Matrix	Sample Location	Collection Date/Time	Receive Date
L1945514-01	MW-261S-20191001	WATER	WAYLAND, MA	10/01/19 12:10	10/01/19
L1945514-02	MW-265M-20191001	WATER	WAYLAND, MA	10/01/19 09:15	10/01/19
L1945514-03	MW-267S-20191001	WATER	WAYLAND, MA	10/01/19 10:20	10/01/19
L1945514-04	MW-267M-20191001	WATER	WAYLAND, MA	10/01/19 10:55	10/01/19
L1945514-05	MW-268S-20191001	WATER	WAYLAND, MA	10/01/19 06:55	10/01/19
L1945514-06	MW-268M-20191001	WATER	WAYLAND, MA	10/01/19 07:50	10/01/19
L1945514-07	MW-269MA-20191001	WATER	WAYLAND, MA	10/01/19 12:20	10/01/19
L1945514-08	MW-552-20191001	WATER	WAYLAND, MA	10/01/19 10:20	10/01/19
L1945514-09	MW-562-20191001	WATER	WAYLAND, MA	10/01/19 11:10	10/01/19
L1945514-10	MW-563-20191001	WATER	WAYLAND, MA	10/01/19 13:40	10/01/19
L1945514-11	REW-6-20191001	WATER	WAYLAND, MA	10/01/19 09:45	10/01/19
L1945514-12	REW-7-20191001	WATER	WAYLAND, MA	10/01/19 11:35	10/01/19
L1945514-13	REW-11-20191001	WATER	WAYLAND, MA	10/01/19 08:40	10/01/19
L1945514-14	REW-12-20191001	WATER	WAYLAND, MA	10/01/19 13:00	10/01/19
L1945514-15	DUP2-20191001	WATER	WAYLAND, MA	10/01/19 00:00	10/01/19
L1945514-16	DUP3-20191001	WATER	WAYLAND, MA	10/01/19 00:00	10/01/19
L1945514-17	DUP4-20191001	WATER	WAYLAND, MA	10/01/19 00:00	10/01/19
L1945514-18	TRIP BLANKS	WATER	WAYLAND, MA	10/01/19 00:00	10/01/19

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945514  
**Report Date:** 10/07/19

### Case Narrative

The samples were received in accordance with the Chain of Custody and no significant deviations were encountered during the preparation or analysis unless otherwise noted. Sample Receipt, Container Information, and the Chain of Custody are located at the back of the report.

Results contained within this report relate only to the samples submitted under this Alpha Lab Number and meet NELAP requirements for all NELAP accredited parameters unless otherwise noted in the following narrative. The data presented in this report is organized by parameter (i.e. VOC, SVOC, etc.). Sample specific Quality Control data (i.e. Surrogate Spike Recovery) is reported at the end of the target analyte list for each individual sample, followed by the Laboratory Batch Quality Control at the end of each parameter. Tentatively Identified Compounds (TICs), if requested, are reported for compounds identified to be present and are not part of the method/program Target Compound List, even if only a subset of the TCL are being reported. If a sample was re-analyzed or re-extracted due to a required quality control corrective action and if both sets of data are reported, the Laboratory ID of the re-analysis or re-extraction is designated with an "R" or "RE", respectively.

When multiple Batch Quality Control elements are reported (e.g. more than one LCS), the associated samples for each element are noted in the grey shaded header line of each data table. Any Laboratory Batch, Sample Specific % recovery or RPD value that is outside the listed Acceptance Criteria is bolded in the report. In reference to questions H (CAM) or 4 (RCP) when "NO" is checked, the performance criteria for CAM and RCP methods allow for some quality control failures to occur and still be within method compliance. In these instances, the specific failure is not narrated but noted in the associated QC Outlier Summary Report, located directly after the Case Narrative. QC information is also incorporated in the Data Usability Assessment table (Format 11) of our Data Merger tool, where it can be reviewed in conjunction with the sample result, associated regulatory criteria and any associated data usability implications.

Soil/sediments, solids and tissues are reported on a dry weight basis unless otherwise noted. Definitions of all data qualifiers and acronyms used in this report are provided in the Glossary located at the back of the report.

**HOLD POLICY** - For samples submitted on hold, Alpha's policy is to hold samples (with the exception of Air canisters) free of charge for 21 calendar days from the date the project is completed. After 21 calendar days, we will dispose of all samples submitted including those put on hold unless you have contacted your Alpha Project Manager and made arrangements for Alpha to continue to hold the samples. Air canisters will be disposed after 3 business days from the date the project is completed.

Please contact Project Management at 800-624-9220 with any questions.

---

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945514  
**Report Date:** 10/07/19

### Case Narrative (continued)

#### Sample Receipt

L1945514-05: The sample identified as "MW-286S-20191001" on the chain of custody was identified as "MW-268S-20191001" on the container label. At the client's request, the sample is reported as "MW-268S-20191001".

#### Volatile Organics

L1945514-13: The sample has elevated detection limits due to the dilution required by the elevated concentrations of non-target compounds in the sample.

#### Dissolved Gases

L1945514-05 and -06: The samples were collected in pre-preserved vials; however, the pH of the samples were determined to be greater than two.

#### Nitrogen, Ammonia

L1945514-05 and -06: The sample has an elevated detection limit due to the dilution required by the sample matrix.

#### Total Organic Carbon

WG1291070: A Matrix Spike was prepared with the sample batch, however, the native sample was not available for reporting; therefore, the Matrix Spike result could not be reported.

I, the undersigned, attest under the pains and penalties of perjury that, to the best of my knowledge and belief and based upon my personal inquiry of those responsible for providing the information contained in this analytical report, such information is accurate and complete. This certificate of analysis is not complete unless this page accompanies any and all pages of this report.

Authorized Signature:

 Kelly Stenstrom

Title: Technical Director/Representative

Date: 10/07/19

# ORGANICS

# VOLATILES

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945514  
**Report Date:** 10/07/19

**SAMPLE RESULTS**

Lab ID: L1945514-01  
 Client ID: MW-261S-20191001  
 Sample Location: WAYLAND, MA

Date Collected: 10/01/19 12:10  
 Date Received: 10/01/19  
 Field Prep: Not Specified

Sample Depth:

Matrix: Water  
 Analytical Method: 1,8260C  
 Analytical Date: 10/07/19 11:10  
 Analyst: AD

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Volatile Organics by GC/MS - Westborough Lab</b>						
Methylene chloride	ND		ug/l	3.0	--	1
1,1-Dichloroethane	ND		ug/l	0.75	--	1
Chloroform	ND		ug/l	0.75	--	1
Carbon tetrachloride	ND		ug/l	0.50	--	1
1,2-Dichloropropane	ND		ug/l	1.8	--	1
Dibromochloromethane	ND		ug/l	0.50	--	1
1,1,2-Trichloroethane	ND		ug/l	0.75	--	1
Tetrachloroethene	ND		ug/l	0.50	--	1
Chlorobenzene	ND		ug/l	0.50	--	1
Trichlorofluoromethane	ND		ug/l	2.5	--	1
1,2-Dichloroethane	ND		ug/l	0.50	--	1
1,1,1-Trichloroethane	ND		ug/l	0.50	--	1
Bromodichloromethane	ND		ug/l	0.50	--	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	--	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	--	1
1,3-Dichloropropene, Total	ND		ug/l	0.50	--	1
1,1-Dichloropropene	ND		ug/l	2.5	--	1
Bromoform	ND		ug/l	2.0	--	1
1,1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	--	1
Benzene	ND		ug/l	0.50	--	1
Toluene	ND		ug/l	0.75	--	1
Ethylbenzene	ND		ug/l	0.50	--	1
Chloromethane	ND		ug/l	2.5	--	1
Bromomethane	ND		ug/l	1.0	--	1
Vinyl chloride	ND		ug/l	1.0	--	1
Chloroethane	ND		ug/l	1.0	--	1
1,1-Dichloroethene	ND		ug/l	0.50	--	1
trans-1,2-Dichloroethene	ND		ug/l	0.75	--	1

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945514  
**Report Date:** 10/07/19

**SAMPLE RESULTS**

Lab ID: L1945514-01  
 Client ID: MW-261S-20191001  
 Sample Location: WAYLAND, MA

Date Collected: 10/01/19 12:10  
 Date Received: 10/01/19  
 Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Volatile Organics by GC/MS - Westborough Lab</b>						
1,2-Dichloroethene, Total	ND		ug/l	0.50	--	1
Trichloroethene	ND		ug/l	0.50	--	1
1,2-Dichlorobenzene	ND		ug/l	2.5	--	1
1,3-Dichlorobenzene	ND		ug/l	2.5	--	1
1,4-Dichlorobenzene	ND		ug/l	2.5	--	1
Methyl tert butyl ether	ND		ug/l	1.0	--	1
p/m-Xylene	ND		ug/l	1.0	--	1
o-Xylene	ND		ug/l	1.0	--	1
Xylenes, Total	ND		ug/l	1.0	--	1
cis-1,2-Dichloroethene	ND		ug/l	0.50	--	1
Dibromomethane	ND		ug/l	5.0	--	1
1,4-Dichlorobutane	ND		ug/l	5.0	--	1
1,2,3-Trichloropropane	ND		ug/l	5.0	--	1
Styrene	ND		ug/l	1.0	--	1
Dichlorodifluoromethane	ND		ug/l	5.0	--	1
Acetone	ND		ug/l	5.0	--	1
Carbon disulfide	ND		ug/l	5.0	--	1
2-Butanone	ND		ug/l	5.0	--	1
Vinyl acetate	ND		ug/l	5.0	--	1
4-Methyl-2-pentanone	ND		ug/l	5.0	--	1
2-Hexanone	ND		ug/l	5.0	--	1
Ethyl methacrylate	ND		ug/l	5.0	--	1
Acrylonitrile	ND		ug/l	5.0	--	1
Bromochloromethane	ND		ug/l	2.5	--	1
Tetrahydrofuran	ND		ug/l	5.0	--	1
2,2-Dichloropropane	ND		ug/l	2.5	--	1
1,2-Dibromoethane	ND		ug/l	2.0	--	1
1,3-Dichloropropane	ND		ug/l	2.5	--	1
1,1,1,2-Tetrachloroethane	ND		ug/l	0.50	--	1
Bromobenzene	ND		ug/l	2.5	--	1
n-Butylbenzene	ND		ug/l	0.50	--	1
sec-Butylbenzene	ND		ug/l	0.50	--	1
tert-Butylbenzene	ND		ug/l	2.5	--	1
o-Chlorotoluene	ND		ug/l	2.5	--	1
p-Chlorotoluene	ND		ug/l	2.5	--	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	--	1
Hexachlorobutadiene	ND		ug/l	0.50	--	1

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945514  
**Report Date:** 10/07/19

**SAMPLE RESULTS**

Lab ID: L1945514-01  
 Client ID: MW-261S-20191001  
 Sample Location: WAYLAND, MA

Date Collected: 10/01/19 12:10  
 Date Received: 10/01/19  
 Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Volatile Organics by GC/MS - Westborough Lab</b>						
Isopropylbenzene	ND		ug/l	0.50	--	1
p-Isopropyltoluene	ND		ug/l	0.50	--	1
Naphthalene	ND		ug/l	2.5	--	1
n-Propylbenzene	ND		ug/l	0.50	--	1
1,2,3-Trichlorobenzene	ND		ug/l	2.5	--	1
1,2,4-Trichlorobenzene	ND		ug/l	2.5	--	1
1,3,5-Trimethylbenzene	ND		ug/l	2.5	--	1
1,2,4-Trimethylbenzene	ND		ug/l	2.5	--	1
trans-1,4-Dichloro-2-butene	ND		ug/l	2.5	--	1
Ethyl ether	ND		ug/l	2.5	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	95		70-130
Toluene-d8	101		70-130
4-Bromofluorobenzene	93		70-130
Dibromofluoromethane	93		70-130

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945514  
**Report Date:** 10/07/19

**SAMPLE RESULTS**

Lab ID: L1945514-02  
 Client ID: MW-265M-20191001  
 Sample Location: WAYLAND, MA

Date Collected: 10/01/19 09:15  
 Date Received: 10/01/19  
 Field Prep: Not Specified

Sample Depth:

Matrix: Water  
 Analytical Method: 1,8260C  
 Analytical Date: 10/05/19 09:59  
 Analyst: MKS

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Volatile Organics by GC/MS - Westborough Lab</b>						
Methylene chloride	ND		ug/l	3.0	--	1
1,1-Dichloroethane	ND		ug/l	0.75	--	1
Chloroform	ND		ug/l	0.75	--	1
Carbon tetrachloride	ND		ug/l	0.50	--	1
1,2-Dichloropropane	ND		ug/l	1.8	--	1
Dibromochloromethane	ND		ug/l	0.50	--	1
1,1,2-Trichloroethane	ND		ug/l	0.75	--	1
Tetrachloroethene	ND		ug/l	0.50	--	1
Chlorobenzene	ND		ug/l	0.50	--	1
Trichlorofluoromethane	ND		ug/l	2.5	--	1
1,2-Dichloroethane	ND		ug/l	0.50	--	1
1,1,1-Trichloroethane	ND		ug/l	0.50	--	1
Bromodichloromethane	ND		ug/l	0.50	--	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	--	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	--	1
1,3-Dichloropropene, Total	ND		ug/l	0.50	--	1
1,1-Dichloropropene	ND		ug/l	2.5	--	1
Bromoform	ND		ug/l	2.0	--	1
1,1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	--	1
Benzene	ND		ug/l	0.50	--	1
Toluene	ND		ug/l	0.75	--	1
Ethylbenzene	1.3		ug/l	0.50	--	1
Chloromethane	ND		ug/l	2.5	--	1
Bromomethane	ND		ug/l	1.0	--	1
Vinyl chloride	ND		ug/l	1.0	--	1
Chloroethane	ND		ug/l	1.0	--	1
1,1-Dichloroethene	ND		ug/l	0.50	--	1
trans-1,2-Dichloroethene	ND		ug/l	0.75	--	1

Project Name: RAYTHEON WAYLAND

Lab Number: L1945514

Project Number: RA-008

Report Date: 10/07/19

## SAMPLE RESULTS

Lab ID: L1945514-02  
 Client ID: MW-265M-20191001  
 Sample Location: WAYLAND, MA

Date Collected: 10/01/19 09:15  
 Date Received: 10/01/19  
 Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,2-Dichloroethene, Total	1.9		ug/l	0.50	--	1
Trichloroethene	0.50		ug/l	0.50	--	1
1,2-Dichlorobenzene	ND		ug/l	2.5	--	1
1,3-Dichlorobenzene	ND		ug/l	2.5	--	1
1,4-Dichlorobenzene	ND		ug/l	2.5	--	1
Methyl tert butyl ether	ND		ug/l	1.0	--	1
p/m-Xylene	3.2		ug/l	1.0	--	1
o-Xylene	1.8		ug/l	1.0	--	1
Xylenes, Total	5.0		ug/l	1.0	--	1
cis-1,2-Dichloroethene	1.9		ug/l	0.50	--	1
Dibromomethane	ND		ug/l	5.0	--	1
1,4-Dichlorobutane	ND		ug/l	5.0	--	1
1,2,3-Trichloropropane	ND		ug/l	5.0	--	1
Styrene	ND		ug/l	1.0	--	1
Dichlorodifluoromethane	ND		ug/l	5.0	--	1
Acetone	ND		ug/l	5.0	--	1
Carbon disulfide	ND		ug/l	5.0	--	1
2-Butanone	ND		ug/l	5.0	--	1
Vinyl acetate	ND		ug/l	5.0	--	1
4-Methyl-2-pentanone	ND		ug/l	5.0	--	1
2-Hexanone	ND		ug/l	5.0	--	1
Ethyl methacrylate	ND		ug/l	5.0	--	1
Acrylonitrile	ND		ug/l	5.0	--	1
Bromochloromethane	ND		ug/l	2.5	--	1
Tetrahydrofuran	8.0		ug/l	5.0	--	1
2,2-Dichloropropane	ND		ug/l	2.5	--	1
1,2-Dibromoethane	ND		ug/l	2.0	--	1
1,3-Dichloropropane	ND		ug/l	2.5	--	1
1,1,1,2-Tetrachloroethane	ND		ug/l	0.50	--	1
Bromobenzene	ND		ug/l	2.5	--	1
n-Butylbenzene	ND		ug/l	0.50	--	1
sec-Butylbenzene	ND		ug/l	0.50	--	1
tert-Butylbenzene	ND		ug/l	2.5	--	1
o-Chlorotoluene	ND		ug/l	2.5	--	1
p-Chlorotoluene	ND		ug/l	2.5	--	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	--	1
Hexachlorobutadiene	ND		ug/l	0.50	--	1

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945514  
**Report Date:** 10/07/19

**SAMPLE RESULTS**

Lab ID: L1945514-02  
 Client ID: MW-265M-20191001  
 Sample Location: WAYLAND, MA

Date Collected: 10/01/19 09:15  
 Date Received: 10/01/19  
 Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Volatile Organics by GC/MS - Westborough Lab</b>						
Isopropylbenzene	ND		ug/l	0.50	--	1
p-Isopropyltoluene	ND		ug/l	0.50	--	1
Naphthalene	ND		ug/l	2.5	--	1
n-Propylbenzene	ND		ug/l	0.50	--	1
1,2,3-Trichlorobenzene	ND		ug/l	2.5	--	1
1,2,4-Trichlorobenzene	ND		ug/l	2.5	--	1
1,3,5-Trimethylbenzene	ND		ug/l	2.5	--	1
1,2,4-Trimethylbenzene	ND		ug/l	2.5	--	1
trans-1,4-Dichloro-2-butene	ND		ug/l	2.5	--	1
Ethyl ether	ND		ug/l	2.5	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	113		70-130
Toluene-d8	100		70-130
4-Bromofluorobenzene	105		70-130
Dibromofluoromethane	101		70-130

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945514  
**Report Date:** 10/07/19

**SAMPLE RESULTS**

Lab ID: L1945514-03 D  
 Client ID: MW-267S-20191001  
 Sample Location: WAYLAND, MA

Date Collected: 10/01/19 10:20  
 Date Received: 10/01/19  
 Field Prep: Not Specified

Sample Depth:

Matrix: Water  
 Analytical Method: 1,8260C  
 Analytical Date: 10/07/19 12:16  
 Analyst: AD

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Volatile Organics by GC/MS - Westborough Lab</b>						
Methylene chloride	ND		ug/l	12	--	4
1,1-Dichloroethane	ND		ug/l	3.0	--	4
Chloroform	ND		ug/l	3.0	--	4
Carbon tetrachloride	ND		ug/l	2.0	--	4
1,2-Dichloropropane	ND		ug/l	7.0	--	4
Dibromochloromethane	ND		ug/l	2.0	--	4
1,1,2-Trichloroethane	ND		ug/l	3.0	--	4
Tetrachloroethene	ND		ug/l	2.0	--	4
Chlorobenzene	ND		ug/l	2.0	--	4
Trichlorofluoromethane	ND		ug/l	10	--	4
1,2-Dichloroethane	ND		ug/l	2.0	--	4
1,1,1-Trichloroethane	ND		ug/l	2.0	--	4
Bromodichloromethane	ND		ug/l	2.0	--	4
trans-1,3-Dichloropropene	ND		ug/l	2.0	--	4
cis-1,3-Dichloropropene	ND		ug/l	2.0	--	4
1,3-Dichloropropene, Total	ND		ug/l	2.0	--	4
1,1-Dichloropropene	ND		ug/l	10	--	4
Bromoform	ND		ug/l	8.0	--	4
1,1,1,2-Tetrachloroethane	ND		ug/l	2.0	--	4
Benzene	ND		ug/l	2.0	--	4
Toluene	78		ug/l	3.0	--	4
Ethylbenzene	ND		ug/l	2.0	--	4
Chloromethane	ND		ug/l	10	--	4
Bromomethane	ND		ug/l	4.0	--	4
Vinyl chloride	18		ug/l	4.0	--	4
Chloroethane	ND		ug/l	4.0	--	4
1,1-Dichloroethene	ND		ug/l	2.0	--	4
trans-1,2-Dichloroethene	ND		ug/l	3.0	--	4

Project Name: RAYTHEON WAYLAND

Lab Number: L1945514

Project Number: RA-008

Report Date: 10/07/19

## SAMPLE RESULTS

Lab ID: L1945514-03 D

Date Collected: 10/01/19 10:20

Client ID: MW-267S-20191001

Date Received: 10/01/19

Sample Location: WAYLAND, MA

Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,2-Dichloroethene, Total	23		ug/l	2.0	--	4
Trichloroethene	ND		ug/l	2.0	--	4
1,2-Dichlorobenzene	ND		ug/l	10	--	4
1,3-Dichlorobenzene	ND		ug/l	10	--	4
1,4-Dichlorobenzene	ND		ug/l	10	--	4
Methyl tert butyl ether	ND		ug/l	4.0	--	4
p/m-Xylene	ND		ug/l	4.0	--	4
o-Xylene	ND		ug/l	4.0	--	4
Xylenes, Total	ND		ug/l	4.0	--	4
cis-1,2-Dichloroethene	23		ug/l	2.0	--	4
Dibromomethane	ND		ug/l	20	--	4
1,4-Dichlorobutane	ND		ug/l	20	--	4
1,2,3-Trichloropropane	ND		ug/l	20	--	4
Styrene	ND		ug/l	4.0	--	4
Dichlorodifluoromethane	ND		ug/l	20	--	4
Acetone	120		ug/l	20	--	4
Carbon disulfide	ND		ug/l	20	--	4
2-Butanone	460		ug/l	20	--	4
Vinyl acetate	ND		ug/l	20	--	4
4-Methyl-2-pentanone	ND		ug/l	20	--	4
2-Hexanone	ND		ug/l	20	--	4
Ethyl methacrylate	ND		ug/l	20	--	4
Acrylonitrile	ND		ug/l	20	--	4
Bromochloromethane	ND		ug/l	10	--	4
Tetrahydrofuran	ND		ug/l	20	--	4
2,2-Dichloropropane	ND		ug/l	10	--	4
1,2-Dibromoethane	ND		ug/l	8.0	--	4
1,3-Dichloropropane	ND		ug/l	10	--	4
1,1,1,2-Tetrachloroethane	ND		ug/l	2.0	--	4
Bromobenzene	ND		ug/l	10	--	4
n-Butylbenzene	ND		ug/l	2.0	--	4
sec-Butylbenzene	ND		ug/l	2.0	--	4
tert-Butylbenzene	ND		ug/l	10	--	4
o-Chlorotoluene	ND		ug/l	10	--	4
p-Chlorotoluene	ND		ug/l	10	--	4
1,2-Dibromo-3-chloropropane	ND		ug/l	10	--	4
Hexachlorobutadiene	ND		ug/l	2.0	--	4

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945514  
**Report Date:** 10/07/19

**SAMPLE RESULTS**

Lab ID: L1945514-03 D  
 Client ID: MW-267S-20191001  
 Sample Location: WAYLAND, MA

Date Collected: 10/01/19 10:20  
 Date Received: 10/01/19  
 Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Volatile Organics by GC/MS - Westborough Lab</b>						
Isopropylbenzene	ND		ug/l	2.0	--	4
p-Isopropyltoluene	ND		ug/l	2.0	--	4
Naphthalene	ND		ug/l	10	--	4
n-Propylbenzene	ND		ug/l	2.0	--	4
1,2,3-Trichlorobenzene	ND		ug/l	10	--	4
1,2,4-Trichlorobenzene	ND		ug/l	10	--	4
1,3,5-Trimethylbenzene	ND		ug/l	10	--	4
1,2,4-Trimethylbenzene	ND		ug/l	10	--	4
trans-1,4-Dichloro-2-butene	ND		ug/l	10	--	4
Ethyl ether	ND		ug/l	10	--	4

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	93		70-130
Toluene-d8	99		70-130
4-Bromofluorobenzene	104		70-130
Dibromofluoromethane	100		70-130

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945514  
**Report Date:** 10/07/19

**SAMPLE RESULTS**

Lab ID: L1945514-04  
 Client ID: MW-267M-20191001  
 Sample Location: WAYLAND, MA

Date Collected: 10/01/19 10:55  
 Date Received: 10/01/19  
 Field Prep: Not Specified

Sample Depth:

Matrix: Water  
 Analytical Method: 1,8260C  
 Analytical Date: 10/07/19 11:32  
 Analyst: AD

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Volatile Organics by GC/MS - Westborough Lab</b>						
Methylene chloride	ND		ug/l	3.0	--	1
1,1-Dichloroethane	ND		ug/l	0.75	--	1
Chloroform	ND		ug/l	0.75	--	1
Carbon tetrachloride	ND		ug/l	0.50	--	1
1,2-Dichloropropane	ND		ug/l	1.8	--	1
Dibromochloromethane	ND		ug/l	0.50	--	1
1,1,2-Trichloroethane	ND		ug/l	0.75	--	1
Tetrachloroethene	ND		ug/l	0.50	--	1
Chlorobenzene	ND		ug/l	0.50	--	1
Trichlorofluoromethane	ND		ug/l	2.5	--	1
1,2-Dichloroethane	ND		ug/l	0.50	--	1
1,1,1-Trichloroethane	ND		ug/l	0.50	--	1
Bromodichloromethane	ND		ug/l	0.50	--	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	--	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	--	1
1,3-Dichloropropene, Total	ND		ug/l	0.50	--	1
1,1-Dichloropropene	ND		ug/l	2.5	--	1
Bromoform	ND		ug/l	2.0	--	1
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	--	1
Benzene	ND		ug/l	0.50	--	1
Toluene	ND		ug/l	0.75	--	1
Ethylbenzene	ND		ug/l	0.50	--	1
Chloromethane	ND		ug/l	2.5	--	1
Bromomethane	ND		ug/l	1.0	--	1
Vinyl chloride	ND		ug/l	1.0	--	1
Chloroethane	ND		ug/l	1.0	--	1
1,1-Dichloroethene	ND		ug/l	0.50	--	1
trans-1,2-Dichloroethene	ND		ug/l	0.75	--	1

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945514  
**Report Date:** 10/07/19

**SAMPLE RESULTS**

Lab ID: L1945514-04  
 Client ID: MW-267M-20191001  
 Sample Location: WAYLAND, MA

Date Collected: 10/01/19 10:55  
 Date Received: 10/01/19  
 Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Volatile Organics by GC/MS - Westborough Lab</b>						
1,2-Dichloroethene, Total	ND		ug/l	0.50	--	1
Trichloroethene	ND		ug/l	0.50	--	1
1,2-Dichlorobenzene	ND		ug/l	2.5	--	1
1,3-Dichlorobenzene	ND		ug/l	2.5	--	1
1,4-Dichlorobenzene	ND		ug/l	2.5	--	1
Methyl tert butyl ether	ND		ug/l	1.0	--	1
p/m-Xylene	1.2		ug/l	1.0	--	1
o-Xylene	ND		ug/l	1.0	--	1
Xylenes, Total	1.2		ug/l	1.0	--	1
cis-1,2-Dichloroethene	ND		ug/l	0.50	--	1
Dibromomethane	ND		ug/l	5.0	--	1
1,4-Dichlorobutane	ND		ug/l	5.0	--	1
1,2,3-Trichloropropane	ND		ug/l	5.0	--	1
Styrene	ND		ug/l	1.0	--	1
Dichlorodifluoromethane	ND		ug/l	5.0	--	1
Acetone	ND		ug/l	5.0	--	1
Carbon disulfide	ND		ug/l	5.0	--	1
2-Butanone	ND		ug/l	5.0	--	1
Vinyl acetate	ND		ug/l	5.0	--	1
4-Methyl-2-pentanone	ND		ug/l	5.0	--	1
2-Hexanone	ND		ug/l	5.0	--	1
Ethyl methacrylate	ND		ug/l	5.0	--	1
Acrylonitrile	ND		ug/l	5.0	--	1
Bromochloromethane	ND		ug/l	2.5	--	1
Tetrahydrofuran	ND		ug/l	5.0	--	1
2,2-Dichloropropane	ND		ug/l	2.5	--	1
1,2-Dibromoethane	ND		ug/l	2.0	--	1
1,3-Dichloropropane	ND		ug/l	2.5	--	1
1,1,1,2-Tetrachloroethane	ND		ug/l	0.50	--	1
Bromobenzene	ND		ug/l	2.5	--	1
n-Butylbenzene	ND		ug/l	0.50	--	1
sec-Butylbenzene	ND		ug/l	0.50	--	1
tert-Butylbenzene	ND		ug/l	2.5	--	1
o-Chlorotoluene	ND		ug/l	2.5	--	1
p-Chlorotoluene	ND		ug/l	2.5	--	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	--	1
Hexachlorobutadiene	ND		ug/l	0.50	--	1

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945514  
**Report Date:** 10/07/19

**SAMPLE RESULTS**

Lab ID: L1945514-04  
 Client ID: MW-267M-20191001  
 Sample Location: WAYLAND, MA

Date Collected: 10/01/19 10:55  
 Date Received: 10/01/19  
 Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Volatile Organics by GC/MS - Westborough Lab</b>						
Isopropylbenzene	ND		ug/l	0.50	--	1
p-Isopropyltoluene	ND		ug/l	0.50	--	1
Naphthalene	ND		ug/l	2.5	--	1
n-Propylbenzene	ND		ug/l	0.50	--	1
1,2,3-Trichlorobenzene	ND		ug/l	2.5	--	1
1,2,4-Trichlorobenzene	ND		ug/l	2.5	--	1
1,3,5-Trimethylbenzene	ND		ug/l	2.5	--	1
1,2,4-Trimethylbenzene	ND		ug/l	2.5	--	1
trans-1,4-Dichloro-2-butene	ND		ug/l	2.5	--	1
Ethyl ether	ND		ug/l	2.5	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	99		70-130
Toluene-d8	100		70-130
4-Bromofluorobenzene	92		70-130
Dibromofluoromethane	101		70-130

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945514  
**Report Date:** 10/07/19

**SAMPLE RESULTS**

Lab ID: L1945514-05  
 Client ID: MW-268S-20191001  
 Sample Location: WAYLAND, MA

Date Collected: 10/01/19 06:55  
 Date Received: 10/01/19  
 Field Prep: Not Specified

Sample Depth:

Matrix: Water  
 Analytical Method: 117,-  
 Analytical Date: 10/03/19 14:15  
 Analyst: AW

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Column
Dissolved Gases by GC - Mansfield Lab							
Methane	25200	E	ug/l	1.00	--	1	A
Ethene	1.78		ug/l	0.500	--	1	A
Ethane	2.91		ug/l	0.500	--	1	A

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945514  
**Report Date:** 10/07/19

**SAMPLE RESULTS**

Lab ID: L1945514-05 D  
 Client ID: MW-268S-20191001  
 Sample Location: WAYLAND, MA

Date Collected: 10/01/19 06:55  
 Date Received: 10/01/19  
 Field Prep: Not Specified

Sample Depth:

Matrix: Water  
 Analytical Method: 1,8260C  
 Analytical Date: 10/07/19 11:54  
 Analyst: AD

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Volatile Organics by GC/MS - Westborough Lab</b>						
Methylene chloride	ND		ug/l	7.5	--	2.5
1,1-Dichloroethane	ND		ug/l	1.9	--	2.5
Chloroform	ND		ug/l	1.9	--	2.5
Carbon tetrachloride	ND		ug/l	1.2	--	2.5
1,2-Dichloropropane	ND		ug/l	4.4	--	2.5
Dibromochloromethane	ND		ug/l	1.2	--	2.5
1,1,2-Trichloroethane	ND		ug/l	1.9	--	2.5
Tetrachloroethene	ND		ug/l	1.2	--	2.5
Chlorobenzene	ND		ug/l	1.2	--	2.5
Trichlorofluoromethane	ND		ug/l	6.2	--	2.5
1,2-Dichloroethane	ND		ug/l	1.2	--	2.5
1,1,1-Trichloroethane	ND		ug/l	1.2	--	2.5
Bromodichloromethane	ND		ug/l	1.2	--	2.5
trans-1,3-Dichloropropene	ND		ug/l	1.2	--	2.5
cis-1,3-Dichloropropene	ND		ug/l	1.2	--	2.5
1,3-Dichloropropene, Total	ND		ug/l	1.2	--	2.5
1,1-Dichloropropene	ND		ug/l	6.2	--	2.5
Bromoform	ND		ug/l	5.0	--	2.5
1,1,2,2-Tetrachloroethane	ND		ug/l	1.2	--	2.5
Benzene	2.0		ug/l	1.2	--	2.5
Toluene	120		ug/l	1.9	--	2.5
Ethylbenzene	ND		ug/l	1.2	--	2.5
Chloromethane	ND		ug/l	6.2	--	2.5
Bromomethane	ND		ug/l	2.5	--	2.5
Vinyl chloride	4.2		ug/l	2.5	--	2.5
Chloroethane	ND		ug/l	2.5	--	2.5
1,1-Dichloroethene	ND		ug/l	1.2	--	2.5
trans-1,2-Dichloroethene	ND		ug/l	1.9	--	2.5

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945514  
**Report Date:** 10/07/19

**SAMPLE RESULTS**

Lab ID: L1945514-05 D  
 Client ID: MW-268S-20191001  
 Sample Location: WAYLAND, MA

Date Collected: 10/01/19 06:55  
 Date Received: 10/01/19  
 Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Volatile Organics by GC/MS - Westborough Lab</b>						
1,2-Dichloroethene, Total	290		ug/l	1.2	--	2.5
Trichloroethene	78		ug/l	1.2	--	2.5
1,2-Dichlorobenzene	ND		ug/l	6.2	--	2.5
1,3-Dichlorobenzene	ND		ug/l	6.2	--	2.5
1,4-Dichlorobenzene	ND		ug/l	6.2	--	2.5
Methyl tert butyl ether	ND		ug/l	2.5	--	2.5
p/m-Xylene	ND		ug/l	2.5	--	2.5
o-Xylene	ND		ug/l	2.5	--	2.5
Xylenes, Total	ND		ug/l	2.5	--	2.5
cis-1,2-Dichloroethene	290		ug/l	1.2	--	2.5
Dibromomethane	ND		ug/l	12	--	2.5
1,4-Dichlorobutane	ND		ug/l	12	--	2.5
1,2,3-Trichloropropane	ND		ug/l	12	--	2.5
Styrene	ND		ug/l	2.5	--	2.5
Dichlorodifluoromethane	ND		ug/l	12	--	2.5
Acetone	ND		ug/l	12	--	2.5
Carbon disulfide	ND		ug/l	12	--	2.5
2-Butanone	20		ug/l	12	--	2.5
Vinyl acetate	ND		ug/l	12	--	2.5
4-Methyl-2-pentanone	ND		ug/l	12	--	2.5
2-Hexanone	ND		ug/l	12	--	2.5
Ethyl methacrylate	ND		ug/l	12	--	2.5
Acrylonitrile	ND		ug/l	12	--	2.5
Bromochloromethane	ND		ug/l	6.2	--	2.5
Tetrahydrofuran	ND		ug/l	12	--	2.5
2,2-Dichloropropane	ND		ug/l	6.2	--	2.5
1,2-Dibromoethane	ND		ug/l	5.0	--	2.5
1,3-Dichloropropane	ND		ug/l	6.2	--	2.5
1,1,1,2-Tetrachloroethane	ND		ug/l	1.2	--	2.5
Bromobenzene	ND		ug/l	6.2	--	2.5
n-Butylbenzene	ND		ug/l	1.2	--	2.5
sec-Butylbenzene	ND		ug/l	1.2	--	2.5
tert-Butylbenzene	ND		ug/l	6.2	--	2.5
o-Chlorotoluene	ND		ug/l	6.2	--	2.5
p-Chlorotoluene	ND		ug/l	6.2	--	2.5
1,2-Dibromo-3-chloropropane	ND		ug/l	6.2	--	2.5
Hexachlorobutadiene	ND		ug/l	1.2	--	2.5

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945514  
**Report Date:** 10/07/19

**SAMPLE RESULTS**

Lab ID: L1945514-05 D  
 Client ID: MW-268S-20191001  
 Sample Location: WAYLAND, MA

Date Collected: 10/01/19 06:55  
 Date Received: 10/01/19  
 Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Volatile Organics by GC/MS - Westborough Lab</b>						
Isopropylbenzene	ND		ug/l	1.2	--	2.5
p-Isopropyltoluene	ND		ug/l	1.2	--	2.5
Naphthalene	ND		ug/l	6.2	--	2.5
n-Propylbenzene	ND		ug/l	1.2	--	2.5
1,2,3-Trichlorobenzene	ND		ug/l	6.2	--	2.5
1,2,4-Trichlorobenzene	ND		ug/l	6.2	--	2.5
1,3,5-Trimethylbenzene	ND		ug/l	6.2	--	2.5
1,2,4-Trimethylbenzene	ND		ug/l	6.2	--	2.5
trans-1,4-Dichloro-2-butene	ND		ug/l	6.2	--	2.5
Ethyl ether	ND		ug/l	6.2	--	2.5

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	99		70-130
Toluene-d8	102		70-130
4-Bromofluorobenzene	97		70-130
Dibromofluoromethane	95		70-130

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945514  
**Report Date:** 10/07/19

**SAMPLE RESULTS**

Lab ID: L1945514-05 D  
 Client ID: MW-268S-20191001  
 Sample Location: WAYLAND, MA

Date Collected: 10/01/19 06:55  
 Date Received: 10/01/19  
 Field Prep: Not Specified

Sample Depth:

Matrix: Water  
 Analytical Method: 117,-  
 Analytical Date: 10/03/19 17:15  
 Analyst: AW

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Column
Dissolved Gases by GC - Mansfield Lab							
Methane	21200		ug/l	5.00	--	5	A

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945514  
**Report Date:** 10/07/19

**SAMPLE RESULTS**

Lab ID: L1945514-06  
 Client ID: MW-268M-20191001  
 Sample Location: WAYLAND, MA

Date Collected: 10/01/19 07:50  
 Date Received: 10/01/19  
 Field Prep: Not Specified

Sample Depth:

Matrix: Water  
 Analytical Method: 1,8260C  
 Analytical Date: 10/05/19 10:24  
 Analyst: MKS

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Volatile Organics by GC/MS - Westborough Lab</b>						
Methylene chloride	ND		ug/l	3.0	--	1
1,1-Dichloroethane	0.96		ug/l	0.75	--	1
Chloroform	ND		ug/l	0.75	--	1
Carbon tetrachloride	ND		ug/l	0.50	--	1
1,2-Dichloropropane	ND		ug/l	1.8	--	1
Dibromochloromethane	ND		ug/l	0.50	--	1
1,1,2-Trichloroethane	ND		ug/l	0.75	--	1
Tetrachloroethene	ND		ug/l	0.50	--	1
Chlorobenzene	ND		ug/l	0.50	--	1
Trichlorofluoromethane	ND		ug/l	2.5	--	1
1,2-Dichloroethane	ND		ug/l	0.50	--	1
1,1,1-Trichloroethane	ND		ug/l	0.50	--	1
Bromodichloromethane	ND		ug/l	0.50	--	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	--	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	--	1
1,3-Dichloropropene, Total	ND		ug/l	0.50	--	1
1,1-Dichloropropene	ND		ug/l	2.5	--	1
Bromoform	ND		ug/l	2.0	--	1
1,1,1,2-Tetrachloroethane	ND		ug/l	0.50	--	1
Benzene	ND		ug/l	0.50	--	1
Toluene	ND		ug/l	0.75	--	1
Ethylbenzene	ND		ug/l	0.50	--	1
Chloromethane	ND		ug/l	2.5	--	1
Bromomethane	ND		ug/l	1.0	--	1
Vinyl chloride	21		ug/l	1.0	--	1
Chloroethane	ND		ug/l	1.0	--	1
1,1-Dichloroethene	ND		ug/l	0.50	--	1
trans-1,2-Dichloroethene	ND		ug/l	0.75	--	1

Project Name: RAYTHEON WAYLAND

Lab Number: L1945514

Project Number: RA-008

Report Date: 10/07/19

## SAMPLE RESULTS

Lab ID: L1945514-06  
 Client ID: MW-268M-20191001  
 Sample Location: WAYLAND, MA

Date Collected: 10/01/19 07:50  
 Date Received: 10/01/19  
 Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Volatile Organics by GC/MS - Westborough Lab</b>						
1,2-Dichloroethene, Total	3.6		ug/l	0.50	--	1
Trichloroethene	ND		ug/l	0.50	--	1
1,2-Dichlorobenzene	ND		ug/l	2.5	--	1
1,3-Dichlorobenzene	ND		ug/l	2.5	--	1
1,4-Dichlorobenzene	ND		ug/l	2.5	--	1
Methyl tert butyl ether	ND		ug/l	1.0	--	1
p/m-Xylene	ND		ug/l	1.0	--	1
o-Xylene	ND		ug/l	1.0	--	1
Xylenes, Total	ND		ug/l	1.0	--	1
cis-1,2-Dichloroethene	3.6		ug/l	0.50	--	1
Dibromomethane	ND		ug/l	5.0	--	1
1,4-Dichlorobutane	ND		ug/l	5.0	--	1
1,2,3-Trichloropropane	ND		ug/l	5.0	--	1
Styrene	ND		ug/l	1.0	--	1
Dichlorodifluoromethane	ND		ug/l	5.0	--	1
Acetone	ND		ug/l	5.0	--	1
Carbon disulfide	ND		ug/l	5.0	--	1
2-Butanone	ND		ug/l	5.0	--	1
Vinyl acetate	ND		ug/l	5.0	--	1
4-Methyl-2-pentanone	ND		ug/l	5.0	--	1
2-Hexanone	ND		ug/l	5.0	--	1
Ethyl methacrylate	ND		ug/l	5.0	--	1
Acrylonitrile	ND		ug/l	5.0	--	1
Bromochloromethane	ND		ug/l	2.5	--	1
Tetrahydrofuran	ND		ug/l	5.0	--	1
2,2-Dichloropropane	ND		ug/l	2.5	--	1
1,2-Dibromoethane	ND		ug/l	2.0	--	1
1,3-Dichloropropane	ND		ug/l	2.5	--	1
1,1,1,2-Tetrachloroethane	ND		ug/l	0.50	--	1
Bromobenzene	ND		ug/l	2.5	--	1
n-Butylbenzene	ND		ug/l	0.50	--	1
sec-Butylbenzene	ND		ug/l	0.50	--	1
tert-Butylbenzene	ND		ug/l	2.5	--	1
o-Chlorotoluene	ND		ug/l	2.5	--	1
p-Chlorotoluene	ND		ug/l	2.5	--	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	--	1
Hexachlorobutadiene	ND		ug/l	0.50	--	1

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945514  
**Report Date:** 10/07/19

**SAMPLE RESULTS**

Lab ID: L1945514-06  
 Client ID: MW-268M-20191001  
 Sample Location: WAYLAND, MA

Date Collected: 10/01/19 07:50  
 Date Received: 10/01/19  
 Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Volatile Organics by GC/MS - Westborough Lab</b>						
Isopropylbenzene	ND		ug/l	0.50	--	1
p-Isopropyltoluene	ND		ug/l	0.50	--	1
Naphthalene	ND		ug/l	2.5	--	1
n-Propylbenzene	ND		ug/l	0.50	--	1
1,2,3-Trichlorobenzene	ND		ug/l	2.5	--	1
1,2,4-Trichlorobenzene	ND		ug/l	2.5	--	1
1,3,5-Trimethylbenzene	ND		ug/l	2.5	--	1
1,2,4-Trimethylbenzene	ND		ug/l	2.5	--	1
trans-1,4-Dichloro-2-butene	ND		ug/l	2.5	--	1
Ethyl ether	ND		ug/l	2.5	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	115		70-130
Toluene-d8	99		70-130
4-Bromofluorobenzene	103		70-130
Dibromofluoromethane	100		70-130

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945514  
**Report Date:** 10/07/19

**SAMPLE RESULTS**

Lab ID: L1945514-06  
 Client ID: MW-268M-20191001  
 Sample Location: WAYLAND, MA

Date Collected: 10/01/19 07:50  
 Date Received: 10/01/19  
 Field Prep: Not Specified

Sample Depth:

Matrix: Water  
 Analytical Method: 117,-  
 Analytical Date: 10/03/19 14:38  
 Analyst: AW

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Column
Dissolved Gases by GC - Mansfield Lab							
Methane	35700	E	ug/l	1.00	--	1	A
Ethene	5.29		ug/l	0.500	--	1	A
Ethane	16.5		ug/l	0.500	--	1	A

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945514  
**Report Date:** 10/07/19

**SAMPLE RESULTS**

Lab ID: L1945514-06 D  
 Client ID: MW-268M-20191001  
 Sample Location: WAYLAND, MA

Date Collected: 10/01/19 07:50  
 Date Received: 10/01/19  
 Field Prep: Not Specified

Sample Depth:

Matrix: Water  
 Analytical Method: 117,-  
 Analytical Date: 10/03/19 17:34  
 Analyst: AW

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Column
Dissolved Gases by GC - Mansfield Lab							
Methane	26600		ug/l	10.0	--	10	A

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945514  
**Report Date:** 10/07/19

**SAMPLE RESULTS**

Lab ID: L1945514-07  
 Client ID: MW-269MA-20191001  
 Sample Location: WAYLAND, MA

Date Collected: 10/01/19 12:20  
 Date Received: 10/01/19  
 Field Prep: Not Specified

Sample Depth:

Matrix: Water  
 Analytical Method: 1,8260C  
 Analytical Date: 10/05/19 10:49  
 Analyst: MKS

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Volatile Organics by GC/MS - Westborough Lab</b>						
Methylene chloride	ND		ug/l	3.0	--	1
1,1-Dichloroethane	ND		ug/l	0.75	--	1
Chloroform	ND		ug/l	0.75	--	1
Carbon tetrachloride	ND		ug/l	0.50	--	1
1,2-Dichloropropane	ND		ug/l	1.8	--	1
Dibromochloromethane	ND		ug/l	0.50	--	1
1,1,2-Trichloroethane	ND		ug/l	0.75	--	1
Tetrachloroethene	ND		ug/l	0.50	--	1
Chlorobenzene	ND		ug/l	0.50	--	1
Trichlorofluoromethane	ND		ug/l	2.5	--	1
1,2-Dichloroethane	ND		ug/l	0.50	--	1
1,1,1-Trichloroethane	ND		ug/l	0.50	--	1
Bromodichloromethane	ND		ug/l	0.50	--	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	--	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	--	1
1,3-Dichloropropene, Total	ND		ug/l	0.50	--	1
1,1-Dichloropropene	ND		ug/l	2.5	--	1
Bromoform	ND		ug/l	2.0	--	1
1,1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	--	1
Benzene	ND		ug/l	0.50	--	1
Toluene	ND		ug/l	0.75	--	1
Ethylbenzene	ND		ug/l	0.50	--	1
Chloromethane	ND		ug/l	2.5	--	1
Bromomethane	ND		ug/l	1.0	--	1
Vinyl chloride	ND		ug/l	1.0	--	1
Chloroethane	ND		ug/l	1.0	--	1
1,1-Dichloroethene	0.61		ug/l	0.50	--	1
trans-1,2-Dichloroethene	ND		ug/l	0.75	--	1

Project Name: RAYTHEON WAYLAND

Lab Number: L1945514

Project Number: RA-008

Report Date: 10/07/19

## SAMPLE RESULTS

Lab ID: L1945514-07  
 Client ID: MW-269MA-20191001  
 Sample Location: WAYLAND, MA

Date Collected: 10/01/19 12:20  
 Date Received: 10/01/19  
 Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,2-Dichloroethene, Total	3.2		ug/l	0.50	--	1
Trichloroethene	3.5		ug/l	0.50	--	1
1,2-Dichlorobenzene	ND		ug/l	2.5	--	1
1,3-Dichlorobenzene	ND		ug/l	2.5	--	1
1,4-Dichlorobenzene	ND		ug/l	2.5	--	1
Methyl tert butyl ether	ND		ug/l	1.0	--	1
p/m-Xylene	ND		ug/l	1.0	--	1
o-Xylene	ND		ug/l	1.0	--	1
Xylenes, Total	ND		ug/l	1.0	--	1
cis-1,2-Dichloroethene	3.2		ug/l	0.50	--	1
Dibromomethane	ND		ug/l	5.0	--	1
1,4-Dichlorobutane	ND		ug/l	5.0	--	1
1,2,3-Trichloropropane	ND		ug/l	5.0	--	1
Styrene	ND		ug/l	1.0	--	1
Dichlorodifluoromethane	ND		ug/l	5.0	--	1
Acetone	ND		ug/l	5.0	--	1
Carbon disulfide	ND		ug/l	5.0	--	1
2-Butanone	ND		ug/l	5.0	--	1
Vinyl acetate	ND		ug/l	5.0	--	1
4-Methyl-2-pentanone	ND		ug/l	5.0	--	1
2-Hexanone	ND		ug/l	5.0	--	1
Ethyl methacrylate	ND		ug/l	5.0	--	1
Acrylonitrile	ND		ug/l	5.0	--	1
Bromochloromethane	ND		ug/l	2.5	--	1
Tetrahydrofuran	ND		ug/l	5.0	--	1
2,2-Dichloropropane	ND		ug/l	2.5	--	1
1,2-Dibromoethane	ND		ug/l	2.0	--	1
1,3-Dichloropropane	ND		ug/l	2.5	--	1
1,1,1,2-Tetrachloroethane	ND		ug/l	0.50	--	1
Bromobenzene	ND		ug/l	2.5	--	1
n-Butylbenzene	ND		ug/l	0.50	--	1
sec-Butylbenzene	ND		ug/l	0.50	--	1
tert-Butylbenzene	ND		ug/l	2.5	--	1
o-Chlorotoluene	ND		ug/l	2.5	--	1
p-Chlorotoluene	ND		ug/l	2.5	--	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	--	1
Hexachlorobutadiene	ND		ug/l	0.50	--	1

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945514  
**Report Date:** 10/07/19

**SAMPLE RESULTS**

Lab ID: L1945514-07  
 Client ID: MW-269MA-20191001  
 Sample Location: WAYLAND, MA

Date Collected: 10/01/19 12:20  
 Date Received: 10/01/19  
 Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Volatile Organics by GC/MS - Westborough Lab</b>						
Isopropylbenzene	ND		ug/l	0.50	--	1
p-Isopropyltoluene	ND		ug/l	0.50	--	1
Naphthalene	ND		ug/l	2.5	--	1
n-Propylbenzene	ND		ug/l	0.50	--	1
1,2,3-Trichlorobenzene	ND		ug/l	2.5	--	1
1,2,4-Trichlorobenzene	ND		ug/l	2.5	--	1
1,3,5-Trimethylbenzene	ND		ug/l	2.5	--	1
1,2,4-Trimethylbenzene	ND		ug/l	2.5	--	1
trans-1,4-Dichloro-2-butene	ND		ug/l	2.5	--	1
Ethyl ether	ND		ug/l	2.5	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	112		70-130
Toluene-d8	101		70-130
4-Bromofluorobenzene	106		70-130
Dibromofluoromethane	99		70-130

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945514  
**Report Date:** 10/07/19

**SAMPLE RESULTS**

Lab ID: L1945514-08  
 Client ID: MW-552-20191001  
 Sample Location: WAYLAND, MA

Date Collected: 10/01/19 10:20  
 Date Received: 10/01/19  
 Field Prep: Not Specified

Sample Depth:

Matrix: Water  
 Analytical Method: 1,8260C  
 Analytical Date: 10/05/19 11:14  
 Analyst: MKS

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Volatile Organics by GC/MS - Westborough Lab</b>						
Methylene chloride	ND		ug/l	3.0	--	1
1,1-Dichloroethane	ND		ug/l	0.75	--	1
Chloroform	ND		ug/l	0.75	--	1
Carbon tetrachloride	ND		ug/l	0.50	--	1
1,2-Dichloropropane	ND		ug/l	1.8	--	1
Dibromochloromethane	ND		ug/l	0.50	--	1
1,1,2-Trichloroethane	ND		ug/l	0.75	--	1
Tetrachloroethene	ND		ug/l	0.50	--	1
Chlorobenzene	ND		ug/l	0.50	--	1
Trichlorofluoromethane	ND		ug/l	2.5	--	1
1,2-Dichloroethane	ND		ug/l	0.50	--	1
1,1,1-Trichloroethane	ND		ug/l	0.50	--	1
Bromodichloromethane	ND		ug/l	0.50	--	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	--	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	--	1
1,3-Dichloropropene, Total	ND		ug/l	0.50	--	1
1,1-Dichloropropene	ND		ug/l	2.5	--	1
Bromoform	ND		ug/l	2.0	--	1
1,1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	--	1
Benzene	ND		ug/l	0.50	--	1
Toluene	ND		ug/l	0.75	--	1
Ethylbenzene	ND		ug/l	0.50	--	1
Chloromethane	ND		ug/l	2.5	--	1
Bromomethane	ND		ug/l	1.0	--	1
Vinyl chloride	ND		ug/l	1.0	--	1
Chloroethane	ND		ug/l	1.0	--	1
1,1-Dichloroethene	ND		ug/l	0.50	--	1
trans-1,2-Dichloroethene	ND		ug/l	0.75	--	1

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945514  
**Report Date:** 10/07/19

**SAMPLE RESULTS**

**Lab ID:** L1945514-08  
**Client ID:** MW-552-20191001  
**Sample Location:** WAYLAND, MA

**Date Collected:** 10/01/19 10:20  
**Date Received:** 10/01/19  
**Field Prep:** Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Volatile Organics by GC/MS - Westborough Lab</b>						
1,2-Dichloroethene, Total	ND		ug/l	0.50	--	1
Trichloroethene	ND		ug/l	0.50	--	1
1,2-Dichlorobenzene	ND		ug/l	2.5	--	1
1,3-Dichlorobenzene	ND		ug/l	2.5	--	1
1,4-Dichlorobenzene	ND		ug/l	2.5	--	1
Methyl tert butyl ether	ND		ug/l	1.0	--	1
p/m-Xylene	ND		ug/l	1.0	--	1
o-Xylene	ND		ug/l	1.0	--	1
Xylenes, Total	ND		ug/l	1.0	--	1
cis-1,2-Dichloroethene	ND		ug/l	0.50	--	1
Dibromomethane	ND		ug/l	5.0	--	1
1,4-Dichlorobutane	ND		ug/l	5.0	--	1
1,2,3-Trichloropropane	ND		ug/l	5.0	--	1
Styrene	ND		ug/l	1.0	--	1
Dichlorodifluoromethane	ND		ug/l	5.0	--	1
Acetone	ND		ug/l	5.0	--	1
Carbon disulfide	ND		ug/l	5.0	--	1
2-Butanone	ND		ug/l	5.0	--	1
Vinyl acetate	ND		ug/l	5.0	--	1
4-Methyl-2-pentanone	ND		ug/l	5.0	--	1
2-Hexanone	ND		ug/l	5.0	--	1
Ethyl methacrylate	ND		ug/l	5.0	--	1
Acrylonitrile	ND		ug/l	5.0	--	1
Bromochloromethane	ND		ug/l	2.5	--	1
Tetrahydrofuran	ND		ug/l	5.0	--	1
2,2-Dichloropropane	ND		ug/l	2.5	--	1
1,2-Dibromoethane	ND		ug/l	2.0	--	1
1,3-Dichloropropane	ND		ug/l	2.5	--	1
1,1,1,2-Tetrachloroethane	ND		ug/l	0.50	--	1
Bromobenzene	ND		ug/l	2.5	--	1
n-Butylbenzene	ND		ug/l	0.50	--	1
sec-Butylbenzene	ND		ug/l	0.50	--	1
tert-Butylbenzene	ND		ug/l	2.5	--	1
o-Chlorotoluene	ND		ug/l	2.5	--	1
p-Chlorotoluene	ND		ug/l	2.5	--	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	--	1
Hexachlorobutadiene	ND		ug/l	0.50	--	1

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945514  
**Report Date:** 10/07/19

**SAMPLE RESULTS**

Lab ID: L1945514-08  
 Client ID: MW-552-20191001  
 Sample Location: WAYLAND, MA

Date Collected: 10/01/19 10:20  
 Date Received: 10/01/19  
 Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Volatile Organics by GC/MS - Westborough Lab</b>						
Isopropylbenzene	ND		ug/l	0.50	--	1
p-Isopropyltoluene	ND		ug/l	0.50	--	1
Naphthalene	ND		ug/l	2.5	--	1
n-Propylbenzene	ND		ug/l	0.50	--	1
1,2,3-Trichlorobenzene	ND		ug/l	2.5	--	1
1,2,4-Trichlorobenzene	ND		ug/l	2.5	--	1
1,3,5-Trimethylbenzene	ND		ug/l	2.5	--	1
1,2,4-Trimethylbenzene	ND		ug/l	2.5	--	1
trans-1,4-Dichloro-2-butene	ND		ug/l	2.5	--	1
Ethyl ether	ND		ug/l	2.5	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	109		70-130
Toluene-d8	100		70-130
4-Bromofluorobenzene	106		70-130
Dibromofluoromethane	99		70-130

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945514  
**Report Date:** 10/07/19

**SAMPLE RESULTS**

Lab ID: L1945514-09  
 Client ID: MW-562-20191001  
 Sample Location: WAYLAND, MA

Date Collected: 10/01/19 11:10  
 Date Received: 10/01/19  
 Field Prep: Not Specified

Sample Depth:

Matrix: Water  
 Analytical Method: 1,8260C  
 Analytical Date: 10/05/19 11:40  
 Analyst: MKS

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Volatile Organics by GC/MS - Westborough Lab</b>						
Methylene chloride	ND		ug/l	3.0	--	1
1,1-Dichloroethane	ND		ug/l	0.75	--	1
Chloroform	ND		ug/l	0.75	--	1
Carbon tetrachloride	ND		ug/l	0.50	--	1
1,2-Dichloropropane	ND		ug/l	1.8	--	1
Dibromochloromethane	ND		ug/l	0.50	--	1
1,1,2-Trichloroethane	ND		ug/l	0.75	--	1
Tetrachloroethene	ND		ug/l	0.50	--	1
Chlorobenzene	ND		ug/l	0.50	--	1
Trichlorofluoromethane	ND		ug/l	2.5	--	1
1,2-Dichloroethane	ND		ug/l	0.50	--	1
1,1,1-Trichloroethane	ND		ug/l	0.50	--	1
Bromodichloromethane	ND		ug/l	0.50	--	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	--	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	--	1
1,3-Dichloropropene, Total	ND		ug/l	0.50	--	1
1,1-Dichloropropene	ND		ug/l	2.5	--	1
Bromoform	ND		ug/l	2.0	--	1
1,1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	--	1
Benzene	ND		ug/l	0.50	--	1
Toluene	ND		ug/l	0.75	--	1
Ethylbenzene	1.1		ug/l	0.50	--	1
Chloromethane	ND		ug/l	2.5	--	1
Bromomethane	ND		ug/l	1.0	--	1
Vinyl chloride	ND		ug/l	1.0	--	1
Chloroethane	ND		ug/l	1.0	--	1
1,1-Dichloroethene	ND		ug/l	0.50	--	1
trans-1,2-Dichloroethene	ND		ug/l	0.75	--	1

Project Name: RAYTHEON WAYLAND

Lab Number: L1945514

Project Number: RA-008

Report Date: 10/07/19

## SAMPLE RESULTS

Lab ID: L1945514-09  
 Client ID: MW-562-20191001  
 Sample Location: WAYLAND, MA

Date Collected: 10/01/19 11:10  
 Date Received: 10/01/19  
 Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Volatile Organics by GC/MS - Westborough Lab</b>						
1,2-Dichloroethene, Total	ND		ug/l	0.50	--	1
Trichloroethene	ND		ug/l	0.50	--	1
1,2-Dichlorobenzene	ND		ug/l	2.5	--	1
1,3-Dichlorobenzene	ND		ug/l	2.5	--	1
1,4-Dichlorobenzene	ND		ug/l	2.5	--	1
Methyl tert butyl ether	ND		ug/l	1.0	--	1
p/m-Xylene	3.8		ug/l	1.0	--	1
o-Xylene	1.1		ug/l	1.0	--	1
Xylenes, Total	4.9		ug/l	1.0	--	1
cis-1,2-Dichloroethene	ND		ug/l	0.50	--	1
Dibromomethane	ND		ug/l	5.0	--	1
1,4-Dichlorobutane	ND		ug/l	5.0	--	1
1,2,3-Trichloropropane	ND		ug/l	5.0	--	1
Styrene	ND		ug/l	1.0	--	1
Dichlorodifluoromethane	ND		ug/l	5.0	--	1
Acetone	ND		ug/l	5.0	--	1
Carbon disulfide	ND		ug/l	5.0	--	1
2-Butanone	ND		ug/l	5.0	--	1
Vinyl acetate	ND		ug/l	5.0	--	1
4-Methyl-2-pentanone	ND		ug/l	5.0	--	1
2-Hexanone	ND		ug/l	5.0	--	1
Ethyl methacrylate	ND		ug/l	5.0	--	1
Acrylonitrile	ND		ug/l	5.0	--	1
Bromochloromethane	ND		ug/l	2.5	--	1
Tetrahydrofuran	ND		ug/l	5.0	--	1
2,2-Dichloropropane	ND		ug/l	2.5	--	1
1,2-Dibromoethane	ND		ug/l	2.0	--	1
1,3-Dichloropropane	ND		ug/l	2.5	--	1
1,1,1,2-Tetrachloroethane	ND		ug/l	0.50	--	1
Bromobenzene	ND		ug/l	2.5	--	1
n-Butylbenzene	ND		ug/l	0.50	--	1
sec-Butylbenzene	ND		ug/l	0.50	--	1
tert-Butylbenzene	ND		ug/l	2.5	--	1
o-Chlorotoluene	ND		ug/l	2.5	--	1
p-Chlorotoluene	ND		ug/l	2.5	--	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	--	1
Hexachlorobutadiene	ND		ug/l	0.50	--	1

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945514  
**Report Date:** 10/07/19

**SAMPLE RESULTS**

Lab ID: L1945514-09  
 Client ID: MW-562-20191001  
 Sample Location: WAYLAND, MA

Date Collected: 10/01/19 11:10  
 Date Received: 10/01/19  
 Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Volatile Organics by GC/MS - Westborough Lab</b>						
Isopropylbenzene	ND		ug/l	0.50	--	1
p-Isopropyltoluene	ND		ug/l	0.50	--	1
Naphthalene	ND		ug/l	2.5	--	1
n-Propylbenzene	ND		ug/l	0.50	--	1
1,2,3-Trichlorobenzene	ND		ug/l	2.5	--	1
1,2,4-Trichlorobenzene	ND		ug/l	2.5	--	1
1,3,5-Trimethylbenzene	ND		ug/l	2.5	--	1
1,2,4-Trimethylbenzene	ND		ug/l	2.5	--	1
trans-1,4-Dichloro-2-butene	ND		ug/l	2.5	--	1
Ethyl ether	ND		ug/l	2.5	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	115		70-130
Toluene-d8	101		70-130
4-Bromofluorobenzene	102		70-130
Dibromofluoromethane	100		70-130

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945514  
**Report Date:** 10/07/19

**SAMPLE RESULTS**

Lab ID: L1945514-10  
 Client ID: MW-563-20191001  
 Sample Location: WAYLAND, MA

Date Collected: 10/01/19 13:40  
 Date Received: 10/01/19  
 Field Prep: Not Specified

Sample Depth:

Matrix: Water  
 Analytical Method: 1,8260C  
 Analytical Date: 10/05/19 12:05  
 Analyst: MKS

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Volatile Organics by GC/MS - Westborough Lab</b>						
Methylene chloride	ND		ug/l	3.0	--	1
1,1-Dichloroethane	ND		ug/l	0.75	--	1
Chloroform	ND		ug/l	0.75	--	1
Carbon tetrachloride	ND		ug/l	0.50	--	1
1,2-Dichloropropane	ND		ug/l	1.8	--	1
Dibromochloromethane	ND		ug/l	0.50	--	1
1,1,2-Trichloroethane	ND		ug/l	0.75	--	1
Tetrachloroethene	ND		ug/l	0.50	--	1
Chlorobenzene	ND		ug/l	0.50	--	1
Trichlorofluoromethane	ND		ug/l	2.5	--	1
1,2-Dichloroethane	ND		ug/l	0.50	--	1
1,1,1-Trichloroethane	ND		ug/l	0.50	--	1
Bromodichloromethane	ND		ug/l	0.50	--	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	--	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	--	1
1,3-Dichloropropene, Total	ND		ug/l	0.50	--	1
1,1-Dichloropropene	ND		ug/l	2.5	--	1
Bromoform	ND		ug/l	2.0	--	1
1,1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	--	1
Benzene	ND		ug/l	0.50	--	1
Toluene	ND		ug/l	0.75	--	1
Ethylbenzene	ND		ug/l	0.50	--	1
Chloromethane	ND		ug/l	2.5	--	1
Bromomethane	ND		ug/l	1.0	--	1
Vinyl chloride	ND		ug/l	1.0	--	1
Chloroethane	ND		ug/l	1.0	--	1
1,1-Dichloroethene	ND		ug/l	0.50	--	1
trans-1,2-Dichloroethene	ND		ug/l	0.75	--	1

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945514  
**Report Date:** 10/07/19

**SAMPLE RESULTS**

Lab ID: L1945514-10  
 Client ID: MW-563-20191001  
 Sample Location: WAYLAND, MA

Date Collected: 10/01/19 13:40  
 Date Received: 10/01/19  
 Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Volatile Organics by GC/MS - Westborough Lab</b>						
1,2-Dichloroethene, Total	ND		ug/l	0.50	--	1
Trichloroethene	ND		ug/l	0.50	--	1
1,2-Dichlorobenzene	ND		ug/l	2.5	--	1
1,3-Dichlorobenzene	ND		ug/l	2.5	--	1
1,4-Dichlorobenzene	ND		ug/l	2.5	--	1
Methyl tert butyl ether	ND		ug/l	1.0	--	1
p/m-Xylene	ND		ug/l	1.0	--	1
o-Xylene	ND		ug/l	1.0	--	1
Xylenes, Total	ND		ug/l	1.0	--	1
cis-1,2-Dichloroethene	ND		ug/l	0.50	--	1
Dibromomethane	ND		ug/l	5.0	--	1
1,4-Dichlorobutane	ND		ug/l	5.0	--	1
1,2,3-Trichloropropane	ND		ug/l	5.0	--	1
Styrene	ND		ug/l	1.0	--	1
Dichlorodifluoromethane	ND		ug/l	5.0	--	1
Acetone	ND		ug/l	5.0	--	1
Carbon disulfide	ND		ug/l	5.0	--	1
2-Butanone	ND		ug/l	5.0	--	1
Vinyl acetate	ND		ug/l	5.0	--	1
4-Methyl-2-pentanone	ND		ug/l	5.0	--	1
2-Hexanone	ND		ug/l	5.0	--	1
Ethyl methacrylate	ND		ug/l	5.0	--	1
Acrylonitrile	ND		ug/l	5.0	--	1
Bromochloromethane	ND		ug/l	2.5	--	1
Tetrahydrofuran	ND		ug/l	5.0	--	1
2,2-Dichloropropane	ND		ug/l	2.5	--	1
1,2-Dibromoethane	ND		ug/l	2.0	--	1
1,3-Dichloropropane	ND		ug/l	2.5	--	1
1,1,1,2-Tetrachloroethane	ND		ug/l	0.50	--	1
Bromobenzene	ND		ug/l	2.5	--	1
n-Butylbenzene	ND		ug/l	0.50	--	1
sec-Butylbenzene	ND		ug/l	0.50	--	1
tert-Butylbenzene	ND		ug/l	2.5	--	1
o-Chlorotoluene	ND		ug/l	2.5	--	1
p-Chlorotoluene	ND		ug/l	2.5	--	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	--	1
Hexachlorobutadiene	ND		ug/l	0.50	--	1

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945514  
**Report Date:** 10/07/19

**SAMPLE RESULTS**

Lab ID: L1945514-10  
 Client ID: MW-563-20191001  
 Sample Location: WAYLAND, MA

Date Collected: 10/01/19 13:40  
 Date Received: 10/01/19  
 Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Volatile Organics by GC/MS - Westborough Lab</b>						
Isopropylbenzene	ND		ug/l	0.50	--	1
p-Isopropyltoluene	ND		ug/l	0.50	--	1
Naphthalene	ND		ug/l	2.5	--	1
n-Propylbenzene	ND		ug/l	0.50	--	1
1,2,3-Trichlorobenzene	ND		ug/l	2.5	--	1
1,2,4-Trichlorobenzene	ND		ug/l	2.5	--	1
1,3,5-Trimethylbenzene	ND		ug/l	2.5	--	1
1,2,4-Trimethylbenzene	ND		ug/l	2.5	--	1
trans-1,4-Dichloro-2-butene	ND		ug/l	2.5	--	1
Ethyl ether	ND		ug/l	2.5	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	116		70-130
Toluene-d8	100		70-130
4-Bromofluorobenzene	106		70-130
Dibromofluoromethane	100		70-130

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945514  
**Report Date:** 10/07/19

**SAMPLE RESULTS**

Lab ID: L1945514-11 D2  
 Client ID: REW-6-20191001  
 Sample Location: WAYLAND, MA

Date Collected: 10/01/19 09:45  
 Date Received: 10/01/19  
 Field Prep: Not Specified

Sample Depth:

Matrix: Water  
 Analytical Method: 1,8260C  
 Analytical Date: 10/07/19 12:38  
 Analyst: AD

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

Volatile Organics by GC/MS - Westborough Lab						
Tetrahydrofuran	2000		ug/l	100	--	20

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	100		70-130
Toluene-d8	100		70-130
4-Bromofluorobenzene	93		70-130
Dibromofluoromethane	102		70-130

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945514  
**Report Date:** 10/07/19

**SAMPLE RESULTS**

Lab ID: L1945514-11 D  
 Client ID: REW-6-20191001  
 Sample Location: WAYLAND, MA

Date Collected: 10/01/19 09:45  
 Date Received: 10/01/19  
 Field Prep: Not Specified

Sample Depth:

Matrix: Water  
 Analytical Method: 1,8260C  
 Analytical Date: 10/05/19 16:44  
 Analyst: MKS

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Volatile Organics by GC/MS - Westborough Lab</b>						
Methylene chloride	ND		ug/l	15	--	5
1,1-Dichloroethane	ND		ug/l	3.8	--	5
Chloroform	ND		ug/l	3.8	--	5
Carbon tetrachloride	ND		ug/l	2.5	--	5
1,2-Dichloropropane	ND		ug/l	8.8	--	5
Dibromochloromethane	ND		ug/l	2.5	--	5
1,1,2-Trichloroethane	ND		ug/l	3.8	--	5
Tetrachloroethene	ND		ug/l	2.5	--	5
Chlorobenzene	ND		ug/l	2.5	--	5
Trichlorofluoromethane	ND		ug/l	12	--	5
1,2-Dichloroethane	ND		ug/l	2.5	--	5
1,1,1-Trichloroethane	ND		ug/l	2.5	--	5
Bromodichloromethane	ND		ug/l	2.5	--	5
trans-1,3-Dichloropropene	ND		ug/l	2.5	--	5
cis-1,3-Dichloropropene	ND		ug/l	2.5	--	5
1,3-Dichloropropene, Total	ND		ug/l	2.5	--	5
1,1-Dichloropropene	ND		ug/l	12	--	5
Bromoform	ND		ug/l	10	--	5
1,1,1,2-Tetrachloroethane	ND		ug/l	2.5	--	5
Benzene	ND		ug/l	2.5	--	5
Toluene	ND		ug/l	3.8	--	5
Ethylbenzene	ND		ug/l	2.5	--	5
Chloromethane	ND		ug/l	12	--	5
Bromomethane	ND		ug/l	5.0	--	5
Vinyl chloride	ND		ug/l	5.0	--	5
Chloroethane	ND		ug/l	5.0	--	5
1,1-Dichloroethene	ND		ug/l	2.5	--	5
trans-1,2-Dichloroethene	ND		ug/l	3.8	--	5

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945514  
**Report Date:** 10/07/19

**SAMPLE RESULTS**

Lab ID: L1945514-11 D  
 Client ID: REW-6-20191001  
 Sample Location: WAYLAND, MA

Date Collected: 10/01/19 09:45  
 Date Received: 10/01/19  
 Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Volatile Organics by GC/MS - Westborough Lab</b>						
1,2-Dichloroethene, Total	ND		ug/l	2.5	--	5
Trichloroethene	ND		ug/l	2.5	--	5
1,2-Dichlorobenzene	ND		ug/l	12	--	5
1,3-Dichlorobenzene	ND		ug/l	12	--	5
1,4-Dichlorobenzene	ND		ug/l	12	--	5
Methyl tert butyl ether	ND		ug/l	5.0	--	5
p/m-Xylene	ND		ug/l	5.0	--	5
o-Xylene	ND		ug/l	5.0	--	5
Xylenes, Total	ND		ug/l	5.0	--	5
cis-1,2-Dichloroethene	ND		ug/l	2.5	--	5
Dibromomethane	ND		ug/l	25	--	5
1,4-Dichlorobutane	ND		ug/l	25	--	5
1,2,3-Trichloropropane	ND		ug/l	25	--	5
Styrene	ND		ug/l	5.0	--	5
Dichlorodifluoromethane	ND		ug/l	25	--	5
Acetone	ND		ug/l	25	--	5
Carbon disulfide	ND		ug/l	25	--	5
2-Butanone	ND		ug/l	25	--	5
Vinyl acetate	ND		ug/l	25	--	5
4-Methyl-2-pentanone	ND		ug/l	25	--	5
2-Hexanone	ND		ug/l	25	--	5
Ethyl methacrylate	ND		ug/l	25	--	5
Acrylonitrile	ND		ug/l	25	--	5
Bromochloromethane	ND		ug/l	12	--	5
Tetrahydrofuran	1800	E	ug/l	25	--	5
2,2-Dichloropropane	ND		ug/l	12	--	5
1,2-Dibromoethane	ND		ug/l	10	--	5
1,3-Dichloropropane	ND		ug/l	12	--	5
1,1,1,2-Tetrachloroethane	ND		ug/l	2.5	--	5
Bromobenzene	ND		ug/l	12	--	5
n-Butylbenzene	ND		ug/l	2.5	--	5
sec-Butylbenzene	ND		ug/l	2.5	--	5
tert-Butylbenzene	ND		ug/l	12	--	5
o-Chlorotoluene	ND		ug/l	12	--	5
p-Chlorotoluene	ND		ug/l	12	--	5
1,2-Dibromo-3-chloropropane	ND		ug/l	12	--	5
Hexachlorobutadiene	ND		ug/l	2.5	--	5

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945514  
**Report Date:** 10/07/19

**SAMPLE RESULTS**

Lab ID: L1945514-11 D  
 Client ID: REW-6-20191001  
 Sample Location: WAYLAND, MA

Date Collected: 10/01/19 09:45  
 Date Received: 10/01/19  
 Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Volatile Organics by GC/MS - Westborough Lab</b>						
Isopropylbenzene	ND		ug/l	2.5	--	5
p-Isopropyltoluene	ND		ug/l	2.5	--	5
Naphthalene	ND		ug/l	12	--	5
n-Propylbenzene	ND		ug/l	2.5	--	5
1,2,3-Trichlorobenzene	ND		ug/l	12	--	5
1,2,4-Trichlorobenzene	ND		ug/l	12	--	5
1,3,5-Trimethylbenzene	ND		ug/l	12	--	5
1,2,4-Trimethylbenzene	ND		ug/l	12	--	5
trans-1,4-Dichloro-2-butene	ND		ug/l	12	--	5
Ethyl ether	ND		ug/l	12	--	5

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	117		70-130
Toluene-d8	101		70-130
4-Bromofluorobenzene	106		70-130
Dibromofluoromethane	100		70-130

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945514  
**Report Date:** 10/07/19

**SAMPLE RESULTS**

Lab ID: L1945514-12 D2  
 Client ID: REW-7-20191001  
 Sample Location: WAYLAND, MA

Date Collected: 10/01/19 11:35  
 Date Received: 10/01/19  
 Field Prep: Not Specified

Sample Depth:

Matrix: Water  
 Analytical Method: 1,8260C  
 Analytical Date: 10/07/19 13:00  
 Analyst: AD

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

Volatile Organics by GC/MS - Westborough Lab						
Tetrahydrofuran	1600		ug/l	100	--	20

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	102		70-130
Toluene-d8	100		70-130
4-Bromofluorobenzene	93		70-130
Dibromofluoromethane	99		70-130

**Project Name:** RAYTHEON WAYLAND**Lab Number:** L1945514**Project Number:** RA-008**Report Date:** 10/07/19**SAMPLE RESULTS**

Lab ID: L1945514-12 D

Date Collected: 10/01/19 11:35

Client ID: REW-7-20191001

Date Received: 10/01/19

Sample Location: WAYLAND, MA

Field Prep: Not Specified

Sample Depth:

Matrix: Water

Analytical Method: 1,8260C

Analytical Date: 10/05/19 17:10

Analyst: MKS

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Volatile Organics by GC/MS - Westborough Lab</b>						
Methylene chloride	ND		ug/l	15	--	5
1,1-Dichloroethane	ND		ug/l	3.8	--	5
Chloroform	ND		ug/l	3.8	--	5
Carbon tetrachloride	ND		ug/l	2.5	--	5
1,2-Dichloropropane	ND		ug/l	8.8	--	5
Dibromochloromethane	ND		ug/l	2.5	--	5
1,1,2-Trichloroethane	ND		ug/l	3.8	--	5
Tetrachloroethene	ND		ug/l	2.5	--	5
Chlorobenzene	ND		ug/l	2.5	--	5
Trichlorofluoromethane	ND		ug/l	12	--	5
1,2-Dichloroethane	ND		ug/l	2.5	--	5
1,1,1-Trichloroethane	ND		ug/l	2.5	--	5
Bromodichloromethane	ND		ug/l	2.5	--	5
trans-1,3-Dichloropropene	ND		ug/l	2.5	--	5
cis-1,3-Dichloropropene	ND		ug/l	2.5	--	5
1,3-Dichloropropene, Total	ND		ug/l	2.5	--	5
1,1-Dichloropropene	ND		ug/l	12	--	5
Bromoform	ND		ug/l	10	--	5
1,1,1,2-Tetrachloroethane	ND		ug/l	2.5	--	5
Benzene	ND		ug/l	2.5	--	5
Toluene	ND		ug/l	3.8	--	5
Ethylbenzene	ND		ug/l	2.5	--	5
Chloromethane	ND		ug/l	12	--	5
Bromomethane	ND		ug/l	5.0	--	5
Vinyl chloride	ND		ug/l	5.0	--	5
Chloroethane	ND		ug/l	5.0	--	5
1,1-Dichloroethene	ND		ug/l	2.5	--	5
trans-1,2-Dichloroethene	ND		ug/l	3.8	--	5

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945514  
**Report Date:** 10/07/19

**SAMPLE RESULTS**

Lab ID: L1945514-12 D  
 Client ID: REW-7-20191001  
 Sample Location: WAYLAND, MA

Date Collected: 10/01/19 11:35  
 Date Received: 10/01/19  
 Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Volatile Organics by GC/MS - Westborough Lab</b>						
1,2-Dichloroethene, Total	ND		ug/l	2.5	--	5
Trichloroethene	ND		ug/l	2.5	--	5
1,2-Dichlorobenzene	ND		ug/l	12	--	5
1,3-Dichlorobenzene	ND		ug/l	12	--	5
1,4-Dichlorobenzene	ND		ug/l	12	--	5
Methyl tert butyl ether	ND		ug/l	5.0	--	5
p/m-Xylene	ND		ug/l	5.0	--	5
o-Xylene	ND		ug/l	5.0	--	5
Xylenes, Total	ND		ug/l	5.0	--	5
cis-1,2-Dichloroethene	ND		ug/l	2.5	--	5
Dibromomethane	ND		ug/l	25	--	5
1,4-Dichlorobutane	ND		ug/l	25	--	5
1,2,3-Trichloropropane	ND		ug/l	25	--	5
Styrene	ND		ug/l	5.0	--	5
Dichlorodifluoromethane	ND		ug/l	25	--	5
Acetone	ND		ug/l	25	--	5
Carbon disulfide	ND		ug/l	25	--	5
2-Butanone	ND		ug/l	25	--	5
Vinyl acetate	ND		ug/l	25	--	5
4-Methyl-2-pentanone	ND		ug/l	25	--	5
2-Hexanone	ND		ug/l	25	--	5
Ethyl methacrylate	ND		ug/l	25	--	5
Acrylonitrile	ND		ug/l	25	--	5
Bromochloromethane	ND		ug/l	12	--	5
Tetrahydrofuran	1700	E	ug/l	25	--	5
2,2-Dichloropropane	ND		ug/l	12	--	5
1,2-Dibromoethane	ND		ug/l	10	--	5
1,3-Dichloropropane	ND		ug/l	12	--	5
1,1,1,2-Tetrachloroethane	ND		ug/l	2.5	--	5
Bromobenzene	ND		ug/l	12	--	5
n-Butylbenzene	ND		ug/l	2.5	--	5
sec-Butylbenzene	ND		ug/l	2.5	--	5
tert-Butylbenzene	ND		ug/l	12	--	5
o-Chlorotoluene	ND		ug/l	12	--	5
p-Chlorotoluene	ND		ug/l	12	--	5
1,2-Dibromo-3-chloropropane	ND		ug/l	12	--	5
Hexachlorobutadiene	ND		ug/l	2.5	--	5

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945514  
**Report Date:** 10/07/19

**SAMPLE RESULTS**

Lab ID: L1945514-12 D  
 Client ID: REW-7-20191001  
 Sample Location: WAYLAND, MA

Date Collected: 10/01/19 11:35  
 Date Received: 10/01/19  
 Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Volatile Organics by GC/MS - Westborough Lab</b>						
Isopropylbenzene	ND		ug/l	2.5	--	5
p-Isopropyltoluene	ND		ug/l	2.5	--	5
Naphthalene	ND		ug/l	12	--	5
n-Propylbenzene	ND		ug/l	2.5	--	5
1,2,3-Trichlorobenzene	ND		ug/l	12	--	5
1,2,4-Trichlorobenzene	ND		ug/l	12	--	5
1,3,5-Trimethylbenzene	ND		ug/l	12	--	5
1,2,4-Trimethylbenzene	ND		ug/l	12	--	5
trans-1,4-Dichloro-2-butene	ND		ug/l	12	--	5
Ethyl ether	ND		ug/l	12	--	5

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	118		70-130
Toluene-d8	101		70-130
4-Bromofluorobenzene	104		70-130
Dibromofluoromethane	101		70-130

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945514  
**Report Date:** 10/07/19

**SAMPLE RESULTS**

Lab ID: L1945514-13 D  
 Client ID: REW-11-20191001  
 Sample Location: WAYLAND, MA

Date Collected: 10/01/19 08:40  
 Date Received: 10/01/19  
 Field Prep: Not Specified

Sample Depth:

Matrix: Water  
 Analytical Method: 1,8260C  
 Analytical Date: 10/07/19 13:44  
 Analyst: AD

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Volatile Organics by GC/MS - Westborough Lab</b>						
Methylene chloride	ND		ug/l	600	--	200
1,1-Dichloroethane	ND		ug/l	150	--	200
Chloroform	ND		ug/l	150	--	200
Carbon tetrachloride	ND		ug/l	100	--	200
1,2-Dichloropropane	ND		ug/l	350	--	200
Dibromochloromethane	ND		ug/l	100	--	200
1,1,2-Trichloroethane	ND		ug/l	150	--	200
Tetrachloroethene	ND		ug/l	100	--	200
Chlorobenzene	ND		ug/l	100	--	200
Trichlorofluoromethane	ND		ug/l	500	--	200
1,2-Dichloroethane	ND		ug/l	100	--	200
1,1,1-Trichloroethane	ND		ug/l	100	--	200
Bromodichloromethane	ND		ug/l	100	--	200
trans-1,3-Dichloropropene	ND		ug/l	100	--	200
cis-1,3-Dichloropropene	ND		ug/l	100	--	200
1,3-Dichloropropene, Total	ND		ug/l	100	--	200
1,1-Dichloropropene	ND		ug/l	500	--	200
Bromoform	ND		ug/l	400	--	200
1,1,1,2-Tetrachloroethane	ND		ug/l	100	--	200
Benzene	ND		ug/l	100	--	200
Toluene	ND		ug/l	150	--	200
Ethylbenzene	ND		ug/l	100	--	200
Chloromethane	ND		ug/l	500	--	200
Bromomethane	ND		ug/l	200	--	200
Vinyl chloride	ND		ug/l	200	--	200
Chloroethane	ND		ug/l	200	--	200
1,1-Dichloroethene	ND		ug/l	100	--	200
trans-1,2-Dichloroethene	ND		ug/l	150	--	200

Project Name: RAYTHEON WAYLAND

Lab Number: L1945514

Project Number: RA-008

Report Date: 10/07/19

## SAMPLE RESULTS

Lab ID: L1945514-13 D

Date Collected: 10/01/19 08:40

Client ID: REW-11-20191001

Date Received: 10/01/19

Sample Location: WAYLAND, MA

Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,2-Dichloroethene, Total	ND		ug/l	100	--	200
Trichloroethene	ND		ug/l	100	--	200
1,2-Dichlorobenzene	ND		ug/l	500	--	200
1,3-Dichlorobenzene	ND		ug/l	500	--	200
1,4-Dichlorobenzene	ND		ug/l	500	--	200
Methyl tert butyl ether	ND		ug/l	200	--	200
p/m-Xylene	ND		ug/l	200	--	200
o-Xylene	ND		ug/l	200	--	200
Xylenes, Total	ND		ug/l	200	--	200
cis-1,2-Dichloroethene	ND		ug/l	100	--	200
Dibromomethane	ND		ug/l	1000	--	200
1,4-Dichlorobutane	ND		ug/l	1000	--	200
1,2,3-Trichloropropane	ND		ug/l	1000	--	200
Styrene	ND		ug/l	200	--	200
Dichlorodifluoromethane	ND		ug/l	1000	--	200
Acetone	ND		ug/l	1000	--	200
Carbon disulfide	ND		ug/l	1000	--	200
2-Butanone	1000		ug/l	1000	--	200
Vinyl acetate	ND		ug/l	1000	--	200
4-Methyl-2-pentanone	ND		ug/l	1000	--	200
2-Hexanone	ND		ug/l	1000	--	200
Ethyl methacrylate	ND		ug/l	1000	--	200
Acrylonitrile	ND		ug/l	1000	--	200
Bromochloromethane	ND		ug/l	500	--	200
Tetrahydrofuran	1200		ug/l	1000	--	200
2,2-Dichloropropane	ND		ug/l	500	--	200
1,2-Dibromoethane	ND		ug/l	400	--	200
1,3-Dichloropropane	ND		ug/l	500	--	200
1,1,1,2-Tetrachloroethane	ND		ug/l	100	--	200
Bromobenzene	ND		ug/l	500	--	200
n-Butylbenzene	ND		ug/l	100	--	200
sec-Butylbenzene	ND		ug/l	100	--	200
tert-Butylbenzene	ND		ug/l	500	--	200
o-Chlorotoluene	ND		ug/l	500	--	200
p-Chlorotoluene	ND		ug/l	500	--	200
1,2-Dibromo-3-chloropropane	ND		ug/l	500	--	200
Hexachlorobutadiene	ND		ug/l	100	--	200

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945514  
**Report Date:** 10/07/19

**SAMPLE RESULTS**

Lab ID: L1945514-13 D  
 Client ID: REW-11-20191001  
 Sample Location: WAYLAND, MA

Date Collected: 10/01/19 08:40  
 Date Received: 10/01/19  
 Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Volatile Organics by GC/MS - Westborough Lab</b>						
Isopropylbenzene	ND		ug/l	100	--	200
p-Isopropyltoluene	ND		ug/l	100	--	200
Naphthalene	ND		ug/l	500	--	200
n-Propylbenzene	ND		ug/l	100	--	200
1,2,3-Trichlorobenzene	ND		ug/l	500	--	200
1,2,4-Trichlorobenzene	ND		ug/l	500	--	200
1,3,5-Trimethylbenzene	ND		ug/l	500	--	200
1,2,4-Trimethylbenzene	ND		ug/l	500	--	200
trans-1,4-Dichloro-2-butene	ND		ug/l	500	--	200
Ethyl ether	ND		ug/l	500	--	200

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	101		70-130
Toluene-d8	101		70-130
4-Bromofluorobenzene	93		70-130
Dibromofluoromethane	101		70-130

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945514  
**Report Date:** 10/07/19

**SAMPLE RESULTS**

Lab ID: L1945514-14  
 Client ID: REW-12-20191001  
 Sample Location: WAYLAND, MA

Date Collected: 10/01/19 13:00  
 Date Received: 10/01/19  
 Field Prep: Not Specified

Sample Depth:

Matrix: Water  
 Analytical Method: 1,8260C  
 Analytical Date: 10/05/19 12:31  
 Analyst: MKS

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Volatile Organics by GC/MS - Westborough Lab</b>						
Methylene chloride	ND		ug/l	3.0	--	1
1,1-Dichloroethane	ND		ug/l	0.75	--	1
Chloroform	ND		ug/l	0.75	--	1
Carbon tetrachloride	ND		ug/l	0.50	--	1
1,2-Dichloropropane	ND		ug/l	1.8	--	1
Dibromochloromethane	ND		ug/l	0.50	--	1
1,1,2-Trichloroethane	ND		ug/l	0.75	--	1
Tetrachloroethene	ND		ug/l	0.50	--	1
Chlorobenzene	ND		ug/l	0.50	--	1
Trichlorofluoromethane	ND		ug/l	2.5	--	1
1,2-Dichloroethane	ND		ug/l	0.50	--	1
1,1,1-Trichloroethane	ND		ug/l	0.50	--	1
Bromodichloromethane	ND		ug/l	0.50	--	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	--	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	--	1
1,3-Dichloropropene, Total	ND		ug/l	0.50	--	1
1,1-Dichloropropene	ND		ug/l	2.5	--	1
Bromoform	ND		ug/l	2.0	--	1
1,1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	--	1
Benzene	ND		ug/l	0.50	--	1
Toluene	1.1		ug/l	0.75	--	1
Ethylbenzene	ND		ug/l	0.50	--	1
Chloromethane	ND		ug/l	2.5	--	1
Bromomethane	ND		ug/l	1.0	--	1
Vinyl chloride	1.8		ug/l	1.0	--	1
Chloroethane	ND		ug/l	1.0	--	1
1,1-Dichloroethene	ND		ug/l	0.50	--	1
trans-1,2-Dichloroethene	ND		ug/l	0.75	--	1

Project Name: RAYTHEON WAYLAND

Lab Number: L1945514

Project Number: RA-008

Report Date: 10/07/19

## SAMPLE RESULTS

Lab ID: L1945514-14  
 Client ID: REW-12-20191001  
 Sample Location: WAYLAND, MA

Date Collected: 10/01/19 13:00  
 Date Received: 10/01/19  
 Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Volatile Organics by GC/MS - Westborough Lab</b>						
1,2-Dichloroethene, Total	ND		ug/l	0.50	--	1
Trichloroethene	ND		ug/l	0.50	--	1
1,2-Dichlorobenzene	ND		ug/l	2.5	--	1
1,3-Dichlorobenzene	ND		ug/l	2.5	--	1
1,4-Dichlorobenzene	ND		ug/l	2.5	--	1
Methyl tert butyl ether	ND		ug/l	1.0	--	1
p/m-Xylene	1.6		ug/l	1.0	--	1
o-Xylene	ND		ug/l	1.0	--	1
Xylenes, Total	1.6		ug/l	1.0	--	1
cis-1,2-Dichloroethene	ND		ug/l	0.50	--	1
Dibromomethane	ND		ug/l	5.0	--	1
1,4-Dichlorobutane	ND		ug/l	5.0	--	1
1,2,3-Trichloropropane	ND		ug/l	5.0	--	1
Styrene	ND		ug/l	1.0	--	1
Dichlorodifluoromethane	ND		ug/l	5.0	--	1
Acetone	ND		ug/l	5.0	--	1
Carbon disulfide	ND		ug/l	5.0	--	1
2-Butanone	ND		ug/l	5.0	--	1
Vinyl acetate	ND		ug/l	5.0	--	1
4-Methyl-2-pentanone	ND		ug/l	5.0	--	1
2-Hexanone	ND		ug/l	5.0	--	1
Ethyl methacrylate	ND		ug/l	5.0	--	1
Acrylonitrile	ND		ug/l	5.0	--	1
Bromochloromethane	ND		ug/l	2.5	--	1
Tetrahydrofuran	62		ug/l	5.0	--	1
2,2-Dichloropropane	ND		ug/l	2.5	--	1
1,2-Dibromoethane	ND		ug/l	2.0	--	1
1,3-Dichloropropane	ND		ug/l	2.5	--	1
1,1,1,2-Tetrachloroethane	ND		ug/l	0.50	--	1
Bromobenzene	ND		ug/l	2.5	--	1
n-Butylbenzene	ND		ug/l	0.50	--	1
sec-Butylbenzene	ND		ug/l	0.50	--	1
tert-Butylbenzene	ND		ug/l	2.5	--	1
o-Chlorotoluene	ND		ug/l	2.5	--	1
p-Chlorotoluene	ND		ug/l	2.5	--	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	--	1
Hexachlorobutadiene	ND		ug/l	0.50	--	1

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945514  
**Report Date:** 10/07/19

**SAMPLE RESULTS**

**Lab ID:** L1945514-14  
**Client ID:** REW-12-20191001  
**Sample Location:** WAYLAND, MA

**Date Collected:** 10/01/19 13:00  
**Date Received:** 10/01/19  
**Field Prep:** Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Volatile Organics by GC/MS - Westborough Lab</b>						
Isopropylbenzene	ND		ug/l	0.50	--	1
p-Isopropyltoluene	ND		ug/l	0.50	--	1
Naphthalene	ND		ug/l	2.5	--	1
n-Propylbenzene	ND		ug/l	0.50	--	1
1,2,3-Trichlorobenzene	ND		ug/l	2.5	--	1
1,2,4-Trichlorobenzene	ND		ug/l	2.5	--	1
1,3,5-Trimethylbenzene	ND		ug/l	2.5	--	1
1,2,4-Trimethylbenzene	ND		ug/l	2.5	--	1
trans-1,4-Dichloro-2-butene	ND		ug/l	2.5	--	1
Ethyl ether	ND		ug/l	2.5	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	116		70-130
Toluene-d8	100		70-130
4-Bromofluorobenzene	106		70-130
Dibromofluoromethane	100		70-130

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945514  
**Report Date:** 10/07/19

**SAMPLE RESULTS**

Lab ID: L1945514-15  
 Client ID: DUP2-20191001  
 Sample Location: WAYLAND, MA

Date Collected: 10/01/19 00:00  
 Date Received: 10/01/19  
 Field Prep: Not Specified

Sample Depth:

Matrix: Water  
 Analytical Method: 1,8260C  
 Analytical Date: 10/05/19 12:56  
 Analyst: MKS

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Volatile Organics by GC/MS - Westborough Lab</b>						
Methylene chloride	ND		ug/l	3.0	--	1
1,1-Dichloroethane	ND		ug/l	0.75	--	1
Chloroform	ND		ug/l	0.75	--	1
Carbon tetrachloride	ND		ug/l	0.50	--	1
1,2-Dichloropropane	ND		ug/l	1.8	--	1
Dibromochloromethane	ND		ug/l	0.50	--	1
1,1,2-Trichloroethane	ND		ug/l	0.75	--	1
Tetrachloroethene	ND		ug/l	0.50	--	1
Chlorobenzene	ND		ug/l	0.50	--	1
Trichlorofluoromethane	ND		ug/l	2.5	--	1
1,2-Dichloroethane	ND		ug/l	0.50	--	1
1,1,1-Trichloroethane	ND		ug/l	0.50	--	1
Bromodichloromethane	ND		ug/l	0.50	--	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	--	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	--	1
1,3-Dichloropropene, Total	ND		ug/l	0.50	--	1
1,1-Dichloropropene	ND		ug/l	2.5	--	1
Bromoform	ND		ug/l	2.0	--	1
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	--	1
Benzene	ND		ug/l	0.50	--	1
Toluene	ND		ug/l	0.75	--	1
Ethylbenzene	ND		ug/l	0.50	--	1
Chloromethane	ND		ug/l	2.5	--	1
Bromomethane	ND		ug/l	1.0	--	1
Vinyl chloride	ND		ug/l	1.0	--	1
Chloroethane	ND		ug/l	1.0	--	1
1,1-Dichloroethene	0.58		ug/l	0.50	--	1
trans-1,2-Dichloroethene	ND		ug/l	0.75	--	1

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945514  
**Report Date:** 10/07/19

**SAMPLE RESULTS**

**Lab ID:** L1945514-15  
**Client ID:** DUP2-20191001  
**Sample Location:** WAYLAND, MA

**Date Collected:** 10/01/19 00:00  
**Date Received:** 10/01/19  
**Field Prep:** Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Volatile Organics by GC/MS - Westborough Lab</b>						
1,2-Dichloroethene, Total	3.1		ug/l	0.50	--	1
Trichloroethene	3.4		ug/l	0.50	--	1
1,2-Dichlorobenzene	ND		ug/l	2.5	--	1
1,3-Dichlorobenzene	ND		ug/l	2.5	--	1
1,4-Dichlorobenzene	ND		ug/l	2.5	--	1
Methyl tert butyl ether	ND		ug/l	1.0	--	1
p/m-Xylene	ND		ug/l	1.0	--	1
o-Xylene	ND		ug/l	1.0	--	1
Xylenes, Total	ND		ug/l	1.0	--	1
cis-1,2-Dichloroethene	3.1		ug/l	0.50	--	1
Dibromomethane	ND		ug/l	5.0	--	1
1,4-Dichlorobutane	ND		ug/l	5.0	--	1
1,2,3-Trichloropropane	ND		ug/l	5.0	--	1
Styrene	ND		ug/l	1.0	--	1
Dichlorodifluoromethane	ND		ug/l	5.0	--	1
Acetone	ND		ug/l	5.0	--	1
Carbon disulfide	ND		ug/l	5.0	--	1
2-Butanone	ND		ug/l	5.0	--	1
Vinyl acetate	ND		ug/l	5.0	--	1
4-Methyl-2-pentanone	ND		ug/l	5.0	--	1
2-Hexanone	ND		ug/l	5.0	--	1
Ethyl methacrylate	ND		ug/l	5.0	--	1
Acrylonitrile	ND		ug/l	5.0	--	1
Bromochloromethane	ND		ug/l	2.5	--	1
Tetrahydrofuran	ND		ug/l	5.0	--	1
2,2-Dichloropropane	ND		ug/l	2.5	--	1
1,2-Dibromoethane	ND		ug/l	2.0	--	1
1,3-Dichloropropane	ND		ug/l	2.5	--	1
1,1,1,2-Tetrachloroethane	ND		ug/l	0.50	--	1
Bromobenzene	ND		ug/l	2.5	--	1
n-Butylbenzene	ND		ug/l	0.50	--	1
sec-Butylbenzene	ND		ug/l	0.50	--	1
tert-Butylbenzene	ND		ug/l	2.5	--	1
o-Chlorotoluene	ND		ug/l	2.5	--	1
p-Chlorotoluene	ND		ug/l	2.5	--	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	--	1
Hexachlorobutadiene	ND		ug/l	0.50	--	1

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945514  
**Report Date:** 10/07/19

**SAMPLE RESULTS**

Lab ID: L1945514-15  
 Client ID: DUP2-20191001  
 Sample Location: WAYLAND, MA

Date Collected: 10/01/19 00:00  
 Date Received: 10/01/19  
 Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Volatile Organics by GC/MS - Westborough Lab</b>						
Isopropylbenzene	ND		ug/l	0.50	--	1
p-Isopropyltoluene	ND		ug/l	0.50	--	1
Naphthalene	ND		ug/l	2.5	--	1
n-Propylbenzene	ND		ug/l	0.50	--	1
1,2,3-Trichlorobenzene	ND		ug/l	2.5	--	1
1,2,4-Trichlorobenzene	ND		ug/l	2.5	--	1
1,3,5-Trimethylbenzene	ND		ug/l	2.5	--	1
1,2,4-Trimethylbenzene	ND		ug/l	2.5	--	1
trans-1,4-Dichloro-2-butene	ND		ug/l	2.5	--	1
Ethyl ether	ND		ug/l	2.5	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	117		70-130
Toluene-d8	100		70-130
4-Bromofluorobenzene	104		70-130
Dibromofluoromethane	100		70-130

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945514  
**Report Date:** 10/07/19

**SAMPLE RESULTS**

Lab ID: L1945514-16  
 Client ID: DUP3-20191001  
 Sample Location: WAYLAND, MA

Date Collected: 10/01/19 00:00  
 Date Received: 10/01/19  
 Field Prep: Not Specified

Sample Depth:

Matrix: Water  
 Analytical Method: 1,8260C  
 Analytical Date: 10/05/19 13:21  
 Analyst: MKS

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Volatile Organics by GC/MS - Westborough Lab</b>						
Methylene chloride	ND		ug/l	3.0	--	1
1,1-Dichloroethane	ND		ug/l	0.75	--	1
Chloroform	ND		ug/l	0.75	--	1
Carbon tetrachloride	ND		ug/l	0.50	--	1
1,2-Dichloropropane	ND		ug/l	1.8	--	1
Dibromochloromethane	ND		ug/l	0.50	--	1
1,1,2-Trichloroethane	ND		ug/l	0.75	--	1
Tetrachloroethene	ND		ug/l	0.50	--	1
Chlorobenzene	ND		ug/l	0.50	--	1
Trichlorofluoromethane	ND		ug/l	2.5	--	1
1,2-Dichloroethane	ND		ug/l	0.50	--	1
1,1,1-Trichloroethane	ND		ug/l	0.50	--	1
Bromodichloromethane	ND		ug/l	0.50	--	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	--	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	--	1
1,3-Dichloropropene, Total	ND		ug/l	0.50	--	1
1,1-Dichloropropene	ND		ug/l	2.5	--	1
Bromoform	ND		ug/l	2.0	--	1
1,1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	--	1
Benzene	ND		ug/l	0.50	--	1
Toluene	ND		ug/l	0.75	--	1
Ethylbenzene	1.1		ug/l	0.50	--	1
Chloromethane	ND		ug/l	2.5	--	1
Bromomethane	ND		ug/l	1.0	--	1
Vinyl chloride	ND		ug/l	1.0	--	1
Chloroethane	ND		ug/l	1.0	--	1
1,1-Dichloroethene	ND		ug/l	0.50	--	1
trans-1,2-Dichloroethene	ND		ug/l	0.75	--	1

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945514  
**Report Date:** 10/07/19

**SAMPLE RESULTS**

Lab ID: L1945514-16  
 Client ID: DUP3-20191001  
 Sample Location: WAYLAND, MA

Date Collected: 10/01/19 00:00  
 Date Received: 10/01/19  
 Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Volatile Organics by GC/MS - Westborough Lab</b>						
1,2-Dichloroethene, Total	ND		ug/l	0.50	--	1
Trichloroethene	ND		ug/l	0.50	--	1
1,2-Dichlorobenzene	ND		ug/l	2.5	--	1
1,3-Dichlorobenzene	ND		ug/l	2.5	--	1
1,4-Dichlorobenzene	ND		ug/l	2.5	--	1
Methyl tert butyl ether	ND		ug/l	1.0	--	1
p/m-Xylene	3.6		ug/l	1.0	--	1
o-Xylene	ND		ug/l	1.0	--	1
Xylenes, Total	3.6		ug/l	1.0	--	1
cis-1,2-Dichloroethene	ND		ug/l	0.50	--	1
Dibromomethane	ND		ug/l	5.0	--	1
1,4-Dichlorobutane	ND		ug/l	5.0	--	1
1,2,3-Trichloropropane	ND		ug/l	5.0	--	1
Styrene	ND		ug/l	1.0	--	1
Dichlorodifluoromethane	ND		ug/l	5.0	--	1
Acetone	ND		ug/l	5.0	--	1
Carbon disulfide	ND		ug/l	5.0	--	1
2-Butanone	ND		ug/l	5.0	--	1
Vinyl acetate	ND		ug/l	5.0	--	1
4-Methyl-2-pentanone	ND		ug/l	5.0	--	1
2-Hexanone	ND		ug/l	5.0	--	1
Ethyl methacrylate	ND		ug/l	5.0	--	1
Acrylonitrile	ND		ug/l	5.0	--	1
Bromochloromethane	ND		ug/l	2.5	--	1
Tetrahydrofuran	ND		ug/l	5.0	--	1
2,2-Dichloropropane	ND		ug/l	2.5	--	1
1,2-Dibromoethane	ND		ug/l	2.0	--	1
1,3-Dichloropropane	ND		ug/l	2.5	--	1
1,1,1,2-Tetrachloroethane	ND		ug/l	0.50	--	1
Bromobenzene	ND		ug/l	2.5	--	1
n-Butylbenzene	ND		ug/l	0.50	--	1
sec-Butylbenzene	ND		ug/l	0.50	--	1
tert-Butylbenzene	ND		ug/l	2.5	--	1
o-Chlorotoluene	ND		ug/l	2.5	--	1
p-Chlorotoluene	ND		ug/l	2.5	--	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	--	1
Hexachlorobutadiene	ND		ug/l	0.50	--	1

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945514  
**Report Date:** 10/07/19

**SAMPLE RESULTS**

Lab ID: L1945514-16  
 Client ID: DUP3-20191001  
 Sample Location: WAYLAND, MA

Date Collected: 10/01/19 00:00  
 Date Received: 10/01/19  
 Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Volatile Organics by GC/MS - Westborough Lab</b>						
Isopropylbenzene	ND		ug/l	0.50	--	1
p-Isopropyltoluene	ND		ug/l	0.50	--	1
Naphthalene	ND		ug/l	2.5	--	1
n-Propylbenzene	ND		ug/l	0.50	--	1
1,2,3-Trichlorobenzene	ND		ug/l	2.5	--	1
1,2,4-Trichlorobenzene	ND		ug/l	2.5	--	1
1,3,5-Trimethylbenzene	ND		ug/l	2.5	--	1
1,2,4-Trimethylbenzene	ND		ug/l	2.5	--	1
trans-1,4-Dichloro-2-butene	ND		ug/l	2.5	--	1
Ethyl ether	ND		ug/l	2.5	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	117		70-130
Toluene-d8	100		70-130
4-Bromofluorobenzene	103		70-130
Dibromofluoromethane	102		70-130

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945514  
**Report Date:** 10/07/19

**SAMPLE RESULTS**

Lab ID: L1945514-17  
 Client ID: DUP4-20191001  
 Sample Location: WAYLAND, MA

Date Collected: 10/01/19 00:00  
 Date Received: 10/01/19  
 Field Prep: Not Specified

Sample Depth:

Matrix: Water  
 Analytical Method: 1,8260C  
 Analytical Date: 10/05/19 13:47  
 Analyst: MKS

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Volatile Organics by GC/MS - Westborough Lab</b>						
Methylene chloride	ND		ug/l	3.0	--	1
1,1-Dichloroethane	ND		ug/l	0.75	--	1
Chloroform	ND		ug/l	0.75	--	1
Carbon tetrachloride	ND		ug/l	0.50	--	1
1,2-Dichloropropane	ND		ug/l	1.8	--	1
Dibromochloromethane	ND		ug/l	0.50	--	1
1,1,2-Trichloroethane	ND		ug/l	0.75	--	1
Tetrachloroethene	ND		ug/l	0.50	--	1
Chlorobenzene	ND		ug/l	0.50	--	1
Trichlorofluoromethane	ND		ug/l	2.5	--	1
1,2-Dichloroethane	ND		ug/l	0.50	--	1
1,1,1-Trichloroethane	ND		ug/l	0.50	--	1
Bromodichloromethane	ND		ug/l	0.50	--	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	--	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	--	1
1,3-Dichloropropene, Total	ND		ug/l	0.50	--	1
1,1-Dichloropropene	ND		ug/l	2.5	--	1
Bromoform	ND		ug/l	2.0	--	1
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	--	1
Benzene	ND		ug/l	0.50	--	1
Toluene	ND		ug/l	0.75	--	1
Ethylbenzene	ND		ug/l	0.50	--	1
Chloromethane	ND		ug/l	2.5	--	1
Bromomethane	ND		ug/l	1.0	--	1
Vinyl chloride	ND		ug/l	1.0	--	1
Chloroethane	ND		ug/l	1.0	--	1
1,1-Dichloroethene	ND		ug/l	0.50	--	1
trans-1,2-Dichloroethene	ND		ug/l	0.75	--	1

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945514  
**Report Date:** 10/07/19

**SAMPLE RESULTS**

**Lab ID:** L1945514-17  
**Client ID:** DUP4-20191001  
**Sample Location:** WAYLAND, MA

**Date Collected:** 10/01/19 00:00  
**Date Received:** 10/01/19  
**Field Prep:** Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Volatile Organics by GC/MS - Westborough Lab</b>						
1,2-Dichloroethene, Total	ND		ug/l	0.50	--	1
Trichloroethene	ND		ug/l	0.50	--	1
1,2-Dichlorobenzene	ND		ug/l	2.5	--	1
1,3-Dichlorobenzene	ND		ug/l	2.5	--	1
1,4-Dichlorobenzene	ND		ug/l	2.5	--	1
Methyl tert butyl ether	ND		ug/l	1.0	--	1
p/m-Xylene	ND		ug/l	1.0	--	1
o-Xylene	ND		ug/l	1.0	--	1
Xylenes, Total	ND		ug/l	1.0	--	1
cis-1,2-Dichloroethene	ND		ug/l	0.50	--	1
Dibromomethane	ND		ug/l	5.0	--	1
1,4-Dichlorobutane	ND		ug/l	5.0	--	1
1,2,3-Trichloropropane	ND		ug/l	5.0	--	1
Styrene	ND		ug/l	1.0	--	1
Dichlorodifluoromethane	ND		ug/l	5.0	--	1
Acetone	ND		ug/l	5.0	--	1
Carbon disulfide	ND		ug/l	5.0	--	1
2-Butanone	ND		ug/l	5.0	--	1
Vinyl acetate	ND		ug/l	5.0	--	1
4-Methyl-2-pentanone	ND		ug/l	5.0	--	1
2-Hexanone	ND		ug/l	5.0	--	1
Ethyl methacrylate	ND		ug/l	5.0	--	1
Acrylonitrile	ND		ug/l	5.0	--	1
Bromochloromethane	ND		ug/l	2.5	--	1
Tetrahydrofuran	1500	E	ug/l	5.0	--	1
2,2-Dichloropropane	ND		ug/l	2.5	--	1
1,2-Dibromoethane	ND		ug/l	2.0	--	1
1,3-Dichloropropane	ND		ug/l	2.5	--	1
1,1,1,2-Tetrachloroethane	ND		ug/l	0.50	--	1
Bromobenzene	ND		ug/l	2.5	--	1
n-Butylbenzene	ND		ug/l	0.50	--	1
sec-Butylbenzene	ND		ug/l	0.50	--	1
tert-Butylbenzene	ND		ug/l	2.5	--	1
o-Chlorotoluene	ND		ug/l	2.5	--	1
p-Chlorotoluene	ND		ug/l	2.5	--	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	--	1
Hexachlorobutadiene	ND		ug/l	0.50	--	1

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945514  
**Report Date:** 10/07/19

**SAMPLE RESULTS**

Lab ID: L1945514-17  
 Client ID: DUP4-20191001  
 Sample Location: WAYLAND, MA

Date Collected: 10/01/19 00:00  
 Date Received: 10/01/19  
 Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Volatile Organics by GC/MS - Westborough Lab</b>						
Isopropylbenzene	ND		ug/l	0.50	--	1
p-Isopropyltoluene	ND		ug/l	0.50	--	1
Naphthalene	ND		ug/l	2.5	--	1
n-Propylbenzene	ND		ug/l	0.50	--	1
1,2,3-Trichlorobenzene	ND		ug/l	2.5	--	1
1,2,4-Trichlorobenzene	ND		ug/l	2.5	--	1
1,3,5-Trimethylbenzene	ND		ug/l	2.5	--	1
1,2,4-Trimethylbenzene	ND		ug/l	2.5	--	1
trans-1,4-Dichloro-2-butene	ND		ug/l	2.5	--	1
Ethyl ether	ND		ug/l	2.5	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	114		70-130
Toluene-d8	101		70-130
4-Bromofluorobenzene	105		70-130
Dibromofluoromethane	101		70-130

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945514  
**Report Date:** 10/07/19

**SAMPLE RESULTS**

Lab ID: L1945514-17 D  
 Client ID: DUP4-20191001  
 Sample Location: WAYLAND, MA

Date Collected: 10/01/19 00:00  
 Date Received: 10/01/19  
 Field Prep: Not Specified

Sample Depth:

Matrix: Water  
 Analytical Method: 1,8260C  
 Analytical Date: 10/07/19 13:22  
 Analyst: AD

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

Volatile Organics by GC/MS - Westborough Lab						
Tetrahydrofuran	1700		ug/l	100	--	20

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	99		70-130
Toluene-d8	100		70-130
4-Bromofluorobenzene	88		70-130
Dibromofluoromethane	100		70-130

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945514  
**Report Date:** 10/07/19

**SAMPLE RESULTS**

Lab ID: L1945514-18  
 Client ID: TRIP BLANKS  
 Sample Location: WAYLAND, MA

Date Collected: 10/01/19 00:00  
 Date Received: 10/01/19  
 Field Prep: Not Specified

Sample Depth:

Matrix: Water  
 Analytical Method: 1,8260C  
 Analytical Date: 10/05/19 09:34  
 Analyst: MKS

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Volatile Organics by GC/MS - Westborough Lab</b>						
Methylene chloride	ND		ug/l	3.0	--	1
1,1-Dichloroethane	ND		ug/l	0.75	--	1
Chloroform	ND		ug/l	0.75	--	1
Carbon tetrachloride	ND		ug/l	0.50	--	1
1,2-Dichloropropane	ND		ug/l	1.8	--	1
Dibromochloromethane	ND		ug/l	0.50	--	1
1,1,2-Trichloroethane	ND		ug/l	0.75	--	1
Tetrachloroethene	ND		ug/l	0.50	--	1
Chlorobenzene	ND		ug/l	0.50	--	1
Trichlorofluoromethane	ND		ug/l	2.5	--	1
1,2-Dichloroethane	ND		ug/l	0.50	--	1
1,1,1-Trichloroethane	ND		ug/l	0.50	--	1
Bromodichloromethane	ND		ug/l	0.50	--	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	--	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	--	1
1,3-Dichloropropene, Total	ND		ug/l	0.50	--	1
1,1-Dichloropropene	ND		ug/l	2.5	--	1
Bromoform	ND		ug/l	2.0	--	1
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	--	1
Benzene	ND		ug/l	0.50	--	1
Toluene	ND		ug/l	0.75	--	1
Ethylbenzene	ND		ug/l	0.50	--	1
Chloromethane	ND		ug/l	2.5	--	1
Bromomethane	ND		ug/l	1.0	--	1
Vinyl chloride	ND		ug/l	1.0	--	1
Chloroethane	ND		ug/l	1.0	--	1
1,1-Dichloroethene	ND		ug/l	0.50	--	1
trans-1,2-Dichloroethene	ND		ug/l	0.75	--	1

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945514  
**Report Date:** 10/07/19

**SAMPLE RESULTS**

Lab ID: L1945514-18  
 Client ID: TRIP BLANKS  
 Sample Location: WAYLAND, MA

Date Collected: 10/01/19 00:00  
 Date Received: 10/01/19  
 Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Volatile Organics by GC/MS - Westborough Lab</b>						
1,2-Dichloroethene, Total	ND		ug/l	0.50	--	1
Trichloroethene	ND		ug/l	0.50	--	1
1,2-Dichlorobenzene	ND		ug/l	2.5	--	1
1,3-Dichlorobenzene	ND		ug/l	2.5	--	1
1,4-Dichlorobenzene	ND		ug/l	2.5	--	1
Methyl tert butyl ether	ND		ug/l	1.0	--	1
p/m-Xylene	ND		ug/l	1.0	--	1
o-Xylene	ND		ug/l	1.0	--	1
Xylenes, Total	ND		ug/l	1.0	--	1
cis-1,2-Dichloroethene	ND		ug/l	0.50	--	1
Dibromomethane	ND		ug/l	5.0	--	1
1,4-Dichlorobutane	ND		ug/l	5.0	--	1
1,2,3-Trichloropropane	ND		ug/l	5.0	--	1
Styrene	ND		ug/l	1.0	--	1
Dichlorodifluoromethane	ND		ug/l	5.0	--	1
Acetone	ND		ug/l	5.0	--	1
Carbon disulfide	ND		ug/l	5.0	--	1
2-Butanone	ND		ug/l	5.0	--	1
Vinyl acetate	ND		ug/l	5.0	--	1
4-Methyl-2-pentanone	ND		ug/l	5.0	--	1
2-Hexanone	ND		ug/l	5.0	--	1
Ethyl methacrylate	ND		ug/l	5.0	--	1
Acrylonitrile	ND		ug/l	5.0	--	1
Bromochloromethane	ND		ug/l	2.5	--	1
Tetrahydrofuran	ND		ug/l	5.0	--	1
2,2-Dichloropropane	ND		ug/l	2.5	--	1
1,2-Dibromoethane	ND		ug/l	2.0	--	1
1,3-Dichloropropane	ND		ug/l	2.5	--	1
1,1,1,2-Tetrachloroethane	ND		ug/l	0.50	--	1
Bromobenzene	ND		ug/l	2.5	--	1
n-Butylbenzene	ND		ug/l	0.50	--	1
sec-Butylbenzene	ND		ug/l	0.50	--	1
tert-Butylbenzene	ND		ug/l	2.5	--	1
o-Chlorotoluene	ND		ug/l	2.5	--	1
p-Chlorotoluene	ND		ug/l	2.5	--	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	--	1
Hexachlorobutadiene	ND		ug/l	0.50	--	1

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945514  
**Report Date:** 10/07/19

**SAMPLE RESULTS**

Lab ID: L1945514-18  
 Client ID: TRIP BLANKS  
 Sample Location: WAYLAND, MA

Date Collected: 10/01/19 00:00  
 Date Received: 10/01/19  
 Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Volatile Organics by GC/MS - Westborough Lab</b>						
Isopropylbenzene	ND		ug/l	0.50	--	1
p-Isopropyltoluene	ND		ug/l	0.50	--	1
Naphthalene	ND		ug/l	2.5	--	1
n-Propylbenzene	ND		ug/l	0.50	--	1
1,2,3-Trichlorobenzene	ND		ug/l	2.5	--	1
1,2,4-Trichlorobenzene	ND		ug/l	2.5	--	1
1,3,5-Trimethylbenzene	ND		ug/l	2.5	--	1
1,2,4-Trimethylbenzene	ND		ug/l	2.5	--	1
trans-1,4-Dichloro-2-butene	ND		ug/l	2.5	--	1
Ethyl ether	ND		ug/l	2.5	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	111		70-130
Toluene-d8	100		70-130
4-Bromofluorobenzene	104		70-130
Dibromofluoromethane	98		70-130

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945514  
**Report Date:** 10/07/19

**Method Blank Analysis**  
**Batch Quality Control**

Analytical Method: 117,-  
Analytical Date: 10/03/19 16:55  
Analyst: AW

Parameter	Result	Qualifier	Units	RL	MDL
Dissolved Gases by GC - Mansfield Lab for sample(s): 05-06 Batch: WG1291678-11					
Methane	ND		ug/l	1.00	-- A
Ethene	ND		ug/l	0.500	-- A
Ethane	ND		ug/l	0.500	-- A

Project Name: RAYTHEON WAYLAND

Lab Number: L1945514

Project Number: RA-008

Report Date: 10/07/19

**Method Blank Analysis**  
**Batch Quality Control**

Analytical Method: 117,-  
 Analytical Date: 10/03/19 08:08  
 Analyst: AW

Parameter	Result	Qualifier	Units	RL	MDL
Dissolved Gases by GC - Mansfield Lab for sample(s): 05-06 Batch: WG1291678-3					
Methane	ND		ug/l	1.00	-- A
Ethene	ND		ug/l	0.500	-- A
Ethane	ND		ug/l	0.500	-- A

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945514  
**Report Date:** 10/07/19

**Method Blank Analysis**  
**Batch Quality Control**

Analytical Method: 1,8260C  
Analytical Date: 10/05/19 09:08  
Analyst: NLK

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 02,06-12,14-18 Batch: WG1292966-5					
Methylene chloride	ND		ug/l	3.0	--
1,1-Dichloroethane	ND		ug/l	0.75	--
Chloroform	ND		ug/l	0.75	--
Carbon tetrachloride	ND		ug/l	0.50	--
1,2-Dichloropropane	ND		ug/l	1.8	--
Dibromochloromethane	ND		ug/l	0.50	--
1,1,2-Trichloroethane	ND		ug/l	0.75	--
2-Chloroethylvinyl ether	ND		ug/l	10	--
Tetrachloroethene	ND		ug/l	0.50	--
Chlorobenzene	ND		ug/l	0.50	--
Trichlorofluoromethane	ND		ug/l	2.5	--
1,2-Dichloroethane	ND		ug/l	0.50	--
1,1,1-Trichloroethane	ND		ug/l	0.50	--
Bromodichloromethane	ND		ug/l	0.50	--
trans-1,3-Dichloropropene	ND		ug/l	0.50	--
cis-1,3-Dichloropropene	ND		ug/l	0.50	--
1,3-Dichloropropene, Total	ND		ug/l	0.50	--
1,1-Dichloropropene	ND		ug/l	2.5	--
Bromoform	ND		ug/l	2.0	--
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	--
Benzene	ND		ug/l	0.50	--
Toluene	ND		ug/l	0.75	--
Ethylbenzene	ND		ug/l	0.50	--
Chloromethane	ND		ug/l	2.5	--
Bromomethane	ND		ug/l	1.0	--
Vinyl chloride	ND		ug/l	1.0	--
Chloroethane	ND		ug/l	1.0	--
1,1-Dichloroethene	ND		ug/l	0.50	--
trans-1,2-Dichloroethene	ND		ug/l	0.75	--

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945514  
**Report Date:** 10/07/19

**Method Blank Analysis**  
**Batch Quality Control**

Analytical Method: 1,8260C  
Analytical Date: 10/05/19 09:08  
Analyst: NLK

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 02,06-12,14-18 Batch: WG1292966-5					
1,2-Dichloroethene, Total	ND		ug/l	0.50	--
Trichloroethene	ND		ug/l	0.50	--
1,2-Dichlorobenzene	ND		ug/l	2.5	--
1,3-Dichlorobenzene	ND		ug/l	2.5	--
1,4-Dichlorobenzene	ND		ug/l	2.5	--
Methyl tert butyl ether	ND		ug/l	1.0	--
p/m-Xylene	ND		ug/l	1.0	--
o-Xylene	ND		ug/l	1.0	--
Xylenes, Total	ND		ug/l	1.0	--
cis-1,2-Dichloroethene	ND		ug/l	0.50	--
Dibromomethane	ND		ug/l	5.0	--
1,4-Dichlorobutane	ND		ug/l	5.0	--
1,2,3-Trichloropropane	ND		ug/l	5.0	--
Styrene	ND		ug/l	1.0	--
Dichlorodifluoromethane	ND		ug/l	5.0	--
Acetone	ND		ug/l	5.0	--
Carbon disulfide	ND		ug/l	5.0	--
2-Butanone	ND		ug/l	5.0	--
Vinyl acetate	ND		ug/l	5.0	--
4-Methyl-2-pentanone	ND		ug/l	5.0	--
2-Hexanone	ND		ug/l	5.0	--
Ethyl methacrylate	ND		ug/l	5.0	--
Acrolein	ND		ug/l	5.0	--
Acrylonitrile	ND		ug/l	5.0	--
Bromochloromethane	ND		ug/l	2.5	--
Tetrahydrofuran	ND		ug/l	5.0	--
2,2-Dichloropropane	ND		ug/l	2.5	--
1,2-Dibromoethane	ND		ug/l	2.0	--
1,3-Dichloropropane	ND		ug/l	2.5	--

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945514  
**Report Date:** 10/07/19

**Method Blank Analysis**  
**Batch Quality Control**

Analytical Method: 1,8260C  
Analytical Date: 10/05/19 09:08  
Analyst: NLK

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 02,06-12,14-18 Batch: WG1292966-5					
1,1,1,2-Tetrachloroethane	ND		ug/l	0.50	--
Bromobenzene	ND		ug/l	2.5	--
n-Butylbenzene	ND		ug/l	0.50	--
sec-Butylbenzene	ND		ug/l	0.50	--
tert-Butylbenzene	ND		ug/l	2.5	--
o-Chlorotoluene	ND		ug/l	2.5	--
p-Chlorotoluene	ND		ug/l	2.5	--
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	--
Hexachlorobutadiene	ND		ug/l	0.50	--
Isopropylbenzene	ND		ug/l	0.50	--
p-Isopropyltoluene	ND		ug/l	0.50	--
Naphthalene	ND		ug/l	2.5	--
n-Propylbenzene	ND		ug/l	0.50	--
1,2,3-Trichlorobenzene	ND		ug/l	2.5	--
1,2,4-Trichlorobenzene	ND		ug/l	2.5	--
1,3,5-Trimethylbenzene	ND		ug/l	2.5	--
1,3,5-Trichlorobenzene	ND		ug/l	2.0	--
1,2,4-Trimethylbenzene	ND		ug/l	2.5	--
trans-1,4-Dichloro-2-butene	ND		ug/l	2.5	--
Halothane	ND		ug/l	2.5	--
Ethyl ether	ND		ug/l	2.5	--
Methyl Acetate	ND		ug/l	10	--
Ethyl Acetate	ND		ug/l	10	--
Isopropyl Ether	ND		ug/l	2.0	--
Cyclohexane	ND		ug/l	10	--
Tert-Butyl Alcohol	ND		ug/l	10	--
Ethyl-Tert-Butyl-Ether	ND		ug/l	2.0	--
Tertiary-Amyl Methyl Ether	ND		ug/l	2.0	--
1,4-Dioxane	ND		ug/l	250	--

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945514  
**Report Date:** 10/07/19

**Method Blank Analysis**  
**Batch Quality Control**

Analytical Method: 1,8260C  
Analytical Date: 10/05/19 09:08  
Analyst: NLK

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 02,06-12,14-18 Batch: WG1292966-5					
1,1,2-Trichloro-1,2,2-Trifluoroethane	ND		ug/l	10	--
Methyl cyclohexane	ND		ug/l	10	--
p-Diethylbenzene	ND		ug/l	2.0	--
4-Ethyltoluene	ND		ug/l	2.0	--
1,2,4,5-Tetramethylbenzene	ND		ug/l	2.0	--

Surrogate	%Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	113		70-130
Toluene-d8	101		70-130
4-Bromofluorobenzene	103		70-130
Dibromofluoromethane	97		70-130

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945514  
**Report Date:** 10/07/19

**Method Blank Analysis**  
**Batch Quality Control**

Analytical Method: 1,8260C  
Analytical Date: 10/07/19 10:40  
Analyst: PK

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 01,03-05,11-13,17 Batch: WG1293167-5					
Methylene chloride	ND		ug/l	3.0	--
1,1-Dichloroethane	ND		ug/l	0.75	--
Chloroform	ND		ug/l	0.75	--
Carbon tetrachloride	ND		ug/l	0.50	--
1,2-Dichloropropane	ND		ug/l	1.8	--
Dibromochloromethane	ND		ug/l	0.50	--
1,1,2-Trichloroethane	ND		ug/l	0.75	--
2-Chloroethylvinyl ether	ND		ug/l	10	--
Tetrachloroethene	ND		ug/l	0.50	--
Chlorobenzene	ND		ug/l	0.50	--
Trichlorofluoromethane	ND		ug/l	2.5	--
1,2-Dichloroethane	ND		ug/l	0.50	--
1,1,1-Trichloroethane	ND		ug/l	0.50	--
Bromodichloromethane	ND		ug/l	0.50	--
trans-1,3-Dichloropropene	ND		ug/l	0.50	--
cis-1,3-Dichloropropene	ND		ug/l	0.50	--
1,3-Dichloropropene, Total	ND		ug/l	0.50	--
1,1-Dichloropropene	ND		ug/l	2.5	--
Bromoform	ND		ug/l	2.0	--
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	--
Benzene	ND		ug/l	0.50	--
Toluene	ND		ug/l	0.75	--
Ethylbenzene	ND		ug/l	0.50	--
Chloromethane	ND		ug/l	2.5	--
Bromomethane	ND		ug/l	1.0	--
Vinyl chloride	ND		ug/l	1.0	--
Chloroethane	ND		ug/l	1.0	--
1,1-Dichloroethene	ND		ug/l	0.50	--
trans-1,2-Dichloroethene	ND		ug/l	0.75	--

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945514  
**Report Date:** 10/07/19

**Method Blank Analysis**  
**Batch Quality Control**

Analytical Method: 1,8260C  
Analytical Date: 10/07/19 10:40  
Analyst: PK

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 01,03-05,11-13,17 Batch: WG1293167-5					
1,2-Dichloroethene, Total	ND		ug/l	0.50	--
Trichloroethene	ND		ug/l	0.50	--
1,2-Dichlorobenzene	ND		ug/l	2.5	--
1,3-Dichlorobenzene	ND		ug/l	2.5	--
1,4-Dichlorobenzene	ND		ug/l	2.5	--
Methyl tert butyl ether	ND		ug/l	1.0	--
p/m-Xylene	ND		ug/l	1.0	--
o-Xylene	ND		ug/l	1.0	--
Xylenes, Total	ND		ug/l	1.0	--
cis-1,2-Dichloroethene	ND		ug/l	0.50	--
Dibromomethane	ND		ug/l	5.0	--
1,4-Dichlorobutane	ND		ug/l	5.0	--
Iodomethane	ND		ug/l	5.0	--
1,2,3-Trichloropropane	ND		ug/l	5.0	--
Styrene	ND		ug/l	1.0	--
Dichlorodifluoromethane	ND		ug/l	5.0	--
Acetone	ND		ug/l	5.0	--
Carbon disulfide	ND		ug/l	5.0	--
2-Butanone	ND		ug/l	5.0	--
Vinyl acetate	ND		ug/l	5.0	--
4-Methyl-2-pentanone	ND		ug/l	5.0	--
2-Hexanone	ND		ug/l	5.0	--
Ethyl methacrylate	ND		ug/l	5.0	--
Acrolein	ND		ug/l	5.0	--
Acrylonitrile	ND		ug/l	5.0	--
Bromochloromethane	ND		ug/l	2.5	--
Tetrahydrofuran	ND		ug/l	5.0	--
2,2-Dichloropropane	ND		ug/l	2.5	--
1,2-Dibromoethane	ND		ug/l	2.0	--

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945514  
**Report Date:** 10/07/19

**Method Blank Analysis**  
**Batch Quality Control**

Analytical Method: 1,8260C  
Analytical Date: 10/07/19 10:40  
Analyst: PK

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 01,03-05,11-13,17 Batch: WG1293167-5					
1,3-Dichloropropane	ND		ug/l	2.5	--
1,1,1,2-Tetrachloroethane	ND		ug/l	0.50	--
Bromobenzene	ND		ug/l	2.5	--
n-Butylbenzene	ND		ug/l	0.50	--
sec-Butylbenzene	ND		ug/l	0.50	--
tert-Butylbenzene	ND		ug/l	2.5	--
o-Chlorotoluene	ND		ug/l	2.5	--
p-Chlorotoluene	ND		ug/l	2.5	--
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	--
Hexachlorobutadiene	ND		ug/l	0.50	--
Isopropylbenzene	ND		ug/l	0.50	--
p-Isopropyltoluene	ND		ug/l	0.50	--
Naphthalene	ND		ug/l	2.5	--
n-Propylbenzene	ND		ug/l	0.50	--
1,2,3-Trichlorobenzene	ND		ug/l	2.5	--
1,2,4-Trichlorobenzene	ND		ug/l	2.5	--
1,3,5-Trimethylbenzene	ND		ug/l	2.5	--
1,3,5-Trichlorobenzene	ND		ug/l	2.0	--
1,2,4-Trimethylbenzene	ND		ug/l	2.5	--
trans-1,4-Dichloro-2-butene	ND		ug/l	2.5	--
Halothane	ND		ug/l	2.5	--
Ethyl ether	ND		ug/l	2.5	--
Methyl Acetate	ND		ug/l	10	--
Ethyl Acetate	ND		ug/l	10	--
Isopropyl Ether	ND		ug/l	2.0	--
Cyclohexane	ND		ug/l	10	--
Tert-Butyl Alcohol	ND		ug/l	10	--
Ethyl-Tert-Butyl-Ether	ND		ug/l	2.0	--
Tertiary-Amyl Methyl Ether	ND		ug/l	2.0	--

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945514  
**Report Date:** 10/07/19

**Method Blank Analysis**  
**Batch Quality Control**

Analytical Method: 1,8260C  
Analytical Date: 10/07/19 10:40  
Analyst: PK

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 01,03-05,11-13,17 Batch: WG1293167-5					
1,4-Dioxane	ND		ug/l	250	--
1,1,2-Trichloro-1,2,2-Trifluoroethane	ND		ug/l	10	--
Methyl cyclohexane	ND		ug/l	10	--
p-Diethylbenzene	ND		ug/l	2.0	--
4-Ethyltoluene	ND		ug/l	2.0	--
1,2,4,5-Tetramethylbenzene	ND		ug/l	2.0	--

Surrogate	%Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	98		70-130
Toluene-d8	99		70-130
4-Bromofluorobenzene	94		70-130
Dibromofluoromethane	100		70-130

## Lab Control Sample Analysis

Batch Quality Control

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945514  
**Report Date:** 10/07/19

Parameter	LCS		LCSD		%Recovery		RPD	
	%Recovery	Qual	%Recovery	Qual	Limits	Qual	Limits	Column
Dissolved Gases by GC - Mansfield Lab Associated sample(s): 05-06 Batch: WG1291678-10								
Methane	80		-		80-120	-	25	A
Ethene	86		-		80-120	-	25	A
Ethane	88		-		80-120	-	25	A



## Lab Control Sample Analysis

Batch Quality Control

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945514  
**Report Date:** 10/07/19

Parameter	LCS		LCSD		%Recovery		RPD	
	%Recovery	Qual	%Recovery	Qual	Limits	Qual	Limits	Column
Dissolved Gases by GC - Mansfield Lab Associated sample(s): 05-06 Batch: WG1291678-2								
Methane	80		-		80-120	-	25	A
Ethene	85		-		80-120	-	25	A
Ethane	88		-		80-120	-	25	A



### Lab Control Sample Analysis

Batch Quality Control

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945514  
**Report Date:** 10/07/19

Parameter	LCS		LCS D		%Recovery		RPD	
	%Recovery	Qual	%Recovery	Qual	Limits	Qual	RPD	Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 02,06-12,14-18 Batch: WG1292966-3 WG1292966-4								
Methylene chloride	100		95		70-130		5	20
1,1-Dichloroethane	120		110		70-130		9	20
Chloroform	100		97		70-130		3	20
Carbon tetrachloride	100		97		63-132		3	20
1,2-Dichloropropane	110		110		70-130		0	20
Dibromochloromethane	92		92		63-130		0	20
1,1,2-Trichloroethane	95		94		70-130		1	20
2-Chloroethylvinyl ether	94		100		70-130		6	20
Tetrachloroethene	94		91		70-130		3	20
Chlorobenzene	100		100		75-130		0	25
Trichlorofluoromethane	100		94		62-150		6	20
1,2-Dichloroethane	110		110		70-130		0	20
1,1,1-Trichloroethane	100		100		67-130		0	20
Bromodichloromethane	98		96		67-130		2	20
trans-1,3-Dichloropropene	90		91		70-130		1	20
cis-1,3-Dichloropropene	92		92		70-130		0	20
1,1-Dichloropropene	100		100		70-130		0	20
Bromoform	88		86		54-136		2	20
1,1,2,2-Tetrachloroethane	100		100		67-130		0	20
Benzene	100		99		70-130		1	25
Toluene	100		98		70-130		2	25
Ethylbenzene	100		100		70-130		0	20
Chloromethane	110		110		64-130		0	20



## Lab Control Sample Analysis

Batch Quality Control

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945514  
**Report Date:** 10/07/19

Parameter	LCS		LCS D		%Recovery		RPD	
	%Recovery	Qual	%Recovery	Qual	Limits	Qual	RPD	Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 02,06-12,14-18 Batch: WG1292966-3 WG1292966-4								
Bromomethane	56		58		39-139		4	20
Vinyl chloride	120		110		55-140		9	20
Chloroethane	120		120		55-138		0	20
1,1-Dichloroethene	98		94		61-145		4	25
trans-1,2-Dichloroethene	100		96		70-130		4	20
Trichloroethene	100		98		70-130		2	25
1,2-Dichlorobenzene	110		100		70-130		10	20
1,3-Dichlorobenzene	110		100		70-130		10	20
1,4-Dichlorobenzene	110		100		70-130		10	20
Methyl tert butyl ether	100		98		63-130		2	20
p/m-Xylene	105		100		70-130		5	20
o-Xylene	105		100		70-130		5	20
cis-1,2-Dichloroethene	100		96		70-130		4	20
Dibromomethane	94		92		70-130		2	20
1,4-Dichlorobutane	140	Q	130		70-130		7	20
1,2,3-Trichloropropane	100		110		64-130		10	20
Styrene	100		100		70-130		0	20
Dichlorodifluoromethane	87		82		36-147		6	20
Acetone	110		100		58-148		10	20
Carbon disulfide	100		96		51-130		4	20
2-Butanone	130		120		63-138		8	20
Vinyl acetate	120		120		70-130		0	20
4-Methyl-2-pentanone	110		110		59-130		0	20



## Lab Control Sample Analysis

Batch Quality Control

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945514  
**Report Date:** 10/07/19

Parameter	LCS		LCS D		%Recovery		RPD	
	%Recovery	Qual	%Recovery	Qual	Limits	Qual	RPD	Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 02,06-12,14-18 Batch: WG1292966-3 WG1292966-4								
2-Hexanone	120		120		57-130		0	20
Ethyl methacrylate	90		90		70-130		0	20
Acrolein	110		100		70-130		10	20
Acrylonitrile	130		120		70-130		8	20
Bromochloromethane	99		98		70-130		1	20
Tetrahydrofuran	120		120		58-130		0	20
2,2-Dichloropropane	110		110		63-133		0	20
1,2-Dibromoethane	92		92		70-130		0	20
1,3-Dichloropropane	97		97		70-130		0	20
1,1,1,2-Tetrachloroethane	98		94		64-130		4	20
Bromobenzene	110		100		70-130		10	20
n-Butylbenzene	120		110		53-136		9	20
sec-Butylbenzene	120		110		70-130		9	20
tert-Butylbenzene	110		110		70-130		0	20
o-Chlorotoluene	110		110		70-130		0	20
p-Chlorotoluene	110		110		70-130		0	20
1,2-Dibromo-3-chloropropane	93		94		41-144		1	20
Hexachlorobutadiene	96		94		63-130		2	20
Isopropylbenzene	120		110		70-130		9	20
p-Isopropyltoluene	110		110		70-130		0	20
Naphthalene	100		100		70-130		0	20
n-Propylbenzene	120		110		69-130		9	20
1,2,3-Trichlorobenzene	94		96		70-130		2	20



## Lab Control Sample Analysis

Batch Quality Control

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945514  
**Report Date:** 10/07/19

Parameter	LCS		LCSD		%Recovery		RPD	
	%Recovery	Qual	%Recovery	Qual	Limits	Qual	RPD	Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 02,06-12,14-18 Batch: WG1292966-3 WG1292966-4								
1,2,4-Trichlorobenzene	98		98		70-130		0	20
1,3,5-Trimethylbenzene	120		110		64-130		9	20
1,3,5-Trichlorobenzene	100		98		70-130		2	20
1,2,4-Trimethylbenzene	110		110		70-130		0	20
trans-1,4-Dichloro-2-butene	98		92		70-130		6	20
Halothane	100		99		70-130		1	20
Ethyl ether	96		96		59-134		0	20
Methyl Acetate	130		130		70-130		0	20
Ethyl Acetate	120		120		70-130		0	20
Isopropyl Ether	140	Q	130		70-130		7	20
Cyclohexane	130		120		70-130		8	20
Tert-Butyl Alcohol	124		120		70-130		3	20
Ethyl-Tert-Butyl-Ether	120		120		70-130		0	20
Tertiary-Amyl Methyl Ether	98		98		66-130		0	20
1,4-Dioxane	88		84		56-162		5	20
1,1,2-Trichloro-1,2,2-Trifluoroethane	100		99		70-130		1	20
Methyl cyclohexane	100		100		70-130		0	20
p-Diethylbenzene	110		110		70-130		0	20
4-Ethyltoluene	120		110		70-130		9	20
1,2,4,5-Tetramethylbenzene	110		110		70-130		0	20



## Lab Control Sample Analysis

Batch Quality Control

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945514  
**Report Date:** 10/07/19

Parameter	LCS		LCSD		%Recovery		RPD	Qual	RPD	Qual	RPD	Limits
	%Recovery	Qual	%Recovery	Qual	%Recovery	Limits						
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 02,06-12,14-18 Batch: WG1292966-3 WG1292966-4												
	LCS		LCSD		%Recovery		Qual	Qual	Qual	Qual	Qual	Acceptance Criteria
<b>Surrogate</b>	%Recovery	Qual	%Recovery	Qual	%Recovery	Limits						
1,2-Dichloroethane-d4	108		115		115	70-130						
Toluene-d8	100		101		101	70-130						
4-Bromofluorobenzene	105		104		104	70-130						
Dibromofluoromethane	100		98		98	70-130						



## Lab Control Sample Analysis

Batch Quality Control

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945514  
**Report Date:** 10/07/19

Parameter	LCS		LCSD		%Recovery		RPD	
	%Recovery	Qual	%Recovery	Qual	Limits	Qual	RPD	Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01,03-05,11-13,17 Batch: WG1293167-3 WG1293167-4								
Methylene chloride	92		88		70-130		4	20
1,1-Dichloroethane	98		97		70-130		1	20
Chloroform	90		88		70-130		2	20
Carbon tetrachloride	85		86		63-132		1	20
1,2-Dichloropropane	100		100		70-130		0	20
Dibromochloromethane	88		86		63-130		2	20
1,1,2-Trichloroethane	94		96		70-130		2	20
2-Chloroethylvinyl ether	78		82		70-130		5	20
Tetrachloroethene	99		94		70-130		5	20
Chlorobenzene	93		90		75-130		3	25
Trichlorofluoromethane	79		82		62-150		4	20
1,2-Dichloroethane	87		86		70-130		1	20
1,1,1-Trichloroethane	83		83		67-130		0	20
Bromodichloromethane	85		84		67-130		1	20
trans-1,3-Dichloropropene	85		84		70-130		1	20
cis-1,3-Dichloropropene	84		86		70-130		2	20
1,1-Dichloropropene	87		87		70-130		0	20
Bromoform	92		87		54-136		6	20
1,1,2,2-Tetrachloroethane	94		94		67-130		0	20
Benzene	92		93		70-130		1	25
Toluene	99		95		70-130		4	25
Ethylbenzene	96		92		70-130		4	20
Chloromethane	130		120		64-130		8	20



### Lab Control Sample Analysis

Batch Quality Control

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945514  
**Report Date:** 10/07/19

Parameter	LCS		LCS D		%Recovery		RPD	
	%Recovery	Qual	%Recovery	Qual	Limits	Qual	RPD	Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01,03-05,11-13,17 Batch: WG1293167-3 WG1293167-4								
Bromomethane	58		58		39-139		0	20
Vinyl chloride	110		100		55-140		10	20
Chloroethane	93		86		55-138		8	20
1,1-Dichloroethene	88		90		61-145		2	25
trans-1,2-Dichloroethene	90		85		70-130		6	20
Trichloroethene	91		87		70-130		4	25
1,2-Dichlorobenzene	97		91		70-130		6	20
1,3-Dichlorobenzene	99		92		70-130		7	20
1,4-Dichlorobenzene	99		90		70-130		10	20
Methyl tert butyl ether	71		73		63-130		3	20
p/m-Xylene	95		95		70-130		0	20
o-Xylene	95		90		70-130		5	20
cis-1,2-Dichloroethene	96		94		70-130		2	20
Dibromomethane	88		90		70-130		2	20
1,4-Dichlorobutane	110		100		70-130		10	20
Iodomethane	36	Q	42	Q	70-130		15	20
1,2,3-Trichloropropane	98		98		64-130		0	20
Styrene	95		90		70-130		5	20
Dichlorodifluoromethane	88		86		36-147		2	20
Acetone	90		98		58-148		9	20
Carbon disulfide	98		100		51-130		2	20
2-Butanone	93		110		63-138		17	20
Vinyl acetate	90		89		70-130		1	20



## Lab Control Sample Analysis

Batch Quality Control

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945514  
**Report Date:** 10/07/19

Parameter	LCS		LCS D		%Recovery		RPD	Qual	RPD	Limits
	%Recovery	Qual	%Recovery	Qual	%Recovery	Limits				
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01,03-05,11-13,17 Batch: WG1293167-3 WG1293167-4										
4-Methyl-2-pentanone	89		96		59-130		8		8	20
2-Hexanone	85		94		57-130		10		10	20
Ethyl methacrylate	79		83		70-130		5		5	20
Acrolein	130		130		70-130		0		0	20
Acrylonitrile	110		120		70-130		9		9	20
Bromochloromethane	93		91		70-130		2		2	20
Tetrahydrofuran	100		110		58-130		10		10	20
2,2-Dichloropropane	81		75		63-133		8		8	20
1,2-Dibromoethane	89		90		70-130		1		1	20
1,3-Dichloropropane	93		92		70-130		1		1	20
1,1,1,2-Tetrachloroethane	92		90		64-130		2		2	20
Bromobenzene	97		89		70-130		9		9	20
n-Butylbenzene	100		97		53-136		3		3	20
sec-Butylbenzene	100		95		70-130		5		5	20
tert-Butylbenzene	84		78		70-130		7		7	20
o-Chlorotoluene	99		91		70-130		8		8	20
p-Chlorotoluene	98		91		70-130		7		7	20
1,2-Dibromo-3-chloropropane	87		85		41-144		2		2	20
Hexachlorobutadiene	100		92		63-130		8		8	20
Isopropylbenzene	98		90		70-130		9		9	20
p-Isopropyltoluene	100		92		70-130		8		8	20
Naphthalene	76		77		70-130		1		1	20
n-Propylbenzene	100		93		69-130		7		7	20



## Lab Control Sample Analysis

Batch Quality Control

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945514  
**Report Date:** 10/07/19

Parameter	LCS		LCSD		%Recovery		RPD	
	%Recovery	Qual	%Recovery	Qual	Limits	Qual	RPD	Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01,03-05,11-13,17 Batch: WG1293167-3 WG1293167-4								
1,2,3-Trichlorobenzene	88		83		70-130	6	6	20
1,2,4-Trichlorobenzene	90		85		70-130	6	6	20
1,3,5-Trimethylbenzene	98		90		64-130	9	9	20
1,3,5-Trichlorobenzene	97		89		70-130	9	9	20
1,2,4-Trimethylbenzene	97		89		70-130	9	9	20
trans-1,4-Dichloro-2-butene	94		110		70-130	16	16	20
Haloethane	100		93		70-130	7	7	20
Ethyl ether	93		95		59-134	2	2	20
Methyl Acetate	110		120		70-130	9	9	20
Ethyl Acetate	60	Q	66	Q	70-130	10	10	20
Isopropyl Ether	100		100		70-130	0	0	20
Cyclohexane	110		110		70-130	0	0	20
Tert-Butyl Alcohol	76		86		70-130	12	12	20
Ethyl-Tert-Butyl-Ether	81		82		70-130	1	1	20
Tertiary-Amyl Methyl Ether	69		72		66-130	4	4	20
1,4-Dioxane	128		130		56-162	2	2	20
1,1,2-Trichloro-1,2,2-Trifluoroethane	97		91		70-130	6	6	20
Methyl cyclohexane	97		97		70-130	0	0	20
p-Diethylbenzene	96		89		70-130	8	8	20
4-Ethyltoluene	99		91		70-130	8	8	20
1,2,4,5-Tetramethylbenzene	85		80		70-130	6	6	20



## Lab Control Sample Analysis

Batch Quality Control

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945514  
**Report Date:** 10/07/19

Parameter	LCS		LCSD		%Recovery		RPD	
	%Recovery	Qual	%Recovery	Qual	Limits	Qual	Limits	Qual
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01,03-05,11-13,17 Batch: WG1293167-3 WG1293167-4								

Surrogate	LCS		LCSD		Acceptance Criteria	
	%Recovery	Qual	%Recovery	Qual	Qual	Criteria
1,2-Dichloroethane-d4	90		93			70-130
Toluene-d8	100		100			70-130
4-Bromofluorobenzene	96		94			70-130
Dibromofluoromethane	92		98			70-130



# SEMIVOLATILES

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945514  
**Report Date:** 10/07/19

**SAMPLE RESULTS**

Lab ID: L1945514-01  
 Client ID: MW-261S-20191001  
 Sample Location: WAYLAND, MA

Date Collected: 10/01/19 12:10  
 Date Received: 10/01/19  
 Field Prep: Not Specified

Sample Depth:

Matrix: Water  
 Analytical Method: 1,8270D-SIM  
 Analytical Date: 10/05/19 11:33  
 Analyst: PS

Extraction Method: EPA 3510C  
 Extraction Date: 10/04/19 10:00

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
1,4 Dioxane by 8270D-SIM - Mansfield Lab						
1,4-Dioxane	748.		ng/l	139	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,4-Dioxane-d8	35		15-110

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945514  
**Report Date:** 10/07/19

**SAMPLE RESULTS**

Lab ID: L1945514-02  
 Client ID: MW-265M-20191001  
 Sample Location: WAYLAND, MA

Date Collected: 10/01/19 09:15  
 Date Received: 10/01/19  
 Field Prep: Not Specified

Sample Depth:

Matrix: Water  
 Analytical Method: 1,8270D-SIM  
 Analytical Date: 10/05/19 11:58  
 Analyst: PS

Extraction Method: EPA 3510C  
 Extraction Date: 10/04/19 10:00

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
1,4 Dioxane by 8270D-SIM - Mansfield Lab						
1,4-Dioxane	2850		ng/l	139	--	1
Surrogate			% Recovery	Qualifier	Acceptance Criteria	
1,4-Dioxane-d8			38		15-110	

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945514  
**Report Date:** 10/07/19

**SAMPLE RESULTS**

Lab ID: L1945514-03  
 Client ID: MW-267S-20191001  
 Sample Location: WAYLAND, MA

Date Collected: 10/01/19 10:20  
 Date Received: 10/01/19  
 Field Prep: Not Specified

Sample Depth:

Matrix: Water  
 Analytical Method: 1,8270D-SIM  
 Analytical Date: 10/05/19 12:24  
 Analyst: PS

Extraction Method: EPA 3510C  
 Extraction Date: 10/04/19 10:00

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
1,4 Dioxane by 8270D-SIM - Mansfield Lab						
1,4-Dioxane	5330		ng/l	142	--	1
Surrogate			% Recovery	Qualifier	Acceptance Criteria	
1,4-Dioxane-d8			41		15-110	

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945514  
**Report Date:** 10/07/19

**SAMPLE RESULTS**

Lab ID: L1945514-04  
 Client ID: MW-267M-20191001  
 Sample Location: WAYLAND, MA

Date Collected: 10/01/19 10:55  
 Date Received: 10/01/19  
 Field Prep: Not Specified

Sample Depth:

Matrix: Water  
 Analytical Method: 1,8270D-SIM  
 Analytical Date: 10/05/19 12:51  
 Analyst: PS

Extraction Method: EPA 3510C  
 Extraction Date: 10/04/19 10:00

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
1,4 Dioxane by 8270D-SIM - Mansfield Lab						
1,4-Dioxane	3890		ng/l	142	--	1
Surrogate			% Recovery	Qualifier	Acceptance Criteria	
1,4-Dioxane-d8			39		15-110	

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945514  
**Report Date:** 10/07/19

**SAMPLE RESULTS**

Lab ID: L1945514-05  
 Client ID: MW-268S-20191001  
 Sample Location: WAYLAND, MA

Date Collected: 10/01/19 06:55  
 Date Received: 10/01/19  
 Field Prep: Not Specified

Sample Depth:

Matrix: Water  
 Analytical Method: 1,8270D-SIM  
 Analytical Date: 10/05/19 13:18  
 Analyst: PS

Extraction Method: EPA 3510C  
 Extraction Date: 10/04/19 10:00

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
1,4 Dioxane by 8270D-SIM - Mansfield Lab						
1,4-Dioxane	20000		ng/l	139	--	1
Surrogate			% Recovery	Qualifier	Acceptance Criteria	
1,4-Dioxane-d8			39		15-110	

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945514  
**Report Date:** 10/07/19

**SAMPLE RESULTS**

Lab ID: L1945514-06  
 Client ID: MW-268M-20191001  
 Sample Location: WAYLAND, MA

Date Collected: 10/01/19 07:50  
 Date Received: 10/01/19  
 Field Prep: Not Specified

Sample Depth:

Matrix: Water  
 Analytical Method: 1,8270D-SIM  
 Analytical Date: 10/05/19 13:43  
 Analyst: PS

Extraction Method: EPA 3510C  
 Extraction Date: 10/04/19 10:00

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
1,4 Dioxane by 8270D-SIM - Mansfield Lab						
1,4-Dioxane	9730		ng/l	139	--	1
Surrogate			% Recovery	Qualifier	Acceptance Criteria	
1,4-Dioxane-d8			35		15-110	

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945514  
**Report Date:** 10/07/19

**SAMPLE RESULTS**

Lab ID: L1945514-07  
 Client ID: MW-269MA-20191001  
 Sample Location: WAYLAND, MA

Date Collected: 10/01/19 12:20  
 Date Received: 10/01/19  
 Field Prep: Not Specified

Sample Depth:

Matrix: Water  
 Analytical Method: 1,8270D-SIM  
 Analytical Date: 10/05/19 14:07  
 Analyst: PS

Extraction Method: EPA 3510C  
 Extraction Date: 10/04/19 10:00

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
1,4 Dioxane by 8270D-SIM - Mansfield Lab						
1,4-Dioxane	1020		ng/l	144	--	1
Surrogate			% Recovery	Qualifier	Acceptance Criteria	
1,4-Dioxane-d8			35		15-110	

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945514  
**Report Date:** 10/07/19

**SAMPLE RESULTS**

Lab ID: L1945514-08  
 Client ID: MW-552-20191001  
 Sample Location: WAYLAND, MA

Date Collected: 10/01/19 10:20  
 Date Received: 10/01/19  
 Field Prep: Not Specified

Sample Depth:  
 Matrix: Water  
 Analytical Method: 1,8270D-SIM  
 Analytical Date: 10/05/19 14:30  
 Analyst: PS

Extraction Method: EPA 3510C  
 Extraction Date: 10/04/19 10:00

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
1,4 Dioxane by 8270D-SIM - Mansfield Lab						
1,4-Dioxane	438.		ng/l	144	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,4-Dioxane-d8	37		15-110



**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945514  
**Report Date:** 10/07/19

**SAMPLE RESULTS**

Lab ID: L1945514-15  
 Client ID: DUP2-20191001  
 Sample Location: WAYLAND, MA

Date Collected: 10/01/19 00:00  
 Date Received: 10/01/19  
 Field Prep: Not Specified

Sample Depth:

Matrix: Water  
 Analytical Method: 1,8270D-SIM  
 Analytical Date: 10/05/19 14:53  
 Analyst: PS

Extraction Method: EPA 3510C  
 Extraction Date: 10/04/19 10:00

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
1,4 Dioxane by 8270D-SIM - Mansfield Lab						
1,4-Dioxane	995.		ng/l	144	--	1
Surrogate			% Recovery	Qualifier	Acceptance Criteria	
1,4-Dioxane-d8			45		15-110	

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945514  
**Report Date:** 10/07/19

**Method Blank Analysis**  
**Batch Quality Control**

Analytical Method: 1,8270D-SIM  
Analytical Date: 10/05/19 09:36  
Analyst: PS

Extraction Method: EPA 3510C  
Extraction Date: 10/04/19 10:00

Parameter	Result	Qualifier	Units	RL	MDL
1,4 Dioxane by 8270D-SIM - Mansfield Lab for sample(s): 01-08,15 Batch: WG1292274-1					
1,4-Dioxane	ND		ng/l	150	--

Surrogate	%Recovery	Qualifier	Acceptance Criteria
1,4-Dioxane-d8	35		15-110

## Lab Control Sample Analysis

Batch Quality Control

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945514  
**Report Date:** 10/07/19

Parameter	LCS %Recovery	Qual	LCS %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
1,4 Dioxane by 8270D-SIM - Mansfield Lab Associated sample(s): 01-08,15 Batch: WG1292274-2 WG1292274-3								
1,4-Dioxane	112		116		40-140	4		30

Surrogate	LCS %Recovery	Qual	LCS %Recovery	Qual	Acceptance Criteria
1,4-Dioxane-d8	46		37		15-110



## METALS

**Project Name:** RAYTHEON WAYLAND

**Lab Number:** L1945514

**Project Number:** RA-008

**Report Date:** 10/07/19

**SAMPLE RESULTS**

Lab ID: L1945514-05

Date Collected: 10/01/19 06:55

Client ID: MW-268S-20191001

Date Received: 10/01/19

Sample Location: WAYLAND, MA

Field Prep: Not Specified

Sample Depth:

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
<b>Total Metals - Mansfield Lab</b>											
Iron, Total	12.0		mg/l	0.050	--	1	10/02/19 10:10	10/02/19 23:29	EPA 3005A	1,6010D	MC



**Project Name:** RAYTHEON WAYLAND

**Lab Number:** L1945514

**Project Number:** RA-008

**Report Date:** 10/07/19

**SAMPLE RESULTS**

Lab ID: L1945514-06

Date Collected: 10/01/19 07:50

Client ID: MW-268M-20191001

Date Received: 10/01/19

Sample Location: WAYLAND, MA

Field Prep: Not Specified

Sample Depth:

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
<b>Total Metals - Mansfield Lab</b>											
Iron, Total	52.2		mg/l	0.050	--	1	10/02/19 10:10	10/02/19 23:34	EPA 3005A	1,6010D	MC



**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945514  
**Report Date:** 10/07/19

## Method Blank Analysis Batch Quality Control

Parameter	Result Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
Total Metals - Mansfield Lab for sample(s): 05-06 Batch: WG1291149-1									
Iron, Total	ND	mg/l	0.050	--	1	10/02/19 10:10	10/02/19 21:58	1,6010D	MC

### Prep Information

Digestion Method: EPA 3005A

### Lab Control Sample Analysis

Batch Quality Control

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945514  
**Report Date:** 10/07/19

Parameter	LCS		LCSD		%Recovery Limits		RPD	Qual	RPD Limits
	%Recovery	Qual	%Recovery	Qual	%Recovery	Limits			
Total Metals - Mansfield Lab Associated sample(s): 05-06 Batch: WG1291149-2									
Iron, Total	92	-	-	-	80-120	-	-	-	-



**Matrix Spike Analysis**  
Batch Quality Control

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945514  
**Report Date:** 10/07/19

Parameter	Native Sample	MS Added	MS Found	%Recovery	MS Found	MSD	%Recovery	MSD	Recovery Limits	RPD	Qual	RPD	Qual	RPD	Limits
Total Metals - Mansfield Lab Associated sample(s): 05-06 QC Batch ID: WG1291149-3 QC Sample: L1944639-02 Client ID: MS Sample															
Iron, Total	51.1	1	56.6	550	Q	-	-	-	75-125	-	-	-	-	-	20



# **INORGANICS & MISCELLANEOUS**

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945514  
**Report Date:** 10/07/19

**SAMPLE RESULTS**

**Lab ID:** L1945514-05  
**Client ID:** MW-268S-20191001  
**Sample Location:** WAYLAND, MA

**Date Collected:** 10/01/19 06:55  
**Date Received:** 10/01/19  
**Field Prep:** Not Specified

**Sample Depth:**  
**Matrix:** Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
<b>General Chemistry - Westborough Lab</b>										
Alkalinity, Total	188.		mg CaCO3/L	2.00	NA	1	-	10/02/19 03:42	121,2320B	MA
pH (H)	6.2		SU	-	NA	1	-	10/01/19 23:45	121,4500H+-B	AS
Nitrogen, Ammonia	ND		mg/l	0.150	--	2	10/02/19 13:33	10/03/19 22:42	121,4500NH3-BH	AT
Nitrogen, Nitrate	ND		mg/l	0.100	--	1	-	10/02/19 08:52	121,4500NO3-F	MR
Phosphate, Total	0.10		mg/l	0.030	--	1	-	10/02/19 10:00	121,4500P-E(M)	SD
Phosphorus, Orthophosphate	ND		mg/l	0.005	--	1	-	10/01/19 22:23	121,4500P-E	AS
Sulfate	ND		mg/l	10	--	1	10/03/19 11:22	10/03/19 11:22	1,9038	MV
Total Organic Carbon	2800		mg/l	400	--	800	-	10/02/19 18:49	1,9060A	DW
<b>Anions by Ion Chromatography - Westborough Lab</b>										
Chloride	21.8		mg/l	0.500	--	1	-	10/03/19 00:54	44,300.0	AT



**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945514  
**Report Date:** 10/07/19

**SAMPLE RESULTS**

**Lab ID:** L1945514-06  
**Client ID:** MW-268M-20191001  
**Sample Location:** WAYLAND, MA

**Date Collected:** 10/01/19 07:50  
**Date Received:** 10/01/19  
**Field Prep:** Not Specified

**Sample Depth:**  
**Matrix:** Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
<b>General Chemistry - Westborough Lab</b>										
Alkalinity, Total	412.		mg CaCO3/L	2.00	NA	1	-	10/02/19 03:42	121,2320B	MA
pH (H)	6.5		SU	-	NA	1	-	10/01/19 23:45	121,4500H+-B	AS
Nitrogen, Ammonia	ND		mg/l	0.150	--	2	10/02/19 13:33	10/03/19 22:43	121,4500NH3-BH	AT
Nitrogen, Nitrate	ND		mg/l	0.100	--	1	-	10/02/19 07:51	121,4500NO3-F	MR
Phosphate, Total	0.36		mg/l	0.075	--	2.5	-	10/02/19 10:00	121,4500P-E(M)	SD
Phosphorus, Orthophosphate	0.005		mg/l	0.005	--	1	-	10/01/19 22:23	121,4500P-E	AS
Sulfate	ND		mg/l	10	--	1	10/03/19 11:22	10/03/19 11:22	1,9038	MV
Total Organic Carbon	2.6		mg/l	0.50	--	1	-	10/02/19 15:30	1,9060A	DW
<b>Anions by Ion Chromatography - Westborough Lab</b>										
Chloride	30.3		mg/l	0.500	--	1	-	10/03/19 01:03	44,300.0	AT



**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945514  
**Report Date:** 10/07/19

**Method Blank Analysis**  
**Batch Quality Control**

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab for sample(s): 05-06 Batch: WG1290965-1										
Phosphorus, Orthophosphate	ND		mg/l	0.005	--	1	-	10/01/19 22:17	121,4500P-E	AS
General Chemistry - Westborough Lab for sample(s): 05-06 Batch: WG1291041-1										
Nitrogen, Nitrate	ND		mg/l	0.100	--	1	-	10/02/19 07:24	121,4500NO3-F	MR
General Chemistry - Westborough Lab for sample(s): 05-06 Batch: WG1291055-1										
Alkalinity, Total	ND		mg CaCO3/L	2.00	NA	1	-	10/02/19 03:42	121,2320B	MA
General Chemistry - Westborough Lab for sample(s): 05-06 Batch: WG1291070-1										
Total Organic Carbon	ND		mg/l	0.50	--	1	-	10/02/19 08:21	1,9060A	DW
General Chemistry - Westborough Lab for sample(s): 05-06 Batch: WG1291172-1										
Phosphate, Total	ND		mg/l	0.030	--	1	-	10/02/19 10:00	121,4500P-E(M)	SD
General Chemistry - Westborough Lab for sample(s): 05-06 Batch: WG1291254-1										
Nitrogen, Ammonia	ND		mg/l	0.075	--	1	10/02/19 13:33	10/03/19 22:10	121,4500NH3-BH	AT
General Chemistry - Westborough Lab for sample(s): 05-06 Batch: WG1291629-1										
Sulfate	ND		mg/l	10	--	1	10/03/19 11:22	10/03/19 11:22	1,9038	MV
Anions by Ion Chromatography - Westborough Lab for sample(s): 05-06 Batch: WG1292025-1										
Chloride	ND		mg/l	0.500	--	1	-	10/02/19 17:45	44,300.0	AT

## Lab Control Sample Analysis

Batch Quality Control

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945514  
**Report Date:** 10/07/19

Parameter	LCS		LCS D		%Recovery		RPD	Qual	RPD Limits
	%Recovery	Qual	%Recovery	Qual	Limits	Qual			
General Chemistry - Westborough Lab Associated sample(s): 05-06 Batch: WG1290942-1									
pH	100	-	-	-	99-101	-	-	-	5
General Chemistry - Westborough Lab Associated sample(s): 05-06 Batch: WG1290965-2									
Phosphorus, Orthophosphate	97	-	-	-	90-110	-	-	-	-
General Chemistry - Westborough Lab Associated sample(s): 05-06 Batch: WG1291041-2									
Nitrogen, Nitrate	100	-	-	-	90-110	-	-	-	-
General Chemistry - Westborough Lab Associated sample(s): 05-06 Batch: WG1291055-2									
Alkalinity, Total	102	-	-	-	90-110	-	-	-	10
General Chemistry - Westborough Lab Associated sample(s): 05-06 Batch: WG1291070-2									
Total Organic Carbon	90	-	-	-	90-110	-	-	-	-
General Chemistry - Westborough Lab Associated sample(s): 05-06 Batch: WG1291172-2									
Phosphate, Total	98	-	-	-	84-118	-	-	-	-
General Chemistry - Westborough Lab Associated sample(s): 05-06 Batch: WG1291254-2									
Nitrogen, Ammonia	107	-	-	-	80-120	-	-	-	20



### Lab Control Sample Analysis

Batch Quality Control

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945514  
**Report Date:** 10/07/19

Parameter	LCS %Recovery	LCS %Recovery	%Recovery Limits	RPD	RPD Limits
<b>General Chemistry - Westborough Lab</b> Associated sample(s): 05-06 Batch: WG1291629-2					
Sulfate	95	-	90-110	-	
<b>Anions by Ion Chromatography - Westborough Lab</b> Associated sample(s): 05-06 Batch: WG1292025-2					
Chloride	98	-	90-110	-	



**Matrix Spike Analysis**  
Batch Quality Control

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945514  
**Report Date:** 10/07/19

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	MSD Found	MSD %Recovery	MSD Found	MSD %Recovery	Recovery Limits	RPD Qual	RPD Limits
General Chemistry - Westborough Lab Associated sample(s): 05-06 QC Batch ID: WG1290965-4 QC Sample: L1945514-06 Client ID: MW-268M-20191001											
Phosphorus, Orthophosphate	0.005	0.5	0.499	99	-	-	-	-	80-120	-	20
General Chemistry - Westborough Lab Associated sample(s): 05-06 QC Batch ID: WG1291041-4 QC Sample: L1945295-02 Client ID: MS Sample											
Nitrogen, Nitrate	2.23	4	5.98	94	-	-	-	-	83-113	-	17
General Chemistry - Westborough Lab Associated sample(s): 05-06 QC Batch ID: WG1291055-4 QC Sample: L1945155-01 Client ID: MS Sample											
Alkalinity, Total	74.7	100	173	98	-	-	-	-	86-116	-	10
General Chemistry - Westborough Lab Associated sample(s): 05-06 QC Batch ID: WG1291172-3 QC Sample: L1944635-01 Client ID: MS Sample											
Phosphate, Total	0.67	7.7	8.5	102	-	-	-	-	80-120	-	15
General Chemistry - Westborough Lab Associated sample(s): 05-06 QC Batch ID: WG1291254-4 QC Sample: L1945520-03 Client ID: MS Sample											
Nitrogen, Ammonia	25.4	4	31.6	155	Q	-	-	-	80-120	-	20
General Chemistry - Westborough Lab Associated sample(s): 05-06 QC Batch ID: WG1291629-4 QC Sample: L1943912-19 Client ID: MS Sample											
Sulfate	ND	20	23	115	-	-	-	-	55-147	-	14
Anions by Ion Chromatography - Westborough Lab Associated sample(s): 05-06 QC Batch ID: WG1292025-3 QC Sample: L1945189-01 Client ID: MS Sample											
Chloride	94.0	40	130	89	Q	-	-	-	90-110	-	18



## Lab Duplicate Analysis Batch Quality Control

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945514  
**Report Date:** 10/07/19

Parameter	Native Sample	Duplicate Sample	Units	RPD	Qual	RPD Limits
General Chemistry - Westborough Lab	Associated sample(s): 05-06	QC Batch ID: WG1290942-2	QC Sample: L1945388-01	Client ID: DUP	Sample	
pH	5.9	6.1	SU	3		5
General Chemistry - Westborough Lab	Associated sample(s): 05-06	QC Batch ID: WG1290965-3	QC Sample: L1945514-05	Client ID: MW-268S-		
20191001						
Phosphorus, Orthophosphate	ND	ND	mg/l	NC		20
General Chemistry - Westborough Lab	Associated sample(s): 05-06	QC Batch ID: WG1291041-3	QC Sample: L1945295-02	Client ID: DUP	Sample	
Nitrogen, Nitrate	2.23	2.24	mg/l	0		17
General Chemistry - Westborough Lab	Associated sample(s): 05-06	QC Batch ID: WG1291055-3	QC Sample: L1945155-01	Client ID: DUP	Sample	
Alkalinity, Total	74.7	76.0	mg CaCO3/L	2		10
General Chemistry - Westborough Lab	Associated sample(s): 05-06	QC Batch ID: WG1291070-3	QC Sample: L1945465-03	Client ID: DUP	Sample	
Total Organic Carbon	8.8	8.2	mg/l	7		20
General Chemistry - Westborough Lab	Associated sample(s): 05-06	QC Batch ID: WG1291172-4	QC Sample: L1944635-01	Client ID: DUP	Sample	
Phosphate, Total	0.67	0.69	mg/l	3		15
General Chemistry - Westborough Lab	Associated sample(s): 05-06	QC Batch ID: WG1291254-3	QC Sample: L1945520-03	Client ID: DUP	Sample	
Nitrogen, Ammonia	25.4	26.1	mg/l	3		20
General Chemistry - Westborough Lab	Associated sample(s): 05-06	QC Batch ID: WG1291629-3	QC Sample: L1943912-19	Client ID: DUP	Sample	
Sulfate	ND	ND	mg/l	NC		14



## Lab Duplicate Analysis

*Batch Quality Control*

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945514  
**Report Date:** 10/07/19

Parameter	Native Sample	Duplicate Sample	Units	RPD	RPD Limits
Anions by Ion Chromatography - Westborough Lab Associated sample(s): 05-06 QC Batch ID: WG1292025-4 QC Sample: L1945189-01 Client ID: DUP Sample					
Chloride	94.0	93.1	mg/l	1	18



**Sample Receipt and Container Information**

YES

Were project specific reporting limits specified?

**Cooler Information**

Cooler	Custody Seal
A	Absent
B	Absent

**Container Information**

Container ID	Container Type	Cooler	Initial pH	Final pH	Temp deg C	Pres	Seal	Frozen Date/Time	Analysis(*)
L1945514-01A	Vial HCl preserved	A	NA	2.5	2.5	Y	Absent		8260(14)
L1945514-01B	Vial HCl preserved	A	NA	2.5	2.5	Y	Absent		8260(14)
L1945514-01C	Vial HCl preserved	A	NA	2.5	2.5	Y	Absent		8260(14)
L1945514-01N	Amber 500ml NaSulfite/NaHSO4 preserved	A	<4	<4	2.5	Y	Absent		A2-1,4-DIOXANE-SIM(7)
L1945514-01P	Amber 500ml NaSulfite/NaHSO4 preserved	A	<4	<4	2.5	Y	Absent		A2-1,4-DIOXANE-SIM(7)
L1945514-02A	Vial HCl preserved	A	NA	2.5	2.5	Y	Absent		8260(14)
L1945514-02B	Vial HCl preserved	A	NA	2.5	2.5	Y	Absent		8260(14)
L1945514-02C	Vial HCl preserved	A	NA	2.5	2.5	Y	Absent		8260(14)
L1945514-02N	Amber 500ml NaSulfite/NaHSO4 preserved	A	<4	<4	2.5	Y	Absent		A2-1,4-DIOXANE-SIM(7)
L1945514-02P	Amber 500ml NaSulfite/NaHSO4 preserved	A	<4	<4	2.5	Y	Absent		A2-1,4-DIOXANE-SIM(7)
L1945514-03A	Vial HCl preserved	A	NA	2.5	2.5	Y	Absent		8260(14)
L1945514-03B	Vial HCl preserved	A	NA	2.5	2.5	Y	Absent		8260(14)
L1945514-03C	Vial HCl preserved	A	NA	2.5	2.5	Y	Absent		8260(14)
L1945514-03N	Amber 500ml NaSulfite/NaHSO4 preserved	A	<4	<4	2.5	Y	Absent		A2-1,4-DIOXANE-SIM(7)
L1945514-03P	Amber 500ml NaSulfite/NaHSO4 preserved	A	<4	<4	2.5	Y	Absent		A2-1,4-DIOXANE-SIM(7)
L1945514-04A	Vial HCl preserved	A	NA	2.5	2.5	Y	Absent		8260(14)
L1945514-04B	Vial HCl preserved	A	NA	2.5	2.5	Y	Absent		8260(14)
L1945514-04C	Vial HCl preserved	A	NA	2.5	2.5	Y	Absent		8260(14)
L1945514-04N	Amber 500ml NaSulfite/NaHSO4 preserved	A	<4	<4	2.5	Y	Absent		A2-1,4-DIOXANE-SIM(7)
L1945514-04P	Amber 500ml NaSulfite/NaHSO4 preserved	A	<4	<4	2.5	Y	Absent		A2-1,4-DIOXANE-SIM(7)
L1945514-05A	Vial HCl preserved	A	NA	2.5	2.5	Y	Absent		8260(14)
L1945514-05B	Vial HCl preserved	A	NA	2.5	2.5	Y	Absent		8260(14)



Serial\_No:10071916:24

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945514  
**Report Date:** 10/07/19

Container Information			Initial	Final	Temp	Frozen			Analysis(*)
Container ID	Container Type	Cooler	pH	pH	deg C	Pres	Seal	Date/Time	
L1945514-05C	Vial HCl preserved	A	NA		2.5	Y	Absent		8260(14)
L1945514-05D	Vial H2SO4 preserved	A	NA		2.5	Y	Absent		TOC-9060(28)
L1945514-05E	Vial H2SO4 preserved	A	NA		2.5	Y	Absent		TOC-9060(28)
L1945514-05F	Vial H2SO4 preserved	A	NA		2.5	Y	Absent		TOC-9060(28)
L1945514-05G	20ml Vial HCl preserved	A	NA		2.5	Y	Absent		DISSGAS(14)
L1945514-05H	20ml Vial HCl preserved	A	NA		2.5	Y	Absent		DISSGAS(14)
L1945514-05J	Plastic 250ml unpreserved/No Headspace	A	NA		2.5	Y	Absent		ALK-T-2320(14)
L1945514-05K	Plastic 250ml HNO3 preserved	A	<2	<2	2.5	Y	Absent		FE-TI(180)
L1945514-05L	Plastic 500ml unpreserved	A	<4	<4	2.5	Y	Absent		OPHOS-4500(2),CL-300(28),SO4-9038(28),NO3-4500(2),PH-4500(.01)
L1945514-05M	Plastic 500ml H2SO4 preserved	A	<2	<2	2.5	Y	Absent		TPO4-4500(28),NH3-4500(28)
L1945514-05N	Amber 500ml NaSulfite/NaHSO4 preserved	A	<4	<4	2.5	Y	Absent		A2-1,4-DIOXANE-SIM(7)
L1945514-05P	Amber 500ml NaSulfite/NaHSO4 preserved	A	<4	<4	2.5	Y	Absent		A2-1,4-DIOXANE-SIM(7)
L1945514-06A	Vial HCl preserved	A	NA		2.5	Y	Absent		8260(14)
L1945514-06B	Vial HCl preserved	A	NA		2.5	Y	Absent		8260(14)
L1945514-06C	Vial HCl preserved	A	NA		2.5	Y	Absent		8260(14)
L1945514-06D	Vial H2SO4 preserved	A	NA		2.5	Y	Absent		TOC-9060(28)
L1945514-06E	Vial H2SO4 preserved	A	NA		2.5	Y	Absent		TOC-9060(28)
L1945514-06F	Vial H2SO4 preserved	A	NA		2.5	Y	Absent		TOC-9060(28)
L1945514-06G	20ml Vial HCl preserved	A	NA		2.5	Y	Absent		DISSGAS(14)
L1945514-06H	20ml Vial HCl preserved	A	NA		2.5	Y	Absent		DISSGAS(14)
L1945514-06J	Plastic 250ml unpreserved/No Headspace	A	NA		2.5	Y	Absent		ALK-T-2320(14)
L1945514-06K	Plastic 250ml HNO3 preserved	A	<2	<2	2.5	Y	Absent		FE-TI(180)
L1945514-06L	Plastic 500ml unpreserved	A	<4	<4	2.5	Y	Absent		OPHOS-4500(2),CL-300(28),SO4-9038(28),NO3-4500(2),PH-4500(.01)
L1945514-06M	Plastic 500ml H2SO4 preserved	A	<2	<2	2.5	Y	Absent		TPO4-4500(28),NH3-4500(28)
L1945514-06N	Amber 500ml NaSulfite/NaHSO4 preserved	A	<4	<4	2.5	Y	Absent		A2-1,4-DIOXANE-SIM(7)
L1945514-06P	Amber 500ml NaSulfite/NaHSO4 preserved	A	<4	<4	2.5	Y	Absent		A2-1,4-DIOXANE-SIM(7)
L1945514-07A	Vial HCl preserved	A	NA		2.5	Y	Absent		8260(14)
L1945514-07B	Vial HCl preserved	A	NA		2.5	Y	Absent		8260(14)

\*Values in parentheses indicate holding time in days



Container Information			Initial	Final	Temp	Frozen	Analysis(*)
Container ID	Container Type	Cooler	pH	pH	deg C	Date/Time	
L1945514-07C	Vial HCl preserved	A	NA	<4	2.5	Y	8260(14)
L1945514-07N	Amber 500ml NaSulfite/NaHSO4 preserved	A	<4	<4	2.5	Y	A2-1,4-DIOXANE-SIM(7)
L1945514-07P	Amber 500ml NaSulfite/NaHSO4 preserved	A	<4	<4	2.5	Y	A2-1,4-DIOXANE-SIM(7)
L1945514-08A	Vial HCl preserved	A	NA	<4	2.5	Y	8260(14)
L1945514-08B	Vial HCl preserved	A	NA	<4	2.5	Y	8260(14)
L1945514-08C	Vial HCl preserved	A	NA	<4	2.5	Y	8260(14)
L1945514-08N	Amber 500ml NaSulfite/NaHSO4 preserved	A	<4	<4	2.5	Y	A2-1,4-DIOXANE-SIM(7)
L1945514-08P	Amber 500ml NaSulfite/NaHSO4 preserved	A	<4	<4	2.5	Y	A2-1,4-DIOXANE-SIM(7)
L1945514-09A	Vial HCl preserved	A	NA	<4	2.5	Y	8260(14)
L1945514-09B	Vial HCl preserved	A	NA	<4	2.5	Y	8260(14)
L1945514-09C	Vial HCl preserved	A	NA	<4	2.5	Y	8260(14)
L1945514-10A	Vial HCl preserved	A	NA	<4	2.5	Y	8260(14)
L1945514-10B	Vial HCl preserved	A	NA	<4	2.5	Y	8260(14)
L1945514-10C	Vial HCl preserved	A	NA	<4	2.5	Y	8260(14)
L1945514-11A	Vial HCl preserved	A	NA	<4	2.5	Y	8260(14)
L1945514-11B	Vial HCl preserved	A	NA	<4	2.5	Y	8260(14)
L1945514-11C	Vial HCl preserved	A	NA	<4	2.5	Y	8260(14)
L1945514-12A	Vial HCl preserved	B	NA	<4	3.8	Y	8260(14)
L1945514-12B	Vial HCl preserved	B	NA	<4	3.8	Y	8260(14)
L1945514-12C	Vial HCl preserved	B	NA	<4	3.8	Y	8260(14)
L1945514-13A	Vial HCl preserved	B	NA	<4	3.8	Y	8260(14)
L1945514-13B	Vial HCl preserved	B	NA	<4	3.8	Y	8260(14)
L1945514-13C	Vial HCl preserved	B	NA	<4	3.8	Y	8260(14)
L1945514-14A	Vial HCl preserved	B	NA	<4	3.8	Y	8260(14)
L1945514-14B	Vial HCl preserved	B	NA	<4	3.8	Y	8260(14)
L1945514-14C	Vial HCl preserved	B	NA	<4	3.8	Y	8260(14)
L1945514-15A	Vial HCl preserved	B	NA	<4	3.8	Y	8260(14)
L1945514-15B	Vial HCl preserved	B	NA	<4	3.8	Y	8260(14)

Serial\_No:10071916:24

Project Name: RAYTHEON WAYLAND

Lab Number: L1945514

Project Number: RA-008

Report Date: 10/07/19

**Container Information**

Container ID	Container Type	Cooler	Initial pH	Final pH	Temp deg C	Pres	Seal	Frozen Date/Time	Analysis(*)
L1945514-15C	Vial HCl preserved	B	NA		3.8	Y	Absent		8260(14)
L1945514-15N	Amber 500ml NaSulfite/NaHSO4 preserved	B	<4	<4	3.8	Y	Absent		A2-1,4-DIOXANE-SIM(7)
L1945514-15P	Amber 500ml NaSulfite/NaHSO4 preserved	B	<4	<4	3.8	Y	Absent		A2-1,4-DIOXANE-SIM(7)
L1945514-16A	Vial HCl preserved	B	NA		3.8	Y	Absent		8260(14)
L1945514-16B	Vial HCl preserved	B	NA		3.8	Y	Absent		8260(14)
L1945514-16C	Vial HCl preserved	B	NA		3.8	Y	Absent		8260(14)
L1945514-17A	Vial HCl preserved	B	NA		3.8	Y	Absent		8260(14)
L1945514-17B	Vial HCl preserved	B	NA		3.8	Y	Absent		8260(14)
L1945514-17C	Vial HCl preserved	B	NA		3.8	Y	Absent		8260(14)
L1945514-18A	Vial HCl preserved	B	NA		3.8	Y	Absent		8260(14)
L1945514-18B	Vial HCl preserved	B	NA		3.8	Y	Absent		8260(14)



**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945514  
**Report Date:** 10/07/19

## GLOSSARY

### Acronyms

DL	- Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the limit of quantitation (LOQ). The DL includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
EDL	- Estimated Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The EDL includes any adjustments from dilutions, concentrations or moisture content, where applicable. The use of EDLs is specific to the analysis of PAHs using Solid-Phase Microextraction (SPME).
EMPC	- Estimated Maximum Possible Concentration: The concentration that results from the signal present at the retention time of an analyte when the ions meet all of the identification criteria except the ion abundance ratio criteria. An EMPC is a worst-case estimate of the concentration.
EPA	- Environmental Protection Agency.
LCS	- Laboratory Control Sample: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
LCSD	- Laboratory Control Sample Duplicate: Refer to LCS.
LFB	- Laboratory Fortified Blank: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
LOD	- Limit of Detection: This value represents the level to which a target analyte can reliably be detected for a specific analyte in a specific matrix by a specific method. The LOD includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
LOQ	- Limit of Quantitation: The value at which an instrument can accurately measure an analyte at a specific concentration. The LOQ includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)  Limit of Quantitation: The value at which an instrument can accurately measure an analyte at a specific concentration. The LOQ includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
MDL	- Method Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The MDL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
MS	- Matrix Spike Sample: A sample prepared by adding a known mass of target analyte to a specified amount of matrix sample for which an independent estimate of target analyte concentration is available. For Method 332.0, the spike recovery is calculated using the native concentration, including estimated values.
MSD	- Matrix Spike Sample Duplicate: Refer to MS.
NA	- Not Applicable.
NC	- Not Calculated: Term is utilized when one or more of the results utilized in the calculation are non-detect at the parameter's reporting unit.
NDPA/DPA	- N-Nitrosodiphenylamine/Diphenylamine.
NI	- Not Ignitable.
NP	- Non-Plastic: Term is utilized for the analysis of Atterberg Limits in soil.
RL	- Reporting Limit: The value at which an instrument can accurately measure an analyte at a specific concentration. The RL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
RPD	- Relative Percent Difference: The results from matrix and/or matrix spike duplicates are primarily designed to assess the precision of analytical results in a given matrix and are expressed as relative percent difference (RPD). Values which are less than five times the reporting limit for any individual parameter are evaluated by utilizing the absolute difference between the values; although the RPD value will be provided in the report.
SRM	- Standard Reference Material: A reference sample of a known or certified value that is of the same or similar matrix as the associated field samples.
STLP	- Semi-dynamic Tank Leaching Procedure per EPA Method 1315.
TEF	- Toxic Equivalency Factors: The values assigned to each dioxin and furan to evaluate their toxicity relative to 2,3,7,8-TCDD.
TEQ	- Toxic Equivalent: The measure of a sample's toxicity derived by multiplying each dioxin and furan by its corresponding TEF and then summing the resulting values.
TIC	- Tentatively Identified Compound: A compound that has been identified to be present and is not part of the target compound list (TCL) for the method and/or program. All TICs are qualitatively identified and reported as estimated concentrations.

### Footnotes

Report Format: Data Usability Report



**Project Name:** RAYTHEON WAYLAND**Lab Number:** L1945514**Project Number:** RA-008**Report Date:** 10/07/19

- 1 - The reference for this analyte should be considered modified since this analyte is absent from the target analyte list of the original method.

**Terms**

**Analytical Method:** Both the document from which the method originates and the analytical reference method. (Example: EPA 8260B is shown as 1,8260B.) The codes for the reference method documents are provided in the References section of the Addendum.

**Difference:** With respect to Total Oxidizable Precursor (TOP) Assay analysis, the difference is defined as the Post-Treatment value minus the Pre-Treatment value.

**Final pH:** As it pertains to Sample Receipt & Container Information section of the report, Final pH reflects pH of container determined after adjustment at the laboratory, if applicable. If no adjustment required, value reflects Initial pH.

**Frozen Date/Time:** With respect to Volatile Organics in soil, Frozen Date/Time reflects the date/time at which associated Reagent Water-preserved vials were initially frozen. Note: If frozen date/time is beyond 48 hours from sample collection, value will be reflected in 'bold'.

**Initial pH:** As it pertains to Sample Receipt & Container Information section of the report, Initial pH reflects pH of container determined upon receipt, if applicable.

**PFAS Total:** With respect to PFAS analyses, the 'PFAS, Total (5)' result is defined as the summation of results for: PFHpA, PFHxS, PFOA, PFNA and PFOS. If a 'Total' result is requested, the results of its individual components will also be reported.

**Total:** With respect to Organic analyses, a 'Total' result is defined as the summation of results for individual isomers or Aroclors. If a 'Total' result is requested, the results of its individual components will also be reported. This is applicable to 'Total' results for methods 8260, 8081 and 8082.

**Data Qualifiers**

- A** - Spectra identified as "Aldol Condensates" are byproducts of the extraction/concentration procedures when acetone is introduced in the process.
- B** - The analyte was detected above the reporting limit in the associated method blank. Flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For MCP-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For DOD-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank AND the analyte was detected above one-half the reporting limit (or above the reporting limit for common lab contaminants) in the associated method blank. For NJ-Air-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte above the reporting limit. For NJ-related projects (excluding Air), flag only applies to associated field samples that have detectable concentrations of the analyte, which was detected above the reporting limit in the associated method blank or above five times the reporting limit for common lab contaminants (Phthalates, Acetone, Methylene Chloride, 2-Butanone).
- C** - Co-elution: The target analyte co-elutes with a known lab standard (i.e. surrogate, internal standards, etc.) for co-extracted analyses.
- D** - Concentration of analyte was quantified from diluted analysis. Flag only applies to field samples that have detectable concentrations of the analyte.
- E** - Concentration of analyte exceeds the range of the calibration curve and/or linear range of the instrument.
- G** - The concentration may be biased high due to matrix interferences (i.e. co-elution) with non-target compound(s). The result should be considered estimated.
- H** - The analysis of pH was performed beyond the regulatory-required holding time of 15 minutes from the time of sample collection.
- I** - The lower value for the two columns has been reported due to obvious interference.
- J** - Estimated value. This represents an estimated concentration for Tentatively Identified Compounds (TICs).
- M** - Reporting Limit (RL) exceeds the MCP CAM Reporting Limit for this analyte.
- ND** - Not detected at the reporting limit (RL) for the sample.
- NJ** - Presumptive evidence of compound. This represents an estimated concentration for Tentatively Identified Compounds (TICs), where the identification is based on a mass spectral library search.
- P** - The RPD between the results for the two columns exceeds the method-specified criteria.
- Q** - The quality control sample exceeds the associated acceptance criteria. For DOD-related projects, LCS and/or Continuing Calibration Standard exceedences are also qualified on all associated sample results. Note: This flag is not applicable for matrix spike recoveries when the sample concentration is greater than 4x the spike added or for batch duplicate RPD when the sample concentrations are less than 5x the RL. (Metals only.)
- R** - Analytical results are from sample re-analysis.
- RE** - Analytical results are from sample re-extraction.
- S** - Analytical results are from modified screening analysis.

Report Format: Data Usability Report



**Project Name:** RAYTHEON WAYLAND

**Lab Number:** L1945514

**Project Number:** RA-008

**Report Date:** 10/07/19

## REFERENCES

- 1 Test Methods for Evaluating Solid Waste: Physical/Chemical Methods. EPA SW-846. Third Edition. Updates I - IV, 2007.
- 44 Methods for the Determination of Inorganic Substances in Environmental Samples, EPA/600/R-93/100, August 1993.
- 117 Technical Guidance for the Natural Attenuation Indicators: Methane, Ethane, and Ethene, EPA-NE, Revision 1, February 21, 2002 and Sample Preparation & Calculations for Dissolved Gas Analysis in Water Samples using a GC Headspace Equilibration Technique, EPA RSKSOP-175, Revision 2, May 2004.
- 121 Standard Methods for the Examination of Water and Wastewater. APHA-AWWA-WEF. Standard Methods Online.

## LIMITATION OF LIABILITIES

Alpha Analytical performs services with reasonable care and diligence normal to the analytical testing laboratory industry. In the event of an error, the sole and exclusive responsibility of Alpha Analytical shall be to re-perform the work at it's own expense. In no event shall Alpha Analytical be held liable for any incidental, consequential or special damages, including but not limited to, damages in any way connected with the use of, interpretation of, information or analysis provided by Alpha Analytical.

We strongly urge our clients to comply with EPA protocol regarding sample volume, preservation, cooling, containers, sampling procedures, holding time and splitting of samples in the field.



## Certification Information

The following analytes are not included in our Primary NELAP Scope of Accreditation:

### Westborough Facility

**EPA 624/624.1:** m/p-xylene, o-xylene

**EPA 8260C:** NPW: 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene, Azobenzene; SCM: Iodomethane (methyl iodide), 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene.

**EPA 8270D:** NPW: Dimethylnaphthalene,1,4-Diphenylhydrazine; SCM: Dimethylnaphthalene,1,4-Diphenylhydrazine.

**SM4500:** NPW: Amenable Cyanide; SCM: Total Phosphorus, TKN, NO<sub>2</sub>, NO<sub>3</sub>.

### Mansfield Facility

**SM 2540D:** TSS

**EPA 8082A:** NPW: PCB: 1, 5, 31, 87,101, 110, 141, 151, 153, 180, 183, 187.

**EPA TO-15:** Halothane, 2,4,4-Trimethyl-2-pentene, 2,4,4-Trimethyl-1-pentene, Thiophene, 2-Methylthiophene,

3-Methylthiophene, 2-Ethylthiophene, 1,2,3-Trimethylbenzene, Indan, Indene, 1,2,4,5-Tetramethylbenzene, Benzothiophene, 1-Methylnaphthalene.

**Biological Tissue Matrix:** EPA 3050B

The following analytes are included in our Massachusetts DEP Scope of Accreditation

### Westborough Facility:

#### *Drinking Water*

**EPA 300.0:** Chloride, Nitrate-N, Fluoride, Sulfate; **EPA 353.2:** Nitrate-N, Nitrite-N; **SM4500NO3-F:** Nitrate-N, Nitrite-N; **SM4500F-C, SM4500CN-CE,**

**EPA 180.1, SM2130B, SM4500Cl-D, SM2320B, SM2540C, SM4500H-B, SM4500NO2-B**

**EPA 332:** Perchlorate; **EPA 524.2:** THMs and VOCs; **EPA 504.1:** EDB, DBCP.

**Microbiology: SM9215B; SM9223-P/A, SM9223B-Colilert-QT, SM9222D.**

#### *Non-Potable Water*

**SM4500H,B, EPA 120.1, SM2510B, SM2540C, SM2320B, SM4500CL-E, SM4500F-BC, SM4500NH3-BH:** Ammonia-N and Kjeldahl-N, **EPA 350.1:**

Ammonia-N, **LACHAT 10-107-06-1-B:** Ammonia-N, **EPA 351.1, SM4500NO3-F, EPA 353.2:** Nitrate-N, **SM4500P-E, SM4500P-B, E, SM4500SO4-E,**

**SM5220D, EPA 410.4, SM5210B, SM5310C, SM4500CL-D, EPA 1664, EPA 420.1, SM4500-CN-CE, SM2540D, EPA 300: Chloride, Sulfate, Nitrate.**

**EPA 624.1:** Volatile Halocarbons & Aromatics,

**EPA 608.3:** Chlordane, Toxaphene, Aldrin, alpha-BHC, beta-BHC, gamma-BHC, delta-BHC, Dieldrin, DDD, DDE, DDT, Endosulfan I, Endosulfan II,

Endosulfan sulfate, Endrin, Endrin Aldehyde, Heptachlor, Heptachlor Epoxide, PCBs

**EPA 625.1:** SVOC (Acid/Base/Neutral Extractables), **EPA 600/4-81-045:** PCB-Oil.

**Microbiology: SM9223B-Colilert-QT; Enterolert-QT, SM9221E, EPA 1600, EPA 1603.**

### Mansfield Facility:

#### *Drinking Water*

**EPA 200.7:** Al, Ba, Cd, Cr, Cu, Fe, Mn, Ni, Na, Ag, Ca, Zn. **EPA 200.8:** Al, Sb, As, Ba, Be, Cd, Cr, Cu, Pb, Mn, Ni, Se, Ag, TL, Zn. **EPA 245.1** Hg.

**EPA 522.**

#### *Non-Potable Water*

**EPA 200.7:** Al, Sb, As, Be, Cd, Ca, Cr, Co, Cu, Fe, Pb, Mg, Mn, Mo, Ni, K, Se, Ag, Na, Sr, TL, Ti, V, Zn.

**EPA 200.8:** Al, Sb, As, Be, Cd, Cr, Cu, Fe, Pb, Mn, Ni, K, Se, Ag, Na, TL, Zn.

**EPA 245.1** Hg.

**SM2340B**

For a complete listing of analytes and methods, please contact your Alpha Project Manager.







## ANALYTICAL REPORT

Lab Number:	L1945770
Client:	Innovative Engineering Solutions, Inc. 37 Pearl Street #1 Braintree, MA 02184
ATTN:	Vicki Pariyar
Phone:	(508) 623-1224
Project Name:	RAYTHEON WAYLAND
Project Number:	RA-008
Report Date:	10/09/19

The original project report/data package is held by Alpha Analytical. This report/data package is paginated and should be reproduced only in its entirety. Alpha Analytical holds no responsibility for results and/or data that are not consistent with the original.

Certifications & Approvals: MA (M-MA086), NH NELAP (2064), CT (PH-0574), IL (200077), ME (MA00086), MD (348), NJ (MA935), NY (11148), NC (25700/666), PA (68-03671), RI (LAO00065), TX (T104704476), VT (VT-0935), VA (460195), USDA (Permit #P330-17-00196).

---

Eight Walkup Drive, Westborough, MA 01581-1019  
508-898-9220 (Fax) 508-898-9193 800-624-9220 - [www.alphalab.com](http://www.alphalab.com)



**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945770  
**Report Date:** 10/09/19

Alpha Sample ID	Client ID	Matrix	Sample Location	Collection Date/Time	Receive Date
L1945770-02	MW-264M-20191002	WATER	WAYLAND, MA	10/02/19 10:40	10/02/19
L1945770-03	MW-265S-20191002	WATER	WAYLAND, MA	10/02/19 10:10	10/02/19
L1945770-04	MW-265D-20191002	WATER	WAYLAND, MA	10/02/19 09:25	10/02/19
L1945770-05	MW-266M-20191002	WATER	WAYLAND, MA	10/02/19 08:25	10/02/19
L1945770-06	MW-266MB-20191002	WATER	WAYLAND, MA	10/02/19 12:45	10/02/19
L1945770-07	MW-268D-20191002	WATER	WAYLAND, MA	10/02/19 10:05	10/02/19
L1945770-08	MW-551-20191002	WATER	WAYLAND, MA	10/02/19 10:45	10/02/19
L1945770-09	MW-553-20191002	WATER	WAYLAND, MA	10/02/19 11:25	10/02/19
L1945770-10	MW-560-20191002	WATER	WAYLAND, MA	10/02/19 12:05	10/02/19
L1945770-11	MW-561-20191002	WATER	WAYLAND, MA	10/02/19 12:20	10/02/19
L1945770-12	REW-1-20191002	WATER	WAYLAND, MA	10/02/19 07:40	10/02/19
L1945770-13	REW-4-20191002	WATER	WAYLAND, MA	10/02/19 07:00	10/02/19
L1945770-14	REW-5-20191002	WATER	WAYLAND, MA	10/02/19 06:25	10/02/19
L1945770-15	REW-8-20191002	WATER	WAYLAND, MA	10/02/19 09:30	10/02/19
L1945770-16	REW-9-20191002	WATER	WAYLAND, MA	10/02/19 08:55	10/02/19
L1945770-17	REW-10-20191002	WATER	WAYLAND, MA	10/02/19 08:20	10/02/19
L1945770-18	DUP1-20191002	WATER	WAYLAND, MA	10/02/19 00:00	10/02/19
L1945770-19	TRIP BLANKS	WATER	WAYLAND, MA	10/02/19 00:00	10/02/19

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945770  
**Report Date:** 10/09/19

### Case Narrative

The samples were received in accordance with the Chain of Custody and no significant deviations were encountered during the preparation or analysis unless otherwise noted. Sample Receipt, Container Information, and the Chain of Custody are located at the back of the report.

Results contained within this report relate only to the samples submitted under this Alpha Lab Number and meet NELAP requirements for all NELAP accredited parameters unless otherwise noted in the following narrative. The data presented in this report is organized by parameter (i.e. VOC, SVOC, etc.). Sample specific Quality Control data (i.e. Surrogate Spike Recovery) is reported at the end of the target analyte list for each individual sample, followed by the Laboratory Batch Quality Control at the end of each parameter. Tentatively Identified Compounds (TICs), if requested, are reported for compounds identified to be present and are not part of the method/program Target Compound List, even if only a subset of the TCL are being reported. If a sample was re-analyzed or re-extracted due to a required quality control corrective action and if both sets of data are reported, the Laboratory ID of the re-analysis or re-extraction is designated with an "R" or "RE", respectively.

When multiple Batch Quality Control elements are reported (e.g. more than one LCS), the associated samples for each element are noted in the grey shaded header line of each data table. Any Laboratory Batch, Sample Specific % recovery or RPD value that is outside the listed Acceptance Criteria is bolded in the report. In reference to questions H (CAM) or 4 (RCP) when "NO" is checked, the performance criteria for CAM and RCP methods allow for some quality control failures to occur and still be within method compliance. In these instances, the specific failure is not narrated but noted in the associated QC Outlier Summary Report, located directly after the Case Narrative. QC information is also incorporated in the Data Usability Assessment table (Format 11) of our Data Merger tool, where it can be reviewed in conjunction with the sample result, associated regulatory criteria and any associated data usability implications.

Soil/sediments, solids and tissues are reported on a dry weight basis unless otherwise noted. Definitions of all data qualifiers and acronyms used in this report are provided in the Glossary located at the back of the report.

**HOLD POLICY** - For samples submitted on hold, Alpha's policy is to hold samples (with the exception of Air canisters) free of charge for 21 calendar days from the date the project is completed. After 21 calendar days, we will dispose of all samples submitted including those put on hold unless you have contacted your Alpha Project Manager and made arrangements for Alpha to continue to hold the samples. Air canisters will be disposed after 3 business days from the date the project is completed.

Please contact Project Management at 800-624-9220 with any questions.

---

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945770  
**Report Date:** 10/09/19

### Case Narrative (continued)

#### Sample Receipt

The analyses performed were specified by the client.

#### Volatile Organics

L1945770-07: The sample has elevated detection limits due to the dilution required by the elevated concentrations of non-target compounds in the sample.

I, the undersigned, attest under the pains and penalties of perjury that, to the best of my knowledge and belief and based upon my personal inquiry of those responsible for providing the information contained in this analytical report, such information is accurate and complete. This certificate of analysis is not complete unless this page accompanies any and all pages of this report.

Authorized Signature:

 Michelle M. Morris


Title: Technical Director/Representative

Date: 10/09/19

# ORGANICS

# VOLATILES







**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945770  
**Report Date:** 10/09/19

**SAMPLE RESULTS**

Lab ID: L1945770-02  
 Client ID: MW-264M-20191002  
 Sample Location: WAYLAND, MA

Date Collected: 10/02/19 10:40  
 Date Received: 10/02/19  
 Field Prep: Not Specified

Sample Depth:

Matrix: Water  
 Analytical Method: 1,8260C  
 Analytical Date: 10/08/19 01:50  
 Analyst: NLK

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Volatile Organics by GC/MS - Westborough Lab</b>						
Methylene chloride	ND		ug/l	3.0	--	1
1,1-Dichloroethane	ND		ug/l	0.75	--	1
Chloroform	ND		ug/l	0.75	--	1
Carbon tetrachloride	ND		ug/l	0.50	--	1
1,2-Dichloropropane	ND		ug/l	1.8	--	1
Dibromochloromethane	ND		ug/l	0.50	--	1
1,1,2-Trichloroethane	ND		ug/l	0.75	--	1
Tetrachloroethene	0.57		ug/l	0.50	--	1
Chlorobenzene	ND		ug/l	0.50	--	1
Trichlorofluoromethane	ND		ug/l	2.5	--	1
1,2-Dichloroethane	ND		ug/l	0.50	--	1
1,1,1-Trichloroethane	ND		ug/l	0.50	--	1
Bromodichloromethane	ND		ug/l	0.50	--	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	--	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	--	1
1,3-Dichloropropene, Total	ND		ug/l	0.50	--	1
1,1-Dichloropropene	ND		ug/l	2.5	--	1
Bromoform	ND		ug/l	2.0	--	1
1,1,1,2-Tetrachloroethane	ND		ug/l	0.50	--	1
Benzene	ND		ug/l	0.50	--	1
Toluene	ND		ug/l	0.75	--	1
Ethylbenzene	ND		ug/l	0.50	--	1
Chloromethane	ND		ug/l	2.5	--	1
Bromomethane	ND		ug/l	1.0	--	1
Vinyl chloride	31		ug/l	1.0	--	1
Chloroethane	ND		ug/l	1.0	--	1
1,1-Dichloroethene	ND		ug/l	0.50	--	1
trans-1,2-Dichloroethene	ND		ug/l	0.75	--	1

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945770  
**Report Date:** 10/09/19

**SAMPLE RESULTS**

Lab ID: L1945770-02  
 Client ID: MW-264M-20191002  
 Sample Location: WAYLAND, MA

Date Collected: 10/02/19 10:40  
 Date Received: 10/02/19  
 Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Volatile Organics by GC/MS - Westborough Lab</b>						
1,2-Dichloroethene, Total	26		ug/l	0.50	--	1
Trichloroethene	6.7		ug/l	0.50	--	1
1,2-Dichlorobenzene	ND		ug/l	2.5	--	1
1,3-Dichlorobenzene	ND		ug/l	2.5	--	1
1,4-Dichlorobenzene	ND		ug/l	2.5	--	1
Methyl tert butyl ether	ND		ug/l	1.0	--	1
p/m-Xylene	ND		ug/l	1.0	--	1
o-Xylene	ND		ug/l	1.0	--	1
Xylenes, Total	ND		ug/l	1.0	--	1
cis-1,2-Dichloroethene	26		ug/l	0.50	--	1
Dibromomethane	ND		ug/l	5.0	--	1
1,4-Dichlorobutane	ND		ug/l	5.0	--	1
1,2,3-Trichloropropane	ND		ug/l	5.0	--	1
Styrene	ND		ug/l	1.0	--	1
Dichlorodifluoromethane	ND		ug/l	5.0	--	1
Acetone	ND		ug/l	5.0	--	1
Carbon disulfide	ND		ug/l	5.0	--	1
2-Butanone	ND		ug/l	5.0	--	1
Vinyl acetate	ND		ug/l	5.0	--	1
4-Methyl-2-pentanone	ND		ug/l	5.0	--	1
2-Hexanone	ND		ug/l	5.0	--	1
Ethyl methacrylate	ND		ug/l	5.0	--	1
Acrylonitrile	ND		ug/l	5.0	--	1
Bromochloromethane	ND		ug/l	2.5	--	1
Tetrahydrofuran	5.4		ug/l	5.0	--	1
2,2-Dichloropropane	ND		ug/l	2.5	--	1
1,2-Dibromoethane	ND		ug/l	2.0	--	1
1,3-Dichloropropane	ND		ug/l	2.5	--	1
1,1,1,2-Tetrachloroethane	ND		ug/l	0.50	--	1
Bromobenzene	ND		ug/l	2.5	--	1
n-Butylbenzene	ND		ug/l	0.50	--	1
sec-Butylbenzene	ND		ug/l	0.50	--	1
tert-Butylbenzene	ND		ug/l	2.5	--	1
o-Chlorotoluene	ND		ug/l	2.5	--	1
p-Chlorotoluene	ND		ug/l	2.5	--	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	--	1
Hexachlorobutadiene	ND		ug/l	0.50	--	1

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945770  
**Report Date:** 10/09/19

**SAMPLE RESULTS**

Lab ID: L1945770-02  
 Client ID: MW-264M-20191002  
 Sample Location: WAYLAND, MA

Date Collected: 10/02/19 10:40  
 Date Received: 10/02/19  
 Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Volatile Organics by GC/MS - Westborough Lab</b>						
Isopropylbenzene	ND		ug/l	0.50	--	1
p-Isopropyltoluene	ND		ug/l	0.50	--	1
Naphthalene	ND		ug/l	2.5	--	1
n-Propylbenzene	ND		ug/l	0.50	--	1
1,2,3-Trichlorobenzene	ND		ug/l	2.5	--	1
1,2,4-Trichlorobenzene	ND		ug/l	2.5	--	1
1,3,5-Trimethylbenzene	ND		ug/l	2.5	--	1
1,2,4-Trimethylbenzene	ND		ug/l	2.5	--	1
trans-1,4-Dichloro-2-butene	ND		ug/l	2.5	--	1
Ethyl ether	ND		ug/l	2.5	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	118		70-130
Toluene-d8	101		70-130
4-Bromofluorobenzene	103		70-130
Dibromofluoromethane	104		70-130

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945770  
**Report Date:** 10/09/19

**SAMPLE RESULTS**

Lab ID: L1945770-03  
 Client ID: MW-265S-20191002  
 Sample Location: WAYLAND, MA

Date Collected: 10/02/19 10:10  
 Date Received: 10/02/19  
 Field Prep: Not Specified

Sample Depth:

Matrix: Water  
 Analytical Method: 1,8260C  
 Analytical Date: 10/08/19 02:16  
 Analyst: NLK

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Volatile Organics by GC/MS - Westborough Lab</b>						
Methylene chloride	ND		ug/l	3.0	--	1
1,1-Dichloroethane	ND		ug/l	0.75	--	1
Chloroform	ND		ug/l	0.75	--	1
Carbon tetrachloride	ND		ug/l	0.50	--	1
1,2-Dichloropropane	ND		ug/l	1.8	--	1
Dibromochloromethane	ND		ug/l	0.50	--	1
1,1,2-Trichloroethane	ND		ug/l	0.75	--	1
Tetrachloroethene	ND		ug/l	0.50	--	1
Chlorobenzene	ND		ug/l	0.50	--	1
Trichlorofluoromethane	ND		ug/l	2.5	--	1
1,2-Dichloroethane	ND		ug/l	0.50	--	1
1,1,1-Trichloroethane	ND		ug/l	0.50	--	1
Bromodichloromethane	ND		ug/l	0.50	--	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	--	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	--	1
1,3-Dichloropropene, Total	ND		ug/l	0.50	--	1
1,1-Dichloropropene	ND		ug/l	2.5	--	1
Bromoform	ND		ug/l	2.0	--	1
1,1,1,2-Tetrachloroethane	ND		ug/l	0.50	--	1
Benzene	ND		ug/l	0.50	--	1
Toluene	ND		ug/l	0.75	--	1
Ethylbenzene	ND		ug/l	0.50	--	1
Chloromethane	ND		ug/l	2.5	--	1
Bromomethane	ND		ug/l	1.0	--	1
Vinyl chloride	ND		ug/l	1.0	--	1
Chloroethane	ND		ug/l	1.0	--	1
1,1-Dichloroethene	ND		ug/l	0.50	--	1
trans-1,2-Dichloroethene	ND		ug/l	0.75	--	1

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945770  
**Report Date:** 10/09/19

**SAMPLE RESULTS**

Lab ID: L1945770-03  
 Client ID: MW-265S-20191002  
 Sample Location: WAYLAND, MA

Date Collected: 10/02/19 10:10  
 Date Received: 10/02/19  
 Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Volatile Organics by GC/MS - Westborough Lab</b>						
1,2-Dichloroethene, Total	ND		ug/l	0.50	--	1
Trichloroethene	ND		ug/l	0.50	--	1
1,2-Dichlorobenzene	ND		ug/l	2.5	--	1
1,3-Dichlorobenzene	ND		ug/l	2.5	--	1
1,4-Dichlorobenzene	ND		ug/l	2.5	--	1
Methyl tert butyl ether	ND		ug/l	1.0	--	1
p/m-Xylene	ND		ug/l	1.0	--	1
o-Xylene	ND		ug/l	1.0	--	1
Xylenes, Total	ND		ug/l	1.0	--	1
cis-1,2-Dichloroethene	ND		ug/l	0.50	--	1
Dibromomethane	ND		ug/l	5.0	--	1
1,4-Dichlorobutane	ND		ug/l	5.0	--	1
1,2,3-Trichloropropane	ND		ug/l	5.0	--	1
Styrene	ND		ug/l	1.0	--	1
Dichlorodifluoromethane	ND		ug/l	5.0	--	1
Acetone	ND		ug/l	5.0	--	1
Carbon disulfide	ND		ug/l	5.0	--	1
2-Butanone	ND		ug/l	5.0	--	1
Vinyl acetate	ND		ug/l	5.0	--	1
4-Methyl-2-pentanone	ND		ug/l	5.0	--	1
2-Hexanone	ND		ug/l	5.0	--	1
Ethyl methacrylate	ND		ug/l	5.0	--	1
Acrylonitrile	ND		ug/l	5.0	--	1
Bromochloromethane	ND		ug/l	2.5	--	1
Tetrahydrofuran	ND		ug/l	5.0	--	1
2,2-Dichloropropane	ND		ug/l	2.5	--	1
1,2-Dibromoethane	ND		ug/l	2.0	--	1
1,3-Dichloropropane	ND		ug/l	2.5	--	1
1,1,1,2-Tetrachloroethane	ND		ug/l	0.50	--	1
Bromobenzene	ND		ug/l	2.5	--	1
n-Butylbenzene	ND		ug/l	0.50	--	1
sec-Butylbenzene	ND		ug/l	0.50	--	1
tert-Butylbenzene	ND		ug/l	2.5	--	1
o-Chlorotoluene	ND		ug/l	2.5	--	1
p-Chlorotoluene	ND		ug/l	2.5	--	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	--	1
Hexachlorobutadiene	ND		ug/l	0.50	--	1

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945770  
**Report Date:** 10/09/19

**SAMPLE RESULTS**

Lab ID: L1945770-03  
 Client ID: MW-265S-20191002  
 Sample Location: WAYLAND, MA

Date Collected: 10/02/19 10:10  
 Date Received: 10/02/19  
 Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Volatile Organics by GC/MS - Westborough Lab</b>						
Isopropylbenzene	ND		ug/l	0.50	--	1
p-Isopropyltoluene	ND		ug/l	0.50	--	1
Naphthalene	ND		ug/l	2.5	--	1
n-Propylbenzene	ND		ug/l	0.50	--	1
1,2,3-Trichlorobenzene	ND		ug/l	2.5	--	1
1,2,4-Trichlorobenzene	ND		ug/l	2.5	--	1
1,3,5-Trimethylbenzene	ND		ug/l	2.5	--	1
1,2,4-Trimethylbenzene	ND		ug/l	2.5	--	1
trans-1,4-Dichloro-2-butene	ND		ug/l	2.5	--	1
Ethyl ether	ND		ug/l	2.5	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	116		70-130
Toluene-d8	100		70-130
4-Bromofluorobenzene	102		70-130
Dibromofluoromethane	101		70-130

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945770  
**Report Date:** 10/09/19

**SAMPLE RESULTS**

Lab ID: L1945770-04  
 Client ID: MW-265D-20191002  
 Sample Location: WAYLAND, MA

Date Collected: 10/02/19 09:25  
 Date Received: 10/02/19  
 Field Prep: Not Specified

Sample Depth:

Matrix: Water  
 Analytical Method: 1,8260C  
 Analytical Date: 10/08/19 02:41  
 Analyst: NLK

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Volatile Organics by GC/MS - Westborough Lab</b>						
Methylene chloride	ND		ug/l	3.0	--	1
1,1-Dichloroethane	ND		ug/l	0.75	--	1
Chloroform	ND		ug/l	0.75	--	1
Carbon tetrachloride	ND		ug/l	0.50	--	1
1,2-Dichloropropane	ND		ug/l	1.8	--	1
Dibromochloromethane	ND		ug/l	0.50	--	1
1,1,2-Trichloroethane	ND		ug/l	0.75	--	1
Tetrachloroethene	ND		ug/l	0.50	--	1
Chlorobenzene	ND		ug/l	0.50	--	1
Trichlorofluoromethane	ND		ug/l	2.5	--	1
1,2-Dichloroethane	ND		ug/l	0.50	--	1
1,1,1-Trichloroethane	ND		ug/l	0.50	--	1
Bromodichloromethane	ND		ug/l	0.50	--	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	--	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	--	1
1,3-Dichloropropene, Total	ND		ug/l	0.50	--	1
1,1-Dichloropropene	ND		ug/l	2.5	--	1
Bromoform	ND		ug/l	2.0	--	1
1,1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	--	1
Benzene	ND		ug/l	0.50	--	1
Toluene	ND		ug/l	0.75	--	1
Ethylbenzene	ND		ug/l	0.50	--	1
Chloromethane	ND		ug/l	2.5	--	1
Bromomethane	ND		ug/l	1.0	--	1
Vinyl chloride	ND		ug/l	1.0	--	1
Chloroethane	ND		ug/l	1.0	--	1
1,1-Dichloroethene	ND		ug/l	0.50	--	1
trans-1,2-Dichloroethene	ND		ug/l	0.75	--	1

Project Name: RAYTHEON WAYLAND

Lab Number: L1945770

Project Number: RA-008

Report Date: 10/09/19

## SAMPLE RESULTS

Lab ID: L1945770-04  
 Client ID: MW-265D-20191002  
 Sample Location: WAYLAND, MA

Date Collected: 10/02/19 09:25  
 Date Received: 10/02/19  
 Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,2-Dichloroethene, Total	ND		ug/l	0.50	--	1
Trichloroethene	ND		ug/l	0.50	--	1
1,2-Dichlorobenzene	ND		ug/l	2.5	--	1
1,3-Dichlorobenzene	ND		ug/l	2.5	--	1
1,4-Dichlorobenzene	ND		ug/l	2.5	--	1
Methyl tert butyl ether	ND		ug/l	1.0	--	1
p/m-Xylene	ND		ug/l	1.0	--	1
o-Xylene	ND		ug/l	1.0	--	1
Xylenes, Total	ND		ug/l	1.0	--	1
cis-1,2-Dichloroethene	ND		ug/l	0.50	--	1
Dibromomethane	ND		ug/l	5.0	--	1
1,4-Dichlorobutane	ND		ug/l	5.0	--	1
1,2,3-Trichloropropane	ND		ug/l	5.0	--	1
Styrene	ND		ug/l	1.0	--	1
Dichlorodifluoromethane	ND		ug/l	5.0	--	1
Acetone	ND		ug/l	5.0	--	1
Carbon disulfide	ND		ug/l	5.0	--	1
2-Butanone	ND		ug/l	5.0	--	1
Vinyl acetate	ND		ug/l	5.0	--	1
4-Methyl-2-pentanone	ND		ug/l	5.0	--	1
2-Hexanone	ND		ug/l	5.0	--	1
Ethyl methacrylate	ND		ug/l	5.0	--	1
Acrylonitrile	ND		ug/l	5.0	--	1
Bromochloromethane	ND		ug/l	2.5	--	1
Tetrahydrofuran	ND		ug/l	5.0	--	1
2,2-Dichloropropane	ND		ug/l	2.5	--	1
1,2-Dibromoethane	ND		ug/l	2.0	--	1
1,3-Dichloropropane	ND		ug/l	2.5	--	1
1,1,1,2-Tetrachloroethane	ND		ug/l	0.50	--	1
Bromobenzene	ND		ug/l	2.5	--	1
n-Butylbenzene	ND		ug/l	0.50	--	1
sec-Butylbenzene	ND		ug/l	0.50	--	1
tert-Butylbenzene	ND		ug/l	2.5	--	1
o-Chlorotoluene	ND		ug/l	2.5	--	1
p-Chlorotoluene	ND		ug/l	2.5	--	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	--	1
Hexachlorobutadiene	ND		ug/l	0.50	--	1

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945770  
**Report Date:** 10/09/19

**SAMPLE RESULTS**

Lab ID: L1945770-04  
 Client ID: MW-265D-20191002  
 Sample Location: WAYLAND, MA

Date Collected: 10/02/19 09:25  
 Date Received: 10/02/19  
 Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Volatile Organics by GC/MS - Westborough Lab</b>						
Isopropylbenzene	ND		ug/l	0.50	--	1
p-Isopropyltoluene	ND		ug/l	0.50	--	1
Naphthalene	ND		ug/l	2.5	--	1
n-Propylbenzene	ND		ug/l	0.50	--	1
1,2,3-Trichlorobenzene	ND		ug/l	2.5	--	1
1,2,4-Trichlorobenzene	ND		ug/l	2.5	--	1
1,3,5-Trimethylbenzene	ND		ug/l	2.5	--	1
1,2,4-Trimethylbenzene	ND		ug/l	2.5	--	1
trans-1,4-Dichloro-2-butene	ND		ug/l	2.5	--	1
Ethyl ether	ND		ug/l	2.5	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	117		70-130
Toluene-d8	101		70-130
4-Bromofluorobenzene	106		70-130
Dibromofluoromethane	99		70-130

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945770  
**Report Date:** 10/09/19

**SAMPLE RESULTS**

Lab ID: L1945770-05  
 Client ID: MW-266M-20191002  
 Sample Location: WAYLAND, MA

Date Collected: 10/02/19 08:25  
 Date Received: 10/02/19  
 Field Prep: Not Specified

Sample Depth:

Matrix: Water  
 Analytical Method: 1,8260C  
 Analytical Date: 10/08/19 03:07  
 Analyst: NLK

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Volatile Organics by GC/MS - Westborough Lab</b>						
Methylene chloride	ND		ug/l	3.0	--	1
1,1-Dichloroethane	ND		ug/l	0.75	--	1
Chloroform	ND		ug/l	0.75	--	1
Carbon tetrachloride	ND		ug/l	0.50	--	1
1,2-Dichloropropane	ND		ug/l	1.8	--	1
Dibromochloromethane	ND		ug/l	0.50	--	1
1,1,2-Trichloroethane	ND		ug/l	0.75	--	1
Tetrachloroethene	ND		ug/l	0.50	--	1
Chlorobenzene	ND		ug/l	0.50	--	1
Trichlorofluoromethane	ND		ug/l	2.5	--	1
1,2-Dichloroethane	ND		ug/l	0.50	--	1
1,1,1-Trichloroethane	ND		ug/l	0.50	--	1
Bromodichloromethane	ND		ug/l	0.50	--	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	--	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	--	1
1,3-Dichloropropene, Total	ND		ug/l	0.50	--	1
1,1-Dichloropropene	ND		ug/l	2.5	--	1
Bromoform	ND		ug/l	2.0	--	1
1,1,1,2-Tetrachloroethane	ND		ug/l	0.50	--	1
Benzene	ND		ug/l	0.50	--	1
Toluene	ND		ug/l	0.75	--	1
Ethylbenzene	ND		ug/l	0.50	--	1
Chloromethane	ND		ug/l	2.5	--	1
Bromomethane	ND		ug/l	1.0	--	1
Vinyl chloride	1.7		ug/l	1.0	--	1
Chloroethane	ND		ug/l	1.0	--	1
1,1-Dichloroethene	ND		ug/l	0.50	--	1
trans-1,2-Dichloroethene	ND		ug/l	0.75	--	1

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945770  
**Report Date:** 10/09/19

**SAMPLE RESULTS**

Lab ID: L1945770-05  
 Client ID: MW-266M-20191002  
 Sample Location: WAYLAND, MA

Date Collected: 10/02/19 08:25  
 Date Received: 10/02/19  
 Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Volatile Organics by GC/MS - Westborough Lab</b>						
1,2-Dichloroethene, Total	0.64		ug/l	0.50	--	1
Trichloroethene	ND		ug/l	0.50	--	1
1,2-Dichlorobenzene	ND		ug/l	2.5	--	1
1,3-Dichlorobenzene	ND		ug/l	2.5	--	1
1,4-Dichlorobenzene	ND		ug/l	2.5	--	1
Methyl tert butyl ether	ND		ug/l	1.0	--	1
p/m-Xylene	ND		ug/l	1.0	--	1
o-Xylene	ND		ug/l	1.0	--	1
Xylenes, Total	ND		ug/l	1.0	--	1
cis-1,2-Dichloroethene	0.64		ug/l	0.50	--	1
Dibromomethane	ND		ug/l	5.0	--	1
1,4-Dichlorobutane	ND		ug/l	5.0	--	1
1,2,3-Trichloropropane	ND		ug/l	5.0	--	1
Styrene	ND		ug/l	1.0	--	1
Dichlorodifluoromethane	ND		ug/l	5.0	--	1
Acetone	ND		ug/l	5.0	--	1
Carbon disulfide	ND		ug/l	5.0	--	1
2-Butanone	ND		ug/l	5.0	--	1
Vinyl acetate	ND		ug/l	5.0	--	1
4-Methyl-2-pentanone	ND		ug/l	5.0	--	1
2-Hexanone	ND		ug/l	5.0	--	1
Ethyl methacrylate	ND		ug/l	5.0	--	1
Acrylonitrile	ND		ug/l	5.0	--	1
Bromochloromethane	ND		ug/l	2.5	--	1
Tetrahydrofuran	ND		ug/l	5.0	--	1
2,2-Dichloropropane	ND		ug/l	2.5	--	1
1,2-Dibromoethane	ND		ug/l	2.0	--	1
1,3-Dichloropropane	ND		ug/l	2.5	--	1
1,1,1,2-Tetrachloroethane	ND		ug/l	0.50	--	1
Bromobenzene	ND		ug/l	2.5	--	1
n-Butylbenzene	ND		ug/l	0.50	--	1
sec-Butylbenzene	ND		ug/l	0.50	--	1
tert-Butylbenzene	ND		ug/l	2.5	--	1
o-Chlorotoluene	ND		ug/l	2.5	--	1
p-Chlorotoluene	ND		ug/l	2.5	--	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	--	1
Hexachlorobutadiene	ND		ug/l	0.50	--	1

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945770  
**Report Date:** 10/09/19

**SAMPLE RESULTS**

Lab ID: L1945770-05  
 Client ID: MW-266M-20191002  
 Sample Location: WAYLAND, MA

Date Collected: 10/02/19 08:25  
 Date Received: 10/02/19  
 Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Volatile Organics by GC/MS - Westborough Lab</b>						
Isopropylbenzene	ND		ug/l	0.50	--	1
p-Isopropyltoluene	ND		ug/l	0.50	--	1
Naphthalene	ND		ug/l	2.5	--	1
n-Propylbenzene	ND		ug/l	0.50	--	1
1,2,3-Trichlorobenzene	ND		ug/l	2.5	--	1
1,2,4-Trichlorobenzene	ND		ug/l	2.5	--	1
1,3,5-Trimethylbenzene	ND		ug/l	2.5	--	1
1,2,4-Trimethylbenzene	ND		ug/l	2.5	--	1
trans-1,4-Dichloro-2-butene	ND		ug/l	2.5	--	1
Ethyl ether	ND		ug/l	2.5	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	116		70-130
Toluene-d8	100		70-130
4-Bromofluorobenzene	104		70-130
Dibromofluoromethane	102		70-130

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945770  
**Report Date:** 10/09/19

**SAMPLE RESULTS**

Lab ID: L1945770-06  
 Client ID: MW-266MB-20191002  
 Sample Location: WAYLAND, MA

Date Collected: 10/02/19 12:45  
 Date Received: 10/02/19  
 Field Prep: Not Specified

Sample Depth:

Matrix: Water  
 Analytical Method: 1,8260C  
 Analytical Date: 10/08/19 03:32  
 Analyst: NLK

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Volatile Organics by GC/MS - Westborough Lab</b>						
Methylene chloride	ND		ug/l	3.0	--	1
1,1-Dichloroethane	ND		ug/l	0.75	--	1
Chloroform	ND		ug/l	0.75	--	1
Carbon tetrachloride	ND		ug/l	0.50	--	1
1,2-Dichloropropane	ND		ug/l	1.8	--	1
Dibromochloromethane	ND		ug/l	0.50	--	1
1,1,2-Trichloroethane	ND		ug/l	0.75	--	1
Tetrachloroethene	ND		ug/l	0.50	--	1
Chlorobenzene	ND		ug/l	0.50	--	1
Trichlorofluoromethane	ND		ug/l	2.5	--	1
1,2-Dichloroethane	ND		ug/l	0.50	--	1
1,1,1-Trichloroethane	ND		ug/l	0.50	--	1
Bromodichloromethane	ND		ug/l	0.50	--	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	--	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	--	1
1,3-Dichloropropene, Total	ND		ug/l	0.50	--	1
1,1-Dichloropropene	ND		ug/l	2.5	--	1
Bromoform	ND		ug/l	2.0	--	1
1,1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	--	1
Benzene	ND		ug/l	0.50	--	1
Toluene	3.0		ug/l	0.75	--	1
Ethylbenzene	2.9		ug/l	0.50	--	1
Chloromethane	ND		ug/l	2.5	--	1
Bromomethane	ND		ug/l	1.0	--	1
Vinyl chloride	60		ug/l	1.0	--	1
Chloroethane	ND		ug/l	1.0	--	1
1,1-Dichloroethene	ND		ug/l	0.50	--	1
trans-1,2-Dichloroethene	ND		ug/l	0.75	--	1

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945770  
**Report Date:** 10/09/19

**SAMPLE RESULTS**

Lab ID: L1945770-06  
 Client ID: MW-266MB-20191002  
 Sample Location: WAYLAND, MA

Date Collected: 10/02/19 12:45  
 Date Received: 10/02/19  
 Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Volatile Organics by GC/MS - Westborough Lab</b>						
1,2-Dichloroethene, Total	7.4		ug/l	0.50	--	1
Trichloroethene	2.9		ug/l	0.50	--	1
1,2-Dichlorobenzene	ND		ug/l	2.5	--	1
1,3-Dichlorobenzene	ND		ug/l	2.5	--	1
1,4-Dichlorobenzene	ND		ug/l	2.5	--	1
Methyl tert butyl ether	ND		ug/l	1.0	--	1
p/m-Xylene	8.0		ug/l	1.0	--	1
o-Xylene	3.4		ug/l	1.0	--	1
Xylenes, Total	11		ug/l	1.0	--	1
cis-1,2-Dichloroethene	7.4		ug/l	0.50	--	1
Dibromomethane	ND		ug/l	5.0	--	1
1,4-Dichlorobutane	ND		ug/l	5.0	--	1
1,2,3-Trichloropropane	ND		ug/l	5.0	--	1
Styrene	ND		ug/l	1.0	--	1
Dichlorodifluoromethane	ND		ug/l	5.0	--	1
Acetone	280	E	ug/l	5.0	--	1
Carbon disulfide	ND		ug/l	5.0	--	1
2-Butanone	42		ug/l	5.0	--	1
Vinyl acetate	ND		ug/l	5.0	--	1
4-Methyl-2-pentanone	ND		ug/l	5.0	--	1
2-Hexanone	ND		ug/l	5.0	--	1
Ethyl methacrylate	ND		ug/l	5.0	--	1
Acrylonitrile	ND		ug/l	5.0	--	1
Bromochloromethane	ND		ug/l	2.5	--	1
Tetrahydrofuran	17		ug/l	5.0	--	1
2,2-Dichloropropane	ND		ug/l	2.5	--	1
1,2-Dibromoethane	ND		ug/l	2.0	--	1
1,3-Dichloropropane	ND		ug/l	2.5	--	1
1,1,1,2-Tetrachloroethane	ND		ug/l	0.50	--	1
Bromobenzene	ND		ug/l	2.5	--	1
n-Butylbenzene	ND		ug/l	0.50	--	1
sec-Butylbenzene	ND		ug/l	0.50	--	1
tert-Butylbenzene	ND		ug/l	2.5	--	1
o-Chlorotoluene	ND		ug/l	2.5	--	1
p-Chlorotoluene	ND		ug/l	2.5	--	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	--	1
Hexachlorobutadiene	ND		ug/l	0.50	--	1

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945770  
**Report Date:** 10/09/19

**SAMPLE RESULTS**

Lab ID: L1945770-06  
 Client ID: MW-266MB-20191002  
 Sample Location: WAYLAND, MA

Date Collected: 10/02/19 12:45  
 Date Received: 10/02/19  
 Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Volatile Organics by GC/MS - Westborough Lab</b>						
Isopropylbenzene	ND		ug/l	0.50	--	1
p-Isopropyltoluene	ND		ug/l	0.50	--	1
Naphthalene	ND		ug/l	2.5	--	1
n-Propylbenzene	ND		ug/l	0.50	--	1
1,2,3-Trichlorobenzene	ND		ug/l	2.5	--	1
1,2,4-Trichlorobenzene	ND		ug/l	2.5	--	1
1,3,5-Trimethylbenzene	ND		ug/l	2.5	--	1
1,2,4-Trimethylbenzene	ND		ug/l	2.5	--	1
trans-1,4-Dichloro-2-butene	ND		ug/l	2.5	--	1
Ethyl ether	ND		ug/l	2.5	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	115		70-130
Toluene-d8	99		70-130
4-Bromofluorobenzene	106		70-130
Dibromofluoromethane	102		70-130

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945770  
**Report Date:** 10/09/19

**SAMPLE RESULTS**

Lab ID: L1945770-06 D  
 Client ID: MW-266MB-20191002  
 Sample Location: WAYLAND, MA

Date Collected: 10/02/19 12:45  
 Date Received: 10/02/19  
 Field Prep: Not Specified

Sample Depth:

Matrix: Water  
 Analytical Method: 1,8260C  
 Analytical Date: 10/09/19 01:08  
 Analyst: PK

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

Volatile Organics by GC/MS - Westborough Lab						
--	--	--	--	--	--	--

Acetone	210		ug/l	20	--	4
---------	-----	--	------	----	----	---

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	100		70-130
Toluene-d8	100		70-130
4-Bromofluorobenzene	104		70-130
Dibromofluoromethane	99		70-130

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945770  
**Report Date:** 10/09/19

**SAMPLE RESULTS**

Lab ID: L1945770-07 D  
 Client ID: MW-268D-20191002  
 Sample Location: WAYLAND, MA

Date Collected: 10/02/19 10:05  
 Date Received: 10/02/19  
 Field Prep: Not Specified

Sample Depth:

Matrix: Water  
 Analytical Method: 1,8260C  
 Analytical Date: 10/08/19 04:48  
 Analyst: NLK

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Volatile Organics by GC/MS - Westborough Lab</b>						
Methylene chloride	ND		ug/l	150	--	50
1,1-Dichloroethane	ND		ug/l	38	--	50
Chloroform	ND		ug/l	38	--	50
Carbon tetrachloride	ND		ug/l	25	--	50
1,2-Dichloropropane	ND		ug/l	88	--	50
Dibromochloromethane	ND		ug/l	25	--	50
1,1,2-Trichloroethane	ND		ug/l	38	--	50
Tetrachloroethene	ND		ug/l	25	--	50
Chlorobenzene	ND		ug/l	25	--	50
Trichlorofluoromethane	ND		ug/l	120	--	50
1,2-Dichloroethane	ND		ug/l	25	--	50
1,1,1-Trichloroethane	ND		ug/l	25	--	50
Bromodichloromethane	ND		ug/l	25	--	50
trans-1,3-Dichloropropene	ND		ug/l	25	--	50
cis-1,3-Dichloropropene	ND		ug/l	25	--	50
1,3-Dichloropropene, Total	ND		ug/l	25	--	50
1,1-Dichloropropene	ND		ug/l	120	--	50
Bromoform	ND		ug/l	100	--	50
1,1,1,2-Tetrachloroethane	ND		ug/l	25	--	50
Benzene	ND		ug/l	25	--	50
Toluene	100		ug/l	38	--	50
Ethylbenzene	ND		ug/l	25	--	50
Chloromethane	ND		ug/l	120	--	50
Bromomethane	ND		ug/l	50	--	50
Vinyl chloride	ND		ug/l	50	--	50
Chloroethane	ND		ug/l	50	--	50
1,1-Dichloroethene	ND		ug/l	25	--	50
trans-1,2-Dichloroethene	ND		ug/l	38	--	50

Project Name: RAYTHEON WAYLAND

Lab Number: L1945770

Project Number: RA-008

Report Date: 10/09/19

## SAMPLE RESULTS

Lab ID: L1945770-07 D

Date Collected: 10/02/19 10:05

Client ID: MW-268D-20191002

Date Received: 10/02/19

Sample Location: WAYLAND, MA

Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,2-Dichloroethene, Total	310		ug/l	25	--	50
Trichloroethene	83		ug/l	25	--	50
1,2-Dichlorobenzene	ND		ug/l	120	--	50
1,3-Dichlorobenzene	ND		ug/l	120	--	50
1,4-Dichlorobenzene	ND		ug/l	120	--	50
Methyl tert butyl ether	ND		ug/l	50	--	50
p/m-Xylene	ND		ug/l	50	--	50
o-Xylene	ND		ug/l	50	--	50
Xylenes, Total	ND		ug/l	50	--	50
cis-1,2-Dichloroethene	310		ug/l	25	--	50
Dibromomethane	ND		ug/l	250	--	50
1,4-Dichlorobutane	ND		ug/l	250	--	50
1,2,3-Trichloropropane	ND		ug/l	250	--	50
Styrene	ND		ug/l	50	--	50
Dichlorodifluoromethane	ND		ug/l	250	--	50
Acetone	ND		ug/l	250	--	50
Carbon disulfide	ND		ug/l	250	--	50
2-Butanone	ND		ug/l	250	--	50
Vinyl acetate	ND		ug/l	250	--	50
4-Methyl-2-pentanone	ND		ug/l	250	--	50
2-Hexanone	ND		ug/l	250	--	50
Ethyl methacrylate	ND		ug/l	250	--	50
Acrylonitrile	ND		ug/l	250	--	50
Bromochloromethane	ND		ug/l	120	--	50
Tetrahydrofuran	ND		ug/l	250	--	50
2,2-Dichloropropane	ND		ug/l	120	--	50
1,2-Dibromoethane	ND		ug/l	100	--	50
1,3-Dichloropropane	ND		ug/l	120	--	50
1,1,1,2-Tetrachloroethane	ND		ug/l	25	--	50
Bromobenzene	ND		ug/l	120	--	50
n-Butylbenzene	ND		ug/l	25	--	50
sec-Butylbenzene	ND		ug/l	25	--	50
tert-Butylbenzene	ND		ug/l	120	--	50
o-Chlorotoluene	ND		ug/l	120	--	50
p-Chlorotoluene	ND		ug/l	120	--	50
1,2-Dibromo-3-chloropropane	ND		ug/l	120	--	50
Hexachlorobutadiene	ND		ug/l	25	--	50

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945770  
**Report Date:** 10/09/19

**SAMPLE RESULTS**

Lab ID: L1945770-07 D  
 Client ID: MW-268D-20191002  
 Sample Location: WAYLAND, MA

Date Collected: 10/02/19 10:05  
 Date Received: 10/02/19  
 Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Volatile Organics by GC/MS - Westborough Lab</b>						
Isopropylbenzene	ND		ug/l	25	--	50
p-Isopropyltoluene	ND		ug/l	25	--	50
Naphthalene	ND		ug/l	120	--	50
n-Propylbenzene	ND		ug/l	25	--	50
1,2,3-Trichlorobenzene	ND		ug/l	120	--	50
1,2,4-Trichlorobenzene	ND		ug/l	120	--	50
1,3,5-Trimethylbenzene	ND		ug/l	120	--	50
1,2,4-Trimethylbenzene	ND		ug/l	120	--	50
trans-1,4-Dichloro-2-butene	ND		ug/l	120	--	50
Ethyl ether	ND		ug/l	120	--	50

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	116		70-130
Toluene-d8	102		70-130
4-Bromofluorobenzene	106		70-130
Dibromofluoromethane	101		70-130

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945770  
**Report Date:** 10/09/19

**SAMPLE RESULTS**

Lab ID: L1945770-08  
 Client ID: MW-551-20191002  
 Sample Location: WAYLAND, MA

Date Collected: 10/02/19 10:45  
 Date Received: 10/02/19  
 Field Prep: Not Specified

Sample Depth:

Matrix: Water  
 Analytical Method: 1,8260C  
 Analytical Date: 10/08/19 03:57  
 Analyst: NLK

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Volatile Organics by GC/MS - Westborough Lab</b>						
Methylene chloride	ND		ug/l	3.0	--	1
1,1-Dichloroethane	ND		ug/l	0.75	--	1
Chloroform	ND		ug/l	0.75	--	1
Carbon tetrachloride	ND		ug/l	0.50	--	1
1,2-Dichloropropane	ND		ug/l	1.8	--	1
Dibromochloromethane	ND		ug/l	0.50	--	1
1,1,2-Trichloroethane	ND		ug/l	0.75	--	1
Tetrachloroethene	ND		ug/l	0.50	--	1
Chlorobenzene	ND		ug/l	0.50	--	1
Trichlorofluoromethane	ND		ug/l	2.5	--	1
1,2-Dichloroethane	ND		ug/l	0.50	--	1
1,1,1-Trichloroethane	ND		ug/l	0.50	--	1
Bromodichloromethane	ND		ug/l	0.50	--	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	--	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	--	1
1,3-Dichloropropene, Total	ND		ug/l	0.50	--	1
1,1-Dichloropropene	ND		ug/l	2.5	--	1
Bromoform	ND		ug/l	2.0	--	1
1,1,1,2-Tetrachloroethane	ND		ug/l	0.50	--	1
Benzene	ND		ug/l	0.50	--	1
Toluene	ND		ug/l	0.75	--	1
Ethylbenzene	0.50		ug/l	0.50	--	1
Chloromethane	ND		ug/l	2.5	--	1
Bromomethane	ND		ug/l	1.0	--	1
Vinyl chloride	ND		ug/l	1.0	--	1
Chloroethane	ND		ug/l	1.0	--	1
1,1-Dichloroethene	ND		ug/l	0.50	--	1
trans-1,2-Dichloroethene	ND		ug/l	0.75	--	1

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945770  
**Report Date:** 10/09/19

**SAMPLE RESULTS**

Lab ID: L1945770-08  
 Client ID: MW-551-20191002  
 Sample Location: WAYLAND, MA

Date Collected: 10/02/19 10:45  
 Date Received: 10/02/19  
 Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Volatile Organics by GC/MS - Westborough Lab</b>						
1,2-Dichloroethene, Total	ND		ug/l	0.50	--	1
Trichloroethene	ND		ug/l	0.50	--	1
1,2-Dichlorobenzene	ND		ug/l	2.5	--	1
1,3-Dichlorobenzene	ND		ug/l	2.5	--	1
1,4-Dichlorobenzene	ND		ug/l	2.5	--	1
Methyl tert butyl ether	ND		ug/l	1.0	--	1
p/m-Xylene	ND		ug/l	1.0	--	1
o-Xylene	ND		ug/l	1.0	--	1
Xylenes, Total	ND		ug/l	1.0	--	1
cis-1,2-Dichloroethene	ND		ug/l	0.50	--	1
Dibromomethane	ND		ug/l	5.0	--	1
1,4-Dichlorobutane	ND		ug/l	5.0	--	1
1,2,3-Trichloropropane	ND		ug/l	5.0	--	1
Styrene	ND		ug/l	1.0	--	1
Dichlorodifluoromethane	ND		ug/l	5.0	--	1
Acetone	ND		ug/l	5.0	--	1
Carbon disulfide	ND		ug/l	5.0	--	1
2-Butanone	ND		ug/l	5.0	--	1
Vinyl acetate	ND		ug/l	5.0	--	1
4-Methyl-2-pentanone	ND		ug/l	5.0	--	1
2-Hexanone	ND		ug/l	5.0	--	1
Ethyl methacrylate	ND		ug/l	5.0	--	1
Acrylonitrile	ND		ug/l	5.0	--	1
Bromochloromethane	ND		ug/l	2.5	--	1
Tetrahydrofuran	ND		ug/l	5.0	--	1
2,2-Dichloropropane	ND		ug/l	2.5	--	1
1,2-Dibromoethane	ND		ug/l	2.0	--	1
1,3-Dichloropropane	ND		ug/l	2.5	--	1
1,1,1,2-Tetrachloroethane	ND		ug/l	0.50	--	1
Bromobenzene	ND		ug/l	2.5	--	1
n-Butylbenzene	ND		ug/l	0.50	--	1
sec-Butylbenzene	ND		ug/l	0.50	--	1
tert-Butylbenzene	ND		ug/l	2.5	--	1
o-Chlorotoluene	ND		ug/l	2.5	--	1
p-Chlorotoluene	ND		ug/l	2.5	--	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	--	1
Hexachlorobutadiene	ND		ug/l	0.50	--	1

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945770  
**Report Date:** 10/09/19

**SAMPLE RESULTS**

Lab ID: L1945770-08  
 Client ID: MW-551-20191002  
 Sample Location: WAYLAND, MA

Date Collected: 10/02/19 10:45  
 Date Received: 10/02/19  
 Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Volatile Organics by GC/MS - Westborough Lab</b>						
Isopropylbenzene	ND		ug/l	0.50	--	1
p-Isopropyltoluene	ND		ug/l	0.50	--	1
Naphthalene	ND		ug/l	2.5	--	1
n-Propylbenzene	ND		ug/l	0.50	--	1
1,2,3-Trichlorobenzene	ND		ug/l	2.5	--	1
1,2,4-Trichlorobenzene	ND		ug/l	2.5	--	1
1,3,5-Trimethylbenzene	ND		ug/l	2.5	--	1
1,2,4-Trimethylbenzene	ND		ug/l	2.5	--	1
trans-1,4-Dichloro-2-butene	ND		ug/l	2.5	--	1
Ethyl ether	ND		ug/l	2.5	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	118		70-130
Toluene-d8	102		70-130
4-Bromofluorobenzene	103		70-130
Dibromofluoromethane	101		70-130

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945770  
**Report Date:** 10/09/19

**SAMPLE RESULTS**

Lab ID: L1945770-09  
 Client ID: MW-553-20191002  
 Sample Location: WAYLAND, MA

Date Collected: 10/02/19 11:25  
 Date Received: 10/02/19  
 Field Prep: Not Specified

Sample Depth:

Matrix: Water  
 Analytical Method: 1,8260C  
 Analytical Date: 10/08/19 04:23  
 Analyst: NLK

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Volatile Organics by GC/MS - Westborough Lab</b>						
Methylene chloride	ND		ug/l	3.0	--	1
1,1-Dichloroethane	ND		ug/l	0.75	--	1
Chloroform	ND		ug/l	0.75	--	1
Carbon tetrachloride	ND		ug/l	0.50	--	1
1,2-Dichloropropane	ND		ug/l	1.8	--	1
Dibromochloromethane	ND		ug/l	0.50	--	1
1,1,2-Trichloroethane	ND		ug/l	0.75	--	1
Tetrachloroethene	ND		ug/l	0.50	--	1
Chlorobenzene	ND		ug/l	0.50	--	1
Trichlorofluoromethane	ND		ug/l	2.5	--	1
1,2-Dichloroethane	ND		ug/l	0.50	--	1
1,1,1-Trichloroethane	ND		ug/l	0.50	--	1
Bromodichloromethane	ND		ug/l	0.50	--	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	--	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	--	1
1,3-Dichloropropene, Total	ND		ug/l	0.50	--	1
1,1-Dichloropropene	ND		ug/l	2.5	--	1
Bromoform	ND		ug/l	2.0	--	1
1,1,1,2-Tetrachloroethane	ND		ug/l	0.50	--	1
Benzene	ND		ug/l	0.50	--	1
Toluene	1.9		ug/l	0.75	--	1
Ethylbenzene	1.8		ug/l	0.50	--	1
Chloromethane	ND		ug/l	2.5	--	1
Bromomethane	ND		ug/l	1.0	--	1
Vinyl chloride	9.2		ug/l	1.0	--	1
Chloroethane	ND		ug/l	1.0	--	1
1,1-Dichloroethene	ND		ug/l	0.50	--	1
trans-1,2-Dichloroethene	ND		ug/l	0.75	--	1

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945770  
**Report Date:** 10/09/19

**SAMPLE RESULTS**

Lab ID: L1945770-09  
 Client ID: MW-553-20191002  
 Sample Location: WAYLAND, MA

Date Collected: 10/02/19 11:25  
 Date Received: 10/02/19  
 Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Volatile Organics by GC/MS - Westborough Lab</b>						
1,2-Dichloroethene, Total	1.3		ug/l	0.50	--	1
Trichloroethene	ND		ug/l	0.50	--	1
1,2-Dichlorobenzene	ND		ug/l	2.5	--	1
1,3-Dichlorobenzene	ND		ug/l	2.5	--	1
1,4-Dichlorobenzene	ND		ug/l	2.5	--	1
Methyl tert butyl ether	ND		ug/l	1.0	--	1
p/m-Xylene	4.5		ug/l	1.0	--	1
o-Xylene	ND		ug/l	1.0	--	1
Xylenes, Total	4.5		ug/l	1.0	--	1
cis-1,2-Dichloroethene	1.3		ug/l	0.50	--	1
Dibromomethane	ND		ug/l	5.0	--	1
1,4-Dichlorobutane	ND		ug/l	5.0	--	1
1,2,3-Trichloropropane	ND		ug/l	5.0	--	1
Styrene	ND		ug/l	1.0	--	1
Dichlorodifluoromethane	ND		ug/l	5.0	--	1
Acetone	ND		ug/l	5.0	--	1
Carbon disulfide	ND		ug/l	5.0	--	1
2-Butanone	ND		ug/l	5.0	--	1
Vinyl acetate	ND		ug/l	5.0	--	1
4-Methyl-2-pentanone	ND		ug/l	5.0	--	1
2-Hexanone	ND		ug/l	5.0	--	1
Ethyl methacrylate	ND		ug/l	5.0	--	1
Acrylonitrile	ND		ug/l	5.0	--	1
Bromochloromethane	ND		ug/l	2.5	--	1
Tetrahydrofuran	ND		ug/l	5.0	--	1
2,2-Dichloropropane	ND		ug/l	2.5	--	1
1,2-Dibromoethane	ND		ug/l	2.0	--	1
1,3-Dichloropropane	ND		ug/l	2.5	--	1
1,1,1,2-Tetrachloroethane	ND		ug/l	0.50	--	1
Bromobenzene	ND		ug/l	2.5	--	1
n-Butylbenzene	ND		ug/l	0.50	--	1
sec-Butylbenzene	ND		ug/l	0.50	--	1
tert-Butylbenzene	ND		ug/l	2.5	--	1
o-Chlorotoluene	ND		ug/l	2.5	--	1
p-Chlorotoluene	ND		ug/l	2.5	--	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	--	1
Hexachlorobutadiene	ND		ug/l	0.50	--	1

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945770  
**Report Date:** 10/09/19

**SAMPLE RESULTS**

Lab ID: L1945770-09  
 Client ID: MW-553-20191002  
 Sample Location: WAYLAND, MA

Date Collected: 10/02/19 11:25  
 Date Received: 10/02/19  
 Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Volatile Organics by GC/MS - Westborough Lab</b>						
Isopropylbenzene	ND		ug/l	0.50	--	1
p-Isopropyltoluene	ND		ug/l	0.50	--	1
Naphthalene	ND		ug/l	2.5	--	1
n-Propylbenzene	ND		ug/l	0.50	--	1
1,2,3-Trichlorobenzene	ND		ug/l	2.5	--	1
1,2,4-Trichlorobenzene	ND		ug/l	2.5	--	1
1,3,5-Trimethylbenzene	ND		ug/l	2.5	--	1
1,2,4-Trimethylbenzene	ND		ug/l	2.5	--	1
trans-1,4-Dichloro-2-butene	ND		ug/l	2.5	--	1
Ethyl ether	ND		ug/l	2.5	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	116		70-130
Toluene-d8	101		70-130
4-Bromofluorobenzene	105		70-130
Dibromofluoromethane	101		70-130

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945770  
**Report Date:** 10/09/19

**SAMPLE RESULTS**

Lab ID: L1945770-10  
 Client ID: MW-560-20191002  
 Sample Location: WAYLAND, MA

Date Collected: 10/02/19 12:05  
 Date Received: 10/02/19  
 Field Prep: Not Specified

Sample Depth:

Matrix: Water  
 Analytical Method: 1,8260C  
 Analytical Date: 10/08/19 17:44  
 Analyst: NLK

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Volatile Organics by GC/MS - Westborough Lab</b>						
Methylene chloride	ND		ug/l	3.0	--	1
1,1-Dichloroethane	ND		ug/l	0.75	--	1
Chloroform	ND		ug/l	0.75	--	1
Carbon tetrachloride	ND		ug/l	0.50	--	1
1,2-Dichloropropane	ND		ug/l	1.8	--	1
Dibromochloromethane	ND		ug/l	0.50	--	1
1,1,2-Trichloroethane	ND		ug/l	0.75	--	1
Tetrachloroethene	ND		ug/l	0.50	--	1
Chlorobenzene	ND		ug/l	0.50	--	1
Trichlorofluoromethane	ND		ug/l	2.5	--	1
1,2-Dichloroethane	ND		ug/l	0.50	--	1
1,1,1-Trichloroethane	ND		ug/l	0.50	--	1
Bromodichloromethane	ND		ug/l	0.50	--	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	--	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	--	1
1,3-Dichloropropene, Total	ND		ug/l	0.50	--	1
1,1-Dichloropropene	ND		ug/l	2.5	--	1
Bromoform	ND		ug/l	2.0	--	1
1,1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	--	1
Benzene	ND		ug/l	0.50	--	1
Toluene	ND		ug/l	0.75	--	1
Ethylbenzene	ND		ug/l	0.50	--	1
Chloromethane	ND		ug/l	2.5	--	1
Bromomethane	ND		ug/l	1.0	--	1
Vinyl chloride	ND		ug/l	1.0	--	1
Chloroethane	ND		ug/l	1.0	--	1
1,1-Dichloroethene	ND		ug/l	0.50	--	1
trans-1,2-Dichloroethene	ND		ug/l	0.75	--	1

Project Name: RAYTHEON WAYLAND

Lab Number: L1945770

Project Number: RA-008

Report Date: 10/09/19

## SAMPLE RESULTS

Lab ID: L1945770-10  
 Client ID: MW-560-20191002  
 Sample Location: WAYLAND, MA

Date Collected: 10/02/19 12:05  
 Date Received: 10/02/19  
 Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,2-Dichloroethene, Total	ND		ug/l	0.50	--	1
Trichloroethene	ND		ug/l	0.50	--	1
1,2-Dichlorobenzene	ND		ug/l	2.5	--	1
1,3-Dichlorobenzene	ND		ug/l	2.5	--	1
1,4-Dichlorobenzene	ND		ug/l	2.5	--	1
Methyl tert butyl ether	ND		ug/l	1.0	--	1
p/m-Xylene	ND		ug/l	1.0	--	1
o-Xylene	ND		ug/l	1.0	--	1
Xylenes, Total	ND		ug/l	1.0	--	1
cis-1,2-Dichloroethene	ND		ug/l	0.50	--	1
Dibromomethane	ND		ug/l	5.0	--	1
1,4-Dichlorobutane	ND		ug/l	5.0	--	1
1,2,3-Trichloropropane	ND		ug/l	5.0	--	1
Styrene	ND		ug/l	1.0	--	1
Dichlorodifluoromethane	ND		ug/l	5.0	--	1
Acetone	ND		ug/l	5.0	--	1
Carbon disulfide	ND		ug/l	5.0	--	1
2-Butanone	ND		ug/l	5.0	--	1
Vinyl acetate	ND		ug/l	5.0	--	1
4-Methyl-2-pentanone	ND		ug/l	5.0	--	1
2-Hexanone	ND		ug/l	5.0	--	1
Ethyl methacrylate	ND		ug/l	5.0	--	1
Acrylonitrile	ND		ug/l	5.0	--	1
Bromochloromethane	ND		ug/l	2.5	--	1
Tetrahydrofuran	ND		ug/l	5.0	--	1
2,2-Dichloropropane	ND		ug/l	2.5	--	1
1,2-Dibromoethane	ND		ug/l	2.0	--	1
1,3-Dichloropropane	ND		ug/l	2.5	--	1
1,1,1,2-Tetrachloroethane	ND		ug/l	0.50	--	1
Bromobenzene	ND		ug/l	2.5	--	1
n-Butylbenzene	ND		ug/l	0.50	--	1
sec-Butylbenzene	ND		ug/l	0.50	--	1
tert-Butylbenzene	ND		ug/l	2.5	--	1
o-Chlorotoluene	ND		ug/l	2.5	--	1
p-Chlorotoluene	ND		ug/l	2.5	--	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	--	1
Hexachlorobutadiene	ND		ug/l	0.50	--	1

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945770  
**Report Date:** 10/09/19

**SAMPLE RESULTS**

Lab ID: L1945770-10  
 Client ID: MW-560-20191002  
 Sample Location: WAYLAND, MA

Date Collected: 10/02/19 12:05  
 Date Received: 10/02/19  
 Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Volatile Organics by GC/MS - Westborough Lab</b>						
Isopropylbenzene	ND		ug/l	0.50	--	1
p-Isopropyltoluene	ND		ug/l	0.50	--	1
Naphthalene	ND		ug/l	2.5	--	1
n-Propylbenzene	ND		ug/l	0.50	--	1
1,2,3-Trichlorobenzene	ND		ug/l	2.5	--	1
1,2,4-Trichlorobenzene	ND		ug/l	2.5	--	1
1,3,5-Trimethylbenzene	ND		ug/l	2.5	--	1
1,2,4-Trimethylbenzene	ND		ug/l	2.5	--	1
trans-1,4-Dichloro-2-butene	ND		ug/l	2.5	--	1
Ethyl ether	ND		ug/l	2.5	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	107		70-130
Toluene-d8	98		70-130
4-Bromofluorobenzene	92		70-130
Dibromofluoromethane	107		70-130

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945770  
**Report Date:** 10/09/19

**SAMPLE RESULTS**

Lab ID: L1945770-11  
 Client ID: MW-561-20191002  
 Sample Location: WAYLAND, MA

Date Collected: 10/02/19 12:20  
 Date Received: 10/02/19  
 Field Prep: Not Specified

Sample Depth:

Matrix: Water  
 Analytical Method: 1,8260C  
 Analytical Date: 10/07/19 22:54  
 Analyst: NLK

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Volatile Organics by GC/MS - Westborough Lab</b>						
Methylene chloride	ND		ug/l	3.0	--	1
1,1-Dichloroethane	ND		ug/l	0.75	--	1
Chloroform	ND		ug/l	0.75	--	1
Carbon tetrachloride	ND		ug/l	0.50	--	1
1,2-Dichloropropane	ND		ug/l	1.8	--	1
Dibromochloromethane	ND		ug/l	0.50	--	1
1,1,2-Trichloroethane	ND		ug/l	0.75	--	1
Tetrachloroethene	ND		ug/l	0.50	--	1
Chlorobenzene	ND		ug/l	0.50	--	1
Trichlorofluoromethane	ND		ug/l	2.5	--	1
1,2-Dichloroethane	ND		ug/l	0.50	--	1
1,1,1-Trichloroethane	ND		ug/l	0.50	--	1
Bromodichloromethane	ND		ug/l	0.50	--	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	--	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	--	1
1,3-Dichloropropene, Total	ND		ug/l	0.50	--	1
1,1-Dichloropropene	ND		ug/l	2.5	--	1
Bromoform	ND		ug/l	2.0	--	1
1,1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	--	1
Benzene	ND		ug/l	0.50	--	1
Toluene	ND		ug/l	0.75	--	1
Ethylbenzene	3.5		ug/l	0.50	--	1
Chloromethane	ND		ug/l	2.5	--	1
Bromomethane	ND		ug/l	1.0	--	1
Vinyl chloride	ND		ug/l	1.0	--	1
Chloroethane	ND		ug/l	1.0	--	1
1,1-Dichloroethene	ND		ug/l	0.50	--	1
trans-1,2-Dichloroethene	ND		ug/l	0.75	--	1

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945770  
**Report Date:** 10/09/19

**SAMPLE RESULTS**

Lab ID: L1945770-11  
 Client ID: MW-561-20191002  
 Sample Location: WAYLAND, MA

Date Collected: 10/02/19 12:20  
 Date Received: 10/02/19  
 Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Volatile Organics by GC/MS - Westborough Lab</b>						
1,2-Dichloroethene, Total	ND		ug/l	0.50	--	1
Trichloroethene	ND		ug/l	0.50	--	1
1,2-Dichlorobenzene	ND		ug/l	2.5	--	1
1,3-Dichlorobenzene	ND		ug/l	2.5	--	1
1,4-Dichlorobenzene	ND		ug/l	2.5	--	1
Methyl tert butyl ether	ND		ug/l	1.0	--	1
p/m-Xylene	11		ug/l	1.0	--	1
o-Xylene	3.2		ug/l	1.0	--	1
Xylenes, Total	14		ug/l	1.0	--	1
cis-1,2-Dichloroethene	ND		ug/l	0.50	--	1
Dibromomethane	ND		ug/l	5.0	--	1
1,4-Dichlorobutane	ND		ug/l	5.0	--	1
1,2,3-Trichloropropane	ND		ug/l	5.0	--	1
Styrene	ND		ug/l	1.0	--	1
Dichlorodifluoromethane	ND		ug/l	5.0	--	1
Acetone	63		ug/l	5.0	--	1
Carbon disulfide	ND		ug/l	5.0	--	1
2-Butanone	7.7		ug/l	5.0	--	1
Vinyl acetate	ND		ug/l	5.0	--	1
4-Methyl-2-pentanone	ND		ug/l	5.0	--	1
2-Hexanone	ND		ug/l	5.0	--	1
Ethyl methacrylate	ND		ug/l	5.0	--	1
Acrylonitrile	ND		ug/l	5.0	--	1
Bromochloromethane	ND		ug/l	2.5	--	1
Tetrahydrofuran	6.0		ug/l	5.0	--	1
2,2-Dichloropropane	ND		ug/l	2.5	--	1
1,2-Dibromoethane	ND		ug/l	2.0	--	1
1,3-Dichloropropane	ND		ug/l	2.5	--	1
1,1,1,2-Tetrachloroethane	ND		ug/l	0.50	--	1
Bromobenzene	ND		ug/l	2.5	--	1
n-Butylbenzene	ND		ug/l	0.50	--	1
sec-Butylbenzene	ND		ug/l	0.50	--	1
tert-Butylbenzene	ND		ug/l	2.5	--	1
o-Chlorotoluene	ND		ug/l	2.5	--	1
p-Chlorotoluene	ND		ug/l	2.5	--	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	--	1
Hexachlorobutadiene	ND		ug/l	0.50	--	1

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945770  
**Report Date:** 10/09/19

**SAMPLE RESULTS**

Lab ID: L1945770-11  
 Client ID: MW-561-20191002  
 Sample Location: WAYLAND, MA

Date Collected: 10/02/19 12:20  
 Date Received: 10/02/19  
 Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Volatile Organics by GC/MS - Westborough Lab</b>						
Isopropylbenzene	ND		ug/l	0.50	--	1
p-Isopropyltoluene	ND		ug/l	0.50	--	1
Naphthalene	ND		ug/l	2.5	--	1
n-Propylbenzene	ND		ug/l	0.50	--	1
1,2,3-Trichlorobenzene	ND		ug/l	2.5	--	1
1,2,4-Trichlorobenzene	ND		ug/l	2.5	--	1
1,3,5-Trimethylbenzene	ND		ug/l	2.5	--	1
1,2,4-Trimethylbenzene	ND		ug/l	2.5	--	1
trans-1,4-Dichloro-2-butene	ND		ug/l	2.5	--	1
Ethyl ether	ND		ug/l	2.5	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	97		70-130
Toluene-d8	97		70-130
4-Bromofluorobenzene	104		70-130
Dibromofluoromethane	97		70-130

**Project Name:** RAYTHEON WAYLAND**Lab Number:** L1945770**Project Number:** RA-008**Report Date:** 10/09/19**SAMPLE RESULTS**

Lab ID: L1945770-12 D2

Date Collected: 10/02/19 07:40

Client ID: REW-1-20191002

Date Received: 10/02/19

Sample Location: WAYLAND, MA

Field Prep: Not Specified

Sample Depth:

Matrix: Water

Analytical Method: 1,8260C

Analytical Date: 10/08/19 18:50

Analyst: NLK

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Tetrahydrofuran	35000		ug/l	2500	--	500

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	99		70-130
Toluene-d8	100		70-130
4-Bromofluorobenzene	95		70-130
Dibromofluoromethane	96		70-130

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945770  
**Report Date:** 10/09/19

**SAMPLE RESULTS**

Lab ID: L1945770-12 D  
 Client ID: REW-1-20191002  
 Sample Location: WAYLAND, MA

Date Collected: 10/02/19 07:40  
 Date Received: 10/02/19  
 Field Prep: Not Specified

Sample Depth:

Matrix: Water  
 Analytical Method: 1,8260C  
 Analytical Date: 10/08/19 01:59  
 Analyst: NLK

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Volatile Organics by GC/MS - Westborough Lab</b>						
Methylene chloride	ND		ug/l	150	--	50
1,1-Dichloroethane	ND		ug/l	38	--	50
Chloroform	ND		ug/l	38	--	50
Carbon tetrachloride	ND		ug/l	25	--	50
1,2-Dichloropropane	ND		ug/l	88	--	50
Dibromochloromethane	ND		ug/l	25	--	50
1,1,2-Trichloroethane	ND		ug/l	38	--	50
Tetrachloroethene	ND		ug/l	25	--	50
Chlorobenzene	ND		ug/l	25	--	50
Trichlorofluoromethane	ND		ug/l	120	--	50
1,2-Dichloroethane	ND		ug/l	25	--	50
1,1,1-Trichloroethane	ND		ug/l	25	--	50
Bromodichloromethane	ND		ug/l	25	--	50
trans-1,3-Dichloropropene	ND		ug/l	25	--	50
cis-1,3-Dichloropropene	ND		ug/l	25	--	50
1,3-Dichloropropene, Total	ND		ug/l	25	--	50
1,1-Dichloropropene	ND		ug/l	120	--	50
Bromoform	ND		ug/l	100	--	50
1,1,1,2-Tetrachloroethane	ND		ug/l	25	--	50
Benzene	ND		ug/l	25	--	50
Toluene	ND		ug/l	38	--	50
Ethylbenzene	ND		ug/l	25	--	50
Chloromethane	ND		ug/l	120	--	50
Bromomethane	ND		ug/l	50	--	50
Vinyl chloride	ND		ug/l	50	--	50
Chloroethane	ND		ug/l	50	--	50
1,1-Dichloroethene	ND		ug/l	25	--	50
trans-1,2-Dichloroethene	ND		ug/l	38	--	50

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945770  
**Report Date:** 10/09/19

**SAMPLE RESULTS**

Lab ID: L1945770-12 D  
 Client ID: REW-1-20191002  
 Sample Location: WAYLAND, MA

Date Collected: 10/02/19 07:40  
 Date Received: 10/02/19  
 Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Volatile Organics by GC/MS - Westborough Lab</b>						
1,2-Dichloroethene, Total	ND		ug/l	25	--	50
Trichloroethene	ND		ug/l	25	--	50
1,2-Dichlorobenzene	ND		ug/l	120	--	50
1,3-Dichlorobenzene	ND		ug/l	120	--	50
1,4-Dichlorobenzene	ND		ug/l	120	--	50
Methyl tert butyl ether	ND		ug/l	50	--	50
p/m-Xylene	ND		ug/l	50	--	50
o-Xylene	ND		ug/l	50	--	50
Xylenes, Total	ND		ug/l	50	--	50
cis-1,2-Dichloroethene	ND		ug/l	25	--	50
Dibromomethane	ND		ug/l	250	--	50
1,4-Dichlorobutane	ND		ug/l	250	--	50
1,2,3-Trichloropropane	ND		ug/l	250	--	50
Styrene	ND		ug/l	50	--	50
Dichlorodifluoromethane	ND		ug/l	250	--	50
Acetone	ND		ug/l	250	--	50
Carbon disulfide	ND		ug/l	250	--	50
2-Butanone	ND		ug/l	250	--	50
Vinyl acetate	ND		ug/l	250	--	50
4-Methyl-2-pentanone	ND		ug/l	250	--	50
2-Hexanone	ND		ug/l	250	--	50
Ethyl methacrylate	ND		ug/l	250	--	50
Acrylonitrile	ND		ug/l	250	--	50
Bromochloromethane	ND		ug/l	120	--	50
Tetrahydrofuran	30000	E	ug/l	250	--	50
2,2-Dichloropropane	ND		ug/l	120	--	50
1,2-Dibromoethane	ND		ug/l	100	--	50
1,3-Dichloropropane	ND		ug/l	120	--	50
1,1,1,2-Tetrachloroethane	ND		ug/l	25	--	50
Bromobenzene	ND		ug/l	120	--	50
n-Butylbenzene	ND		ug/l	25	--	50
sec-Butylbenzene	ND		ug/l	25	--	50
tert-Butylbenzene	ND		ug/l	120	--	50
o-Chlorotoluene	ND		ug/l	120	--	50
p-Chlorotoluene	ND		ug/l	120	--	50
1,2-Dibromo-3-chloropropane	ND		ug/l	120	--	50
Hexachlorobutadiene	ND		ug/l	25	--	50

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945770  
**Report Date:** 10/09/19

**SAMPLE RESULTS**

Lab ID: L1945770-12 D  
 Client ID: REW-1-20191002  
 Sample Location: WAYLAND, MA

Date Collected: 10/02/19 07:40  
 Date Received: 10/02/19  
 Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Volatile Organics by GC/MS - Westborough Lab</b>						
Isopropylbenzene	ND		ug/l	25	--	50
p-Isopropyltoluene	ND		ug/l	25	--	50
Naphthalene	ND		ug/l	120	--	50
n-Propylbenzene	ND		ug/l	25	--	50
1,2,3-Trichlorobenzene	ND		ug/l	120	--	50
1,2,4-Trichlorobenzene	ND		ug/l	120	--	50
1,3,5-Trimethylbenzene	ND		ug/l	120	--	50
1,2,4-Trimethylbenzene	ND		ug/l	120	--	50
trans-1,4-Dichloro-2-butene	ND		ug/l	120	--	50
Ethyl ether	ND		ug/l	120	--	50

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	104		70-130
Toluene-d8	96		70-130
4-Bromofluorobenzene	103		70-130
Dibromofluoromethane	101		70-130

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945770  
**Report Date:** 10/09/19

**SAMPLE RESULTS**

Lab ID: L1945770-13  
 Client ID: REW-4-20191002  
 Sample Location: WAYLAND, MA

Date Collected: 10/02/19 07:00  
 Date Received: 10/02/19  
 Field Prep: Not Specified

Sample Depth:

Matrix: Water  
 Analytical Method: 1,8260C  
 Analytical Date: 10/07/19 23:17  
 Analyst: NLK

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Volatile Organics by GC/MS - Westborough Lab</b>						
Methylene chloride	ND		ug/l	3.0	--	1
1,1-Dichloroethane	ND		ug/l	0.75	--	1
Chloroform	ND		ug/l	0.75	--	1
Carbon tetrachloride	ND		ug/l	0.50	--	1
1,2-Dichloropropane	ND		ug/l	1.8	--	1
Dibromochloromethane	ND		ug/l	0.50	--	1
1,1,2-Trichloroethane	ND		ug/l	0.75	--	1
Tetrachloroethene	ND		ug/l	0.50	--	1
Chlorobenzene	ND		ug/l	0.50	--	1
Trichlorofluoromethane	ND		ug/l	2.5	--	1
1,2-Dichloroethane	ND		ug/l	0.50	--	1
1,1,1-Trichloroethane	ND		ug/l	0.50	--	1
Bromodichloromethane	ND		ug/l	0.50	--	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	--	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	--	1
1,3-Dichloropropene, Total	ND		ug/l	0.50	--	1
1,1-Dichloropropene	ND		ug/l	2.5	--	1
Bromoform	ND		ug/l	2.0	--	1
1,1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	--	1
Benzene	ND		ug/l	0.50	--	1
Toluene	ND		ug/l	0.75	--	1
Ethylbenzene	ND		ug/l	0.50	--	1
Chloromethane	ND		ug/l	2.5	--	1
Bromomethane	ND		ug/l	1.0	--	1
Vinyl chloride	ND		ug/l	1.0	--	1
Chloroethane	ND		ug/l	1.0	--	1
1,1-Dichloroethene	ND		ug/l	0.50	--	1
trans-1,2-Dichloroethene	ND		ug/l	0.75	--	1

Project Name: RAYTHEON WAYLAND

Lab Number: L1945770

Project Number: RA-008

Report Date: 10/09/19

## SAMPLE RESULTS

Lab ID: L1945770-13  
 Client ID: REW-4-20191002  
 Sample Location: WAYLAND, MA

Date Collected: 10/02/19 07:00  
 Date Received: 10/02/19  
 Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,2-Dichloroethene, Total	1.7		ug/l	0.50	--	1
Trichloroethene	ND		ug/l	0.50	--	1
1,2-Dichlorobenzene	ND		ug/l	2.5	--	1
1,3-Dichlorobenzene	ND		ug/l	2.5	--	1
1,4-Dichlorobenzene	ND		ug/l	2.5	--	1
Methyl tert butyl ether	ND		ug/l	1.0	--	1
p/m-Xylene	ND		ug/l	1.0	--	1
o-Xylene	ND		ug/l	1.0	--	1
Xylenes, Total	ND		ug/l	1.0	--	1
cis-1,2-Dichloroethene	1.7		ug/l	0.50	--	1
Dibromomethane	ND		ug/l	5.0	--	1
1,4-Dichlorobutane	ND		ug/l	5.0	--	1
1,2,3-Trichloropropane	ND		ug/l	5.0	--	1
Styrene	ND		ug/l	1.0	--	1
Dichlorodifluoromethane	ND		ug/l	5.0	--	1
Acetone	ND		ug/l	5.0	--	1
Carbon disulfide	ND		ug/l	5.0	--	1
2-Butanone	ND		ug/l	5.0	--	1
Vinyl acetate	ND		ug/l	5.0	--	1
4-Methyl-2-pentanone	ND		ug/l	5.0	--	1
2-Hexanone	ND		ug/l	5.0	--	1
Ethyl methacrylate	ND		ug/l	5.0	--	1
Acrylonitrile	ND		ug/l	5.0	--	1
Bromochloromethane	ND		ug/l	2.5	--	1
Tetrahydrofuran	26		ug/l	5.0	--	1
2,2-Dichloropropane	ND		ug/l	2.5	--	1
1,2-Dibromoethane	ND		ug/l	2.0	--	1
1,3-Dichloropropane	ND		ug/l	2.5	--	1
1,1,1,2-Tetrachloroethane	ND		ug/l	0.50	--	1
Bromobenzene	ND		ug/l	2.5	--	1
n-Butylbenzene	ND		ug/l	0.50	--	1
sec-Butylbenzene	ND		ug/l	0.50	--	1
tert-Butylbenzene	ND		ug/l	2.5	--	1
o-Chlorotoluene	ND		ug/l	2.5	--	1
p-Chlorotoluene	ND		ug/l	2.5	--	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	--	1
Hexachlorobutadiene	ND		ug/l	0.50	--	1

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945770  
**Report Date:** 10/09/19

**SAMPLE RESULTS**

Lab ID: L1945770-13  
 Client ID: REW-4-20191002  
 Sample Location: WAYLAND, MA

Date Collected: 10/02/19 07:00  
 Date Received: 10/02/19  
 Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Volatile Organics by GC/MS - Westborough Lab</b>						
Isopropylbenzene	ND		ug/l	0.50	--	1
p-Isopropyltoluene	ND		ug/l	0.50	--	1
Naphthalene	ND		ug/l	2.5	--	1
n-Propylbenzene	ND		ug/l	0.50	--	1
1,2,3-Trichlorobenzene	ND		ug/l	2.5	--	1
1,2,4-Trichlorobenzene	ND		ug/l	2.5	--	1
1,3,5-Trimethylbenzene	ND		ug/l	2.5	--	1
1,2,4-Trimethylbenzene	ND		ug/l	2.5	--	1
trans-1,4-Dichloro-2-butene	ND		ug/l	2.5	--	1
Ethyl ether	ND		ug/l	2.5	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	98		70-130
Toluene-d8	97		70-130
4-Bromofluorobenzene	102		70-130
Dibromofluoromethane	98		70-130

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945770  
**Report Date:** 10/09/19

**SAMPLE RESULTS**

Lab ID: L1945770-14  
 Client ID: REW-5-20191002  
 Sample Location: WAYLAND, MA

Date Collected: 10/02/19 06:25  
 Date Received: 10/02/19  
 Field Prep: Not Specified

Sample Depth:

Matrix: Water  
 Analytical Method: 1,8260C  
 Analytical Date: 10/07/19 23:40  
 Analyst: NLK

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Volatile Organics by GC/MS - Westborough Lab</b>						
Methylene chloride	ND		ug/l	3.0	--	1
1,1-Dichloroethane	ND		ug/l	0.75	--	1
Chloroform	ND		ug/l	0.75	--	1
Carbon tetrachloride	ND		ug/l	0.50	--	1
1,2-Dichloropropane	ND		ug/l	1.8	--	1
Dibromochloromethane	ND		ug/l	0.50	--	1
1,1,2-Trichloroethane	ND		ug/l	0.75	--	1
Tetrachloroethene	ND		ug/l	0.50	--	1
Chlorobenzene	ND		ug/l	0.50	--	1
Trichlorofluoromethane	ND		ug/l	2.5	--	1
1,2-Dichloroethane	ND		ug/l	0.50	--	1
1,1,1-Trichloroethane	ND		ug/l	0.50	--	1
Bromodichloromethane	ND		ug/l	0.50	--	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	--	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	--	1
1,3-Dichloropropene, Total	ND		ug/l	0.50	--	1
1,1-Dichloropropene	ND		ug/l	2.5	--	1
Bromoform	ND		ug/l	2.0	--	1
1,1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	--	1
Benzene	ND		ug/l	0.50	--	1
Toluene	ND		ug/l	0.75	--	1
Ethylbenzene	ND		ug/l	0.50	--	1
Chloromethane	ND		ug/l	2.5	--	1
Bromomethane	ND		ug/l	1.0	--	1
Vinyl chloride	1.1		ug/l	1.0	--	1
Chloroethane	ND		ug/l	1.0	--	1
1,1-Dichloroethene	ND		ug/l	0.50	--	1
trans-1,2-Dichloroethene	ND		ug/l	0.75	--	1

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945770  
**Report Date:** 10/09/19

**SAMPLE RESULTS**

**Lab ID:** L1945770-14  
**Client ID:** REW-5-20191002  
**Sample Location:** WAYLAND, MA

**Date Collected:** 10/02/19 06:25  
**Date Received:** 10/02/19  
**Field Prep:** Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Volatile Organics by GC/MS - Westborough Lab</b>						
1,2-Dichloroethene, Total	1.2		ug/l	0.50	--	1
Trichloroethene	ND		ug/l	0.50	--	1
1,2-Dichlorobenzene	ND		ug/l	2.5	--	1
1,3-Dichlorobenzene	ND		ug/l	2.5	--	1
1,4-Dichlorobenzene	ND		ug/l	2.5	--	1
Methyl tert butyl ether	ND		ug/l	1.0	--	1
p/m-Xylene	ND		ug/l	1.0	--	1
o-Xylene	ND		ug/l	1.0	--	1
Xylenes, Total	ND		ug/l	1.0	--	1
cis-1,2-Dichloroethene	1.2		ug/l	0.50	--	1
Dibromomethane	ND		ug/l	5.0	--	1
1,4-Dichlorobutane	ND		ug/l	5.0	--	1
1,2,3-Trichloropropane	ND		ug/l	5.0	--	1
Styrene	ND		ug/l	1.0	--	1
Dichlorodifluoromethane	ND		ug/l	5.0	--	1
Acetone	ND		ug/l	5.0	--	1
Carbon disulfide	ND		ug/l	5.0	--	1
2-Butanone	ND		ug/l	5.0	--	1
Vinyl acetate	ND		ug/l	5.0	--	1
4-Methyl-2-pentanone	ND		ug/l	5.0	--	1
2-Hexanone	ND		ug/l	5.0	--	1
Ethyl methacrylate	ND		ug/l	5.0	--	1
Acrylonitrile	ND		ug/l	5.0	--	1
Bromochloromethane	ND		ug/l	2.5	--	1
Tetrahydrofuran	31		ug/l	5.0	--	1
2,2-Dichloropropane	ND		ug/l	2.5	--	1
1,2-Dibromoethane	ND		ug/l	2.0	--	1
1,3-Dichloropropane	ND		ug/l	2.5	--	1
1,1,1,2-Tetrachloroethane	ND		ug/l	0.50	--	1
Bromobenzene	ND		ug/l	2.5	--	1
n-Butylbenzene	ND		ug/l	0.50	--	1
sec-Butylbenzene	ND		ug/l	0.50	--	1
tert-Butylbenzene	ND		ug/l	2.5	--	1
o-Chlorotoluene	ND		ug/l	2.5	--	1
p-Chlorotoluene	ND		ug/l	2.5	--	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	--	1
Hexachlorobutadiene	ND		ug/l	0.50	--	1

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945770  
**Report Date:** 10/09/19

**SAMPLE RESULTS**

Lab ID: L1945770-14  
 Client ID: REW-5-20191002  
 Sample Location: WAYLAND, MA

Date Collected: 10/02/19 06:25  
 Date Received: 10/02/19  
 Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Volatile Organics by GC/MS - Westborough Lab</b>						
Isopropylbenzene	ND		ug/l	0.50	--	1
p-Isopropyltoluene	ND		ug/l	0.50	--	1
Naphthalene	ND		ug/l	2.5	--	1
n-Propylbenzene	ND		ug/l	0.50	--	1
1,2,3-Trichlorobenzene	ND		ug/l	2.5	--	1
1,2,4-Trichlorobenzene	ND		ug/l	2.5	--	1
1,3,5-Trimethylbenzene	ND		ug/l	2.5	--	1
1,2,4-Trimethylbenzene	ND		ug/l	2.5	--	1
trans-1,4-Dichloro-2-butene	ND		ug/l	2.5	--	1
Ethyl ether	ND		ug/l	2.5	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	99		70-130
Toluene-d8	97		70-130
4-Bromofluorobenzene	103		70-130
Dibromofluoromethane	96		70-130

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945770  
**Report Date:** 10/09/19

**SAMPLE RESULTS**

Lab ID: L1945770-15  
 Client ID: REW-8-20191002  
 Sample Location: WAYLAND, MA

Date Collected: 10/02/19 09:30  
 Date Received: 10/02/19  
 Field Prep: Not Specified

Sample Depth:

Matrix: Water  
 Analytical Method: 1,8260C  
 Analytical Date: 10/08/19 00:03  
 Analyst: NLK

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Volatile Organics by GC/MS - Westborough Lab</b>						
Methylene chloride	ND		ug/l	3.0	--	1
1,1-Dichloroethane	ND		ug/l	0.75	--	1
Chloroform	ND		ug/l	0.75	--	1
Carbon tetrachloride	ND		ug/l	0.50	--	1
1,2-Dichloropropane	ND		ug/l	1.8	--	1
Dibromochloromethane	ND		ug/l	0.50	--	1
1,1,2-Trichloroethane	ND		ug/l	0.75	--	1
Tetrachloroethene	ND		ug/l	0.50	--	1
Chlorobenzene	ND		ug/l	0.50	--	1
Trichlorofluoromethane	ND		ug/l	2.5	--	1
1,2-Dichloroethane	ND		ug/l	0.50	--	1
1,1,1-Trichloroethane	ND		ug/l	0.50	--	1
Bromodichloromethane	ND		ug/l	0.50	--	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	--	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	--	1
1,3-Dichloropropene, Total	ND		ug/l	0.50	--	1
1,1-Dichloropropene	ND		ug/l	2.5	--	1
Bromoform	ND		ug/l	2.0	--	1
1,1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	--	1
Benzene	ND		ug/l	0.50	--	1
Toluene	ND		ug/l	0.75	--	1
Ethylbenzene	ND		ug/l	0.50	--	1
Chloromethane	ND		ug/l	2.5	--	1
Bromomethane	ND		ug/l	1.0	--	1
Vinyl chloride	ND		ug/l	1.0	--	1
Chloroethane	ND		ug/l	1.0	--	1
1,1-Dichloroethene	ND		ug/l	0.50	--	1
trans-1,2-Dichloroethene	ND		ug/l	0.75	--	1

Project Name: RAYTHEON WAYLAND

Lab Number: L1945770

Project Number: RA-008

Report Date: 10/09/19

## SAMPLE RESULTS

Lab ID: L1945770-15  
 Client ID: REW-8-20191002  
 Sample Location: WAYLAND, MA

Date Collected: 10/02/19 09:30  
 Date Received: 10/02/19  
 Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Volatile Organics by GC/MS - Westborough Lab</b>						
1,2-Dichloroethene, Total	ND		ug/l	0.50	--	1
Trichloroethene	ND		ug/l	0.50	--	1
1,2-Dichlorobenzene	ND		ug/l	2.5	--	1
1,3-Dichlorobenzene	ND		ug/l	2.5	--	1
1,4-Dichlorobenzene	ND		ug/l	2.5	--	1
Methyl tert butyl ether	ND		ug/l	1.0	--	1
p/m-Xylene	ND		ug/l	1.0	--	1
o-Xylene	ND		ug/l	1.0	--	1
Xylenes, Total	ND		ug/l	1.0	--	1
cis-1,2-Dichloroethene	ND		ug/l	0.50	--	1
Dibromomethane	ND		ug/l	5.0	--	1
1,4-Dichlorobutane	ND		ug/l	5.0	--	1
1,2,3-Trichloropropane	ND		ug/l	5.0	--	1
Styrene	ND		ug/l	1.0	--	1
Dichlorodifluoromethane	ND		ug/l	5.0	--	1
Acetone	ND		ug/l	5.0	--	1
Carbon disulfide	ND		ug/l	5.0	--	1
2-Butanone	5.1		ug/l	5.0	--	1
Vinyl acetate	ND		ug/l	5.0	--	1
4-Methyl-2-pentanone	ND		ug/l	5.0	--	1
2-Hexanone	ND		ug/l	5.0	--	1
Ethyl methacrylate	ND		ug/l	5.0	--	1
Acrylonitrile	ND		ug/l	5.0	--	1
Bromochloromethane	ND		ug/l	2.5	--	1
Tetrahydrofuran	470	E	ug/l	5.0	--	1
2,2-Dichloropropane	ND		ug/l	2.5	--	1
1,2-Dibromoethane	ND		ug/l	2.0	--	1
1,3-Dichloropropane	ND		ug/l	2.5	--	1
1,1,1,2-Tetrachloroethane	ND		ug/l	0.50	--	1
Bromobenzene	ND		ug/l	2.5	--	1
n-Butylbenzene	ND		ug/l	0.50	--	1
sec-Butylbenzene	ND		ug/l	0.50	--	1
tert-Butylbenzene	ND		ug/l	2.5	--	1
o-Chlorotoluene	ND		ug/l	2.5	--	1
p-Chlorotoluene	ND		ug/l	2.5	--	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	--	1
Hexachlorobutadiene	ND		ug/l	0.50	--	1

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945770  
**Report Date:** 10/09/19

**SAMPLE RESULTS**

Lab ID: L1945770-15  
 Client ID: REW-8-20191002  
 Sample Location: WAYLAND, MA

Date Collected: 10/02/19 09:30  
 Date Received: 10/02/19  
 Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Volatile Organics by GC/MS - Westborough Lab</b>						
Isopropylbenzene	ND		ug/l	0.50	--	1
p-Isopropyltoluene	ND		ug/l	0.50	--	1
Naphthalene	5.0		ug/l	2.5	--	1
n-Propylbenzene	ND		ug/l	0.50	--	1
1,2,3-Trichlorobenzene	ND		ug/l	2.5	--	1
1,2,4-Trichlorobenzene	ND		ug/l	2.5	--	1
1,3,5-Trimethylbenzene	ND		ug/l	2.5	--	1
1,2,4-Trimethylbenzene	ND		ug/l	2.5	--	1
trans-1,4-Dichloro-2-butene	ND		ug/l	2.5	--	1
Ethyl ether	ND		ug/l	2.5	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	101		70-130
Toluene-d8	97		70-130
4-Bromofluorobenzene	100		70-130
Dibromofluoromethane	98		70-130

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945770  
**Report Date:** 10/09/19

**SAMPLE RESULTS**

Lab ID: L1945770-15 D  
 Client ID: REW-8-20191002  
 Sample Location: WAYLAND, MA

Date Collected: 10/02/19 09:30  
 Date Received: 10/02/19  
 Field Prep: Not Specified

Sample Depth:

Matrix: Water  
 Analytical Method: 1,8260C  
 Analytical Date: 10/08/19 18:28  
 Analyst: NLK

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Tetrahydrofuran	500		ug/l	50	--	10

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	100		70-130
Toluene-d8	99		70-130
4-Bromofluorobenzene	94		70-130
Dibromofluoromethane	96		70-130

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945770  
**Report Date:** 10/09/19

**SAMPLE RESULTS**

Lab ID: L1945770-16 D  
 Client ID: REW-9-20191002  
 Sample Location: WAYLAND, MA

Date Collected: 10/02/19 08:55  
 Date Received: 10/02/19  
 Field Prep: Not Specified

Sample Depth:

Matrix: Water  
 Analytical Method: 1,8260C  
 Analytical Date: 10/08/19 18:06  
 Analyst: NLK

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Volatile Organics by GC/MS - Westborough Lab</b>						
Methylene chloride	ND		ug/l	12	--	4
1,1-Dichloroethane	ND		ug/l	3.0	--	4
Chloroform	ND		ug/l	3.0	--	4
Carbon tetrachloride	ND		ug/l	2.0	--	4
1,2-Dichloropropane	ND		ug/l	7.0	--	4
Dibromochloromethane	ND		ug/l	2.0	--	4
1,1,2-Trichloroethane	ND		ug/l	3.0	--	4
Tetrachloroethene	ND		ug/l	2.0	--	4
Chlorobenzene	ND		ug/l	2.0	--	4
Trichlorofluoromethane	ND		ug/l	10	--	4
1,2-Dichloroethane	ND		ug/l	2.0	--	4
1,1,1-Trichloroethane	ND		ug/l	2.0	--	4
Bromodichloromethane	ND		ug/l	2.0	--	4
trans-1,3-Dichloropropene	ND		ug/l	2.0	--	4
cis-1,3-Dichloropropene	ND		ug/l	2.0	--	4
1,3-Dichloropropene, Total	ND		ug/l	2.0	--	4
1,1-Dichloropropene	ND		ug/l	10	--	4
Bromoform	ND		ug/l	8.0	--	4
1,1,1,2-Tetrachloroethane	ND		ug/l	2.0	--	4
Benzene	ND		ug/l	2.0	--	4
Toluene	ND		ug/l	3.0	--	4
Ethylbenzene	ND		ug/l	2.0	--	4
Chloromethane	ND		ug/l	10	--	4
Bromomethane	ND		ug/l	4.0	--	4
Vinyl chloride	ND		ug/l	4.0	--	4
Chloroethane	ND		ug/l	4.0	--	4
1,1-Dichloroethene	ND		ug/l	2.0	--	4
trans-1,2-Dichloroethene	ND		ug/l	3.0	--	4

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945770  
**Report Date:** 10/09/19

**SAMPLE RESULTS**

Lab ID: L1945770-16 D  
 Client ID: REW-9-20191002  
 Sample Location: WAYLAND, MA

Date Collected: 10/02/19 08:55  
 Date Received: 10/02/19  
 Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Volatile Organics by GC/MS - Westborough Lab</b>						
1,2-Dichloroethene, Total	ND		ug/l	2.0	--	4
Trichloroethene	ND		ug/l	2.0	--	4
1,2-Dichlorobenzene	ND		ug/l	10	--	4
1,3-Dichlorobenzene	ND		ug/l	10	--	4
1,4-Dichlorobenzene	ND		ug/l	10	--	4
Methyl tert butyl ether	ND		ug/l	4.0	--	4
p/m-Xylene	ND		ug/l	4.0	--	4
o-Xylene	ND		ug/l	4.0	--	4
Xylenes, Total	ND		ug/l	4.0	--	4
cis-1,2-Dichloroethene	ND		ug/l	2.0	--	4
Dibromomethane	ND		ug/l	20	--	4
1,4-Dichlorobutane	ND		ug/l	20	--	4
1,2,3-Trichloropropane	ND		ug/l	20	--	4
Styrene	ND		ug/l	4.0	--	4
Dichlorodifluoromethane	ND		ug/l	20	--	4
Acetone	ND		ug/l	20	--	4
Carbon disulfide	ND		ug/l	20	--	4
2-Butanone	ND		ug/l	20	--	4
Vinyl acetate	ND		ug/l	20	--	4
4-Methyl-2-pentanone	ND		ug/l	20	--	4
2-Hexanone	ND		ug/l	20	--	4
Ethyl methacrylate	ND		ug/l	20	--	4
Acrylonitrile	ND		ug/l	20	--	4
Bromochloromethane	ND		ug/l	10	--	4
Tetrahydrofuran	550		ug/l	20	--	4
2,2-Dichloropropane	ND		ug/l	10	--	4
1,2-Dibromoethane	ND		ug/l	8.0	--	4
1,3-Dichloropropane	ND		ug/l	10	--	4
1,1,1,2-Tetrachloroethane	ND		ug/l	2.0	--	4
Bromobenzene	ND		ug/l	10	--	4
n-Butylbenzene	ND		ug/l	2.0	--	4
sec-Butylbenzene	ND		ug/l	2.0	--	4
tert-Butylbenzene	ND		ug/l	10	--	4
o-Chlorotoluene	ND		ug/l	10	--	4
p-Chlorotoluene	ND		ug/l	10	--	4
1,2-Dibromo-3-chloropropane	ND		ug/l	10	--	4
Hexachlorobutadiene	ND		ug/l	2.0	--	4

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945770  
**Report Date:** 10/09/19

**SAMPLE RESULTS**

Lab ID: L1945770-16 D  
 Client ID: REW-9-20191002  
 Sample Location: WAYLAND, MA

Date Collected: 10/02/19 08:55  
 Date Received: 10/02/19  
 Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Volatile Organics by GC/MS - Westborough Lab</b>						
Isopropylbenzene	ND		ug/l	2.0	--	4
p-Isopropyltoluene	ND		ug/l	2.0	--	4
Naphthalene	ND		ug/l	10	--	4
n-Propylbenzene	ND		ug/l	2.0	--	4
1,2,3-Trichlorobenzene	ND		ug/l	10	--	4
1,2,4-Trichlorobenzene	ND		ug/l	10	--	4
1,3,5-Trimethylbenzene	ND		ug/l	10	--	4
1,2,4-Trimethylbenzene	ND		ug/l	10	--	4
trans-1,4-Dichloro-2-butene	ND		ug/l	10	--	4
Ethyl ether	ND		ug/l	10	--	4

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	100		70-130
Toluene-d8	100		70-130
4-Bromofluorobenzene	96		70-130
Dibromofluoromethane	108		70-130

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945770  
**Report Date:** 10/09/19

**SAMPLE RESULTS**

Lab ID: L1945770-17  
 Client ID: REW-10-20191002  
 Sample Location: WAYLAND, MA

Date Collected: 10/02/19 08:20  
 Date Received: 10/02/19  
 Field Prep: Not Specified

Sample Depth:

Matrix: Water  
 Analytical Method: 1,8260C  
 Analytical Date: 10/08/19 00:27  
 Analyst: NLK

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Volatile Organics by GC/MS - Westborough Lab</b>						
Methylene chloride	ND		ug/l	3.0	--	1
1,1-Dichloroethane	ND		ug/l	0.75	--	1
Chloroform	ND		ug/l	0.75	--	1
Carbon tetrachloride	ND		ug/l	0.50	--	1
1,2-Dichloropropane	ND		ug/l	1.8	--	1
Dibromochloromethane	ND		ug/l	0.50	--	1
1,1,2-Trichloroethane	ND		ug/l	0.75	--	1
Tetrachloroethene	ND		ug/l	0.50	--	1
Chlorobenzene	ND		ug/l	0.50	--	1
Trichlorofluoromethane	ND		ug/l	2.5	--	1
1,2-Dichloroethane	ND		ug/l	0.50	--	1
1,1,1-Trichloroethane	ND		ug/l	0.50	--	1
Bromodichloromethane	ND		ug/l	0.50	--	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	--	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	--	1
1,3-Dichloropropene, Total	ND		ug/l	0.50	--	1
1,1-Dichloropropene	ND		ug/l	2.5	--	1
Bromoform	ND		ug/l	2.0	--	1
1,1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	--	1
Benzene	ND		ug/l	0.50	--	1
Toluene	ND		ug/l	0.75	--	1
Ethylbenzene	ND		ug/l	0.50	--	1
Chloromethane	ND		ug/l	2.5	--	1
Bromomethane	ND		ug/l	1.0	--	1
Vinyl chloride	ND		ug/l	1.0	--	1
Chloroethane	ND		ug/l	1.0	--	1
1,1-Dichloroethene	ND		ug/l	0.50	--	1
trans-1,2-Dichloroethene	ND		ug/l	0.75	--	1

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945770  
**Report Date:** 10/09/19

**SAMPLE RESULTS**

Lab ID: L1945770-17  
 Client ID: REW-10-20191002  
 Sample Location: WAYLAND, MA

Date Collected: 10/02/19 08:20  
 Date Received: 10/02/19  
 Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Volatile Organics by GC/MS - Westborough Lab</b>						
1,2-Dichloroethene, Total	ND		ug/l	0.50	--	1
Trichloroethene	ND		ug/l	0.50	--	1
1,2-Dichlorobenzene	ND		ug/l	2.5	--	1
1,3-Dichlorobenzene	ND		ug/l	2.5	--	1
1,4-Dichlorobenzene	ND		ug/l	2.5	--	1
Methyl tert butyl ether	ND		ug/l	1.0	--	1
p/m-Xylene	ND		ug/l	1.0	--	1
o-Xylene	ND		ug/l	1.0	--	1
Xylenes, Total	ND		ug/l	1.0	--	1
cis-1,2-Dichloroethene	ND		ug/l	0.50	--	1
Dibromomethane	ND		ug/l	5.0	--	1
1,4-Dichlorobutane	ND		ug/l	5.0	--	1
1,2,3-Trichloropropane	ND		ug/l	5.0	--	1
Styrene	ND		ug/l	1.0	--	1
Dichlorodifluoromethane	ND		ug/l	5.0	--	1
Acetone	ND		ug/l	5.0	--	1
Carbon disulfide	ND		ug/l	5.0	--	1
2-Butanone	ND		ug/l	5.0	--	1
Vinyl acetate	ND		ug/l	5.0	--	1
4-Methyl-2-pentanone	ND		ug/l	5.0	--	1
2-Hexanone	ND		ug/l	5.0	--	1
Ethyl methacrylate	ND		ug/l	5.0	--	1
Acrylonitrile	ND		ug/l	5.0	--	1
Bromochloromethane	ND		ug/l	2.5	--	1
Tetrahydrofuran	43		ug/l	5.0	--	1
2,2-Dichloropropane	ND		ug/l	2.5	--	1
1,2-Dibromoethane	ND		ug/l	2.0	--	1
1,3-Dichloropropane	ND		ug/l	2.5	--	1
1,1,1,2-Tetrachloroethane	ND		ug/l	0.50	--	1
Bromobenzene	ND		ug/l	2.5	--	1
n-Butylbenzene	ND		ug/l	0.50	--	1
sec-Butylbenzene	ND		ug/l	0.50	--	1
tert-Butylbenzene	ND		ug/l	2.5	--	1
o-Chlorotoluene	ND		ug/l	2.5	--	1
p-Chlorotoluene	ND		ug/l	2.5	--	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	--	1
Hexachlorobutadiene	ND		ug/l	0.50	--	1

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945770  
**Report Date:** 10/09/19

**SAMPLE RESULTS**

Lab ID: L1945770-17  
 Client ID: REW-10-20191002  
 Sample Location: WAYLAND, MA

Date Collected: 10/02/19 08:20  
 Date Received: 10/02/19  
 Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Volatile Organics by GC/MS - Westborough Lab</b>						
Isopropylbenzene	ND		ug/l	0.50	--	1
p-Isopropyltoluene	ND		ug/l	0.50	--	1
Naphthalene	ND		ug/l	2.5	--	1
n-Propylbenzene	ND		ug/l	0.50	--	1
1,2,3-Trichlorobenzene	ND		ug/l	2.5	--	1
1,2,4-Trichlorobenzene	ND		ug/l	2.5	--	1
1,3,5-Trimethylbenzene	ND		ug/l	2.5	--	1
1,2,4-Trimethylbenzene	ND		ug/l	2.5	--	1
trans-1,4-Dichloro-2-butene	ND		ug/l	2.5	--	1
Ethyl ether	ND		ug/l	2.5	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	100		70-130
Toluene-d8	98		70-130
4-Bromofluorobenzene	102		70-130
Dibromofluoromethane	98		70-130

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945770  
**Report Date:** 10/09/19

**SAMPLE RESULTS**

Lab ID: L1945770-18  
 Client ID: DUP1-20191002  
 Sample Location: WAYLAND, MA

Date Collected: 10/02/19 00:00  
 Date Received: 10/02/19  
 Field Prep: Not Specified

Sample Depth:

Matrix: Water  
 Analytical Method: 1,8260C  
 Analytical Date: 10/08/19 00:50  
 Analyst: NLK

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Volatile Organics by GC/MS - Westborough Lab</b>						
Methylene chloride	ND		ug/l	3.0	--	1
1,1-Dichloroethane	ND		ug/l	0.75	--	1
Chloroform	ND		ug/l	0.75	--	1
Carbon tetrachloride	ND		ug/l	0.50	--	1
1,2-Dichloropropane	ND		ug/l	1.8	--	1
Dibromochloromethane	ND		ug/l	0.50	--	1
1,1,2-Trichloroethane	ND		ug/l	0.75	--	1
Tetrachloroethene	ND		ug/l	0.50	--	1
Chlorobenzene	ND		ug/l	0.50	--	1
Trichlorofluoromethane	ND		ug/l	2.5	--	1
1,2-Dichloroethane	ND		ug/l	0.50	--	1
1,1,1-Trichloroethane	ND		ug/l	0.50	--	1
Bromodichloromethane	ND		ug/l	0.50	--	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	--	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	--	1
1,3-Dichloropropene, Total	ND		ug/l	0.50	--	1
1,1-Dichloropropene	ND		ug/l	2.5	--	1
Bromoform	ND		ug/l	2.0	--	1
1,1,1,2-Tetrachloroethane	ND		ug/l	0.50	--	1
Benzene	ND		ug/l	0.50	--	1
Toluene	ND		ug/l	0.75	--	1
Ethylbenzene	ND		ug/l	0.50	--	1
Chloromethane	ND		ug/l	2.5	--	1
Bromomethane	ND		ug/l	1.0	--	1
Vinyl chloride	ND		ug/l	1.0	--	1
Chloroethane	ND		ug/l	1.0	--	1
1,1-Dichloroethene	ND		ug/l	0.50	--	1
trans-1,2-Dichloroethene	ND		ug/l	0.75	--	1

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945770  
**Report Date:** 10/09/19

**SAMPLE RESULTS**

Lab ID: L1945770-18  
 Client ID: DUP1-20191002  
 Sample Location: WAYLAND, MA

Date Collected: 10/02/19 00:00  
 Date Received: 10/02/19  
 Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Volatile Organics by GC/MS - Westborough Lab</b>						
1,2-Dichloroethene, Total	ND		ug/l	0.50	--	1
Trichloroethene	ND		ug/l	0.50	--	1
1,2-Dichlorobenzene	ND		ug/l	2.5	--	1
1,3-Dichlorobenzene	ND		ug/l	2.5	--	1
1,4-Dichlorobenzene	ND		ug/l	2.5	--	1
Methyl tert butyl ether	ND		ug/l	1.0	--	1
p/m-Xylene	ND		ug/l	1.0	--	1
o-Xylene	ND		ug/l	1.0	--	1
Xylenes, Total	ND		ug/l	1.0	--	1
cis-1,2-Dichloroethene	ND		ug/l	0.50	--	1
Dibromomethane	ND		ug/l	5.0	--	1
1,4-Dichlorobutane	ND		ug/l	5.0	--	1
1,2,3-Trichloropropane	ND		ug/l	5.0	--	1
Styrene	ND		ug/l	1.0	--	1
Dichlorodifluoromethane	ND		ug/l	5.0	--	1
Acetone	ND		ug/l	5.0	--	1
Carbon disulfide	ND		ug/l	5.0	--	1
2-Butanone	ND		ug/l	5.0	--	1
Vinyl acetate	ND		ug/l	5.0	--	1
4-Methyl-2-pentanone	ND		ug/l	5.0	--	1
2-Hexanone	ND		ug/l	5.0	--	1
Ethyl methacrylate	ND		ug/l	5.0	--	1
Acrylonitrile	ND		ug/l	5.0	--	1
Bromochloromethane	ND		ug/l	2.5	--	1
Tetrahydrofuran	ND		ug/l	5.0	--	1
2,2-Dichloropropane	ND		ug/l	2.5	--	1
1,2-Dibromoethane	ND		ug/l	2.0	--	1
1,3-Dichloropropane	ND		ug/l	2.5	--	1
1,1,1,2-Tetrachloroethane	ND		ug/l	0.50	--	1
Bromobenzene	ND		ug/l	2.5	--	1
n-Butylbenzene	ND		ug/l	0.50	--	1
sec-Butylbenzene	ND		ug/l	0.50	--	1
tert-Butylbenzene	ND		ug/l	2.5	--	1
o-Chlorotoluene	ND		ug/l	2.5	--	1
p-Chlorotoluene	ND		ug/l	2.5	--	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	--	1
Hexachlorobutadiene	ND		ug/l	0.50	--	1

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945770  
**Report Date:** 10/09/19

**SAMPLE RESULTS**

Lab ID: L1945770-18  
 Client ID: DUP1-20191002  
 Sample Location: WAYLAND, MA

Date Collected: 10/02/19 00:00  
 Date Received: 10/02/19  
 Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Volatile Organics by GC/MS - Westborough Lab</b>						
Isopropylbenzene	ND		ug/l	0.50	--	1
p-Isopropyltoluene	ND		ug/l	0.50	--	1
Naphthalene	ND		ug/l	2.5	--	1
n-Propylbenzene	ND		ug/l	0.50	--	1
1,2,3-Trichlorobenzene	ND		ug/l	2.5	--	1
1,2,4-Trichlorobenzene	ND		ug/l	2.5	--	1
1,3,5-Trimethylbenzene	ND		ug/l	2.5	--	1
1,2,4-Trimethylbenzene	ND		ug/l	2.5	--	1
trans-1,4-Dichloro-2-butene	ND		ug/l	2.5	--	1
Ethyl ether	ND		ug/l	2.5	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	100		70-130
Toluene-d8	98		70-130
4-Bromofluorobenzene	101		70-130
Dibromofluoromethane	98		70-130

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945770  
**Report Date:** 10/09/19

**SAMPLE RESULTS**

Lab ID: L1945770-19  
 Client ID: TRIP BLANKS  
 Sample Location: WAYLAND, MA

Date Collected: 10/02/19 00:00  
 Date Received: 10/02/19  
 Field Prep: Not Specified

Sample Depth:

Matrix: Water  
 Analytical Method: 1,8260C  
 Analytical Date: 10/07/19 22:31  
 Analyst: NLK

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Volatile Organics by GC/MS - Westborough Lab</b>						
Methylene chloride	ND		ug/l	3.0	--	1
1,1-Dichloroethane	ND		ug/l	0.75	--	1
Chloroform	ND		ug/l	0.75	--	1
Carbon tetrachloride	ND		ug/l	0.50	--	1
1,2-Dichloropropane	ND		ug/l	1.8	--	1
Dibromochloromethane	ND		ug/l	0.50	--	1
1,1,2-Trichloroethane	ND		ug/l	0.75	--	1
Tetrachloroethene	ND		ug/l	0.50	--	1
Chlorobenzene	ND		ug/l	0.50	--	1
Trichlorofluoromethane	ND		ug/l	2.5	--	1
1,2-Dichloroethane	ND		ug/l	0.50	--	1
1,1,1-Trichloroethane	ND		ug/l	0.50	--	1
Bromodichloromethane	ND		ug/l	0.50	--	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	--	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	--	1
1,3-Dichloropropene, Total	ND		ug/l	0.50	--	1
1,1-Dichloropropene	ND		ug/l	2.5	--	1
Bromoform	ND		ug/l	2.0	--	1
1,1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	--	1
Benzene	ND		ug/l	0.50	--	1
Toluene	ND		ug/l	0.75	--	1
Ethylbenzene	ND		ug/l	0.50	--	1
Chloromethane	ND		ug/l	2.5	--	1
Bromomethane	ND		ug/l	1.0	--	1
Vinyl chloride	ND		ug/l	1.0	--	1
Chloroethane	ND		ug/l	1.0	--	1
1,1-Dichloroethene	ND		ug/l	0.50	--	1
trans-1,2-Dichloroethene	ND		ug/l	0.75	--	1

Project Name: RAYTHEON WAYLAND

Lab Number: L1945770

Project Number: RA-008

Report Date: 10/09/19

## SAMPLE RESULTS

Lab ID: L1945770-19  
 Client ID: TRIP BLANKS  
 Sample Location: WAYLAND, MA

Date Collected: 10/02/19 00:00  
 Date Received: 10/02/19  
 Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,2-Dichloroethene, Total	ND		ug/l	0.50	--	1
Trichloroethene	ND		ug/l	0.50	--	1
1,2-Dichlorobenzene	ND		ug/l	2.5	--	1
1,3-Dichlorobenzene	ND		ug/l	2.5	--	1
1,4-Dichlorobenzene	ND		ug/l	2.5	--	1
Methyl tert butyl ether	ND		ug/l	1.0	--	1
p/m-Xylene	ND		ug/l	1.0	--	1
o-Xylene	ND		ug/l	1.0	--	1
Xylenes, Total	ND		ug/l	1.0	--	1
cis-1,2-Dichloroethene	ND		ug/l	0.50	--	1
Dibromomethane	ND		ug/l	5.0	--	1
1,4-Dichlorobutane	ND		ug/l	5.0	--	1
1,2,3-Trichloropropane	ND		ug/l	5.0	--	1
Styrene	ND		ug/l	1.0	--	1
Dichlorodifluoromethane	ND		ug/l	5.0	--	1
Acetone	ND		ug/l	5.0	--	1
Carbon disulfide	ND		ug/l	5.0	--	1
2-Butanone	ND		ug/l	5.0	--	1
Vinyl acetate	ND		ug/l	5.0	--	1
4-Methyl-2-pentanone	ND		ug/l	5.0	--	1
2-Hexanone	ND		ug/l	5.0	--	1
Ethyl methacrylate	ND		ug/l	5.0	--	1
Acrylonitrile	ND		ug/l	5.0	--	1
Bromochloromethane	ND		ug/l	2.5	--	1
Tetrahydrofuran	ND		ug/l	5.0	--	1
2,2-Dichloropropane	ND		ug/l	2.5	--	1
1,2-Dibromoethane	ND		ug/l	2.0	--	1
1,3-Dichloropropane	ND		ug/l	2.5	--	1
1,1,1,2-Tetrachloroethane	ND		ug/l	0.50	--	1
Bromobenzene	ND		ug/l	2.5	--	1
n-Butylbenzene	ND		ug/l	0.50	--	1
sec-Butylbenzene	ND		ug/l	0.50	--	1
tert-Butylbenzene	ND		ug/l	2.5	--	1
o-Chlorotoluene	ND		ug/l	2.5	--	1
p-Chlorotoluene	ND		ug/l	2.5	--	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	--	1
Hexachlorobutadiene	ND		ug/l	0.50	--	1

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945770  
**Report Date:** 10/09/19

**SAMPLE RESULTS**

Lab ID: L1945770-19  
 Client ID: TRIP BLANKS  
 Sample Location: WAYLAND, MA

Date Collected: 10/02/19 00:00  
 Date Received: 10/02/19  
 Field Prep: Not Specified

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
<b>Volatile Organics by GC/MS - Westborough Lab</b>						
Isopropylbenzene	ND		ug/l	0.50	--	1
p-Isopropyltoluene	ND		ug/l	0.50	--	1
Naphthalene	ND		ug/l	2.5	--	1
n-Propylbenzene	ND		ug/l	0.50	--	1
1,2,3-Trichlorobenzene	ND		ug/l	2.5	--	1
1,2,4-Trichlorobenzene	ND		ug/l	2.5	--	1
1,3,5-Trimethylbenzene	ND		ug/l	2.5	--	1
1,2,4-Trimethylbenzene	ND		ug/l	2.5	--	1
trans-1,4-Dichloro-2-butene	ND		ug/l	2.5	--	1
Ethyl ether	ND		ug/l	2.5	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	93		70-130
Toluene-d8	98		70-130
4-Bromofluorobenzene	102		70-130
Dibromofluoromethane	95		70-130

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945770  
**Report Date:** 10/09/19

**Method Blank Analysis**  
**Batch Quality Control**

Analytical Method: 1,8260C  
Analytical Date: 10/07/19 22:08  
Analyst: PD

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 11-15,17-19 Batch: WG1293569-5					
Methylene chloride	ND		ug/l	3.0	--
1,1-Dichloroethane	ND		ug/l	0.75	--
Chloroform	ND		ug/l	0.75	--
Carbon tetrachloride	ND		ug/l	0.50	--
1,2-Dichloropropane	ND		ug/l	1.8	--
Dibromochloromethane	ND		ug/l	0.50	--
1,1,2-Trichloroethane	ND		ug/l	0.75	--
Tetrachloroethene	ND		ug/l	0.50	--
Chlorobenzene	ND		ug/l	0.50	--
Trichlorofluoromethane	ND		ug/l	2.5	--
1,2-Dichloroethane	ND		ug/l	0.50	--
1,1,1-Trichloroethane	ND		ug/l	0.50	--
Bromodichloromethane	ND		ug/l	0.50	--
trans-1,3-Dichloropropene	ND		ug/l	0.50	--
cis-1,3-Dichloropropene	ND		ug/l	0.50	--
1,3-Dichloropropene, Total	ND		ug/l	0.50	--
1,1-Dichloropropene	ND		ug/l	2.5	--
Bromoform	ND		ug/l	2.0	--
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	--
Benzene	ND		ug/l	0.50	--
Toluene	ND		ug/l	0.75	--
Ethylbenzene	ND		ug/l	0.50	--
Chloromethane	ND		ug/l	2.5	--
Bromomethane	ND		ug/l	1.0	--
Vinyl chloride	ND		ug/l	1.0	--
Chloroethane	ND		ug/l	1.0	--
1,1-Dichloroethene	ND		ug/l	0.50	--
trans-1,2-Dichloroethene	ND		ug/l	0.75	--
1,2-Dichloroethene, Total	ND		ug/l	0.50	--

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945770  
**Report Date:** 10/09/19

**Method Blank Analysis**  
**Batch Quality Control**

Analytical Method: 1,8260C  
Analytical Date: 10/07/19 22:08  
Analyst: PD

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 11-15,17-19 Batch: WG1293569-5					
Trichloroethene	ND		ug/l	0.50	--
1,2-Dichlorobenzene	ND		ug/l	2.5	--
1,3-Dichlorobenzene	ND		ug/l	2.5	--
1,4-Dichlorobenzene	ND		ug/l	2.5	--
Methyl tert butyl ether	ND		ug/l	1.0	--
p/m-Xylene	ND		ug/l	1.0	--
o-Xylene	ND		ug/l	1.0	--
Xylenes, Total	ND		ug/l	1.0	--
cis-1,2-Dichloroethene	ND		ug/l	0.50	--
Dibromomethane	ND		ug/l	5.0	--
1,4-Dichlorobutane	ND		ug/l	5.0	--
1,2,3-Trichloropropane	ND		ug/l	5.0	--
Styrene	ND		ug/l	1.0	--
Dichlorodifluoromethane	ND		ug/l	5.0	--
Acetone	ND		ug/l	5.0	--
Carbon disulfide	ND		ug/l	5.0	--
2-Butanone	ND		ug/l	5.0	--
Vinyl acetate	ND		ug/l	5.0	--
4-Methyl-2-pentanone	ND		ug/l	5.0	--
2-Hexanone	ND		ug/l	5.0	--
Ethyl methacrylate	ND		ug/l	5.0	--
Acrolein	ND		ug/l	5.0	--
Acrylonitrile	ND		ug/l	5.0	--
Bromochloromethane	ND		ug/l	2.5	--
Tetrahydrofuran	ND		ug/l	5.0	--
2,2-Dichloropropane	ND		ug/l	2.5	--
1,2-Dibromoethane	ND		ug/l	2.0	--
1,3-Dichloropropane	ND		ug/l	2.5	--
1,1,1,2-Tetrachloroethane	ND		ug/l	0.50	--

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945770  
**Report Date:** 10/09/19

**Method Blank Analysis**  
**Batch Quality Control**

Analytical Method: 1,8260C  
Analytical Date: 10/07/19 22:08  
Analyst: PD

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 11-15,17-19 Batch: WG1293569-5					
Bromobenzene	ND		ug/l	2.5	--
n-Butylbenzene	ND		ug/l	0.50	--
sec-Butylbenzene	ND		ug/l	0.50	--
tert-Butylbenzene	ND		ug/l	2.5	--
o-Chlorotoluene	ND		ug/l	2.5	--
p-Chlorotoluene	ND		ug/l	2.5	--
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	--
Hexachlorobutadiene	ND		ug/l	0.50	--
Isopropylbenzene	ND		ug/l	0.50	--
p-Isopropyltoluene	ND		ug/l	0.50	--
Naphthalene	ND		ug/l	2.5	--
n-Propylbenzene	ND		ug/l	0.50	--
1,2,3-Trichlorobenzene	ND		ug/l	2.5	--
1,2,4-Trichlorobenzene	ND		ug/l	2.5	--
1,3,5-Trimethylbenzene	ND		ug/l	2.5	--
1,3,5-Trichlorobenzene	ND		ug/l	2.0	--
1,2,4-Trimethylbenzene	ND		ug/l	2.5	--
trans-1,4-Dichloro-2-butene	ND		ug/l	2.5	--
Halothane	ND		ug/l	2.5	--
Ethyl ether	ND		ug/l	2.5	--
Methyl Acetate	ND		ug/l	10	--
Ethyl Acetate	ND		ug/l	10	--
Isopropyl Ether	ND		ug/l	2.0	--
Cyclohexane	ND		ug/l	10	--
Tert-Butyl Alcohol	ND		ug/l	10	--
Ethyl-Tert-Butyl-Ether	ND		ug/l	2.0	--
Tertiary-Amyl Methyl Ether	ND		ug/l	2.0	--
1,4-Dioxane	ND		ug/l	250	--
1,1,2-Trichloro-1,2,2-Trifluoroethane	ND		ug/l	10	--

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945770  
**Report Date:** 10/09/19

**Method Blank Analysis**  
**Batch Quality Control**

Analytical Method: 1,8260C  
Analytical Date: 10/07/19 22:08  
Analyst: PD

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 11-15,17-19 Batch: WG1293569-5					
Methyl cyclohexane	ND		ug/l	10	--
p-Diethylbenzene	ND		ug/l	2.0	--
4-Ethyltoluene	ND		ug/l	2.0	--
1,2,4,5-Tetramethylbenzene	ND		ug/l	2.0	--

Surrogate	%Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	94		70-130
Toluene-d8	98		70-130
4-Bromofluorobenzene	101		70-130
Dibromofluoromethane	95		70-130

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945770  
**Report Date:** 10/09/19

**Method Blank Analysis**  
**Batch Quality Control**

Analytical Method: 1,8260C  
Analytical Date: 10/08/19 20:32  
Analyst: PK

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 06 Batch: WG1293615-10					
Benzene	ND		ug/l	0.50	--
Toluene	ND		ug/l	0.75	--
Ethylbenzene	ND		ug/l	0.50	--
Methyl tert butyl ether	ND		ug/l	1.0	--
p/m-Xylene	ND		ug/l	1.0	--
o-Xylene	ND		ug/l	1.0	--
Xylenes, Total	ND		ug/l	1.0	--
Acetone	ND		ug/l	5.0	--
Naphthalene	ND		ug/l	2.5	--

Surrogate	%Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	109		70-130
Toluene-d8	100		70-130
4-Bromofluorobenzene	104		70-130
Dibromofluoromethane	100		70-130

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945770  
**Report Date:** 10/09/19

**Method Blank Analysis**  
**Batch Quality Control**

Analytical Method: 1,8260C  
Analytical Date: 10/07/19 21:36  
Analyst: PD

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 01-09 Batch: WG1293615-5					
Methylene chloride	ND		ug/l	3.0	--
1,1-Dichloroethane	ND		ug/l	0.75	--
Chloroform	ND		ug/l	0.75	--
Carbon tetrachloride	ND		ug/l	0.50	--
1,2-Dichloropropane	ND		ug/l	1.8	--
Dibromochloromethane	ND		ug/l	0.50	--
1,1,2-Trichloroethane	ND		ug/l	0.75	--
Tetrachloroethene	ND		ug/l	0.50	--
Chlorobenzene	ND		ug/l	0.50	--
Trichlorofluoromethane	ND		ug/l	2.5	--
1,2-Dichloroethane	ND		ug/l	0.50	--
1,1,1-Trichloroethane	ND		ug/l	0.50	--
Bromodichloromethane	ND		ug/l	0.50	--
trans-1,3-Dichloropropene	ND		ug/l	0.50	--
cis-1,3-Dichloropropene	ND		ug/l	0.50	--
1,3-Dichloropropene, Total	ND		ug/l	0.50	--
1,1-Dichloropropene	ND		ug/l	2.5	--
Bromoform	ND		ug/l	2.0	--
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	--
Benzene	ND		ug/l	0.50	--
Toluene	ND		ug/l	0.75	--
Ethylbenzene	ND		ug/l	0.50	--
Chloromethane	ND		ug/l	2.5	--
Bromomethane	ND		ug/l	1.0	--
Vinyl chloride	ND		ug/l	1.0	--
Chloroethane	ND		ug/l	1.0	--
1,1-Dichloroethene	ND		ug/l	0.50	--
trans-1,2-Dichloroethene	ND		ug/l	0.75	--
1,2-Dichloroethene, Total	ND		ug/l	0.50	--

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945770  
**Report Date:** 10/09/19

**Method Blank Analysis**  
**Batch Quality Control**

Analytical Method: 1,8260C  
Analytical Date: 10/07/19 21:36  
Analyst: PD

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 01-09 Batch: WG1293615-5					
Trichloroethene	ND		ug/l	0.50	--
1,2-Dichlorobenzene	ND		ug/l	2.5	--
1,3-Dichlorobenzene	ND		ug/l	2.5	--
1,4-Dichlorobenzene	ND		ug/l	2.5	--
Methyl tert butyl ether	ND		ug/l	1.0	--
p/m-Xylene	ND		ug/l	1.0	--
o-Xylene	ND		ug/l	1.0	--
Xylenes, Total	ND		ug/l	1.0	--
cis-1,2-Dichloroethene	ND		ug/l	0.50	--
Dibromomethane	ND		ug/l	5.0	--
1,4-Dichlorobutane	ND		ug/l	5.0	--
1,2,3-Trichloropropane	ND		ug/l	5.0	--
Styrene	ND		ug/l	1.0	--
Dichlorodifluoromethane	ND		ug/l	5.0	--
Acetone	ND		ug/l	5.0	--
Carbon disulfide	ND		ug/l	5.0	--
2-Butanone	ND		ug/l	5.0	--
Vinyl acetate	ND		ug/l	5.0	--
4-Methyl-2-pentanone	ND		ug/l	5.0	--
2-Hexanone	ND		ug/l	5.0	--
Ethyl methacrylate	ND		ug/l	5.0	--
Acrylonitrile	ND		ug/l	5.0	--
Bromochloromethane	ND		ug/l	2.5	--
Tetrahydrofuran	ND		ug/l	5.0	--
2,2-Dichloropropane	ND		ug/l	2.5	--
1,2-Dibromoethane	ND		ug/l	2.0	--
1,3-Dichloropropane	ND		ug/l	2.5	--
1,1,1,2-Tetrachloroethane	ND		ug/l	0.50	--
Bromobenzene	ND		ug/l	2.5	--

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945770  
**Report Date:** 10/09/19

**Method Blank Analysis  
Batch Quality Control**

Analytical Method: 1,8260C  
Analytical Date: 10/07/19 21:36  
Analyst: PD

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 01-09 Batch: WG1293615-5					
n-Butylbenzene	ND		ug/l	0.50	--
sec-Butylbenzene	ND		ug/l	0.50	--
tert-Butylbenzene	ND		ug/l	2.5	--
o-Chlorotoluene	ND		ug/l	2.5	--
p-Chlorotoluene	ND		ug/l	2.5	--
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	--
Hexachlorobutadiene	ND		ug/l	0.50	--
Isopropylbenzene	ND		ug/l	0.50	--
p-Isopropyltoluene	ND		ug/l	0.50	--
Naphthalene	ND		ug/l	2.5	--
n-Propylbenzene	ND		ug/l	0.50	--
1,2,3-Trichlorobenzene	ND		ug/l	2.5	--
1,2,4-Trichlorobenzene	ND		ug/l	2.5	--
1,3,5-Trimethylbenzene	ND		ug/l	2.5	--
1,2,4-Trimethylbenzene	ND		ug/l	2.5	--
trans-1,4-Dichloro-2-butene	ND		ug/l	2.5	--
Ethyl ether	ND		ug/l	2.5	--

Surrogate	%Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	115		70-130
Toluene-d8	100		70-130
4-Bromofluorobenzene	106		70-130
Dibromofluoromethane	100		70-130

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945770  
**Report Date:** 10/09/19

**Method Blank Analysis**  
**Batch Quality Control**

Analytical Method: 1,8260C  
Analytical Date: 10/08/19 11:31  
Analyst: PD

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 10,12,15-16 Batch: WG1294033-5					
Methylene chloride	ND		ug/l	3.0	--
1,1-Dichloroethane	ND		ug/l	0.75	--
Chloroform	ND		ug/l	0.75	--
Carbon tetrachloride	ND		ug/l	0.50	--
1,2-Dichloropropane	ND		ug/l	1.8	--
Dibromochloromethane	ND		ug/l	0.50	--
1,1,2-Trichloroethane	ND		ug/l	0.75	--
Tetrachloroethene	ND		ug/l	0.50	--
Chlorobenzene	ND		ug/l	0.50	--
Trichlorofluoromethane	ND		ug/l	2.5	--
1,2-Dichloroethane	ND		ug/l	0.50	--
1,1,1-Trichloroethane	ND		ug/l	0.50	--
Bromodichloromethane	ND		ug/l	0.50	--
trans-1,3-Dichloropropene	ND		ug/l	0.50	--
cis-1,3-Dichloropropene	ND		ug/l	0.50	--
1,3-Dichloropropene, Total	ND		ug/l	0.50	--
1,1-Dichloropropene	ND		ug/l	2.5	--
Bromoform	ND		ug/l	2.0	--
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	--
Benzene	ND		ug/l	0.50	--
Toluene	ND		ug/l	0.75	--
Ethylbenzene	ND		ug/l	0.50	--
Chloromethane	ND		ug/l	2.5	--
Bromomethane	ND		ug/l	1.0	--
Vinyl chloride	ND		ug/l	1.0	--
Chloroethane	ND		ug/l	1.0	--
1,1-Dichloroethene	ND		ug/l	0.50	--
trans-1,2-Dichloroethene	ND		ug/l	0.75	--
1,2-Dichloroethene, Total	ND		ug/l	0.50	--

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945770  
**Report Date:** 10/09/19

**Method Blank Analysis**  
**Batch Quality Control**

Analytical Method: 1,8260C  
Analytical Date: 10/08/19 11:31  
Analyst: PD

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 10,12,15-16 Batch: WG1294033-5					
Trichloroethene	ND		ug/l	0.50	--
1,2-Dichlorobenzene	ND		ug/l	2.5	--
1,3-Dichlorobenzene	ND		ug/l	2.5	--
1,4-Dichlorobenzene	ND		ug/l	2.5	--
Methyl tert butyl ether	ND		ug/l	1.0	--
p/m-Xylene	ND		ug/l	1.0	--
o-Xylene	ND		ug/l	1.0	--
Xylenes, Total	ND		ug/l	1.0	--
cis-1,2-Dichloroethene	ND		ug/l	0.50	--
Dibromomethane	ND		ug/l	5.0	--
1,4-Dichlorobutane	ND		ug/l	5.0	--
1,2,3-Trichloropropane	ND		ug/l	5.0	--
Styrene	ND		ug/l	1.0	--
Dichlorodifluoromethane	ND		ug/l	5.0	--
Acetone	ND		ug/l	5.0	--
Carbon disulfide	ND		ug/l	5.0	--
2-Butanone	ND		ug/l	5.0	--
Vinyl acetate	ND		ug/l	5.0	--
4-Methyl-2-pentanone	ND		ug/l	5.0	--
2-Hexanone	ND		ug/l	5.0	--
Ethyl methacrylate	ND		ug/l	5.0	--
Acrolein	ND		ug/l	5.0	--
Acrylonitrile	ND		ug/l	5.0	--
Bromochloromethane	ND		ug/l	2.5	--
Tetrahydrofuran	ND		ug/l	5.0	--
2,2-Dichloropropane	ND		ug/l	2.5	--
1,2-Dibromoethane	ND		ug/l	2.0	--
1,3-Dichloropropane	ND		ug/l	2.5	--
1,1,1,2-Tetrachloroethane	ND		ug/l	0.50	--

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945770  
**Report Date:** 10/09/19

**Method Blank Analysis**  
**Batch Quality Control**

Analytical Method: 1,8260C  
Analytical Date: 10/08/19 11:31  
Analyst: PD

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 10,12,15-16 Batch: WG1294033-5					
Bromobenzene	ND		ug/l	2.5	--
n-Butylbenzene	ND		ug/l	0.50	--
sec-Butylbenzene	ND		ug/l	0.50	--
tert-Butylbenzene	ND		ug/l	2.5	--
o-Chlorotoluene	ND		ug/l	2.5	--
p-Chlorotoluene	ND		ug/l	2.5	--
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	--
Hexachlorobutadiene	ND		ug/l	0.50	--
Isopropylbenzene	ND		ug/l	0.50	--
p-Isopropyltoluene	ND		ug/l	0.50	--
Naphthalene	ND		ug/l	2.5	--
n-Propylbenzene	ND		ug/l	0.50	--
1,2,3-Trichlorobenzene	ND		ug/l	2.5	--
1,2,4-Trichlorobenzene	ND		ug/l	2.5	--
1,3,5-Trimethylbenzene	ND		ug/l	2.5	--
1,3,5-Trichlorobenzene	ND		ug/l	2.0	--
1,2,4-Trimethylbenzene	ND		ug/l	2.5	--
trans-1,4-Dichloro-2-butene	ND		ug/l	2.5	--
Halothane	ND		ug/l	2.5	--
Ethyl ether	ND		ug/l	2.5	--
Methyl Acetate	ND		ug/l	10	--
Ethyl Acetate	ND		ug/l	10	--
Isopropyl Ether	ND		ug/l	2.0	--
Cyclohexane	ND		ug/l	10	--
Tert-Butyl Alcohol	ND		ug/l	10	--
Ethyl-Tert-Butyl-Ether	ND		ug/l	2.0	--
Tertiary-Amyl Methyl Ether	ND		ug/l	2.0	--
1,4-Dioxane	ND		ug/l	250	--
1,1,2-Trichloro-1,2,2-Trifluoroethane	ND		ug/l	10	--

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945770  
**Report Date:** 10/09/19

**Method Blank Analysis  
Batch Quality Control**

Analytical Method: 1,8260C  
Analytical Date: 10/08/19 11:31  
Analyst: PD

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 10,12,15-16 Batch: WG1294033-5					
Methyl cyclohexane	ND		ug/l	10	--
p-Diethylbenzene	ND		ug/l	2.0	--
4-Ethyltoluene	ND		ug/l	2.0	--
1,2,4,5-Tetramethylbenzene	ND		ug/l	2.0	--

Surrogate	%Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	96		70-130
Toluene-d8	100		70-130
4-Bromofluorobenzene	95		70-130
Dibromofluoromethane	96		70-130

## Lab Control Sample Analysis

Batch Quality Control

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945770  
**Report Date:** 10/09/19

Parameter	LCS		LCSD		%Recovery		RPD	Qual	RPD	Limits
	%Recovery	Qual	%Recovery	Qual	%Recovery	Limits				
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 11-15,17-19 Batch: WG1293569-3 WG1293569-4										
Methylene chloride	94		97		70-130		3			20
1,1-Dichloroethane	99		100		70-130		1			20
Chloroform	88		90		70-130		2			20
Carbon tetrachloride	84		87		63-132		4			20
1,2-Dichloropropane	110		110		70-130		0			20
Dibromochloromethane	86		89		63-130		3			20
1,1,2-Trichloroethane	100		100		70-130		0			20
Tetrachloroethene	89		91		70-130		2			20
Chlorobenzene	92		93		75-130		1			25
Trichlorofluoromethane	96		100		62-150		4			20
1,2-Dichloroethane	90		92		70-130		2			20
1,1,1-Trichloroethane	88		89		67-130		1			20
Bromodichloromethane	89		88		67-130		1			20
trans-1,3-Dichloropropene	84		80		70-130		5			20
cis-1,3-Dichloropropene	96		97		70-130		1			20
1,1-Dichloropropene	93		96		70-130		3			20
Bromoform	90		88		54-136		2			20
1,1,2,2-Tetrachloroethane	110		110		67-130		0			20
Benzene	97		99		70-130		2			25
Toluene	95		96		70-130		1			25
Ethylbenzene	94		96		70-130		2			20
Chloromethane	100		100		64-130		0			20
Bromomethane	77		84		39-139		9			20



## Lab Control Sample Analysis

Batch Quality Control

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945770  
**Report Date:** 10/09/19

Parameter	LCS		LCS D		%Recovery		RPD	Qual	RPD	Qual	RPD	Limits
	%Recovery	Qual	%Recovery	Qual	%Recovery	Limits						
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 11-15,17-19 Batch: WG1293569-3 WG1293569-4												
Vinyl chloride	140		120		55-140		15					20
Chloroethane	120		120		55-138		0					20
1,1-Dichloroethene	100		100		61-145		0					25
trans-1,2-Dichloroethene	96		100		70-130		4					20
Trichloroethene	86		90		70-130		5					25
1,2-Dichlorobenzene	95		100		70-130		5					20
1,3-Dichlorobenzene	94		96		70-130		2					20
1,4-Dichlorobenzene	93		94		70-130		1					20
Methyl tert butyl ether	99		84		63-130		16					20
p/m-Xylene	95		95		70-130		0					20
o-Xylene	100		100		70-130		0					20
cis-1,2-Dichloroethene	99		100		70-130		1					20
Dibromomethane	95		98		70-130		3					20
1,4-Dichlorobutane	120		120		70-130		0					20
1,2,3-Trichloropropane	100		95		64-130		5					20
Styrene	100		100		70-130		0					20
Dichlorodifluoromethane	69		72		36-147		4					20
Acetone	110		130		58-148		17					20
Carbon disulfide	96		97		51-130		1					20
2-Butanone	110		120		63-138		9					20
Vinyl acetate	110		110		70-130		0					20
4-Methyl-2-pentanone	120		120		59-130		0					20
2-Hexanone	110		110		57-130		0					20



## Lab Control Sample Analysis

Batch Quality Control

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945770  
**Report Date:** 10/09/19

Parameter	LCS		LCS D		%Recovery		RPD	Qual	RPD	Limits
	%Recovery	Qual	%Recovery	Qual	%Recovery	Limits				
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 11-15,17-19 Batch: WG1293569-3 WG1293569-4										
Ethyl methacrylate	100		100		70-130		0		0	20
Acrolein	130		140	Q	70-130		7		7	20
Acrylonitrile	140	Q	130		70-130		7		7	20
Bromochloromethane	98		99		70-130		1		1	20
Tetrahydrofuran	140	Q	130		58-130		7		7	20
2,2-Dichloropropane	96		83		63-133		15		15	20
1,2-Dibromoethane	100		100		70-130		0		0	20
1,3-Dichloropropane	99		100		70-130		1		1	20
1,1,1,2-Tetrachloroethane	90		90		64-130		0		0	20
Bromobenzene	91		94		70-130		3		3	20
n-Butylbenzene	100		100		53-136		0		0	20
sec-Butylbenzene	100		100		70-130		0		0	20
tert-Butylbenzene	100		100		70-130		0		0	20
o-Chlorotoluene	95		100		70-130		5		5	20
p-Chlorotoluene	95		97		70-130		2		2	20
1,2-Dibromo-3-chloropropane	100		110		41-144		10		10	20
Hexachlorobutadiene	89		91		63-130		2		2	20
Isopropylbenzene	100		100		70-130		0		0	20
p-Isopropyltoluene	100		100		70-130		0		0	20
Naphthalene	140	Q	120		70-130		15		15	20
n-Propylbenzene	100		100		69-130		0		0	20
1,2,3-Trichlorobenzene	100		100		70-130		0		0	20
1,2,4-Trichlorobenzene	99		98		70-130		1		1	20



## Lab Control Sample Analysis

Batch Quality Control

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945770  
**Report Date:** 10/09/19

Parameter	LCS		LCSD		%Recovery		RPD	Qual	RPD	Limits
	%Recovery	Qual	%Recovery	Qual	%Recovery	Limits				
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 11-15,17-19 Batch: WG1293569-3 WG1293569-4										
1,3,5-Trimethylbenzene	100		100		64-130		0		0	20
1,3,5-Trichlorobenzene	93		96		70-130		3		3	20
1,2,4-Trimethylbenzene	100		100		70-130		0		0	20
trans-1,4-Dichloro-2-butene	94		86		70-130		9		9	20
Halothane	95		98		70-130		3		3	20
Ethyl ether	120		130		59-134		8		8	20
Methyl Acetate	110		120		70-130		9		9	20
Ethyl Acetate	110		120		70-130		9		9	20
Isopropyl Ether	110		110		70-130		0		0	20
Cyclohexane	110		110		70-130		0		0	20
Tert-Butyl Alcohol	106		80		70-130		28	Q	28	20
Ethyl-Tert-Butyl-Ether	110		97		70-130		13		13	20
Tertiary-Amyl Methyl Ether	100		93		66-130		7		7	20
1,4-Dioxane	136		146		56-162		7		7	20
1,1,2-Trichloro-1,2,2-Trifluoroethane	93		96		70-130		3		3	20
Methyl cyclohexane	94		98		70-130		4		4	20
p-Diethylbenzene	99		100		70-130		1		1	20
4-Ethyltoluene	100		100		70-130		0		0	20
1,2,4,5-Tetramethylbenzene	100		100		70-130		0		0	20



### Lab Control Sample Analysis

Batch Quality Control

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945770  
**Report Date:** 10/09/19

Parameter	LCS		LCSD		%Recovery		RPD	Qual	RPD	Qual	RPD	Limits
	%Recovery	Qual	%Recovery	Qual	Limits	Limits						
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 11-15,17-19 Batch: WG1293569-3 WG1293569-4												
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qual</b>	<b>%Recovery</b>	<b>Qual</b>	<b>Acceptance Criteria</b>							
1,2-Dichloroethane-d4	97		98		98		98		98			70-130
Toluene-d8	99		98		98		98		98			70-130
4-Bromofluorobenzene	103		104		104		104		104			70-130
Dibromofluoromethane	96		98		98		98		98			70-130



## Lab Control Sample Analysis

Batch Quality Control

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945770  
**Report Date:** 10/09/19

Parameter	LCS		LCSD		%Recovery		RPD	Qual	RPD	Qual	RPD	Limits
	%Recovery	Qual	%Recovery	Qual	%Recovery	Limits						
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-09 Batch: WG1293615-3 WG1293615-4												
Methylene chloride	100		100		70-130		0		0			20
1,1-Dichloroethane	110		120		70-130		9		9			20
Chloroform	100		100		70-130		0		0			20
Carbon tetrachloride	100		100		63-132		0		0			20
1,2-Dichloropropane	110		110		70-130		0		0			20
Dibromochloromethane	89		93		63-130		4		4			20
1,1,2-Trichloroethane	95		99		70-130		4		4			20
Tetrachloroethene	89		92		70-130		3		3			20
Chlorobenzene	100		100		75-130		0		0			25
Trichlorofluoromethane	100		100		62-150		0		0			20
1,2-Dichloroethane	120		120		70-130		0		0			20
1,1,1-Trichloroethane	100		100		67-130		0		0			20
Bromodichloromethane	98		100		67-130		2		2			20
trans-1,3-Dichloropropene	89		92		70-130		3		3			20
cis-1,3-Dichloropropene	94		96		70-130		2		2			20
1,1-Dichloropropene	100		110		70-130		10		10			20
Bromoform	84		86		54-136		2		2			20
1,1,2,2-Tetrachloroethane	100		100		67-130		0		0			20
Benzene	100		100		70-130		0		0			25
Toluene	99		100		70-130		1		1			25
Ethylbenzene	99		100		70-130		1		1			20
Chloromethane	120		120		64-130		0		0			20
Bromomethane	26	Q	39		39-139		40	Q	40	Q		20



## Lab Control Sample Analysis

Batch Quality Control

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945770  
**Report Date:** 10/09/19

Parameter	LCS		LCS D		%Recovery		RPD	Qual	RPD	Qual	RPD	Limits
	%Recovery	Qual	%Recovery	Qual	%Recovery	Limits						
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-09 Batch: WG1293615-3 WG1293615-4												
Vinyl chloride	120		120		55-140		0		0			20
Chloroethane	120		120		55-138		0		0			20
1,1-Dichloroethene	100		100		61-145		0		0			25
trans-1,2-Dichloroethene	100		100		70-130		0		0			20
Trichloroethene	100		100		70-130		0		0			25
1,2-Dichlorobenzene	96		100		70-130		4		4			20
1,3-Dichlorobenzene	98		100		70-130		2		2			20
1,4-Dichlorobenzene	98		100		70-130		2		2			20
Methyl tert butyl ether	100		100		63-130		0		0			20
p/m-Xylene	100		105		70-130		5		5			20
o-Xylene	100		100		70-130		0		0			20
cis-1,2-Dichloroethene	100		99		70-130		1		1			20
Dibromomethane	95		96		70-130		1		1			20
1,4-Dichlorobutane	130		130		70-130		0		0			20
1,2,3-Trichloropropane	110		110		64-130		0		0			20
Styrene	95		100		70-130		5		5			20
Dichlorodifluoromethane	91		92		36-147		1		1			20
Acetone	130		120		58-148		8		8			20
Carbon disulfide	100		100		51-130		0		0			20
2-Butanone	130		140	Q	63-138		7		7			20
Vinyl acetate	130		130		70-130		0		0			20
4-Methyl-2-pentanone	110		120		59-130		9		9			20
2-Hexanone	120		120		57-130		0		0			20



## Lab Control Sample Analysis

Batch Quality Control

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945770  
**Report Date:** 10/09/19

Parameter	LCS		LCS D		%Recovery		RPD	
	%Recovery	Qual	%Recovery	Qual	Limits	Qual	RPD	Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-09 Batch: WG1293615-3 WG1293615-4								
Ethyl methacrylate	89		91		70-130		2	20
Acrylonitrile	130		130		70-130		0	20
Bromochloromethane	97		99		70-130		2	20
Tetrahydrofuran	130		130		58-130		0	20
2,2-Dichloropropane	110		100		63-133		10	20
1,2-Dibromoethane	90		93		70-130		3	20
1,3-Dichloropropane	97		96		70-130		1	20
1,1,1,2-Tetrachloroethane	92		96		64-130		4	20
Bromobenzene	94		98		70-130		4	20
n-Butylbenzene	110		110		53-136		0	20
sec-Butylbenzene	110		110		70-130		0	20
tert-Butylbenzene	100		110		70-130		10	20
o-Chlorotoluene	110		110		70-130		0	20
p-Chlorotoluene	100		110		70-130		10	20
1,2-Dibromo-3-chloropropane	92		94		41-144		2	20
Hexachlorobutadiene	88		91		63-130		3	20
Isopropylbenzene	110		110		70-130		0	20
p-Isopropyltoluene	100		110		70-130		10	20
Naphthalene	98		98		70-130		0	20
n-Propylbenzene	110		110		69-130		0	20
1,2,3-Trichlorobenzene	87		90		70-130		3	20
1,2,4-Trichlorobenzene	90		89		70-130		1	20
1,3,5-Trimethylbenzene	100		110		64-130		10	20



## Lab Control Sample Analysis

Batch Quality Control

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945770  
**Report Date:** 10/09/19

Parameter	LCS		LCSD		%Recovery		RPD	
	%Recovery	Qual	%Recovery	Qual	Limits	Qual	RPD	Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-09 Batch: WG1293615-3 WG1293615-4								
1,2,4-Trimethylbenzene	100		110		70-130		10	20
trans-1,4-Dichloro-2-butene	100		110		70-130		10	20
Ethyl ether	100		100		59-134		0	20

Surrogate	LCS		LCSD		Acceptance Criteria	
	%Recovery	Qual	%Recovery	Qual	Qual	Criteria
1,2-Dichloroethane-d4	122		114			70-130
Toluene-d8	101		99			70-130
4-Bromofluorobenzene	102		103			70-130
Dibromofluoromethane	102		102			70-130



## Lab Control Sample Analysis

Batch Quality Control

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945770  
**Report Date:** 10/09/19

Parameter	LCS		LCSD		%Recovery		RPD		
	%Recovery	Qual	%Recovery	Qual	Limits	RPD	Qual	Limits	
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 06 Batch: WG1293615-8 WG1293615-9									
Benzene	110		99		70-130	11		25	
Toluene	100		95		70-130	5		25	
Ethylbenzene	100		94		70-130	6		20	
Methyl tert butyl ether	100		96		63-130	4		20	
p/m-Xylene	105		95		70-130	10		20	
o-Xylene	105		95		70-130	10		20	
Acetone	110		96		58-148	14		20	
Naphthalene	100		92		70-130	8		20	

Surrogate	LCS		LCSD		Acceptance Criteria	
	%Recovery	Qual	%Recovery	Qual	Criteria	Criteria
1,2-Dichloroethane-d4	106		105		70-130	70-130
Toluene-d8	99		99		70-130	70-130
4-Bromofluorobenzene	105		105		70-130	70-130
Dibromofluoromethane	99		100		70-130	70-130



## Lab Control Sample Analysis

Batch Quality Control

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945770  
**Report Date:** 10/09/19

Parameter	LCS		LCSD		%Recovery		RPD	
	%Recovery	Qual	%Recovery	Qual	Limits	Qual	RPD	Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 10,12,15-16 Batch: WG1294033-3 WG1294033-4								
Methylene chloride	91		90		70-130	1	1	20
1,1-Dichloroethane	100		100		70-130	0	0	20
Chloroform	88		88		70-130	0	0	20
Carbon tetrachloride	83		82		63-132	1	1	20
1,2-Dichloropropane	97		100		70-130	3	3	20
Dibromochloromethane	85		85		63-130	0	0	20
1,1,2-Trichloroethane	96		92		70-130	4	4	20
Tetrachloroethene	91		90		70-130	1	1	20
Chlorobenzene	89		88		75-130	1	1	25
Trichlorofluoromethane	77		79		62-150	3	3	20
1,2-Dichloroethane	81		78		70-130	4	4	20
1,1,1-Trichloroethane	83		82		67-130	1	1	20
Bromodichloromethane	81		82		67-130	1	1	20
trans-1,3-Dichloropropene	80		79		70-130	1	1	20
cis-1,3-Dichloropropene	80		80		70-130	0	0	20
1,1-Dichloropropene	92		89		70-130	3	3	20
Bromoform	84		86		54-136	2	2	20
1,1,2,2-Tetrachloroethane	88		90		67-130	2	2	20
Benzene	92		88		70-130	4	4	25
Toluene	93		90		70-130	3	3	25
Ethylbenzene	91		89		70-130	2	2	20
Chloromethane	99		97		64-130	2	2	20
Bromomethane	53		50		39-139	6	6	20



## Lab Control Sample Analysis

Batch Quality Control

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945770  
**Report Date:** 10/09/19

Parameter	LCS		LCSD		%Recovery		RPD	
	%Recovery	Qual	%Recovery	Qual	Limits	Qual	RPD	Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 10,12,15-16 Batch: WG1294033-3 WG1294033-4								
Vinyl chloride	100		100		55-140		0	20
Chloroethane	89		85		55-138		5	20
1,1-Dichloroethene	87		90		61-145		3	25
trans-1,2-Dichloroethene	78		84		70-130		7	20
Trichloroethene	85		83		70-130		2	25
1,2-Dichlorobenzene	89		88		70-130		1	20
1,3-Dichlorobenzene	88		89		70-130		1	20
1,4-Dichlorobenzene	88		87		70-130		1	20
Methyl tert butyl ether	76		77		63-130		1	20
p/m-Xylene	90		90		70-130		0	20
o-Xylene	90		90		70-130		0	20
cis-1,2-Dichloroethene	100		99		70-130		1	20
Dibromomethane	86		84		70-130		2	20
1,4-Dichlorobutane	98		100		70-130		2	20
1,2,3-Trichloropropane	94		93		64-130		1	20
Styrene	90		90		70-130		0	20
Dichlorodifluoromethane	78		77		36-147		1	20
Acetone	110		110		58-148		0	20
Carbon disulfide	95		93		51-130		2	20
2-Butanone	99		100		63-138		1	20
Vinyl acetate	91		88		70-130		3	20
4-Methyl-2-pentanone	86		87		59-130		1	20
2-Hexanone	88		85		57-130		3	20



### Lab Control Sample Analysis

Batch Quality Control

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945770  
**Report Date:** 10/09/19

Parameter	LCS		LCSD		%Recovery		RPD	
	%Recovery	Qual	%Recovery	Qual	Limits	Qual	RPD	Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 10,12,15-16 Batch: WG1294033-3 WG1294033-4								
Ethyl methacrylate	78		78		70-130		0	20
Acrolein	120		120		70-130		0	20
Acrylonitrile	110		120		70-130		9	20
Bromochloromethane	96		93		70-130		3	20
Tetrahydrofuran	100		100		58-130		0	20
2,2-Dichloropropane	72		70		63-133		3	20
1,2-Dibromoethane	87		87		70-130		0	20
1,3-Dichloropropane	91		91		70-130		0	20
1,1,1,2-Tetrachloroethane	86		84		64-130		2	20
Bromobenzene	86		86		70-130		0	20
n-Butylbenzene	92		90		53-136		2	20
sec-Butylbenzene	90		90		70-130		0	20
tert-Butylbenzene	74		75		70-130		1	20
o-Chlorotoluene	88		88		70-130		0	20
p-Chlorotoluene	87		88		70-130		1	20
1,2-Dibromo-3-chloropropane	81		87		41-144		7	20
Hexachlorobutadiene	84		86		63-130		2	20
Isopropylbenzene	88		88		70-130		0	20
p-Isopropyltoluene	87		88		70-130		1	20
Naphthalene	72		75		70-130		4	20
n-Propylbenzene	90		90		69-130		0	20
1,2,3-Trichlorobenzene	80		83		70-130		4	20
1,2,4-Trichlorobenzene	78		81		70-130		4	20



## Lab Control Sample Analysis

Batch Quality Control

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945770  
**Report Date:** 10/09/19

Parameter	LCS		LCSD		%Recovery		RPD	Qual	RPD	Limits
	%Recovery	Qual	%Recovery	Qual	%Recovery	Limits				
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 10,12,15-16 Batch: WG1294033-3 WG1294033-4										
1,3,5-Trimethylbenzene	87		88		64-130		1			20
1,3,5-Trichlorobenzene	84		86		70-130		2			20
1,2,4-Trimethylbenzene	86		87		70-130		1			20
trans-1,4-Dichloro-2-butene	97		99		70-130		2			20
Halothane	99		97		70-130		2			20
Ethyl ether	88		95		59-134		8			20
Methyl Acetate	110		110		70-130		0			20
Ethyl Acetate	89		93		70-130		4			20
Isopropyl Ether	100		100		70-130		0			20
Cyclohexane	110		110		70-130		0			20
Tert-Butyl Alcohol	88		90		70-130		2			20
Ethyl-Tert-Butyl-Ether	84		85		70-130		1			20
Tertiary-Amyl Methyl Ether	70		69		66-130		1			20
1,4-Dioxane	118		112		56-162		5			20
1,1,2-Trichloro-1,2,2-Trifluoroethane	92		95		70-130		3			20
Methyl cyclohexane	89		88		70-130		1			20
p-Diethylbenzene	86		85		70-130		1			20
4-Ethyltoluene	89		88		70-130		1			20
1,2,4,5-Tetramethylbenzene	77		78		70-130		1			20



### Lab Control Sample Analysis

Batch Quality Control

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945770  
**Report Date:** 10/09/19

Parameter	LCS		LCSD		%Recovery		RPD	Qual	RPD	Qual	RPD	Limits
	%Recovery	Qual	%Recovery	Qual	Limits	Limits						
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 10,12,15-16 Batch: WG1294033-3 WG1294033-4												
<b>Surrogate</b>												
1,2-Dichloroethane-d4	92		92		92				92			70-130
Toluene-d8	100		100		99				99			70-130
4-Bromofluorobenzene	93		93		96				96			70-130
Dibromofluoromethane	97		97		94				94			70-130



# SEMIVOLATILES

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945770  
**Report Date:** 10/09/19

**SAMPLE RESULTS**

Lab ID: L1945770-05  
 Client ID: MW-266M-20191002  
 Sample Location: WAYLAND, MA

Date Collected: 10/02/19 08:25  
 Date Received: 10/02/19  
 Field Prep: Not Specified

Sample Depth:

Matrix: Water  
 Analytical Method: 1,8270D-SIM  
 Analytical Date: 10/08/19 17:30  
 Analyst: PS

Extraction Method: EPA 3510C  
 Extraction Date: 10/07/19 17:30

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
1,4 Dioxane by 8270D-SIM - Mansfield Lab						
1,4-Dioxane	2260		ng/l	142	--	1
Surrogate			% Recovery	Qualifier	Acceptance Criteria	
1,4-Dioxane-d8			28		15-110	

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945770  
**Report Date:** 10/09/19

**Method Blank Analysis**  
**Batch Quality Control**

Analytical Method: 1,8270D-SIM  
Analytical Date: 10/08/19 14:38  
Analyst: PS

Extraction Method: EPA 3510C  
Extraction Date: 10/07/19 17:30

Parameter	Result	Qualifier	Units	RL	MDL
1,4 Dioxane by 8270D-SIM - Mansfield Lab for sample(s): 05 Batch: WG1293218-1					
1,4-Dioxane	ND		ng/l	150	--

Surrogate	%Recovery	Qualifier	Acceptance Criteria
1,4-Dioxane-d8	26		15-110

## Lab Control Sample Analysis

Batch Quality Control

**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945770  
**Report Date:** 10/09/19

Parameter	LCS %Recovery	Qual	LCS %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
1,4 Dioxane by 8270D-SIM - Mansfield Lab Associated sample(s): 05 Batch: WG1293218-2 WG1293218-3								
1,4-Dioxane	103		107		40-140	4		30

Surrogate	LCS %Recovery	Qual	LCS %Recovery	Qual	Acceptance Criteria
1,4-Dioxane-d8	27		27		15-110



**Sample Receipt and Container Information**

YES

Were project specific reporting limits specified?

**Cooler Information**  
**Cooler** A  
**Custody Seal** Absent

<b>Container Information</b>			<b>Cooler</b>	<b>Initial pH</b>	<b>Final pH</b>	<b>Temp deg C</b>	<b>Pres</b>	<b>Seal</b>	<b>Frozen Date/Time</b>	<b>Analysis(*)</b>
<b>Container ID</b>	<b>Container Type</b>	<b>Container Type</b>								
L1945770-01A	Vial HCl preserved		A	NA	4.3	Y	Y	Absent		8260(14)
L1945770-01B	Vial HCl preserved		A	NA	4.3	Y	Y	Absent		8260(14)
L1945770-01C	Vial HCl preserved		A	NA	4.3	Y	Y	Absent		8260(14)
L1945770-02A	Vial HCl preserved		A	NA	4.3	Y	Y	Absent		8260(14)
L1945770-02B	Vial HCl preserved		A	NA	4.3	Y	Y	Absent		8260(14)
L1945770-02C	Vial HCl preserved		A	NA	4.3	Y	Y	Absent		8260(14)
L1945770-03A	Vial HCl preserved		A	NA	4.3	Y	Y	Absent		8260(14)
L1945770-03B	Vial HCl preserved		A	NA	4.3	Y	Y	Absent		8260(14)
L1945770-03C	Vial HCl preserved		A	NA	4.3	Y	Y	Absent		8260(14)
L1945770-04A	Vial HCl preserved		A	NA	4.3	Y	Y	Absent		8260(14)
L1945770-04B	Vial HCl preserved		A	NA	4.3	Y	Y	Absent		8260(14)
L1945770-04C	Vial HCl preserved		A	NA	4.3	Y	Y	Absent		8260(14)
L1945770-05A	Vial HCl preserved		A	NA	4.3	Y	Y	Absent		8260(14)
L1945770-05B	Vial HCl preserved		A	NA	4.3	Y	Y	Absent		8260(14)
L1945770-05C	Vial HCl preserved		A	NA	4.3	Y	Y	Absent		8260(14)
L1945770-05D	Amber 500ml unpreserved		A	7	7	Y	Y	Absent		A2-1,4-DIOXANE-SIM(7)
L1945770-05E	Amber 500ml unpreserved		A	7	7	Y	Y	Absent		A2-1,4-DIOXANE-SIM(7)
L1945770-06A	Vial HCl preserved		A	NA	4.3	Y	Y	Absent		8260(14)
L1945770-06B	Vial HCl preserved		A	NA	4.3	Y	Y	Absent		8260(14)
L1945770-06C	Vial HCl preserved		A	NA	4.3	Y	Y	Absent		8260(14)
L1945770-07A	Vial HCl preserved		A	NA	4.3	Y	Y	Absent		8260(14)
L1945770-07B	Vial HCl preserved		A	NA	4.3	Y	Y	Absent		8260(14)
L1945770-07C	Vial HCl preserved		A	NA	4.3	Y	Y	Absent		8260(14)

\*Values in parentheses indicate holding time in days



<b>Container Information</b>		<b>Initial pH</b>	<b>Final pH</b>	<b>Temp deg C</b>	<b>Pres</b>	<b>Seal</b>	<b>Frozen Date/Time</b>	<b>Analysis(*)</b>
<b>Container ID</b>	<b>Container Type</b>	<b>Cooler</b>	<b>pH</b>	<b>deg C</b>	<b>C</b>	<b>Seal</b>	<b>Date/Time</b>	<b>Analysis(*)</b>
L1945770-08A	Vial HCl preserved	A	NA	4.3	Y	Absent		8260(14)
L1945770-08B	Vial HCl preserved	A	NA	4.3	Y	Absent		8260(14)
L1945770-08C	Vial HCl preserved	A	NA	4.3	Y	Absent		8260(14)
L1945770-09A	Vial HCl preserved	A	NA	4.3	Y	Absent		8260(14)
L1945770-09B	Vial HCl preserved	A	NA	4.3	Y	Absent		8260(14)
L1945770-09C	Vial HCl preserved	A	NA	4.3	Y	Absent		8260(14)
L1945770-10A	Vial HCl preserved	A	NA	4.3	Y	Absent		8260(14)
L1945770-10B	Vial HCl preserved	A	NA	4.3	Y	Absent		8260(14)
L1945770-10C	Vial HCl preserved	A	NA	4.3	Y	Absent		8260(14)
L1945770-11A	Vial HCl preserved	A	NA	4.3	Y	Absent		8260(14)
L1945770-11B	Vial HCl preserved	A	NA	4.3	Y	Absent		8260(14)
L1945770-11C	Vial HCl preserved	A	NA	4.3	Y	Absent		8260(14)
L1945770-12A	Vial HCl preserved	A	NA	4.3	Y	Absent		8260(14)
L1945770-12B	Vial HCl preserved	A	NA	4.3	Y	Absent		8260(14)
L1945770-12C	Vial HCl preserved	A	NA	4.3	Y	Absent		8260(14)
L1945770-13A	Vial HCl preserved	A	NA	4.3	Y	Absent		8260(14)
L1945770-13B	Vial HCl preserved	A	NA	4.3	Y	Absent		8260(14)
L1945770-13C	Vial HCl preserved	A	NA	4.3	Y	Absent		8260(14)
L1945770-14A	Vial HCl preserved	A	NA	4.3	Y	Absent		8260(14)
L1945770-14B	Vial HCl preserved	A	NA	4.3	Y	Absent		8260(14)
L1945770-14C	Vial HCl preserved	A	NA	4.3	Y	Absent		8260(14)
L1945770-15A	Vial HCl preserved	A	NA	4.3	Y	Absent		8260(14)
L1945770-15B	Vial HCl preserved	A	NA	4.3	Y	Absent		8260(14)
L1945770-15C	Vial HCl preserved	A	NA	4.3	Y	Absent		8260(14)
L1945770-16A	Vial HCl preserved	A	NA	4.3	Y	Absent		8260(14)
L1945770-16B	Vial HCl preserved	A	NA	4.3	Y	Absent		8260(14)
L1945770-16C	Vial HCl preserved	A	NA	4.3	Y	Absent		8260(14)
L1945770-17A	Vial HCl preserved	A	NA	4.3	Y	Absent		8260(14)



Serial\_No:10091921:07

Project Name: RAYTHEON WAYLAND

Lab Number: L1945770

Project Number: RA-008

Report Date: 10/09/19

Container Information		Initial pH	Final pH	Temp deg C	Pres	Seal	Frozen Date/Time	Analysis(*)
L1945770-17B	Vial HCl preserved	NA	4.3	4.3	Y	Absent		8260(14)
L1945770-17C	Vial HCl preserved	NA	4.3	4.3	Y	Absent		8260(14)
L1945770-18A	Vial HCl preserved	NA	4.3	4.3	Y	Absent		8260(14)
L1945770-18B	Vial HCl preserved	NA	4.3	4.3	Y	Absent		8260(14)
L1945770-18C	Vial HCl preserved	NA	4.3	4.3	Y	Absent		8260(14)
L1945770-19A	Vial HCl preserved	NA	4.3	4.3	Y	Absent		8260(14)
L1945770-19B	Vial HCl preserved	NA	4.3	4.3	Y	Absent		8260(14)



**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945770  
**Report Date:** 10/09/19

## GLOSSARY

### Acronyms

DL	- Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the limit of quantitation (LOQ). The DL includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
EDL	- Estimated Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The EDL includes any adjustments from dilutions, concentrations or moisture content, where applicable. The use of EDLs is specific to the analysis of PAHs using Solid-Phase Microextraction (SPME).
EMPC	- Estimated Maximum Possible Concentration: The concentration that results from the signal present at the retention time of an analyte when the ions meet all of the identification criteria except the ion abundance ratio criteria. An EMPC is a worst-case estimate of the concentration.
EPA	- Environmental Protection Agency.
LCS	- Laboratory Control Sample: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
LCSD	- Laboratory Control Sample Duplicate: Refer to LCS.
LFB	- Laboratory Fortified Blank: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
LOD	- Limit of Detection: This value represents the level to which a target analyte can reliably be detected for a specific analyte in a specific matrix by a specific method. The LOD includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
LOQ	- Limit of Quantitation: The value at which an instrument can accurately measure an analyte at a specific concentration. The LOQ includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)  Limit of Quantitation: The value at which an instrument can accurately measure an analyte at a specific concentration. The LOQ includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
MDL	- Method Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The MDL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
MS	- Matrix Spike Sample: A sample prepared by adding a known mass of target analyte to a specified amount of matrix sample for which an independent estimate of target analyte concentration is available. For Method 332.0, the spike recovery is calculated using the native concentration, including estimated values.
MSD	- Matrix Spike Sample Duplicate: Refer to MS.
NA	- Not Applicable.
NC	- Not Calculated: Term is utilized when one or more of the results utilized in the calculation are non-detect at the parameter's reporting unit.
NDPA/DPA	- N-Nitrosodiphenylamine/Diphenylamine.
NI	- Not Ignitable.
NP	- Non-Plastic: Term is utilized for the analysis of Atterberg Limits in soil.
RL	- Reporting Limit: The value at which an instrument can accurately measure an analyte at a specific concentration. The RL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
RPD	- Relative Percent Difference: The results from matrix and/or matrix spike duplicates are primarily designed to assess the precision of analytical results in a given matrix and are expressed as relative percent difference (RPD). Values which are less than five times the reporting limit for any individual parameter are evaluated by utilizing the absolute difference between the values; although the RPD value will be provided in the report.
SRM	- Standard Reference Material: A reference sample of a known or certified value that is of the same or similar matrix as the associated field samples.
STLP	- Semi-dynamic Tank Leaching Procedure per EPA Method 1315.
TEF	- Toxic Equivalency Factors: The values assigned to each dioxin and furan to evaluate their toxicity relative to 2,3,7,8-TCDD.
TEQ	- Toxic Equivalent: The measure of a sample's toxicity derived by multiplying each dioxin and furan by its corresponding TEF and then summing the resulting values.
TIC	- Tentatively Identified Compound: A compound that has been identified to be present and is not part of the target compound list (TCL) for the method and/or program. All TICs are qualitatively identified and reported as estimated concentrations.

### Footnotes

Report Format: Data Usability Report



**Project Name:** RAYTHEON WAYLAND**Lab Number:** L1945770**Project Number:** RA-008**Report Date:** 10/09/19

- 1 - The reference for this analyte should be considered modified since this analyte is absent from the target analyte list of the original method.

**Terms**

**Analytical Method:** Both the document from which the method originates and the analytical reference method. (Example: EPA 8260B is shown as 1,8260B.) The codes for the reference method documents are provided in the References section of the Addendum.

**Difference:** With respect to Total Oxidizable Precursor (TOP) Assay analysis, the difference is defined as the Post-Treatment value minus the Pre-Treatment value.

**Final pH:** As it pertains to Sample Receipt & Container Information section of the report, Final pH reflects pH of container determined after adjustment at the laboratory, if applicable. If no adjustment required, value reflects Initial pH.

**Frozen Date/Time:** With respect to Volatile Organics in soil, Frozen Date/Time reflects the date/time at which associated Reagent Water-preserved vials were initially frozen. Note: If frozen date/time is beyond 48 hours from sample collection, value will be reflected in 'bold'.

**Initial pH:** As it pertains to Sample Receipt & Container Information section of the report, Initial pH reflects pH of container determined upon receipt, if applicable.

**PFAS Total:** With respect to PFAS analyses, the 'PFAS, Total (5)' result is defined as the summation of results for: PFHpA, PFHxS, PFOA, PFNA and PFOS. If a 'Total' result is requested, the results of its individual components will also be reported.

**Total:** With respect to Organic analyses, a 'Total' result is defined as the summation of results for individual isomers or Aroclors. If a 'Total' result is requested, the results of its individual components will also be reported. This is applicable to 'Total' results for methods 8260, 8081 and 8082.

**Data Qualifiers**

- A** - Spectra identified as "Aldol Condensates" are byproducts of the extraction/concentration procedures when acetone is introduced in the process.
- B** - The analyte was detected above the reporting limit in the associated method blank. Flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For MCP-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For DOD-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank AND the analyte was detected above one-half the reporting limit (or above the reporting limit for common lab contaminants) in the associated method blank. For NJ-Air-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte above the reporting limit. For NJ-related projects (excluding Air), flag only applies to associated field samples that have detectable concentrations of the analyte, which was detected above the reporting limit in the associated method blank or above five times the reporting limit for common lab contaminants (Phthalates, Acetone, Methylene Chloride, 2-Butanone).
- C** - Co-elution: The target analyte co-elutes with a known lab standard (i.e. surrogate, internal standards, etc.) for co-extracted analyses.
- D** - Concentration of analyte was quantified from diluted analysis. Flag only applies to field samples that have detectable concentrations of the analyte.
- E** - Concentration of analyte exceeds the range of the calibration curve and/or linear range of the instrument.
- G** - The concentration may be biased high due to matrix interferences (i.e. co-elution) with non-target compound(s). The result should be considered estimated.
- H** - The analysis of pH was performed beyond the regulatory-required holding time of 15 minutes from the time of sample collection.
- I** - The lower value for the two columns has been reported due to obvious interference.
- J** - Estimated value. This represents an estimated concentration for Tentatively Identified Compounds (TICs).
- M** - Reporting Limit (RL) exceeds the MCP CAM Reporting Limit for this analyte.
- ND** - Not detected at the reporting limit (RL) for the sample.
- NJ** - Presumptive evidence of compound. This represents an estimated concentration for Tentatively Identified Compounds (TICs), where the identification is based on a mass spectral library search.
- P** - The RPD between the results for the two columns exceeds the method-specified criteria.
- Q** - The quality control sample exceeds the associated acceptance criteria. For DOD-related projects, LCS and/or Continuing Calibration Standard exceedences are also qualified on all associated sample results. Note: This flag is not applicable for matrix spike recoveries when the sample concentration is greater than 4x the spike added or for batch duplicate RPD when the sample concentrations are less than 5x the RL. (Metals only.)
- R** - Analytical results are from sample re-analysis.
- RE** - Analytical results are from sample re-extraction.
- S** - Analytical results are from modified screening analysis.

Report Format: Data Usability Report



**Project Name:** RAYTHEON WAYLAND  
**Project Number:** RA-008

**Lab Number:** L1945770  
**Report Date:** 10/09/19

## REFERENCES

- 1 Test Methods for Evaluating Solid Waste: Physical/Chemical Methods. EPA SW-846. Third Edition. Updates I - IV, 2007.

## LIMITATION OF LIABILITIES

Alpha Analytical performs services with reasonable care and diligence normal to the analytical testing laboratory industry. In the event of an error, the sole and exclusive responsibility of Alpha Analytical shall be to re-perform the work at it's own expense. In no event shall Alpha Analytical be held liable for any incidental, consequential or special damages, including but not limited to, damages in any way connected with the use of, interpretation of, information or analysis provided by Alpha Analytical.

We strongly urge our clients to comply with EPA protocol regarding sample volume, preservation, cooling, containers, sampling procedures, holding time and splitting of samples in the field.



## Certification Information

The following analytes are not included in our Primary NELAP Scope of Accreditation:

### Westborough Facility

**EPA 624/624.1:** m/p-xylene, o-xylene

**EPA 8260C:** NPW: 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene, Azobenzene; SCM: Iodomethane (methyl iodide), 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene.

**EPA 8270D:** NPW: Dimethylnaphthalene,1,4-Diphenylhydrazine; SCM: Dimethylnaphthalene,1,4-Diphenylhydrazine.

**SM4500:** NPW: Amenable Cyanide; SCM: Total Phosphorus, TKN, NO<sub>2</sub>, NO<sub>3</sub>.

### Mansfield Facility

**SM 2540D:** TSS

**EPA 8082A:** NPW: PCB: 1, 5, 31, 87,101, 110, 141, 151, 153, 180, 183, 187.

**EPA TO-15:** Halothane, 2,4,4-Trimethyl-2-pentene, 2,4,4-Trimethyl-1-pentene, Thiophene, 2-Methylthiophene,

3-Methylthiophene, 2-Ethylthiophene, 1,2,3-Trimethylbenzene, Indan, Indene, 1,2,4,5-Tetramethylbenzene, Benzothiophene, 1-Methylnaphthalene.

**Biological Tissue Matrix:** EPA 3050B

The following analytes are included in our Massachusetts DEP Scope of Accreditation

### Westborough Facility:

#### *Drinking Water*

**EPA 300.0:** Chloride, Nitrate-N, Fluoride, Sulfate; **EPA 353.2:** Nitrate-N, Nitrite-N; **SM4500NO3-F:** Nitrate-N, Nitrite-N; **SM4500F-C, SM4500CN-CE,**

**EPA 180.1, SM2130B, SM4500Cl-D, SM2320B, SM2540C, SM4500H-B, SM4500NO2-B**

**EPA 332:** Perchlorate; **EPA 524.2:** THMs and VOCs; **EPA 504.1:** EDB, DBCP.

**Microbiology: SM9215B; SM9223-P/A, SM9223B-Colilert-QT, SM9222D.**

#### *Non-Potable Water*

**SM4500H,B, EPA 120.1, SM2510B, SM2540C, SM2320B, SM4500CL-E, SM4500F-BC, SM4500NH3-BH:** Ammonia-N and Kjeldahl-N, **EPA 350.1:**

Ammonia-N, **LACHAT 10-107-06-1-B:** Ammonia-N, **EPA 351.1, SM4500NO3-F, EPA 353.2:** Nitrate-N, **SM4500P-E, SM4500P-B, E, SM4500SO4-E,**

**SM5220D, EPA 410.4, SM5210B, SM5310C, SM4500CL-D, EPA 1664, EPA 420.1, SM4500-CN-CE, SM2540D, EPA 300: Chloride, Sulfate, Nitrate.**

**EPA 624.1:** Volatile Halocarbons & Aromatics,

**EPA 608.3:** Chlordane, Toxaphene, Aldrin, alpha-BHC, beta-BHC, gamma-BHC, delta-BHC, Dieldrin, DDD, DDE, DDT, Endosulfan I, Endosulfan II,

Endosulfan sulfate, Endrin, Endrin Aldehyde, Heptachlor, Heptachlor Epoxide, PCBs

**EPA 625.1:** SVOC (Acid/Base/Neutral Extractables), **EPA 600/4-81-045:** PCB-Oil.

**Microbiology: SM9223B-Colilert-QT; Enterolert-QT, SM9221E, EPA 1600, EPA 1603.**

### Mansfield Facility:

#### *Drinking Water*

**EPA 200.7:** Al, Ba, Cd, Cr, Cu, Fe, Mn, Ni, Na, Ag, Ca, Zn. **EPA 200.8:** Al, Sb, As, Ba, Be, Cd, Cr, Cu, Pb, Mn, Ni, Se, Ag, TL, Zn. **EPA 245.1** Hg.

**EPA 522.**

#### *Non-Potable Water*

**EPA 200.7:** Al, Sb, As, Be, Cd, Ca, Cr, Co, Cu, Fe, Pb, Mg, Mn, Mo, Ni, K, Se, Ag, Na, Sr, TL, Ti, V, Zn.

**EPA 200.8:** Al, Sb, As, Be, Cd, Cr, Cu, Fe, Pb, Mn, Ni, K, Se, Ag, Na, TL, Zn.

**EPA 245.1** Hg.

**SM2340B**

For a complete listing of analytes and methods, please contact your Alpha Project Manager.

# CHAIN OF CUSTODY

PAGE 1 OF 2

ALPHA Job #: **U945770**

Date Rec'd in Lab: **10/2/19**

ALPHA ANALYTICAL  
 WESTBORO, MA  
 TEL: 508-898-9220  
 FAX: 508-898-9193

### Client Information

Client: **Environmental Engineering Solutions Inc**  
 Address: **37 Pearl St  
 Bozrah MA 02184**  
 Phone: **508-668-0033**  
 Fax: **508-668-5175**  
 Email: **v.papadimitrakopoulos@eesolutions.com**

Project Name: **Penetration Testing**  
 Project Location: **Newport MA**  
 Project #: **PA-008**  
 Project Manager: **Vicki Peiringer**  
 ALPHA Quote #:

Turn-Around Time  
 Standard  RUSH (only confirmed if pre-approved)  
 Date Due: **10/9/19** Time: **1500**

Other Project Specific Requirements/Comments/Detection Limits:  
 These samples have been previously analyzed by Alpha

### Billing Information

Same as Client info  PO #:

### Report Information - Data Deliverables

FAX  EMAIL  Add'l Deliverables

### Regulatory Requirements/Report Limits

State/Fed Program Criteria **CW-3**

ALPHA Lab ID (Lab Use Only)	Sample ID	Collection Date	Time	Sample Matrix	Sampler's Initials	ANALYSIS	TOTAL # BOTTLES
-02	MW-2161M-20191002	10/2/19	1040	CW	DS	8360C A1-4 Diokane 52g	3
-03	MW-2153P-20191002	10/2/19	1010	CW	DR		3
-04	MW-2165D-20191002	10/2/19	0925	CW	DR		3
-05	MW-2166M-20191002	10/2/19	0835	CW	DR		3
-06	MW-2166B-20191002	10/2/19	1345	CW	DR		3
-07	MW-2160D-20191002	10/2/19	1005	CW	DS		3
-08	MW-551-20191002	10/2/19	1045	CW	DR		3
-09	MW-553-20191002	10/2/19	1125	CW	DR		3
-10	MW-560-20191002	10/2/19	1205	CW	DR		3

**SAMPLE HANDLING**  
 Filtration \_\_\_\_\_  
 Done  
 Not needed  
 Lab to do  
 Preservation  
 Lab to do  
 (Please specify below)  
 Sample Specific Comments

Please print clearly, legibly and completely. Samples can not be logged in and turnaround time clock will not start until any ambiguities are resolved. All samples submitted are subject to Alpha's Terms and Conditions. See reverse side.

Relinquished By:	Received By:	Date/Time	Date/Time
<i>[Signature]</i>	<i>[Signature]</i>	10/2/19 1420	10/2/19 1420
<i>[Signature]</i>	<i>[Signature]</i>	10/2/19	10/2/19 16:55
<i>[Signature]</i>	<i>[Signature]</i>	10/2/19 1850	10/2/19 1850

# CHAIN OF CUSTODY

PAGE 2 OF 2

**Client Information**

Client: Advanced Engineering Solutions Inc  
 Address: 37 Pearl St  
Brockton MA 02184

Phone: 508-668-0033  
 Fax: 508-668-5173  
 Email: v.paul@aesonline.com

These samples have been previously analyzed by Alpha

**Project Information**

Project Name: Amphibious Warhead  
 Project Location: Wareham MA  
 Project #: RA-008  
 Project Manager: Vicki Poirier  
 ALPHA Quote #: \_\_\_\_\_

**Turn-Around Time**

Standard  RUSH (only confirmed if pre-approved)

Date Due: 10/19/19 Time: 1500

**Other Project Specific Requirements/Comments/Detection Limits:**

ANALYSIS 8960c

ALPHA Lab ID (Lab Use Only)	Sample ID	Collection		Sample Matrix	Sampler's Initials	TOTAL # BOTTLES
		Date	Time			
45770-11	REW-5L1-20191002	10/21/19	1220	GW	DS	3
-12	REW-1-20191002	10/21/19	0740	FW	DS	3
-13	REW-4-20191002	10/21/19	0700	GW	DS	3
-14	REW-5-20191002	10/21/19	0635	GW	DS	3
-15	REW-8-20191002	10/21/19	0930	GW	DS	3
-16	REW-9-20191002	10/21/19	0855	GW	DS	3
-17	REW-10-20191002	10/21/19	0820	GW	DS	3
-18	Dupl - 20191002	10/21/19	-	GW	-	3
-19	Temp Blanks	-	-	-	-	2
	Temp Blank	-	-	-	-	1

**Regulatory Requirements/Report Limits**

State/Fed Program: \_\_\_\_\_ Criteria: CW-3

**Report Information - Data Deliverables**

FAX  EMAIL  Add'l Deliverables

ADEX

**Billing Information**

ALPHA Job #: 1945770

Same as Client info  PO #: \_\_\_\_\_

Date Rec'd in Lab: 10/2/19

**Project Specific Comments**

Sample Specific Comments

**Relinquished By:** \_\_\_\_\_ Date/Time: \_\_\_\_\_

**Received By:** \_\_\_\_\_ Date/Time: \_\_\_\_\_

Container Type: V Preservative: B

Please print clearly, legibly and completely. Samples can not be logged in and turnaround time clock will not start until any ambiguities are resolved. All samples submitted are subject to Alpha's Terms and Conditions. See reverse side.